



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/112756/>

Version: Accepted Version

Article:

Schirru, M.M. and Dwyer-Joyce, R.S. (2015) A model for the reflection of shear ultrasonic waves at a thin liquid film and its application to viscometry in a journal bearing. Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology, 230 (6). pp. 667-679. ISSN: 1350-6501

<https://doi.org/10.1177/1350650115610357>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

A model for the reflection of shear ultrasonic waves at a thin liquid film and its application to viscometry in a journal bearing.

Michele M. Schirru¹ and Rob S. Dwyer-Joyce¹

¹The Leonardo Centre for Tribology, The University of Sheffield, Sir Frederick Mappin Building, Mappin Street, Sheffield, UK, S13JD

Abstract

The apparent viscosity of oils in the thin layers that exist in machine elements such as gears and bearings is very different to that in the bulk. In addition oils in lubricating layers are characterized by Non-Newtonian behaviour due to the severe thermodynamic conditions that arise. It is this viscosity that determines the film thickness in lubricated mechanical components. This paper describes a novel methodology based on an ultrasonic approach to determine viscosity in-situ in a lubricated contact. The methodology considers the lubricant at the solid boundary as a Maxwell viscoelastic fluid and determines its response to an ultrasonic wave. This approach is then compared with existing methodologies in both a static contact and in a rotating journal bearing. The obtained results have shown that the algorithm proposed in this study is most suitable to study lubricants in the range 0.3 to 3 Pas and the measurement error has been found to be less than 10%. This viscosity range is common in components such as cam-follower, CVT transmissions and highly loaded journal bearings. At lower viscosities the measurement method suffers from excessive error caused by the acoustic mismatch between the bearing component and the oil film and the resulting difficulty in obtaining a high enough signal to noise ratio.

Keywords: ultrasonic viscometry, non-Newtonian, ultrasound, viscosity measurement, Maxwell model

1. Introduction

The ability to perform real time and in-situ monitoring of lubricant viscosity in thin layers such as oil films would assist in the design and testing of lubricated systems. The apparent viscosity in a thin oil film is different to that in the bulk because fluid particles are not distributed homogeneously through the layer. The response of the fluid to a shear stress will then be different compared to that in a bulk fluid. This effect is accentuated as the fluid molecular composition becomes complex. Further, conventional viscometers require oil to be extracted once it has exited the contact. The conditions of such a viscometry test can only be a simulation of the real contact parameters.

In this paper ultrasound harmonic waves are employed as a suitable technique to overcome this limitation as it is non-invasive and can therefore be applied to the real bearing component in operation. In ultrasonic engineering a thin layer is defined as a *“situation where two successive echoes cannot be distinguished in the time domain”* [1]. In that case it is not possible to measure properties such as speed of sound and fluid impedance by simple time of flight measurements [2]. Then a model that does not rely on fluid layer thickness is necessary. Harmonic horizontally polarized shear waves can propagate through solid layers, but only minimally into fluid layers and the reflected energy from solid-liquid interface is a function of the shear viscosity. Early work dedicated to the study of viscosity by means of interaction of ultrasonic shear waves was performed by Mason [3], who correlated the reflected echo wave from a torsional quartz crystal to the viscosity of a liquid layer deposited on the transducer. Since then, several other authors have used reflectance methods to study viscosity in a bulk fluid [4] and in industrial processes where the fluid involved could be considered Newtonian: for example diagnostic analysis of coal combustion processes, industrial clean up processes, and characterization of resins in an autoclave [5, 6]. A number of studies [7-10] have taken into account relaxation effects in Non-Newtonian lubricants to measure the rheological parameters involved in elastohydrodynamic lubrication (EHL). These researchers explored what happens to a fluid when subjected to high pressures and temperature typical in EHL. Continuous and oscillatory shear were compared in a wide range of frequencies, from a few kHz to hundreds of MHz. The results showed that it is necessary to incorporate relaxation time into a model, especially under EHL conditions where normally Newtonian oils can show Non-Newtonian behaviour.

The aim of this work is to determine the response of a thin oil film to shear polarized ultrasonic waves, where the oil is modelled as a generic viscoelastic fluid capable of representing both Newtonian and Non-Newtonian behaviour. The model is then used to determine the oil viscosity from that response to shear ultrasound. The model is firstly validated by testing on a bench oil film and then used to measure viscosity in-situ and in real time in a journal bearing apparatus.

2. Theoretical models

2.1 The reflection of ultrasonic shear waves from a solid-liquid boundary

When an ultrasonic shear polarized wave (whose propagation mode is represented in Figure 1(a)) strikes the boundary between a solid and a liquid, at normal incidence angle, part of the ultrasonic energy is

transmitted and dissipated in the fluid, while part is reflected back to the ultrasonic source, as shown in Figure 1 (b).




Figure 1. a) Representation of shear wave propagation (b) Simplified model describing propagation and reflection of an ultrasonic shear wave at solid-liquid contact interface

The ratio of the amplitude of the reflected wave to the amplitude of the incident wave, is known as the reflection coefficient and can be determined by [11]:

$$R^* = \frac{z_s - z_l}{z_s + z_l} \quad (1)$$

Where z_s and z_l are the acoustic impedances of the solid layer and the liquid layer respectively. The shear acoustic impedance of the solid is a real quantity defined by:

$$z_s = \rho_s c \quad (2)$$

Where ρ_s is the density of the solid medium, and c is the shear speed of sound in the solid. On the other hand, the shear acoustic impedance of the liquid is a complex quantity defined by [12]:

$$z_l = \sqrt{\rho_l G} \quad (3)$$

Where ρ_l is the density of the fluid layer, and G is the complex shear modulus defined as:

$$G = G' + iG'' \quad (4)$$

Where G' is the storage modulus and G'' is the loss modulus. As z_l is an imaginary quantity then R^* from equation (1) can be written in terms of its modulus, R and phase, θ as:

$$R^* = R e^{-i\omega\theta} \quad (5)$$

Substituting equation (5) in equation (1) it is possible to obtain a definition of the liquid acoustic impedance in terms of reflection coefficient modulus and phase:

$$z_l = z_s \left(\frac{1 - R^2 + i2R\sin\theta}{1 + R^2 + 2R\cos\theta} \right) \quad (6)$$

Equations (2), (3) and (6) relate the reflection coefficient to the solid and liquid properties and are used in the following sections to build the mathematical model to relate viscosity to ultrasonic reflection.

2.2 Newtonian reflection model

The simplest model considers the liquid as being Newtonian and the relation between viscosity and ultrasound reflection is derived after the method of Franco et al. [13]. With reference to Figure 1, the propagation of an ultrasonic wave at an interface is described by:

$$\frac{\partial^2 u}{\partial t^2} = c \frac{\partial \sigma_y}{\partial x} \quad (7)$$

Where u represents the displacement, $c = \sqrt{\frac{G}{\rho_l}}$ is the shear velocity where ρ_l is the liquid density, σ_y is the applied shear stress and x is the wave propagation direction. Here the subscript y is used to identify shear stresses, where the particle motion is normal to the direction of propagation. In the case of a sinusoidal perturbation the wave equation (7) has the following solution:

$$u = u_0 e^{[i\omega(t - \frac{x}{c})]} \quad (8)$$

Where ω is the angular frequency and u_0 is the initial particle displacement. The Newtonian state law correlating the shear stress σ_y and strain rate $\dot{\gamma}$ is:

$$\sigma_y = \eta \dot{\gamma} \quad (9)$$

Where η is the dynamic viscosity. Combining equations (7), (8) and (9) leads to:

$$\dot{\gamma} = i\omega \gamma \quad (10)$$

The shear modulus is defined as the stress over the strain:

$$G = \frac{\sigma_y}{\gamma} \quad (11)$$

Substituting equations (10) and (11) in equation (9) gives:

$$\eta = \frac{G}{\omega} \quad (12)$$

In case of a perfectly viscous liquid the term G' from equation (4) is zero and equation (12) reduces to:

$$\eta = \frac{G''}{\omega} \quad (13)$$

The storage modulus for a Newtonian solution may be defined by combining equations (3), (4) and (6) as:

$$G'' = \frac{z_s^2}{\rho_l} \left[\frac{4R(1 - R^2)\sin\theta}{1 + R^2 + 2R\cos\theta} \right] \quad (14)$$

Substituting equation (14) into (13) gives:

$$\eta = \frac{z_s^2}{\rho_l \omega} \left[\frac{4R(1-R^2)\sin\theta}{1+R^2+2R\cos\theta} \right] \quad (15)$$

Equation (15) relates viscosity and the ultrasonic reflection coefficient when the liquid can be considered to be Newtonian.

2.3 The Greenwood model

Another useful equation to correlate viscosity of a fluid layer and ultrasonic reflection coefficient is derived by Greenwood [14] starting from the most general definition of acoustic impedance for a viscoelastic fluid:

$$z_l = \frac{\sigma_y}{c} = \frac{\sigma_y}{\frac{\partial u}{\partial t}} \quad (16)$$

From the definition of viscosity the shear stress is proportional to the shear strain rate and so:

$$-\eta \frac{\partial \dot{u}}{\partial x} = \sigma_y \quad (17)$$

Combining equation (17) and (7) and if equation (7) is solved with the limitation that the displacement is sinusoidal a solution for u is obtained in the form:

$$u = u_0 e^{[i\omega t - k'x]} \quad (18)$$

Where ω is the angular frequency and k' is defined by Greenwood and al. [14] and it is solution of equation (7) only if it is equal to:

$$k' = \left(\frac{\omega \rho}{2\eta} \right)^{0.5} (1 + i) \quad (19)$$

Finally substituting equation (19) in equations (17) and (16) gives the definition of acoustic impedance:

$$z_l = \left(\frac{\omega \rho_l \eta}{2} \right) (1 + i) \quad (20)$$

By equating the real parts of equations (1) and (20) the fluid viscosity value is obtained in terms of reflection coefficient:

$$\eta = \frac{1}{\rho_l} \left(\rho_s c \left(\frac{2}{\omega} \right)^{0.5} \left(\frac{1-R}{1+R} \right) \right)^2 \quad (21)$$

Equation (21) presents a simplified approach to the problem with respect to equation (15) as only the modulus, and not phase, of the reflection coefficient is needed to calculate shear viscosity.

2.4 Maxwell model

To build the models described in equations (15) and (21) the assumption of Newtonian response of the fluid to shear stress excitation was made. Most lubricants operating in real bearing conditions are non-Newtonian and relaxation effects are not negligible. In this work the ultrasonic reflection model is

enhanced by using a Maxwell fluid analogy. This model describes, with a spring and a dashpot in series, the interaction between solid and liquid particles excited at an interface by an ultrasonic shear wave.




Figure 2. Maxwell analogy to describe contact interface particle interaction due to applied shear ultrasonic stress

In Figure 2 the damper element models the relaxation effects of a viscoelastic system as ultrasonic shear occurs at the solid-liquid boundary. The interaction between a solid particle m_s and the liquid particle m_l , both subjected to ultrasonic displacements v' and v'' , is described by a mechanical analogy. The total stress and strain in the system are given by:

$$\sigma_y = \sigma_{y_s} = \sigma_{y_d} \text{ and } \gamma = \gamma_s + \gamma_d \quad (22)$$

Where σ_y is the total stress, γ the total strain, the subscript s refers to the spring element while the subscript d to the dashpot. From Hooke law and from the dashpot theory:

$$\sigma_{y_s} = \gamma_s k \text{ and } \sigma_{y_d} = \dot{\gamma}_d \eta \quad (23)$$

Differentiating equations (22) and substituting in equations (23) gives:

$$\dot{\gamma} = \dot{\gamma}_d + \dot{\gamma}_s = \frac{\dot{\sigma}_y}{k} + \frac{\sigma_y}{\eta} \quad (24)$$

Where k is the stiffness of the spring defined as $\frac{\eta}{\tau}$, and τ is the relaxation time. In case of sinusoidal varying stress, the stress and strain are:

$$\sigma_y = \sigma_y e^{i\omega t} \text{ and } \gamma = \gamma e^{i\omega t} \quad (25)$$

Substituting equations (25) in equation (24) gives:

$$k(i\omega)\gamma e^{i\omega t} = \left(i\omega + \frac{1}{\tau}\right)\sigma_y e^{i\omega t} \quad (26)$$

Now by substituting equation (26) into the definition of shear modulus stated in equation (11):

$$G = \frac{\sigma_y}{\gamma} = \frac{k(i\omega\tau)}{1 + i\omega\tau} = \left(\frac{k\omega^2\tau^2}{1 + \omega^2\tau^2} + i\frac{k\omega\tau}{1 + \omega^2\tau^2}\right) \quad (27)$$

Substituting the stiffness $k = \frac{\eta}{\tau}$ into equation (27) gives:

$$G = \left(\frac{\omega^2\eta\tau}{1 + \omega^2\tau^2} + i\frac{\omega\eta}{1 + \omega^2\tau^2}\right) = G' + iG'' \quad (28)$$

Separating the real and imaginary part gives:

$$\begin{cases} G' = \frac{\omega^2 \eta \tau}{1 + \omega^2 \tau^2} \\ G'' = \frac{\omega \eta}{1 + \omega^2 \tau^2} \end{cases} \quad (29)$$

The system of equations (29) is a system of two equations in two unknowns, η and τ . Solving the two equations simultaneously leads to the solution for the viscosity in case the relaxation effects are taken into account. It is possible to compare the Maxwell model expressed in (29) with the Newtonian solutions reported in section 2.2 as follows. Expressing the second equation of (29) with respect to η gives:

$$\eta = \frac{G''(1 + \omega^2 \tau^2)}{\omega} \quad (30)$$

The storage and loss moduli G' and G'' are related to the ultrasonic reflection coefficient by equations (4) and (6). Combining these equations with the (30) leads to:

$$\eta = \frac{\left(\text{Im} \left(\frac{z_l^2}{\rho_l} \right) \right) (1 + \omega^2 \tau^2)}{\omega} \quad (31)$$

Substituting the definition of shear acoustic impedance, equation (6), into equation (31) it is possible to directly correlate the reflection coefficient to the shear viscosity:

$$\eta = \frac{z_s^2 \left(\frac{4(1 - R^2)R \sin \theta}{(1 + R^2 + 2R \cos \theta)^2} \right) (1 + \omega^2 \tau^2)}{\rho_l \omega} \quad (32)$$

It can be noticed that equation (32) is equivalent to equation (14) except for the term $\omega^2 \tau^2$. When $\omega^2 \tau^2 \ll 1$ then equation (32) reduces to the Newtonian solution of the wave equation (14). In case of the Newtonian solution only the expression (14) exists because viscosity is a function of the loss modulus only.

2.5 Comparison of Models

All the three models relate the fluid shear modulus to the viscosity and hence the reflection coefficient. The definition of shear modulus differs for a solid, Newtonian fluid, and non-Newtonian fluid. In case of an ultrasonic wave propagating through a solid, stress and strain are in phase and the shear modulus is a real number. To use an electrical analogy, the solid layer acts like a resistance with respect to the ultrasonic wave motion because the vibrational energy is partly dissipated in the propagation. A Newtonian fluid has stress and strain out of phase by 90 degrees and the shear modulus is purely an imaginary number, equivalent only to the loss modulus as stated in equation (13). This means that a Newtonian fluid acts like a pure capacitance element to the shear wave motion (as shown in Figure 3a). Common lubricants present viscoelastic behaviour and the stress and the strain are out of phase by between 0 and 90 degrees. The electrical element describing this situation is composed of a variable gain resistance (equivalent to G' in equation (28)) and a capacitance in series, see Figure 3b. As the variable gain resistance term gains importance the viscoelastic behaviour is accentuated and the fluid can no longer be described by a Newtonian approximation.




Figure 3. Electrical analogy to describe the incident ultrasonic wave to (a) Newtonian and (b) Viscoelastic fluids

Figure 4 shows the amplitude of G versus frequency as the relaxation time of the lubricant is changed, from equations (15) and (32). For low values of the relaxation time (so for $\omega^2\tau^2 \ll 1$) the Newtonian and the Maxwell models are identical. For high values of the relaxation time the value G' is of the same order as G'' and the Newtonian model fails in describing the real oil behaviour.




Figure 4. Comparison shear storage modulus (a) and loss modulus (b) from Newtonian and Maxwell models as the relaxation time changes

In Figure 5 the three different models equations (15), (21) and (32) are compared for different liquid relaxation times. For low relaxation times the three algorithms give a similar response, while for higher values of relaxation time only the Maxwell model is sensitive to the fluid structure changes. In all cases, for the viscosities considered, the reflection coefficient is close to one. This is a serious limitation when it comes to practical implementation of these methods on a lubricant viscometer, as will be observed later.




Figure 5. Application of Newtonian and Maxwell model for different relaxation times at an aluminium-liquid boundary

2.6 Application to thin films

All these models consider the ultrasonic reflection at the boundary between a solid and liquid where the two bodies are treated as semi-infinite spaces. The penetration depth of an ultrasonic shear wave at MHz frequencies is such that is completely attenuated within few microns. Therefore it is postulated that the reflection at a semi-infinite half space is equivalent to that for a thin oil film, as shown schematically in Figure 6. To validate this assumption the reflection coefficient was acquired from a thin film of fluid (50 micron) and from a thick fluid layer (20 mm). The acquisition has been performed at room temperature with three repetitions and following the experimental method reported in section 3.

Table 1. Ultrasonic reflection coefficient and resulting calculated viscosity, from a thin liquid film compared to a thick layer.

Sample	Average reflection coefficient (thin layer)	Average reflection coefficient (thick layer)	Viscosity (mPas) Thin layer	Viscosity (mPas) Thick layer
S20	0.9978	0.9980	19.0	15.7
S60	0.9946	0.9947	114.5	114.5
S200	0.9871	0.9869	655.1	675.7

The results for three viscosity standard oils are shown in Table 1. It is evident that reflection coefficients are very close to one and so viscosity is very sensitive to small changes in the reflection coefficient. Nevertheless, it is clear that the thin layer results are very close to the thick layer ones. This situation could be improved by using a high frequency ultrasound wave (0.1-1 GHz). From equation (20) increasing the frequency will increase the liquid acoustic impedance and consequently R would decrease

because z_l would be close to z_s , from equation (1). However, at the current state of the art it is not convenient to implement high frequency instrumentation for engine applications due to the complexity of the amplification system, the costs involved and because the transducers would so thin to be a fragile quartz coating layer.




Figure 6. Thin layer Maxwell model representation

3. Experiments

3.1 Apparatus

The experimental apparatus is shown schematically in Figure 7. Two flat aluminium plates were used to trap a thin layer of liquid; oil films in the range 20-100 micron were generated. The upper plate had two piezoelectric transducers (PZT) bonded to the outer surface as shown. The PZTs were lead-metanobiate ceramic plate wrapped in a nickel-gold electrode. One transducer acted as a pulser and the other as a receiver; commonly known as pitch-catch mode. A waveform function generator (TTI TG5011) produced a sine burst pulse excitation that was sent to the transmitting ultrasonic transducer (pulser) producing an ultrasonic wave with a centre frequency of 10 MHz. The ultrasonic pulse from the first transducer propagated through the solid until incident on the solid-liquid interface where part of the wave was transmitted, and dissipated, in the fluid layer and part was reflected back. The reflected wave from the interface was received by the second transducer (receiver). The reflected signal was recorded on an oscilloscope (Lecroy LT342), continuously analysed and stored in real time using an acquisition interface written in Labview. The bottom solid plate had holes that allow positioning K-type thermocouples in direct contact with the fluid in order to record the temperature at the interface. The K-type thermocouples were calibrated using a RTD system with an accuracy of $\pm 0.2^\circ\text{C}$.




Figure 7. Schematic diagram of the measurement apparatus

3.2 Signal processing

The ultrasonic viscosity models depend on the mechanical-acoustic properties of the solid and the density of the fluid. If these properties are known the only parameter to be determined experimentally is the reflection coefficient.

A five cycle sine wave from the waveform generator was used to excite the PZTs. The modulus and the phase of the reflection coefficient were calculated experimentally by comparing the ultrasonic amplitude reflected at a solid-liquid interface against the reference amplitude obtained by removing the fluid sample from the upper aluminium block, and thus measuring a solid-air contact:

$$R = \frac{A_m}{A_r} \quad (33)$$

$$\theta = \theta_r - \theta_m \quad (34)$$

Where A_m is the amplitude, calculated with the fast Fourier transform at the centre frequency of 10 MHz, of the reflected signal from the solid liquid interface, A_r is the amplitude of the reflected signal from the solid-air interface (reference measurement) as shown in Figure 8a, θ_m the phase of the reflected signal from the solid liquid interface, and θ_r is the phase of the reflected signal from the solid-air interface. As the phase is sensitive to temperature changes (± 0.1 °C leads to ± 10 degrees of error) the following relation defining the phase is obtained by manipulating equation (12) [15]:

$$\theta = 0.5 \arccos \left(1 - \frac{(1 - R^2)^2}{(2 + R^2)} \right) \quad (35)$$

The signals acquired in the time domain were then converted to the frequency domain using a FFT (fast Fourier transform), see Figure 8b. Once the FFT was performed the reflection coefficient was obtained from equation (33) by dividing the measurement FFT by the reference FFT at the desired frequency. In the application of the three methodologies only the reflection coefficient component at the centre

resonance frequency of the shear crystal (10 MHz) was considered. The reflection coefficient value obtained with this procedure was then used in equations (15), (21) and (32) to obtain oil sample viscosity.




Figure 8. Example of reference and measurement signals acquired in (a) the time domain and (b) converted to the frequency domain.

3.3 Test lubricants

The reflection coefficient was acquired from an aluminium-oil interface for six different Cannon viscosity standard calibrated lubricants (information about the test lubricants viscosities is reported in Table 2). The apparatus was heated up and then cooled down from 60°C down to 25 °C. Ultrasonic signals were continuously acquired in the cooling down process and converted in reflection coefficients.

Table 2. Cannon viscosity standard mineral oils tested

Mineral oil	$\eta@20^{\circ}\text{C}$ (mPas)	$\eta@40^{\circ}\text{C}$ (mPas)	$\eta@50^{\circ}\text{C}$ (mPas)
S20	37.32	15.27	10.65
S60	139.1	53.83	34.69
S200	587.4	177.5	155.8
N350	1114	270.3	151.1
S600	2008	446.2	240.4
S2000	9256	1662	808.2

4 Results and Discussion

Figure 9 shows a set of the results obtained for the oil S600. The results are an average of 20 measurements executed at a given temperature range for a single fluid sample. The measured reflection coefficient was converted to viscosity using each of the three models (equations (15), (21) and (32)) and compared with the data expected from the Cannon oil data sheet. It is noticeable that the Maxwell model is close to the expected results at high viscosity, while the models give a similar answer at low viscosities.




Figure 9. Variation of viscosity with temperature determined from ultrasonic reflection for a Cannon S600 mineral oil. Three models have been used to convert reflection coefficient to viscosity, the Newtonian, Greenwood, and Maxwell models

Figure 10 reports the results obtained for all the oils analysed. In this graph the line represents exact agreement. It can be seen that for low viscosity lubricants the Greenwood Model results tends to be the more effective, while as viscosity increases the Maxwell model better describes the fluid behaviour.




Figure 10. Comparison of measured viscosity against expected data sheet values for all fluid samples tested.

Using the data of Figure 10, Figure 11 shows the error between the ultrasonic measured viscosity and the data sheet value. Three distinct regions can be identified.




Figure 11. Error associated with each reflection model. Three regions are shown: 1) R tends to 1 and all models are subject to scatter, 2) the optimum region for the Greenwood, 3) the optimum region for the Maxwell model

In region 1 it is difficult to obtain accurate measurements of lubricant viscosity using any of the models. This is because the reflection coefficient is very close to one and equations (15), (21) and (32) all become unstable. For low viscosity lubricants and for a metal-liquid interface the reflection coefficient modulus is very close to the unity so that any electrical noise or disturbance in the measurement chain has a significant effect on the result. For example a variation of $\pm 1\%$ in the reflection coefficient can lead to a deviation of $\pm 25\text{mPas}$ from the theoretical viscosity value. So for the low viscosity oil S20 the viscosity is

10 mPas at 55 °C while the measured value varies with an error of 20% to 100 % depending on the model used.

Region 2 is the optimum region to use the Greenwood Model. In this region most of the results give an error less than 10% and the lubricant can be considered as perfectly Newtonian. These results are in line with the accuracy obtained by other researchers [16].

Region 3 is the optimum region to use the Maxwell model. At around 0.15 Pas the accuracy of the other models diverge quickly while the Maxwell model converge to the minimum error that remains below 12%. This is due to the fact that as the lubricant gets thicker (use more viscous) its behaviour cannot be considered perfectly Newtonian and relaxation effects must be taken into account. It is interesting to note the behaviour of the models for lubricant S200, as shown in Figure 12. This lubricant has relatively high viscosity at room temperature (0.4 Pas) and the Maxwell model is the most accurate (9% error compared with 46% for the Greenwood model), but at 40 °C its viscosity is about 0.15 Pas and the best model turns to be the Greenwood one. This is due to the fact that at low temperatures the relaxation time of the fluid is higher and the only valid model is the Maxwell one. As the temperature increases the relaxation time decreases, the term $\omega^2\tau^2$ of equation (32) gets smaller and the Maxwell model precision is close to the Greenwood model.




Figure 12. Variation of viscosity with temperature determined from ultrasonic reflection for a Cannon S200 mineral oil. Three models have been used to convert reflection coefficient to viscosity, the Newtonian, Greenwood, and Maxwell models

5 Application to a journal bearing

5.1 Apparatus and method

Figure 13a and Figure 14 show the experimental journal bearing apparatus. Two ultrasonic transducers pulsing at a centre frequency of 1.8 MHz were bonded to a brass delay line in contact with the bush, as shown in Figure 13b. A lower frequency was used for this experiment to allow a better sound transmission across the longer solid line. An electric motor and pulley system allowed rotation of the steel journal shaft between 0-500 rpm. The rotational speed range was chosen so that the contact surface temperature did not reach a value such that the oil viscosity was too low to be within the sensitivity measurement region, as described in section 4. The oil was continuously pumped into the bearing from a reservoir thus allowing the separation of the bush and journal with a lubricating oil layer. The clearance thickness at the top film position in static condition was $100 \pm 10 \mu\text{m}$ [17]. This was measured differentiating the diameter measurements of the shaft and the bush made with a micrometer at different locations. The tests were run with a constant load of 200 N concentrated at the centre top of the rig. The load takes into account of the bush and rig frame weight plus a minimum hydraulic ram load to allow proper film formation. The increment in the speed caused the lubricant to heat up and consequently to change its viscosity throughout the test. To allow an accurate measurement of the oil film temperature the ultrasonic response from the first brass reflection was used because it was not possible to put a thermocouple in direct contact with the interface of interest.




Figure 13. Journal bearing test rig (a) drawing of the journal and bush with the transducer location indicated, (b) photograph of the PZT sensors on the brass delay line.




Figure 14: Journal bearing test rig

5.2 Thermal Compensation

Figure 15 shows a signal acquired from the journal bearing test rig. The first peak A is associated with the initial ultrasonic pulse; peak B is the reflection from the first brass-bush boundary, whilst C is the reflection that occurs at the bush-oil interface. The reflection from the brass-oil interface is dependent on temperature and viscosity of the oil, while the signal amplitude from the brass-brass interface reflection is dependent only on temperature. It is possible to associate the amplitude of the signal acquired from this interface (reflection B) with the temperature at the brass-oil interface after an appropriate calibration. The calibration procedure is performed by heating up the brass bush in an oven. The bush is heated up without the journal so that the brass temperature at air interface is accurately measured. In the same time the ultrasonic signals from the brass-brass and brass-air interface are acquired. Each signal amplitude acquired at the brass-brass interface is associated with a value of temperature, as shown in Figure 16a, while the signal-temperature data acquired from the brass-air interface (reflection C) are used as reference for the data acquired under operating conditions by the journal bearing test rig, Figure 16b.




Figure 15. Typical amplitude vs time reflection signal acquired from the journal bearing rig.




Figure 16. (a) Brass-Bush ultrasonic amplitude- temperature calibration curve, (b) Bush-air ultrasonic amplitude-temperature reference curve

5.3 Results

The ultrasonic signal acquisition process proceeds as described in section 3.2. The reflection coefficient is calculated by dividing the amplitude of the measurement signal by the amplitude of the reference signal obtained in the calibration process described in the previous section from the brass bush-air

interface. The measurement signal is acquired continuously from the oil film with the shaft spinning and every measurement has been repeated three times.

Figure 17 shows the reflection coefficient acquired for the three different samples as the temperature varies due to shaft rotational speed increase. As the brass acoustic impedance is 35MRayl (approximately double aluminium that was used in the previous case tests), the reflection coefficient also approaches the unity for a lubricant viscosity of around 0.2 Pas. The insensitivity region (region 1 in Figure 11) shifts from 0.01 Pas to 0.2 Pas thus eliminating the Greenwood model optimum region. For this reason only thick oils have been tested in this apparatus.




Figure 17. Variation of the reflection coefficient for a journal bearing oil film as the oil temperature changes due to speed increase.

Figure (18) compares the ultrasonically measured viscosity, obtained using the Maxwell model, with the expected data sheet values. The results show that, at least for the higher viscosity fluids, good agreement can be achieved between an in-situ ultrasonic viscometer and a classical viscometer.




Figure 18. Measured viscosity compared with data sheet values for three cannon standard viscosity mineral oils.

6 Conclusions

In this paper three models relating shear ultrasonic reflection to fluid viscosity were implemented for measuring viscosity in thin lubricant layers. The models treated the fluid as Newtonian and as a Maxwell fluid. Each model was used to process reflection results from a static captive oil film and from a rotating journal bearing. In all cases the reflected ultrasonic signals are close to one because there is a large acoustic mismatch between the bearing material and the oil film. This is exacerbated at low oil viscosities.

The Maxwell model has been developed for application when the lubricant is non-Newtonian. It has been successfully applied to fluids of shear viscosity greater than 0.15 Pas with resulting accuracies of between 0.5% and 12% in a rotating journal bearing. The Newtonian fluid models failed (errors higher than 100%) due to the increase in the relaxation time that invalidates the approach. This demonstrates that it is possible to measure viscosity in-situ in an oil film, provided the viscosity is relatively high and that a Maxwell treatment of the fluid is applied.

References

1. Kinra VK and Iyer VR. *Ultrasonic measurement of the thickness, phase velocity and density or attenuation of a thin-viscoelastic plate. Part I: the forward problem.* Ultrasonics Vol 33 No 2 01/1995.
2. Krautkramer J. *Ultrasonic testing of materials.* Allen & Unwin, 1969.

3. Mason WP. *Measurement of shear elasticity and viscosity of liquids at ultrasonic frequencies*. Physical Review, Volume 7S, Number 6, March 15 1949, pp 936-946.
4. Roth W. *A New Method for Continuous Viscosity Measurement. General Theory of the Ultra-Viscoson*. Journal of Applied Physics, vol.24, No.7, July 1953, pp 940-950.
5. Sheen SH, Lawrence WP, Chien HT et al. *Method for measuring liquid viscosity and ultrasonic viscometer*. Patent No: 5,365,778, USA Nov. 22 1994.
6. Cohen-Tenoudji F, Ahlberg LA, Tittmann BR et al. *High temperature ultrasonic viscometer*. Patent No.: 4,779,452, USA Oct. 25 1988.
7. Barlow AJ and Lamb J. *The Visco-elastic behaviour of Lubricating oils under cyclic shearing stress*. Proceedings of The Royal Society A Mathematical Physical and Engineering Sciences. 01/1959; 253(1272):52-69.
8. Lamb J. *Physical properties of fluid lubricants: rheological and viscoelastic behaviour*. Proceedings of the Institution of Mechanical Engineers, Conference Proceedings 1967 182:293
9. Oldroyd JG. *Non-Newtonian effects in steady motion of some idealised elastic-viscous liquids* Proceedings of The Royal Society A Mathematical Physical and Engineering Sciences. 01/1958; 245(1241):278-297.
10. Dowson D, Higginson GR and Whitaker AV. *Elasto-hydrodynamic lubrication: a survey of isothermal solutions*. Journal of Mechanical Engineering Science June 1962 vol. 4 no. 2 121-126
11. Kinsler L and Frey AR. *Fundamental of acoustics*. Wiley, 4th edition
12. Worlow RW. *Rheological Techniques*. Horwood Ltd, 1980
13. Franco EE, Adamowski JC, Higuera RT et al. *Viscosity measurement of Newtonian liquids using the complex reflection coefficient*. IEEE Transactions on Ultrasonics, Ferroelectrics, And Frequency Control, Vol. 55, No. 10, Oct. 2008.
14. Greenwood MS and Bamberger JA. *Measurement of viscosity and shear wave velocity of a liquid or slurry for on-line process control*. Ultrasonics 39 (2002) 623-630.
15. Franco EE, Adamowski JC and Buiochi F. *Ultrasonic viscosity measurement using the shear wave reflection coefficient with a novel signal processing technique*. IEEE transactions on ultrasonics, ferroelectrics, and frequency control 05/2010; 57(5):1133-9.
16. Chien H., Sheen S. and Raptis AC. *An in line ultrasonic viscometer*. Review of Progress in Quantitative Nondestructive Evaluation 1995, pp. 1151-1158.

17. Kasolang S, Ahmad MA, Dwyer-Joyce RS. *Measurement of circumferential viscosity profile in stationary journal bearing by shear ultrasonic reflection*. J. Tribol. 133(3), 031501, June 17, 2011.