

This is a repository copy of *Interplays between copper and Mycobacterium tuberculosis GroEL1*.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/170297/

Version: Accepted Version

Article:

Yang, D, Klebl, DP, Zeng, S et al. (5 more authors) (2020) Interplays between copper and Mycobacterium tuberculosis GroEL1. Metallomics, 12 (8). pp. 1267-1277. ISSN 1756-5901

https://doi.org/10.1039/d0mt00101e

© The Royal Society of Chemistry 2020. This is an author produced version of a journal article published in Metallomics. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.




eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Interplays **Mycobacterium** between and 1 copper tuberculosis GroEL1 2 3 Dong Yang¹, David P. Klebl^{2,3}, Sheng Zeng¹, Frank Sobott^{2,4,5}, Martine 4 Prévost ⁶, Patrice Soumillion ⁷, Guy Vandenbussche ⁶[#] and Véronique Fontaine 5 1, #,* 6 7 ¹ Microbiology, Bioorganic and Macromolecular Chemistry Unit, Faculty of 8 9 Pharmacy, Université Libre de Bruxelles (ULB), Brussels, Belgium ² The Astbury Centre for Structural Molecular Biology, University of Leeds, 10 Leeds, UK 11 12 ³ School of Biomedical Sciences, University of Leeds, Leeds LS2 9JT, UK ⁴ School of Molecular and Cellular Biology, University of Leeds, Leeds LS2 9JT, 13 14 UK ⁵ BAMS Research Group, Department of Chemistry, University of Antwerp, 15 16 Antwerp, 2020, Belgium 17 ⁶ Laboratory for the Structure and Function of Biological Membranes, Faculty 18 of Sciences, Université Libre de Bruxelles (ULB), Brussels, Belgium 19 ⁷ Biochemistry and Genetics of Microorganisms, Louvain Institute of 20 Biomolecular Science and Technology, Université Catholique de Louvain (UCL), 21 Louvain-la-Neuve, Belgium 22 # Equally contributed 23 24 * Corresponding author, email: vfontain@ulb.ac.be, postal address: Microbiology, Bioorganic and Macromolecular Chemistry Unit, Faculty of 25 Pharmacy, Université Libre de Bruxelles (ULB), Boulevard du Triomphe, 26

27 CP205/2, 1050 Brussels, Belgium

Table of contents entry



M. bovis BCG

The chaperone GroEL1 enhances copper tolerance during *Mycobacterium bovis* BCG biofilm formation. The binding of copper ions to the GroEL1 histidine-rich region protects the chaperone from destabilization and increases its ATPase activity.

34

29

35 **Abstract**

36 The recalcitrance of pathogenic *Mycobacterium tuberculosis*, the agent of 37 tuberculosis, to eradication is due to various factors allowing bacteria to escape from stress situations. The mycobacterial chaperone GroEL1, overproduced 38 39 after macrophage entry and under oxidative stress, could be one of these key 40 players. We previously reported that GroEL1 is necessary for the biosynthesis 41 of phthiocerol dimycocerosate, a virulence-associated lipid and for reducing 42 antibiotic susceptibility. In the present study, we showed that GroEL1, bearing 43 a unique C-terminal histidine-rich region, is required for copper tolerance during 44 Mycobacterium bovis BCG biofilm growth. Mass spectrometry analysis demonstrated that GroEL1 displays high affinity for copper ions, especially at 45 46 its C-terminal histidine-rich region. Furthermore, the binding of copper protects 47 GroEL1 from destabilization and increases GroEL1 ATPase activity. Altogether, 48 these findings suggest that GroEL1 could counteract copper toxicity, notably in 49 the macrophage phagosome, and further emphasizes that *M. tuberculosis* 50 GroEL1 could be an interesting antitubercular target.

52 Introduction

53 Mycobacterium tuberculosis (M. tuberculosis) is the causative agent of 54 tuberculosis (TB), a leading infectious disease still causing an estimated 10 million TB cases and 1.4 million deaths in 2018¹. This bacterial infection is 55 56 difficult to treat for various reasons. First, the bacterium has an unusual 57 impermeable cell wall that reduces drug accessibility. The mycobacterial cell wall is composed, from the inside to the outside, of peptidoglycan covalently 58 bound to arabinogalactan which in turn can also be covalently bound to 59 60 exceptionally long chain fatty acids, mycolic acids. Those are further embedded 61 in an outer membrane, rich in non-covalently bound long fatty acids ^{2, 3}. Among 62 the non-covalently embedded lipids, phthiocerol dimycocerosates (PDIM), 63 methyl-branched fatty acid-containing lipids, are essential to resist to hostile environment and antibiotics ³⁻⁶. 64

In addition, this pathogen can adopt different strategies to escape bactericidal stress, *e.g.* oxidative stress within macrophages and hypoxia in lung granuloma, among others by entering into a nonreplicating state called dormancy ⁷⁻¹⁰. The mycobacterial GroEL1 chaperonin has been previously shown to be essential for metabolic and energetic adaptation under stress, as reflected *in vitro* in a biofilm growth model ¹¹.

71 *M. bovis* BCG and *M. tuberculosis* have two *GroEL* encoding genes. 72 groEL1 (Rv3417c, BCG 3487c) in an operonic arrangement with groES 73 (*Rv3418c*, BCG *3488c*) and *groEL2* (*Rv0440*, BCG *0479*) ¹². They encode two forms of chaperone proteins, GroEL1 (Cpn60.1, Hsp60.1) and GroEL2 74 75 (Cpn60.2, Hsp60.2), which are identical between *M. tuberculosis* and *M. bovis*. GroEL1 shares 62 % sequence identity with GroEL2¹² and 53 % sequence 76 identity and 70% similarity with the well-known E. coli GroEL¹³. The E. coli 77 78 GroEL can oligomerize in two heptameric structures stacked back-to-back to promote protein folding with the help of the cochaperonin GroES, in an ATP-79 dependent manner ¹⁴⁻¹⁸. The divalent cation Mg²⁺ and to a less extent Mn²⁺, 80 81 Co²⁺ or Ni²⁺, has been shown to be required for the *E. coli* GroEL ATPase activity ¹⁹. Interestingly, *M. tuberculosis* GroEL1 has a distinctive histidine-rich 82 C-terminal region, while GroEL2 has a glycine-methionine-rich C-terminal 83 region that is more typical of the GroEL chaperones ¹². In *M. tuberculosis*, both 84

GroEL proteins are overproduced under stress conditions, including heat shock ²⁰, oxidative stress response ^{21, 22}, osmotic stress ²³ and during macrophage infection ²⁴. The *M. bovis* BCG *groEL*1 knockout mutant shows increased sensitivity to oxidative stress and vancomycin compared to the wild type strain ⁵. Furthermore, our previous research demonstrated that the GroEL1 chaperone protein is required for PDIM biosynthesis as the *M. bovis* BCG Δ *groEL1* mutant is devoid of PDIM ⁵.

92 Usually, under stress, bacteria use a common virulence and adaptive factor to survive, they form biofilms ^{13, 22, 25, 26}. Although mycobacterial biofilms 93 94 were not yet observed in patients with tuberculosis, pathologies involving nontuberculous mycobacteria were shown to be associated with biofilm 95 infections. For pathogenic mycobacteria, biofilm has been shown to be an 96 97 interesting *in vitro* growth model as, in biofilm, mycobacteria are entering into 98 dormancy and develop adaptative bactericidal escape mechanisms like in in *vivo* stress conditions ²⁷. For mycobacterial biofilm formation, a high 99 100 concentration of glycerol (6 % of culture medium) is used and GroEL1 was 101 shown to be required to adapt to this high glycerol concentration ¹¹. In *in vivo* stress conditions, such as in the macrophage phagosome, the bacilli may 102 103 encounter additional stress resulting from increased metal ion concentrations ²⁸⁻³⁰. Although copper is essential for mycobacteria viability, the high copper ion 104 105 concentration in host/cell compartments is an efficient antibacterial defence 106 mechanism, especially against the susceptible *M. tuberculosis*³¹⁻³³.

107 The C-terminal histidine-rich region of GroEL1 has been predicted to be 108 involved in metal binding ¹². This was confirmed in the purification process of 109 *M. smegmatis* GroEL1 using Ni-agarose affinity matrix and more recently by 110 isothermal titration calorimetry (ITC) ^{13, 34}. Given the overproduction of GroEL1 111 under stresses, we evaluated *M. bovis* BCG biofilm growth in the presence of 112 metal ions and further investigated the impact of metal ions on GroEL1 113 biochemical characteristics.

115 **Experimental section**

116 Bacterial strains and growth condition

117 Wild type (wt) *M. bovis* BCG, BCG $\Delta groEL1$ (KO) and BCG complemented 118 (compl) strains were described previously ²². *M. bovis* BCG was cultured in 119 Middlebrook 7H9 medium (Difco Laboratories) containing 0.05% Tween 80 120 supplemented with 10% albumin-dextrose complex. The $\Delta groEL1$ strain was 121 grown in a medium with 25 µg/mL kanamycin, and the complemented strain 122 with 25 µg/mL kanamycin and 50 µg/mL hygromycin.

123 *M. bovis* BCG biofilm formation

The biofilm cultures were grown on modified Sauton's medium containing 3.5% (v/v) glycerol in the presence or absence of Cu^{2+} , Zn^{2+} or Cd^{2+} . One litre of Sauton's medium contains 0.5 g KH₂PO₄, 0.5 g MgSO₄, 2.0 g citric acid, 0.05 g ferric ammonium citrate, 35 mL glycerol, 4.0 g asparagine, 1.435 mg ZnSO₄. The pH of the medium was adjusted to pH 7.2 with 1 M NaOH.

To grow biofilms in either 24-well plates or 6 cm diameter polystyrene Petri dishs, 20 μ L or 100 μ L of precultures (OD₆₀₀ at 0.9-1.0) were inoculated in 2 mL or 10 mL biofilm medium. The dishes or plates were then covered twice with Parafilm[®] and incubated at 37 °C for 21-28 days without disturbance ²⁷.

133 Plasmid constructions

The pET-15b vector (Novagen) was modified with a cleavage site for Rhinovirus protease 3C introduced between *Ndel* and *Ncol* in place of the thrombin cleavage site, leaving a sequence encoding a $5 \times \text{His-tag}^{35}$.

137 The coding sequences corresponding to the *M. tuberculosis* H37Rv groEL1, groEL2 and groES genes were amplified by polymerase chain reaction 138 139 (PCR). The primers used are shown in supplementary data (**Table S1**). The plasmids pMtGroEL1 and pMtGroEL1 AHis were obtained by cloning the PCR 140 141 products into the modified pET-15b vector, using the restriction sites *Ndel* and 142 *Xhol*. The designed *p*MtGroEL1∆His is devoid of the last 30 bases, including the stop codon and 27 bases encoding the last 9 C-terminal amino acid 143 144 residues, compared with pMtGroEL1. Prior to cloning, the modified pET-15b vector was linearized using the restriction enzymes Ndel and BamHI. The M. 145 tuberculosis groEL2 gene was cloned into the modified pET-15b vector using 146 the In-Fusion[®] HD Cloning Kit (Clontech). The *M. tuberculosis groES* gene was 147

cloned into the modified pET-15b vector dephosphorylated by antarctic phosphatase (Anp), using the *Ndel* restriction site. The plasmids were named *p*MtGroEL2 and *p*MtGroES, respectively. All the plasmid constructions were verified by sequencing.

152 **Protein production and purification**

The constructed plasmids were transformed into *E. coli* strain BL21(DE3) 153 154 for protein production. The bacteria were grown in LB medium containing 100 µg/mL ampicillin at 37 °C. Gene expression was induced with 1 mM IPTG when 155 the optical density reached 0.5 at 600 nm. Then, the incubation was continued 156 for 20 hours at 18 °C (or 30 °C for GroEL2). The cells were then harvested by 157 centrifugation at 5,000 \times g and resuspended in 20 mL of 20 mM HEPES, 300 158 159 mM NaCl, 20 mM MgSO₄, 10 mM imidazole, pH 8.0, EDTA-free protease inhibitor cocktail (Carl Roth) and 10 µg/mL DNase (Sigma). 160

Protein purification was always performed at 4 °C ³⁶. The resuspended cells 161 were homogenized in a Potter-Elvehjem homogenizer and lysed by four 162 163 passages through an Emulsiflex-C3 (Avestin). The lysate was collected by centrifugation at 10,000 g and loaded onto a previously equilibrated Poly-Prep 164 165 column (Bio-Rad) containing 2 mL of Ni-NTA resin (Thermo Scientific). The suspension was incubated for 1 h under gentle agitation. After collecting the 166 167 column flow-through, the resin was washed with 10 mM and 40 mM imidazole, 168 in 20 mM HEPES (pH 8.0), 300 mM NaCl. The proteins were eluted with 250 169 mM imidazole, 20 mM HEPES (pH 8.0), 300 mM NaCl. Prior to 5 × His-tag 170 cleavage, the buffer was exchanged for 20 mM HEPES, 150 mM NaCl (pH 7.5) on a PD-10 desalting column (GE Healthcare). Then the protein was incubated 171 172 overnight at 4 °C with protease 3C (protein/enzyme mass ratio of 75:1) for His-173 tag removal. The protein was further purified on size exclusion chromatography 174 (SEC) using a Superdex 200 10/300 GL analytical column connected to an 175 ÄKTA purifier system (GE Healthcare). The protein solution was eluted with a 176 selected buffer or solution (A: 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 or B: 10 mM ammonium acetate, pH 6.9). 177

The purified proteins were flash-frozen in liquid nitrogen and stored at -80 °C. Protein concentrations were determined using the calculated extinction coefficients ³⁷ at 280 nm: 16,960 M⁻¹cm⁻¹ for GroEL1 and GroEL1 Δ His, 11,460 M⁻¹cm⁻¹ for GroES and 15,930 M⁻¹cm⁻¹ for GroEL2. The purity and the integrity
 of recombinant proteins were determined by SDS-PAGE and denaturing mass
 spectrometry, respectively.

184 Mass spectrometry

Borosilicate nano-electrospray capillaries (Thermo Scientific) were prepared in-house using a P-97 micropipette puller (Sutter Instrument Co.) and coated with gold/palladium in a Polaron SC7620 sputter coater (Quorum Technologies). Mass spectrometers were operated in positive ion mode.

For intact mass determination, proteins were solubilized in a 50 % acetonitrile/1% formic acid (v/v) mixture after being desalted on ZipTipC4 (Millipore). Mass spectra were acquired on a Q-TOF Ultima mass spectrometer, typically using a capillary voltage of 1.8-2.0 kV and cone voltage of 50 V. The TOF analyzer was operated in the V mode. Molecular masses were determined after MaxEnt1 deconvolution of the raw m/z data (Waters).

For initial metal ion-binding studies, the protein was buffer exchanged into 10 mM ammonium acetate pH 6.9 via size exclusion chromatography. Native mass spectra were acquired on a Q-TOF Ultima mass spectrometer (Waters) using the settings described above. The metal binding specificity of proteins was determined, and each protein and metal ion were mixed at a final concentration of 10 μ M. Metal ion solutions were prepared using CoCl₂, ZnCl₂, NiCl₂ and CuCl₂ salts.

202 Copper-binding was studied more in depth using an Orbitrap Q Exactive 203 Plus UHMR modified for high mass range (Thermo Scientific). The protein was 204 buffer-exchanged via SEC as described above or using two consecutive Zeba 205 spin desalting columns (Thermo Scientific) and used at a final concentration of 7.5 µM in 500 mM ammonium acetate pH 6.9. This was found to produce less 206 207 unfolded protein and allowed copper binding. Typical instrument settings were - 1.7 kV capillary voltage, - 50 V in source trapping, HCD was off and the AGC 208 209 target set to 106 with a maximum inject time of 500 ms. The mass range was 210 2000 – 20000 m/z to allow detection of high oligomeric species if present. Raw 211 data were analysed and processed using UniDec ³⁸. CuCl₂ was added to the sample to make final concentrations between 1.9 and 30 µM. Similar conditions 212 213 were used to study the binding of Cd²⁺ to GroEL1.

214 The effect of copper ion on protein thermal stability

215 The thermal shift assay in the presence of the fluorescent SYPRO orange 216 dve (Invitrogen) was used to monitor protein stability ³⁹. The assay was conducted in 96-well plates using the CFX96TM real-time PCR system (Bio-217 218 Rad). Briefly, 25 µL of reaction mixture contained 5 µM protein (GroEL1 or 219 GroEL1 Δ His), 0.3 μ L of 5000 \times SYPRO Orange, with 10 μ M Cu²⁺ in 5 mM 220 HEPES, pH 7.5. The thermocycle parameters were set up as follows: 20 221 minutes pause at 10 °C, followed by a melt curve recorded from 10 °C to 95 °C, 222 with 1 °C increase every minute, then pause at 10 °C for 10 minutes. The 223 fluorescence intensity was recorded at Ex/Em = 465/510 nm. The data were 224 obtained from the Bio-Rad Precision Melt Analysis software 1.0 and exported 225 as Microsoft Excel spreadsheet.

226 Trypsin digestion susceptibility assay

227 To investigate the effect of copper ions on protease digestion susceptibility, 228 a trypsin digestion assay was performed as previously described with minor modifications ⁴⁰ on GroEL1 or GroEL1∆His in the presence or absence of Cu²⁺ 229 230 at 37 °C. Briefly, the reaction mixture contained 5 μ g GroEL1 or GroEL1 Δ His, 231 0.0015 µg trypsin (a mass ration of protein to trypsin was 10,000:3), in the 232 presence or absence of CuCl₂. The reaction was terminated at various times 233 by adding 1.5 μ L of 50 mM PMSF and 7.5 μ L SDS-PAGE Laemmli buffer (2×) to 6 μ L aliguots of the reaction mixture, and the resulting solution was 234 immediately frozen in liquid nitrogen. The samples were finally analysed by 235 236 SDS-PAGE on a 15 % polyacrylamide gel. In addition, the influence of copper 237 on trypsin activity was evaluated using $N\alpha$ -benzoyl-DL-arginine 4-nitroanilide 238 hydrochloride (BAPNA, Sigma) as substrate ⁴¹.

239 **ATPase activity assay**

The ATPase activities of the purified recombinant mycobacteria GroEL (GroEL1, GroEL1 Δ His, GroEL2) were quantified using a slightly modified colorimetric assay ⁴². Briefly, 100 μ L of the reaction buffer containing 10 mM KCI, 2 mM ATP, 10 mM MgCl₂, 50 mM Tris-HCI (pH 7.5), 150 mM NaCl, and 10 μ M proteins, in the absence or the presence of 20 μ M GroES were incubated for 1 hour at 37 °C. Enzymatic reactions were terminated by addition of 500 μ L of 1% SDS. Colour development was measured as follows: 200 μ L of

ammonium molybdate reagent was added to each tube immediately followed by the addition of 200 μ l Elon reagent. After 15 min at room temperature, the absorbance of the final solution (200 μ L of reactions in 96 well-plates) was measured at 700 nm. Control experiments without protein were always included. The recombinant *E. coli* GroEL was from Abcam.

To investigate the effect of metal ions on ATPase activity, the same experiment was performed in the presence of 100 μ M of metal ions (Ni²⁺, Cu²⁺, Cd²⁺, Zn²⁺ or Co²⁺).

255 Structural modelling of GroEL1

A BLAST search performed on the Protein Data Bank (PDB) sequences identified GroEL2 from *M. tuberculosis* as a potential template for building a GroEL1 model. Two 3D models of GroEL1 were built by comparative modelling with Modeller 9v11 ⁴³ using the *M. tuberculosis* Cpn60.2 (GroEL2) crystal structure as a template ⁴⁴ and the sequence alignment carried out with ClustalW. The ATP analogue was positioned based on the superposed GroEL structure (PDB ID: 1SX3) ⁴⁵ to predict the potential ATP binding site.

264 **Results**

GroEL1 increases copper tolerance during *M. bovis* BCG biofilm formation

267 The impact of metal ions was evaluated on the biofilm growth of *M. bovis* BCG strains. As the $\triangle groEL1$ BCG (KO) strain is more sensitive to glycerol 268 269 osmotic stress ¹¹, the amount of glycerol in the biofilm culture was reduced to 270 3.5% (instead of 6%) in order to allow biofilm production by the $\triangle groEL1$ strain. 271 The wild type (wt) BCG strain was able to form mature biofilm (with ridges and troughs) in the presence of Cu^{2+} concentrations up to 175 μ M (Figure 1). In 272 contrast, the biofilms of the $\triangle groEL1$ strain were already impaired with 100-125 273 274 μ M Cu²⁺, showing that loss of GroEL1 enhances mycobacterial susceptibility to 275 copper. Complementation of the *groEL*1 gene in the KO strain fully restored biofilm growth in the presence of Cu^{2+} concentrations up to 175 μ M, 276 demonstrating that the loss of GroEL1 is indeed responsible for the enhanced 277 copper susceptibility during biofilm growth (Figure 1). This protective effect of 278 GroEL1 was only observed in biofilm culture (Sauton's medium) and not in the 279 280 planktonic culture (7H9 medium). This could be due to a reduced concentration of free Cu²⁺ concentration in the 7H9 culture, as this medium contains 500 mg/L 281 albumin, well-known to bind Cu2+ 46. Indeed, the minimum inhibitory 282 concentration (MIC) for CuCl₂ was identical (150-175 µM) for the three strains 283 284 in the 7H9 medium.

285 Does the mutant strain exhibit susceptibility to other metallic ions? To verify 286 this point, biofilm growth was also evaluated in the presence of increasing 287 concentrations of Zn^{2+} and Cd^{2+} . As shown in **Figure S1**, no significant 288 difference in terms of susceptibility to these ions during biofilm growth was 289 observed among the three *M. bovis* BCG strains. Indeed, biofilm cultures were 290 unaffected by Zn^{2+} at concentrations up to 600 µM, which already exceeds the 291 Zn^{2+} concentration inside the infected macrophages ³¹. The biofilms of the three

292 strains were similarly affected in Cd^{2+} concentrations > 5 μ M. Thus, the GroEL1 293 protein does not seem to protect the bacilli from excessive Cd^{2+} . The GroEL1 294 effect is thus copper specific.

295 The native histidine-rich region affects GroEL1 stability

296 To study the role of the C-terminal histidine-rich region (HDHHHGHAH) of 297 GroEL1, the recombinant M. bovis BCG proteins GroEL1 and a M. bovis 298 GroEL1 devoid of the C-terminal histidine-rich region (GroEL1∆His) were purified. These proteins were overproduced in the E. coli BL21(DE3) strain, 299 purified by immobilized metal affinity chromatography, treated with human 300 rhinovirus 3C protease for the additional 5×His-tag cleavage, and then further 301 302 purified by size exclusion chromatography (SEC). The purity and the integrity 303 of recombinant proteins were analysed by SDS-PAGE and mass spectrometry, respectively (Figure S2). Mass spectrometry data clearly indicated that the 304 305 additional N-terminal 5×His-tag was removed in both proteins.

Recombinant GroEL1 was eluted in SEC as a single peak but migrated as 306 two bands in SDS-PAGE analysis, i.e. an upper stronger band followed by a 307 308 weaker band (Figure S2 A). Peptide sequence analysis by mass spectrometry 309 demonstrated that the weak band corresponds to a degradation product of 310 GroEL1 lacking the N-terminal region (about 45 amino acid residues missing out of 543) (data not shown). This proteolysis was not observed for the 311 312 GroEL1 Δ His, always showing a single band in SDS-PAGE analysis (Figure S2 313 **B)**.

314 **GroEL1-copper interaction analysed by native mass spectrometry**

To further investigate the interaction between GroEL1 and Cu²⁺, the metal binding specificity of *M. tuberculosis* GroEL proteins was monitored by native mass spectrometry (**Figure 2**). Native mass spectra were recorded after incubation of the proteins with or without Cu²⁺. Importantly, the addition of one molar equivalent of Cu²⁺ induced a shift of the GroEL1 peak to a higher m/z value corresponding to the binding of one atom of copper to the protein (**Figure 2B**). The nearly complete disappearance of the apo peak upon copper addition reflects an effective binding of this metal ion to GroEL1. In contrast, practically no conversion of the apo to the holo form was observed upon addition of one molar equivalent of Cu²⁺ to GroEL1 Δ His (**Figure 2C**). This observation suggests that the Cu²⁺ is mainly bound to the histidine-rich region of GroEL1.

Moreover, the ability of other metal ions (*i.e.* Zn²⁺, Ni²⁺, Cd²⁺ and Co²⁺) to 326 bind to GroEL1 was also assessed (Figure S3 and S4). The binding of Zn²⁺ 327 and Ni²⁺ to GroEL1 was also observed but with a lower efficiency than for Cu²⁺ 328 329 (Figure S3). At a metal/protein ratio of 1:1, there were nearly no binding of Cd²⁺ 330 to GroEL1 (Figure S4). To further study the copper binding to the protein, GroEL1 was titrated with increasing amounts of Cu²⁺ and analysed by native 331 mass spectrometry (Figure 3). Sequential addition of Cu^{2+} led to the 332 appearance of the holo form GroEL1 Cu which was the main population 333 observed at the GroEL1/Cu²⁺ 1:1 molar ratio, as described in the previous 334 experiment. At higher molar ratios, GroEL1.2Cu and GroEL1.3Cu populations 335 were detected with a concomitant decrease of the GroEL1 Cu abundance. On 336 the contrary, in the same range of Cu²⁺ concentrations, the apo form of 337 338 GroEL1AHis did not totally disappear and the highest stoichiometry for the 339 protein/metal complex observed in the presence of four molar equivalents of 340 copper was GroEL1_AHis₂Cu. For the sake of comparison, the recombinant 341 GroEL2 was also purified (Figure S2) and the binding of copper to GroEL2 was 342 also investigated. The binding of copper to GroEL2 gave similar results as the 343 binding of copper to GroEL1∆His (Figure 3).

The effect of copper on *M. tuberculosis* GroEL1 protein oligomeric state was also investigated by native mass spectrometry (**Figure S5**). The recombinant GroEL1 is mainly monomeric with small amounts of dimeric protein, in agreement with a previous report ⁴⁷. The same observations were

obtained for the GroEL1 Δ His and GroEL2 (data not shown). Moreover, when adding Cu²⁺, the overall spectra for GroEL1 and GroEL1 Δ His did not change significantly in the range of 0 to 30 μ M CuCl₂, indicating that higher oligomers could not be observed under these conditions.

352 The effect of copper on GroEL1 thermal stability

353 Thermal shift assays were performed to evaluate the effect of Cu²⁺ on protein stability. The use of the SYPRO orange fluorescent dye and a real-time 354 thermocycler to follow thermal denaturation in different conditions enabled the 355 monitoring of GroEL1 and GroEL1 AHis stability in the presence of Cu²⁺. In the 356 presence of Cu^{2+} (10 to 50 μ M), the Tm values for GroEL1 were higher than for 357 GroEL1∆His (**Figure 4**). Although high Cu²⁺ concentrations are deleterious for 358 359 both proteins, the difference in Tm values suggests that the binding of copper 360 to the histidine-rich region could have a protective effect as the binding of the metal ions is more efficient on GroEL1 than on GroEL1∆His. 361

362 **Protease susceptibility assay**

To further investigate whether Cu²⁺ could increase the GroEL1 protein 363 stability, a mild trypsin digestion was performed in the absence or the presence 364 of Cu²⁺. The GroEL1 displayed a higher tolerance to trypsin digestion in the 365 presence of Cu²⁺ (**Figure 5**). In addition, the degree of tolerance increased with 366 the copper concentration (Figure S6). The binding of Cu²⁺ to the GroEL1 367 368 protein improved thus its stability. A similar result was also observed with GroEL1 Δ His (**Figure 5**). A control was performed using Na-benzoyl-DL-369 370 arginine 4-nitroanilide hydrochloride (BAPNA) as substrate and demonstrated that the trypsin activity was not affected by the presence of Cu²⁺ and that the 371 372 protease even displayed a small increase of activity in the range of copper 373 concentrations used in the experiment (data not shown), as previously reported ⁴⁸. The fact that the trypsin susceptibility was also decreased for GroEL1 Δ His 374 in the presence of Cu²⁺, suggests that conformational changes could also occur 375

in the protein upon Cu^{2+} binding to the other coordination sites.

377 Copper increases the GroEL1 ATPase activity

ATP hydrolysis by the recombinant *M. tuberculosis* GroEL proteins was 378 379 investigated in the presence or absence of metal ions. *M. tuberculosis* GroEL1 and GroEL2 displayed weak ATPase activity, with a higher activity for GroEL2 380 381 than for GroEL1 (Figure 6). Surprisingly, the GroEL1 AHis showed a two-fold 382 increased ATPase activity compared to GroEL1. GroEL1 AHis and GroEL2 had 383 almost the same activity (Figure 6). The presence of GroES, also produced and purified for this study (Figure S2), had no impact on GroEL1 and GroEL2 384 in vitro ATPase activities, in agreement with previous studies ^{47, 49}. The GroEL1 385 ATPase activity was increased about eight-fold in the presence of Cu²⁺ (Figure 386 **7**). This effect was not observed for GroEL1 Δ His and GroEL2. The other metal 387 ions tested (Ni²⁺, Co²⁺, Cd²⁺ or Zn²⁺) did not influence the GroEL1 protein 388 activity, although the presence of Co²⁺ slightly increased the GroEL1_ΔHis and 389 the GroEL2 ATPase activities. The effect of Cu^{2+} and Co^{2+} on recombinant E. 390 coli GroEL ATPase activity was also evaluated and showed that these metal 391 392 ions had no effect on its ATPase activity (Figure S7).

393 GroEL1 three-dimensional model

394 To better understand the impact of the histidine-rich C-terminal region on the N-terminal region stability, a GroEL1 three-dimensional structure model was 395 built using the crystal structure of *M. tuberculosis* GroEL2 (PDB ID: 3RTK) ⁴⁴ as 396 template. Both proteins share 62% sequence identity (86% sequence similarity) 397 398 in 527 residues overlap. It is worth noting that in the crystal structure of GroEL2, 399 the conformation of the 60 first N-terminal residues and of the 26 last C-terminal 400 residues was not solved, most probably due to the flexibility of these domains. The C-terminal residues are also absent in the published structures of the E. 401 coli GroEL (e.g. PDB ID: 1GRL, 1OEL) 50, 51. The model of GroEL1 in the 402 present study suggests that the N- and C-terminal domains of the protein could 403

404 be close to each other in the equatorial domain of the protein (**Figure 8**).

406 **Discussion**

The GroEL1 protein plays important roles in mycobacterial adaptation to the environment, such as resistance to antibiotic and other various stressful conditions ^{11, 22, 52}. Copper is on one hand a critical cofactor for various mycobacterial enzymes, including those helping to resist oxidative stress, *i.e.* electron transfer reactions, cytochrome *c* oxidase and Cu/Cu superoxide dismutase, but on the other, high copper concentrations are bactericidal ^{53, 54}.

Our results indicate that high concentrations of Cu²⁺ can reduce *M. bovis* 413 414 BCG biofilm maturation and that GroEL1 is required to resist to toxic Cu²⁺ concentration under this stress condition. As GroEL1 was unable to protect 415 416 bacteria against toxic Cd²⁺ concentration, its effect is copper specific. Native mass spectrometry analyses demonstrated the specific binding of copper ions 417 to GroEL1, with a higher affinity for the histidine-rich C-terminal domain. Up to 418 419 two other binding sites with a lower affinity are most probably present in the 420 protein as deduced from the comparison of the copper binding profiles of 421 GroEL1 and GroEL1 AHis. The presence of binding sites with different affinities 422 for copper ions was also observed for GroEL1 by isothermal titration calorimetry 423 (ITC) analysis ³⁴.

424 Ansari et al. observed similar results using *M. tuberculosis* strains, however 425 in normal growth condition ³⁴. They didn't investigate the role of GroEL1 under stress conditions ³⁴. The fact that they observed an involvement of GroEL1 to 426 427 mitigate Cu²⁺ toxicity in planktonic growth conditions, which was not detected 428 by our group, could be due either to the use of a different mycobacterium species or to our optimal planktonic growth conditions for M. bovis BCG (i.e. 429 430 optimized albumin quality), leading to less GroEL1 production or increased Cu²⁺ 431 capture by our albumin in the 7H9 planktonic cultures ⁴⁶.

The presence of the Cu²⁺ binding sites on GroEL1 but also the protective role of GroEL1 against high toxic copper concentrations, strongly suggests that this protein could segregate *in vivo* the copper ions present in the macrophage phagosomes ³² and therefore, by decreasing the concentration of free ions, protect bacteria from the bactericidal toxic effect of this metal ion. Usually, copper resistance mechanisms involve copper specific chaperones, storage proteins and efflux systems ⁵⁵. In *M. tuberculosis*, various P-type ATPases,

generally induced in stressful conditions, have been reported as possible 439 transporters of heavy-metal cations ⁵⁶. For instance, CtpV and CtpC are 440 induced by the intraphagosomal concentrations of Cu⁺ and Zn^{2+ 57, 58}. 441 442 Interestingly, although the *E. coli copA* gene (ortholog of *ctpV*) encodes two 443 proteins with identical N-terminus, a copper chaperone and a copper transporter ⁵⁹, neither literature search, nor CtpV/CopA aa Clustal sequence 444 445 alignment allowed to identify a similar copper chaperone for *M. tuberculosis*. In addition, mycobacterial maintenance of low intracellular Cu concentrations also 446 447 necessitates MctB, a putative copper transport protein at the outer membrane 448 ⁶⁰. The metallothionein MymT, a cysteine-rich protein, able to bind up to six Cu⁺, partially involved in copper toxicity resistance, could play the role of a storage 449 protein ⁶¹. Furthermore, a copper inducible *M. tuberculosis* operon, including 450 451 *lpqS* (encoding a putative lipoprotein), *mmcO* (encoding a mycobacterial multicopper oxidase), Rv2963 (encoding a possible permease), mymT 452 (encoding the metallothionein described above), socAB (small ORF induced by 453 454 Cu A and B) and *ricR* (encoding a repressor of this operon) genes, seems to provide key components of an additional system involved in copper 455 detoxification ³⁰. All these previously reported mechanisms could help the bacilli 456 to maintain the copper homeostasis in *M. tuberculosis* ^{30, 62}. However, they 457 458 seem to lack a key component: a copper chaperone which could shuttle copper to the above mentioned copper binding proteins and efflux pumps ³⁰. We 459 460 hypothesized that GroEL1 could possibly function as such a copper-shuttling 461 chaperone, as GroEL1 can be secreted in the culture filtrate ²².

As the recombinant GroEL1 AHis is less prone to the N-terminal proteolytic 462 degradation during purification (Figure S2), we hypothesize that the histidine-463 rich region in GroEL1 somehow increases the accessibility of the latter to 464 465 proteolytic enzymes. Although this C-terminal histidine-rich region is involved in GroEL1 destabilisation, the stability of this protein seems improved in the 466 467 presence of Cu²⁺ binding. Apart from this protective role against higher bactericidal copper concentration, the binding of copper ions to GroEL1 could 468 also have an additional function to improve the GroEL1 N-terminal region 469 stability. 470

Brazil et al. reported that the divalent cations (Ca²⁺, Mg²⁺, Mn²⁺, Zn²⁺) 471 induce exposure of the *E. coli* GroEL hydrophobic surfaces and strengthen the 472 GroEL hydrophobic binding interactions ⁶³. This was attributed to a 473 474 conformation change of GroEL when binding to the divalent cations ⁶⁴. Based on our GroEL1 3D model, it is possible that the N- and C-terminal domains of 475 the protein could be close to each other and that the binding of copper ions to 476 477 the histidine-rich domain could affect the interaction of C-terminal segment with the N-terminal domain thereby reducing the exposure of the latter to proteases. 478 479 Nevertheless, copper binding is not inducing a modification of the GroEL1 oligomeric state, as demonstrated by native mass spectrometry analysis. 480

Interestingly, Ansari et al., also built a GroEL1 3D model based on their 481 small angle X-ray scattering (SAXS) data obtained in the presence of various 482 GroEL1/Cu²⁺ ratios ³⁴. The SAXS analysis suggested that the protein adopts a 483 more open structure in the presence of Cu²⁺ and becomes more flexible. These 484 485 conformational changes could be responsible for the increase of GroEL1 486 ATPase activity observed in our study in the presence of copper ions. As the protein is predicted to be more extended and flexible in the presence of Cu²⁺, it 487 488 would be expected that GroEL1 would be more susceptible to protease activity. 489 However, this is not what was observed as our limited trypsin digestion assay 490 suggested that GroEL1, especially the N-terminal region, is less accessible to the protease in the presence of Cu²⁺. 491

492 Importantly, the GroEL1 ATPase activity is drastically and specifically increased in the presence of Cu²⁺, mainly binding to the histidine-rich region. 493 This is only observed for GroEL1 and not for GroEL1_AHis, GroEL2 and *E. coli* 494 GroEL, suggesting that the binding of copper ions to the GroEL1 histidine-rich 495 C-terminal region induces a conformational change allowing to increase its 496 497 ATPase activity. This could be due to the GroEL1 stability improvement in the presence of Cu²⁺. Therefore, in the absence of Cu²⁺, GroEL1 Δ His and GroEL2, 498 499 both lacking the histidine-rich region, displayed higher ATPase activity than the 500 GroEL1 possibly because of their higher protein stability. However, in the presence of Cu²⁺, GroEL1 and GroEL2 show similar ATPase activity. 501

502 Conclusions

Here, we propose a novel role for the *M. tuberculosis* GroEL1. This protein could be involved in copper resistance during mycobacterial biofilm formation potentially by acting as a metal storage protein. Therefore, when mycobacteria encounter high copper concentrations, as in the macrophage, GroEL1, by binding copper, could help bacteria to tolerate high copper concentrations and consequently this bactericidal stress.

510 Conflicts of interest

- 511 The authors declare that they have no conflicts of interest with the content 512 of this article.
- 513

514 Acknowledgment

515 This work was partially supported by the China Scholarship Council (CSC)

516 (No.201408210159). F.S. and D.P.K. would like to thank James Ault and

- 517 Rachel George for their help operating the Orbitrap UHMR. The Orbitrap UHMR
- 518 was funded by Wellcome Trust multi-user equipment grant 208385/Z/17/Z.
- 519

520 **References**

521 1. WHO, Global tuberculosis report, *World Health Organization*, 2019.

522 2. P. J. Brennan and H. Nikaido, The envelope of mycobacteria, *Annu Rev* 523 *Biochem*, 1995, **64**, 29-63.

524 3. M. Jankute, J. A. Cox, J. Harrison and G. S. Besra, Assembly of the 525 Mycobacterial Cell Wall, *Annu Rev Microbiol*, 2015, **69**, 405-423.

4. L. R. Camacho, P. Constant, C. Raynaud, M. A. Laneelle, J. A. Triccas, B.
Gicquel, M. Daffe and C. Guilhot, Analysis of the phthiocerol dimycocerosate
locus of *Mycobacterium tuberculosis*. Evidence that this lipid is involved in the
cell wall permeability barrier, *The Journal of biological chemistry*, 2001, **276**,
19845-19854.

531 5. K. Soetaert, C. Rens, X. M. Wang, J. De Bruyn, M. A. Laneelle, F. Laval, A. 532 Lemassu, M. Daffe, P. Bifani, V. Fontaine and P. Lefevre, Increased 533 Vancomycin Susceptibility in Mycobacteria: a New Approach To Identify 534 Synergistic Activity against Multidrug-Resistant Mycobacteria, *Antimicrobial* 535 *agents and chemotherapy*, 2015, **59**, 5057-5060.

6. C. W. Hall and T. F. Mah, Molecular mechanisms of biofilm-based antibiotic
resistance and tolerance in pathogenic bacteria, *FEMS Microbiol Rev*, 2017, 41,
276-301.

539 7. A. Queiroz and L. W. Riley, Bacterial immunostat: *Mycobacterium*540 *tuberculosis* lipids and their role in the host immune response, *Rev Soc Bras*541 *Med Trop*, 2017, **50**, 9-18.

8. V. Sundaramurthy, H. Korf, A. Singla, N. Scherr, L. Nguyen, G. Ferrari, R.
Landmann, K. Huygen and J. Pieters, Survival of *Mycobacterium tuberculosis*and *Mycobacterium bovis* BCG in lysosomes *in vivo*, *Microbes Infect*, 2017, **19**,
515-526.

546 9. A. M. Alnimr, Dormancy models for *Mycobacterium tuberculosis*: A 547 minireview, *Braz J Microbiol*, 2015, **46**, 641-647.

- 10. R. D. Turner, C. Chiu, G. J. Churchyard, H. Esmail, D. M. Lewinsohn, N. R.
- 549 Gandhi and K. P. Fennelly, Tuberculosis Infectiousness and Host Susceptibility,
- 550 *J Infect Dis*, 2017, **216**, S636-S643.
- 11. S. Zeng, P. Constant, D. Yang, A. Baulard, P. Lefevre, M. Daffe, R. Wattiez
- and V. Fontaine, Cpn60.1 (GroEL1) Contributes to Mycobacterial Crabtree
- 553 Effect: Implications for Biofilm Formation, *Front Microbiol*, 2019, **10**, 1149.
- 12. T. H. Kong, A. R. Coates, P. D. Butcher, C. J. Hickman and T. M. Shinnick,
- 555 Mycobacterium tuberculosis expresses two chaperonin-60 homologs,
- 556 Proceedings of the National Academy of Sciences of the United States of
- 557 *America*, 1993, **90**, 2608-2612.
- 13. A. Ojha, M. Anand, A. Bhatt, L. Kremer, W. R. Jacobs and G. F. Hatfull,
- 559 GroEL1: A Dedicated Chaperone Involved in Mycolic Acid Biosynthesis during
- 560 Biofilm Formation in Mycobacteria, *Cell*, 2005, **123**, 861-873.
- 14. C. Chaudhry, G. W. Farr, M. J. Todd, H. S. Rye, A. T. Brunger, P. D. Adams,
- A. L. Horwich and P. B. Sigler, Role of the gamma-phosphate of ATP in
- triggering protein folding by GroEL-GroES: function, structure and energetics, *EMBO J*, 2003, **22**, 4877-4887.
- 565 15. H. S. Rye, A. M. Roseman, S. Chen, K. Furtak, W. A. Fenton, H. R. Saibil
- and A. L. Horwich, GroEL-GroES cycling: ATP and nonnative polypeptide direct
- alternation of folding-active rings, *Cell*, 1999, **97**, 325-338.
- 16. T. E. Gray and A. R. Fersht, Cooperativity in ATP hydrolysis by GroEL is
 increased by GroES, *FEBS Lett*, 1991, **292**, 254-258.
- 570 17. M. J. Todd, P. V. Viitanen and G. H. Lorimer, Hydrolysis of adenosine 5'-
- 571 triphosphate by *Escherichia coli* GroEL: effects of GroES and potassium ion,
- 572 *Biochemistry*, 1993, **32**, 8560-8567.
- 573 18. P. V. Viitanen, T. H. Lubben, J. Reed, P. Goloubinoff, D. P. O'Keefe and G.
- 574 H. Lorimer, Chaperonin-facilitated refolding of ribulose bisphosphate 575 carboxylase and ATP hydrolysis by chaperonin 60 (groEL) are K⁺ dependent,

- 576 *Biochemistry*, 1990, **29**, 5665-5671.
- 577 19. G. C. Melkani, G. Zardeneta and J. A. Mendoza, The ATPase activity of
 578 GroEL is supported at high temperatures by divalent cations that stabilize its
 579 structure, *Biometals : an international journal on the role of metal ions in biology,*580 *biochemistry, and medicine*, 2003, **16**, 479-484.
- 20. G. R. Stewart, L. Wernisch, R. Stabler, J. A. Mangan, J. Hinds, K. G. Laing,
 D. B. Young and P. D. Butcher, Dissection of the heat-shock response in *Mycobacterium tuberculosis* using mutants and microarrays, *Microbiology*,
- 584 2002, **148**, 3129-3138.
- 585 21. N. S. Dosanjh, M. Rawat, J. H. Chung and Y. Av-Gay, Thiol specific
 586 oxidative stress response in Mycobacteria, *FEMS Microbiol Lett*, 2005, 249, 87587 94.
- 22. X. M. Wang, C. Lu, K. Soetaert, C. S'Heeren, P. Peirs, M. A. Laneelle, P.
 Lefevre, P. Bifani, J. Content, M. Daffe, K. Huygen, J. De Bruyn and R. Wattiez,
 Biochemical and immunological characterization of a *cpn60.1* knockout mutant
- 591 of *Mycobacterium bovis* BCG, *Microbiology*, 2011, **157**, 1205-1219.
- 592 23. Y. Hu, B. Henderson, P. A. Lund, P. Tormay, M. T. Ahmed, S. S. Gurcha,
- 593 G. S. Besra and A. R. Coates, A *Mycobacterium tuberculosis* mutant lacking
- the *groEL* homologue *cpn60.1* is viable but fails to induce an inflammatory
- response in animal models of infection, *Infect Immun*, 2008, **76**, 1535-1546.
- 596 24. I. M. Monahan, J. Betts, D. K. Banerjee and P. D. Butcher, Differential
- 597 expression of mycobacterial proteins following phagocytosis by macrophages,
- 598 *Microbiology*, 2001, **147**, 459-471.
- 599 25. J. Esteban and M. Garcia-Coca, Mycobacterium Biofilms, *Front Microbiol*,
 600 2017, **8**, 2651.
- 601 26. G. Carter, M. Wu, D. C. Drummond and L. E. Bermudez, Characterization
 602 of biofilm formation by clinical isolates of *Mycobacterium avium*, *J Med*603 *Microbiol*, 2003, **52**, 747-752.

A. K. Ojha, A. D. Baughn, D. Sambandan, T. Hsu, X. Trivelli, Y. Guerardel,
A. Alahari, L. Kremer, W. R. Jacobs, Jr. and G. F. Hatfull, Growth of *Mycobacterium tuberculosis* biofilms containing free mycolic acids and
harbouring drug-tolerant bacteria, *Molecular microbiology*, 2008, 69, 164-174.

- 28. H. Botella, P. Peyron, F. Levillain, R. Poincloux, Y. Poquet, I. Brandli, C.
- Wang, L. Tailleux, S. Tilleul, G. M. Charriere, S. J. Waddell, M. Foti, G. Lugo-
- 610 Villarino, Q. Gao, I. Maridonneau-Parini, P. D. Butcher, P. R. Castagnoli, B.
- 611 Gicquel, C. de Chastellier and O. Neyrolles, Mycobacterial p(1)-type ATPases
- 612 mediate resistance to zinc poisoning in human macrophages, Cell Host Microbe,
- 613 2011, **10**, 248-259.
- 614 29. V. Hodgkinson and M. J. Petris, Copper homeostasis at the host-pathogen
 615 interface, *The Journal of biological chemistry*, 2012, **287**, 13549-13555.
- 616 30. X. Shi and K. H. Darwin, Copper homeostasis in *Mycobacterium* 617 *tuberculosis*, *Metallomics : integrated biometal science*, 2015, **7**, 929-934.
- 31. D. Wagner, J. Maser, B. Lai, Z. Cai, C. E. Barry, K. Honer zu Bentrup, D.
 G. Russell and L. E. Bermudez, Elemental Analysis of *Mycobacterium avium*-,
- 620 Mycobacterium tuberculosis-, and Mycobacterium smegmatis-Containing
- 621 Phagosomes Indicates Pathogen-Induced Microenvironments within the Host
- 622 Cell's Endosomal System, *The Journal of Immunology*, 2005, **174**, 1491-1500.
- 623 32. F. Wolschendorf, D. Ackart, T. B. Shrestha, L. Hascall-Dove, S. Nolan, G.
- Lamichhane, Y. Wang, S. H. Bossmann, R. J. Basaraba and M. Niederweis,
- 625 Copper resistance is essential for virulence of *Mycobacterium tuberculosis*,
- 626 Proceedings of the National Academy of Sciences of the United States of
- 627 *America*, 2011, **108**, 1621-1626.
- 628 33. O. Neyrolles, F. Wolschendorf, A. Mitra and M. Niederweis, Mycobacteria,
- metals, and the macrophage, *Immunological reviews*, 2015, **264**, 249-263.
- 630 34. M. Y. Ansari, S. D. Batra, H. Ojha, Ashish, J. S. Tyagi and S. C. Mande, A
- 631 novel function of *M. tuberculosis* chaperonin paralog GroEL1 in copper

632 homeostasis, *bioRxiv*, 2019, DOI: 10.1101/766162, 766162.

633 35. D. Yang, G. Vandenbussche, D. Vertommen, D. Evrard, R. Abskharon, J.

F. Cavalier, G. Berger, S. Canaan, M. S. Khan, S. Zeng, A. Wohlkonig, M.
Prevost, P. Soumillion and V. Fontaine, Methyl arachidonyl fluorophosphonate
inhibits *Mycobacterium tuberculosis* thioesterase TesA and globally affects
vancomycin susceptibility, *FEBS Lett*, 2020, **594**, 79-93.

- 36. C. Structural Genomics, C. China Structural Genomics, C. Northeast 638 Structural Genomics, S. Graslund, P. Nordlund, J. Weigelt, B. M. Hallberg, J. 639 Bray, O. Gileadi, S. Knapp, U. Oppermann, C. Arrowsmith, R. Hui, J. Ming, S. 640 dhe-Paganon, H. W. Park, A. Savchenko, A. Yee, A. Edwards, R. Vincentelli, 641 642 C. Cambillau, R. Kim, S. H. Kim, Z. Rao, Y. Shi, T. C. Terwilliger, C. Y. Kim, L. W. Hung, G. S. Waldo, Y. Peleg, S. Albeck, T. Unger, O. Dym, J. Prilusky, J. L. 643 Sussman, R. C. Stevens, S. A. Lesley, I. A. Wilson, A. Joachimiak, F. Collart, I. 644 Dementieva, M. I. Donnelly, W. H. Eschenfeldt, Y. Kim, L. Stols, R. Wu, M. Zhou, 645 S. K. Burley, J. S. Emtage, J. M. Sauder, D. Thompson, K. Bain, J. Luz, T. 646 Gheyi, F. Zhang, S. Atwell, S. C. Almo, J. B. Bonanno, A. Fiser, S. 647 Swaminathan, F. W. Studier, M. R. Chance, A. Sali, T. B. Acton, R. Xiao, L. 648 649 Zhao, L. C. Ma, J. F. Hunt, L. Tong, K. Cunningham, M. Inouye, S. Anderson, 650 H. Janjua, R. Shastry, C. K. Ho, D. Wang, H. Wang, M. Jiang, G. T. Montelione, D. I. Stuart, R. J. Owens, S. Daenke, A. Schutz, U. Heinemann, S. Yokoyama, 651
- K. Bussow and K. C. Gunsalus, Protein production and purification, *Nat Methods*, 2008, 5, 135-146.
- 37. M. R. Wilkins, E. Gasteiger, A. Bairoch, J. C. Sanchez, K. L. Williams, R. D.
- Appel and D. F. Hochstrasser, Protein identification and analysis tools in the
- 656 ExPASy server, *Methods Mol Biol*, 1999, **112**, 531-552.
- 38. M. T. Marty, A. J. Baldwin, E. G. Marklund, G. K. Hochberg, J. L. Benesch
 and C. V. Robinson, Bayesian deconvolution of mass and ion mobility spectra:
- 659 from binary interactions to polydisperse ensembles, Anal Chem, 2015, 87,

660 **4370-4376**.

39. K. Huynh and C. L. Partch, Analysis of protein stability and ligand
interactions by thermal shift assay, *Curr Protoc Protein Sci*, 2015, **79**, 28 29 2128 29 14.

40. H. Kawasaki, Y. Kurosu, H. Kasai, T. Isobe and T. Okuyama, Limited
digestion of calmodulin with trypsin in the presence or absence of various metal
ions, *J Biochem*, 1986, **99**, 1409-1416.

41. I. Kurtovic, S. N. Marshall and B. K. Simpson, Isolation and characterization

of a trypsin fraction from the pyloric ceca of chinook salmon (*Oncorhynchus*

tshawytscha), Comp Biochem Physiol B Biochem Mol Biol, 2006, **143**, 432-440.

42., Biomembranes. Part Q. ATP-driven pumps and related transport: calcium,

671 proton, and potassium pumps, *Methods Enzymol*, 1988, **157**, 1-731.

43. A. Fiser and A. Sali, Modeller: generation and refinement of homologybased protein structure models, *Methods Enzymol*, 2003, **374**, 461-491.

44. A. Shahar, M. Melamed-Frank, Y. Kashi, L. Shimon and N. Adir, The
dimeric structure of the Cpn60.2 chaperonin of *Mycobacterium tuberculosis* at
2.8 Å reveals possible modes of function, *J Mol Biol*, 2011, **412**, 192-203.

45. D. K. Clare, P. J. Bakkes, H. van Heerikhuizen, S. M. van der Vies and H.

R. Saibil, An expanded protein folding cage in the GroEL-gp31 complex, *J Mol Biol*, 2006, **358**, 905-911.

46. M. Moriya, Y. H. Ho, A. Grana, L. Nguyen, A. Alvarez, R. Jamil, M. L.
Ackland, A. Michalczyk, P. Hamer, D. Ramos, S. Kim, J. F. Mercer and M. C.
Linder, Copper is taken up efficiently from albumin and α₂-macroglobulin by
cultured human cells by more than one mechanism, *Am J Physiol Cell Physiol*,
2008, **295**, C708-721.

47. R. Qamra, V. Srinivas and S. C. Mande, *Mycobacterium tuberculosis* GroEL
homologues unusually exist as lower oligomers and retain the ability to
suppress aggregation of substrate proteins, *J Mol Biol*, 2004, **342**, 605-617.

48. H. Steinhart, R. Wieninger-Rustemeyer and M. Kirchgessner, Effect of Cu²⁺
ions on the activity of trypsin on natural substance, *Arch Tierernahr*, 1981, **31**,

690119-125.


- 49. C. M. Kumar, G. Khare, C. V. Srikanth, A. K. Tyagi, A. A. Sardesai and S.
- 692 C. Mande, Facilitated oligomerization of mycobacterial GroEL: evidence for
- 693 phosphorylation-mediated oligomerization, *J Bacteriol*, 2009, **191**, 6525-6538.
- 50. K. Braig, Z. Otwinowski, R. Hegde, D. C. Boisvert, A. Joachimiak, A. L.
- 695 Horwich and P. B. Sigler, The crystal structure of the bacterial chaperonin 696 GroEL at 2.8 Å. *Nature*, 1994, **371**, 578-586.
- 697 51. K. Braig, P. D. Adams and A. T. Brunger, Conformational variability in the
- refined structure of the chaperonin GroEL at 2.8 Å resolution, *Nat Struct Biol*,
 1995, **2**, 1083-1094.
- 52. A. Sharma, T. Rustad, G. Mahajan, A. Kumar, K. V. Rao, S. Banerjee, D.
- R. Sherman and S. C. Mande, Towards understanding the biological function
 of the unusual chaperonin Cpn60.1 (GroEL1) of *Mycobacterium tuberculosis*, *Tuberculosis (Edinb)*, 2016, **97**, 137-146.
- 53. L. Spagnolo, I. Toro, M. D'Orazio, P. O'Neill, J. Z. Pedersen, O. Carugo, G.
- Rotilio, A. Battistoni and K. Djinovic-Carugo, Unique features of the *sodC*encoded superoxide dismutase from *Mycobacterium tuberculosis*, a fully
 functional copper-containing enzyme lacking zinc in the active site, *The Journal of biological chemistry*, 2004, **279**, 33447-33455.
- 54. S. K. Ward, B. Abomoelak, E. A. Hoye, H. Steinberg and A. M. Talaat, CtpV:
- a putative copper exporter required for full virulence of Mycobacterium
- *tuberculosis*, *Molecular microbiology*, 2010, **77**, 1096-1110.
- 55. T. D. Rae, P. J. Schmidt, R. A. Pufahl, V. C. Culotta and T. V. O'Halloran,
- 713 Undetectable intracellular free copper: the requirement of a copper chaperone
- for superoxide dismutase, *Science*, 1999, **284**, 805-808.
- 56. L. Novoa-Aponte, A. Leon-Torres, M. Patino-Ruiz, J. Cuesta-Bernal, L. M.

- Salazar, D. Landsman, L. Marino-Ramirez and C. Y. Soto, In silico identification
 and characterization of the ion transport specificity for P-type ATPases in the
- 718 *Mycobacterium tuberculosis* complex, *BMC Struct Biol*, 2012, **12**, 25.
- 57. M. A. Forrellad, L. I. Klepp, A. Gioffre, J. Sabio y Garcia, H. R. Morbidoni,
- 720 M. de la Paz Santangelo, A. A. Cataldi and F. Bigi, Virulence factors of the
- 721 *Mycobacterium tuberculosis* complex, *Virulence*, 2013, 4, 3-66.
- 58. S. K. Ward, E. A. Hoye and A. M. Talaat, The global responses of
- *Mycobacterium tuberculosis* to physiological levels of copper, *J Bacteriol*, 2008, **190**, 2939-2946.
- 59. S. Meydan, D. Klepacki, S. Karthikeyan, T. Margus, P. Thomas, J. E. Jones,
- 726 Y. Khan, J. Briggs, J. D. Dinman, N. Vazquez-Laslop and A. S. Mankin,
- 727 Programmed Ribosomal Frameshifting Generates a Copper Transporter and a
- Copper Chaperone from the Same Gene, *Mol Cell*, 2017, **65**, 207-219.
- 60. A. Senju and G. Csibra, Gaze following in human infants depends on
 communicative signals, *Curr Biol*, 2008, **18**, 668-671.
- 61. B. Gold, H. Deng, R. Bryk, D. Vargas, D. Eliezer, J. Roberts, X. Jiang and
 C. Nathan, Identification of a copper-binding metallothionein in pathogenic
 mycobacteria, *Nat Chem Biol*, 2008, 4, 609-616.
- 62. M. I. Samanovic, C. Ding, D. J. Thiele and K. H. Darwin, Copper in microbial
 pathogenesis: meddling with the metal, *Cell Host Microbe*, 2012, **11**, 106-115.
- 63. B. T. Brazil, J. Ybarra and P. M. Horowitz, Divalent cations can induce the
 exposure of GroEL hydrophobic surfaces and strengthen GroEL hydrophobic
 binding interactions. Novel effects of Zn²⁺ GroEL interactions, *The Journal of biological chemistry*, 1998, **273**, 3257-3263.
- 64. D. L. Gibbons and P. M. Horowitz, Ligand-induced conformational changes
 in the apical domain of the chaperonin GroEL, *The Journal of biological chemistry*, 1996, **271**, 238-243.

744 Supplementary information

- Figure S1. The impact of Zn^{2+} and Cd^{2+} on the various *M. bovis* BCG strains biofilm formation.
- 747 **Figure S2.** Recombinant protein purity and integrity determination.
- Figure S3. Native nano-ESI mass spectra of GroEL1 in the absence or presence of Zn^{2+} , Ni²⁺ or Co²⁺.
- Figure S4. Native nano-ESI mass spectra of GroEL1 in the absence or
 presence of Cd²⁺.
- 752 **Figure S5.** GroEL1 oligomeric state determination by native mass spectrometry.
- 753 Figure S6. Protection of GroEL1 from limited trypsin digestion in a Cu²⁺
- concentration dependent manner.
- 755 **Figure S7.** *E. coli* GroEL ATPase activity in the presence of Cu²⁺ and Co²⁺.
- 756 **Table S1.** Plasmids and oligonucleotide primers.

758 **Figure Legends**



759

Figure 1. Impact of Cu^{2+} on biofilm formation of various *M. bovis* BCG strains.


Biofilm cultures of wild type (wt), $\Delta groEL1$ (KO), KO complemented (compl.) *M*.

762 bovis BCG strains were grown in 3.5 % glycerol Sauton's medium in the


absence or presence of various concentration of CuCl₂ for three weeks. Photos

- shown are representative of at least three different experiments.
- 765





768 Figure 2. Native nano-ESI spectra of the GroEL1 and the GroEL1 AHis variant 769 showing different affinities for Cu²⁺. The protein concentration was 7.5 µM in 770 500 mM ammonium acetate. (A) Full native mass spectrum of apo GroEL1 771 shows a narrow charge state distribution with the main charge state [M + 14H]¹⁴⁺ highlighted in red. (B) Cu²⁺ binding to GroEL1 shown for the GroEL1¹⁴⁺ 772 773 charge state. A peak shift can be observed upon addition of an equimolar amount of Cu²⁺, the peak for copper-bound GroEL1 is highlighted with an 774 asterisk. (C) GroEL1 Δ His¹⁴⁺ in the presence and absence of one molar 775 equivalent of Cu²⁺, showing no binding. 776



779 Figure 3. Relative abundance of the different protein-Cu adducts as determined 780 by native mass spectrometry. (A) GroEL1; (B) GroEL1∆His; (C) GroEL2. The 781 spectra were recorded at a final protein concentration of 7.5 µM in 500 mM 782 ammonium acetate. Grey, blue, red and purple areas indicate the abundance of apo-protein, 1:1 complex, 2:1 complex and 3:1 complex of protein and Cu²⁺, 783 784 respectively. The titration with CuCl₂ was performed at molar ratios Cu²⁺ to protein of 0.25:1, 0.5:1, 1:1, 2:1, and 4:1, corresponding to 1.9-30 µM CuCl₂. 785 Populations with < 5% intensity are not shown. 786




Figure 4. Thermal shift assay to analyse the effect of copper on GroEL1 protein destabilization. The reaction (25 μ L) contained 5 μ M protein (GroEL1 or GroEL1 Δ His), 0.3 μ L of 5000 × SYPRO Orange, with various concentration of CuCl₂ in 5 mM HEPES, pH 7.5. The data correspond to mean and standard deviations and were obtained from three independent experiments.





Figure 5. Limited trypsin digestion of GroEL1 (A) and GroEL1 (A) in the 797 absence or the presence of Cu²⁺. The reaction was stopped at different times 798 799 (10, 15, 20, 30 min) by adding PMSF. The reaction products were analysed by 15% SDS-PAGE. Lane M: molecular mass standards; lane 1-9: 5 μg (~9 μM) 800 of GroEL1 (or GroEL1_AHis); lane 2 to 5: digestion for 10, 15, 20, 30 min, 801 respectively, in the absence of Cu²⁺; lane 6 to 9: digestion for 10, 15, 20, 30 802 min, respectively, in the presence of 18 μ M Cu²⁺. The figure is representative 803 804 of three independent experiments.



807 **Figure 6.** *M. tuberculosis* GroEL protein ATPase activity.

808 $\,$ Enzymatic reactions were incubated with 10 μM GroEL and 20 μM GroES $\,$

809 proteins at 37 °C for 1 h and the absorbance was recorded at 700 nm. Plasma

810 membrane ATPase (PMA) was used as control. The mean from at least three

811 independent experiments for individual data sets was calculated and plotted

- 812 along with the standard deviation.
- 813




Figure 7. ATPase activity of 10 μ M *M. tuberculosis* GroEL proteins in the presence of 100 μ M metal ions. (A) GroEL1, (B) GroEL1 Δ His and (C) GroEL2. The mean from at least three independent experiments for individual data sets was calculated and plotted along with the standard deviation, considering the activity measured in the absence of metal ions as 100%.




Figure 8. 3D model of GroEL1 represented as a silver cartoon without (A) or with ATP analogue (B). The location of an ATP analog (ATP γ S) results from the superposition of the 3D model with the crystal structure of *E. coli* GroEL (PDB ID: 1SX3). The C α of the first (residue number 61) and last (residue 518) of the model are shown as green and blue van der Waals spheres respectively.