# UNIVERSITY OF LEEDS

This is a repository copy of Degradation of lucidin: New insights into the fate of this natural pigment present in Dyer's madder (Rubia tinctorum L.) during the extraction of textile artefacts.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/128499/

Version: Accepted Version

## Article:

Ford, L, Rayner, CM orcid.org/0000-0003-1091-081X and Blackburn, RS orcid.org/0000-0001-6259-3807 (2018) Degradation of lucidin: New insights into the fate of this natural pigment present in Dyer's madder (Rubia tinctorum L.) during the extraction of textile artefacts. Dyes and Pigments, 154. pp. 290-295. ISSN 0143-7208

https://doi.org/10.1016/j.dyepig.2018.03.023

(c) 2018 Elsevier Ltd. All rights reserved. Licensed under the Creative Commons Attribution-Non Commercial No Derivatives 4.0 International License (https://creativecommons.org/licenses/by-nc-nd/4.0/).

#### Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: https://creativecommons.org/licenses/

#### Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

## Degradation of lucidin: new insights into the fate of this natural pigment present

#### in Dyer's madder (Rubia tinctorum L.) during the extraction of textile artefacts 2

Lauren Ford<sup>a,b</sup>, Christopher M. Rayner<sup>b</sup>, Richard S. Blackburn<sup>a</sup>\* 3

- 4 <sup>a</sup>School of Design, University of Leeds, Leeds, LS2 9JT, UK
- 5 <sup>b</sup>School of Chemistry, University of Leeds, Leeds, LS2 9JT, UK
- 6 \*E-mail: r.s.blackburn@leeds.ac.uk; Tel: +44 113 343 3757
- 7

#### 8 Abstract

9 The complex mixtures of colorants present in different madder species can provide significant information about which 10 plant species or technique was used to dye the fibres of historical textile artefacts, hence, when extracting and analysing 11 colorants from textile artefacts as much of this information as possible should be preserved. Historical textiles are most 12 commonly extracted with 37% hydrochloric acid: methanol: water (2:1:1, v/v/v), but this solvent system hydrolyses dye 13 glycosides and may also induce chemical reactions. One of the primary components in Dyers' madder (Rubia tinctorum 14 L.) is lucidin primeveroside, but it is rarely seen in artefacts, nor is the corresponding aglycon lucidin. It has been 15 demonstrated that the hydrochloric acid method causes hydrolysis of anthraquinone glycosides to their aglycon 16 counterpart. Herein it is demonstrated that lucidin is not stable in such acidic conditions and degrades rapidly to 17 xanthopurpurin. This is confirmed by HPLC, LC-MS and <sup>1</sup>H NMR, which also provide evidence of the mechanism of 18 degradation being a retro-aldol process.

19

#### Keywords 20

Madder; Rubia tinctorum; lucidin; dyes; textiles; extraction; reactivity; HPLC analysis. 21

### 23 1. Introduction

Natural colorants are complex mixtures of many different molecules and plant dyes are often a mixture of aglycons of the parent colorant moiety and their glycosidic counterparts. The ratio of the abundance of these molecules can provide significant information about which plant species was used to dye the fibres or the technique used for the dye process. In the context of historical textiles, this information is of paramount importance for conservation and restoration purposes, as well as the generation of information on the ethnographic origins of the artefacts.

29 Colorants obtained from the roots of Dyers' madder (Rubia tinctorum L.), are grouped collectively in the Colour Index as C. I. Natural Red 8, and have been used as a red dyestuff for centuries. Over 35 anthraquinonoid compounds 30 31 have been reported to be extractable from madder roots [1], however, many of these compounds are artefacts of inherent 32 reactivity during analytical extraction methods and are suspected as not being not present in planta; for example, 33 anthraquinones that contain a 2-methoxymethyl- or a 2-ethoxyethyl group are formed during extraction with hot methanol 34 or ethanol, respectively [1,2]. When extracting and analysing colorants from textile artefacts as much information should 35 be preserved as possible in order to gain better insight on how they were dyed and the plant species from which the dye 36 originated, hence, it is important to limit the damage to the colorant molecule in the extraction process. However, 37 extraction of artefacts is not straightforward as the dyes are strongly bound to the substrate via a mordant metal (typically Al<sup>3+</sup>); the most common literature extraction procedure uses a 37% hydrochloric acid: methanol: water (2:1:1, v/v/v) 38 mixture [3-8], as the strong acid enables displacement of the dye molecules from their mordant metal complex [9]. 39 40 However, such conditions may also induce a chemical reaction, hence, it is vital that fundamental understanding of the 41 reactivity of such natural dyes is developed alongside the analysis of the components within the mixture. If the conditions 42 of extraction and analysis of these dyed textiles changes the ratios of the compounds present, or modifies their structure, 43 then valuable information on that artefact will be lost or potentially misinterpreted.

44



46 **Figure 1.** Possible inter-relationships between anthraquinone compounds found in Rubia tinctorum based on chemical or

49 Only relatively recently has there been significant evidence confirming the primary anthraquinone components 50 in Rubia tinctorum roots as the glycosides ruberythric acid (1) and lucidin primeveroside (3) [10-14]; the majority of literature has pointed to alizarin (2) as the major anthraquinone present, and whilst it does occur in the plant, it is in much 51 52 lower concentrations than its glycoside [11,12,14]. We have previously suggested [15] that acidic conditions used in 53 extraction and analysis of dyes in previous studies may have led to observations that alizarin was the primary component, 54 it being the product of ruberythric acid hydrolysis  $(1 \rightarrow 2)$ . However, despite high concentrations of lucidin primeveroside 55 (3) in Rubia tinctorum roots [11,12,14], the aglycon lucidin (4) is rarely detected (and then only in low and trace 56 concentrations in planta and in textile artefacts [10-12,16]) even when acidic conditions are used that would promote 57 hydrolysis  $(3\rightarrow 4)$ ; it is suspected that the reactive nature of lucidin means that it is readily converted to other compounds. As Figure 1 shows, lucidin (4) can be oxidised to nordamnacanthal (5), and studies have suggested this is catalysed by 58 59 endogenous oxidase enzymes in the plant [17,18]. It is possible that nordamnacanthal (5) can form munjistin by the action of endogenous oxidase; subsequently xanthopurpurin (7) may be formed through decarboxylation of munjistin (6). It has 60 61 also been proposed [19] that another enzymatic reaction can occur that converts lucidin into the quinone methide (Figure 62 1). It is thought this intermediate may be able to be formed by acidic conditions, but the actual intermediate is too difficult 63 to isolate due to it being a very strong electrophile and addition at the double bond by any nucleophile is highly likely 64 [12].

65 However, these enzymes are probably denatured in the dyeing process and hence this mode of degradation 66 probably is not responsible for these compounds in historic artefacts. Mouri & Laursen [12] recently confirmed that, unless R. tinctorum roots were "warmed in water" for prolonged periods (hence, providing enzymatic incubation 67 68 conditions), significant concentrations of anthraquinone glycosides were present in the dyebath and on dyed wool fibre. 69 They demonstrated that steaming madder roots or boiling them in water for 30 seconds was sufficient to deactivate the 70 hydrolytic enzymes. An initial extraction process by boiling the madder root was typically performed in the Japanese 71 Kusaki-zome dyeing method and typical European madder dyeing processes historically involved heating the dyebath to 72 75-80 °C, which would most probably also denature the endogenous enzymes present [20].

73 We have previously suggested [15] that xanthopurpurin may also be formed directly from lucidin (4) through an 74 acid (or base)-catalysed loss of formaldehyde through a retro-aldol type process (Figure 1), but there is no literature to 75 support this proposal. The absence of lucidin in the analysis of artefacts dyed with madder is rarely acknowledged, or it 76 is stated that lucidin is degraded into unknown products [9]. Lucidin is the only commonly reported anthraquinone 77 detected in the roots of Rubia tinctorum to contain a primary alcohol, which could make its degradation unique. As 78 described in our previous research [15], use of the 37% hydrochloric acid: methanol: water (2:1:1, v/v/v) solvent system 79 causes hydrolysis of anthraquinone glycosides present in madder root, with the result that only aglycons are detected in 80 back extraction experiments.

Herein it is suggested that when such acidic methods of extraction are used to solvate the dye compounds, degradation of the aglycon lucidin may also occur. The purpose of the research described is to study the degradation of lucidin under the conditions of extraction involved with the common 37% hydrochloric acid: methanol: water (2:1:1, v/v/v) solvent method.

85

#### 86 2. Materials and methods

#### 87 2.1. Materials and solvents

All chemicals were purchased from Sigma-Aldrich. All solvents used were of HPLC grade and also purchased from
 Sigma-Aldrich. HPLC grade water was obtained by distillation on site.

#### 90 2.2. General Procedures and Instrumentation

91 Nuclear magnetic resonance (NMR) spectra recorded for <sup>1</sup>H NMR at 300.13 MHz and 500.21 MHz and <sup>13</sup>C at 75.45 MHz 92 on a Bruker DPX300 and DRX500 spectrometer. Chemical shifts are given in parts per million (ppm) downfield of 93 tetramethylsilane (singlet at 0 ppm) for proton resonances. The proton coupling constants are corrected and given in Hz 94 and expressed, e.g. as multiplicities, singlet (s), broad singlet (bs), doublet (d), double doublet (dd), triplet (t) and quartet 95 (q). High resolution electrospray (ESI+) mass spectrometry was performed on a Bruker MaXis Impact spectrometer, m/z 96 values are reported in Daltons to four decimal places. Liquid Chromatography with Mass Spectrometry (LC-MS) was 97 carried out for analysis synthetic references. LC analyses were carried out at room temperature on a Phenomenex 98 Hyperclone C<sub>18</sub> column, 5 µm particle size, 250 x 4.6 mm I.D. column equipped with a pre-column. Chromatography 99 was carried out using two solvents: (A) water and 0.1% formic acid solution and (B) acetonitrile and 0.1% formic acid 100 solution. A linear gradient programme was applied: of 0-3 minutes 0-100% increase of solvent B. The flow rate during 101 the experiment was 1.0 ml min<sup>-1</sup>. Injections were made by a Basic Marathon autosampler equipped with a 20  $\mu$ l loop. The 102 method was carried out on an Agilent 1200 LC using a Bruker HCT Ultra Ion Trap for the MS detection and a Diode 103 Array Detector. The ESI (electrospray ionisation) parameters in the negative ion mode were as follows: spray voltage 104 4000 V (applied to the spray tip needle), dry gas 10 dm<sup>3</sup> min<sup>-1</sup>, dry temperature 365 °C, capillary 60 nA, nebulizer 65 psi, 105 nebulising gas N2. UV/visible spectrophotometry was carried out using a Jasco V-530 UV/visible/NIR spectrophotometer at 2 nm intervals. Spectral properties and wavelength of maximum absorbance ( $\lambda_{max}$ ) were evaluated. Infrared spectra 106 107 were recorded on a Bruker Alpha Platinum ATR. Samples were analysed in the solid phase and absorption maxima ( $v_{max}$ )

108 are given in wave numbers (cm<sup>-1</sup>) to the nearest whole wavenumber.

## 109 2.3. Synthesis of references for chemical components of madder root

#### 110 2.3.1 Xanthopurpurin

This method was based on that of Murti et al. [21]. Anhydrous aluminium chloride (4.8 g, 40 mmol) and sodium chloride (1.2 g, 20 mmol) were heated to 150 °C until molten. To this, a mixture of phthalic anhydride (1.84 g, 8 mmol) and resorcinol (0.80 g, 8 mmol) was added slowly. The temperature was then slowly increased to 165 °C and maintained for 4 hours. The reaction mixture was then cooled to 0 °C and 2 M aqueous hydrochloric acid solution was added and stirred for 15 minutes. The reaction mixture was then heated to reflux for 30 minutes, after which it was cooled to room temperature and extracted with ethyl acetate (3 × 30 ml). The ethyl acetate extracts were then washed successively with saturated sodium bicarbonate solution (30 ml), dried with magnesium sulphate and evaporated to dryness.

118 Xanthopurpurin (7) was collected as a yellow/orange amorphous solid, 28 mg, 1.2% yield, m.p. 261-264 °C. IR (ATR),

119 v (cm<sup>-1</sup>): 3360, 1633, 1598, 1451, 1258.  $\lambda_{max}$  (log  $\varepsilon$ ) in MeOH: 412 nm (4.15). <sup>1</sup>H NMR (500 MHz, DMSO):  $\delta$  12.76 (s,

120 1H, OH), 11.32 (s, 1H, OH), 8.23 (dd, J= 7.5, 1.7 Hz, 1H), 8.18 (dd, J= 7.5, 1.7 Hz, 1H), 7.95 (app td, J= 1.7, 7.6 Hz, 1H), 7.92 (app td, J= 1.7, 7.6 Hz, 1H), 7.15 (d, J= 2.3 Hz, 1H), 6.62 (d, J= 2.3 Hz, 1H). <sup>13</sup>C NMR (101 MHz, MeOD)  $\delta$ 

- 122 158.2, 157.8, 157.4, 157.0, 134.0, 133.8, 126.6, 126.2, 118.9, 116.0, 113.2, 110.4, 108.1, 107.5. HRMS: m/z (ESI-)
- 123 calculated for  $C_{14}H_8O_4$  [M-H]<sup>-</sup> :239.0423; found [M-H]<sup>-</sup> :239.0354. HPLC retention time and mass data of negative ion
- can be found in Table 1.
- 125 2.3.2 Lucidin

126 In order to gain a better understanding of the effect that 37% hydrochloric acid has on lucidin during extraction, a pure

sample of lucidin was synthesised to observe any changes in its structure under the back extraction conditions. This

- method was based on that of Murti et al. [21]. Xanthopurpurin (20 mg, 0.08 mmol) was dissolved in 5% aqueous sodium
- hydroxide solution (0.5 ml). Aqueous formaldehyde 37% (30 µl, 0.4 mmol, 5 equivalents) was then added and stirred at
- room temperature for 3 hours and the reaction was monitored by LC-MS. Once completion was observed the solution
- 131 was precipitated with 10% aqueous hydrochloric acid solution (~1 ml) until a yellow precipitate was observed. The yellow
- precipitate was then extracted with ethyl acetate  $(3 \times 1 \text{ ml})$ , dried with magnesium sulphate and then evaporated to dryness.
- 133 This was then separated on a short flash silica column with 70% ethyl acetate, 30% hexane.
- Lucidin (4) was collected as a yellow amorphous solid, 21 mg, 87.5% yield, m.p. 301-305 °C. IR (ATR),  $v \text{ (cm}^{-1})$ : 3400,
- 135 1634, 1558, 1365, 1338.  $\lambda_{max}$  (log  $\varepsilon$ ) in MeOH: 410 nm (3.66). <sup>1</sup>H NMR (500 MHz, DMSO):  $\delta$  11.33 (s, 1H, OH), 8.22
- 136 (dd, J= 7.5, 1.5 Hz, 1H), 8.15 (dd, J= 7.0, 1.5 Hz, 1H), 7.77 (app td, J= 1.6, 7.2 Hz, 1H), 7.74 (app td, J= 1.6, 7.2 Hz, 1H),
- 137 7.26 (s, 1H), 4.83 (broad s, 1H, OH), 4.55 (s, 2H, CH<sub>2</sub>). <sup>13</sup>C NMR (126 MHz, MeOD)  $\delta$  159.9, 159.6, 159.4, 159.1, 158.7,
- 138 158.4, 119.4, 117.1, 114.8, 112.6, 54.7, 54.5, 54.3, 54.2, 54.0. HRMS: m/z (ESI-) calculated for C<sub>15</sub>H<sub>10</sub>O<sub>5</sub> [M-
- 139 H]<sup>-</sup>:269.0528; found [M-H]<sup>-</sup>:269.0464. HPLC retention time and mass data of negative ion can be found in Table 1.

#### 140 **2.4. Chemical degradation of lucidin**

#### 141 2.4.1. With methanol

Pure lucidin (2 mg) synthesised and purified as described above was dissolved in 37% hydrochloric acid: methanol: water (2:1:1, v/v/v) (0.5 ml) and heated to 100 °C for 15 minutes. After this time an aliquot of the reaction mixture was taken for LC-MS and HPLC analysis. The remaining reaction mixture was evaporated to dryness and re-dissolved in deuterated acetone for NMR analysis. Deuterated DMSO was also evaluated as a solvent for NMR analysis, but deuterated acetone provided better solubility. Deuterated methanol could not be used as it would interfere with the results forming the methyl ether adduct.

- 148 2.4.2. Without methanol
- 149 Pure lucidin (2 mg) synthesised and purified as described above was dissolved in 37% hydrochloric acid: water (1:1, v/v)
- 150 (0.5 ml) and heated to 100 °C for 15 minutes. After this time an aliquot was taken for LC-MS and HPLC analysis. The
- remaining reaction mixture was evaporated to dryness and re-dissolved in deuterated acetone for NMR analysis.
- 152

## 153 **3. Results and discussion**

The HPLC chromatogram of lucidin after heating in 37% hydrochloric acid: water (1:1, v/v) (Figure 2) showed a decrease in the lucidin peak (4) and a peak appearance at retention time 11.57 min (7); this new peak has the same UV/vis data and retention time as that of the synthesised xanthopurpurin standard (Table 1). The LC-MS also shows two peaks with the same molecular weights as lucidin (m/z = 269) and xanthopurpurin (m/z = 239). These results suggest that under aqueous acidic conditions that mimic those used in textile back extractions [20], lucidin is partially degraded to xanthopurpurin.





161

#### 162 **Table 1.** Compounds identified by HPLC-DAD and LC-MS in hydrochloric acid degradation of lucidin.

| Solvent                        | Anthraquinone            | Retention | UV $\lambda_{max}$ values for | Molecular ion,     |
|--------------------------------|--------------------------|-----------|-------------------------------|--------------------|
|                                | derivative assigned to   | time      | compound                      | m/z, from LC-MS    |
|                                | HPLC peak                | (min)     | identification (nm)           | [M-H] <sup>-</sup> |
| 37% hydrochloric acid: water   | lucidin (4)              | 9.9       | 244.6, 280.9                  | 269.0              |
| (1:1, v/v)                     | xanthopurpurin (7)       | 11.6      | 243.5, 280.7                  | 239.0              |
| 37% hydrochloric acid:         | lucidin (4)              | 9.9       | 244.5, 280.2                  | 269.4              |
| methanol: water (2:1:1, v/v/v) | xanthopurpurin (7)       | 11.6      | 243.5, 280.7                  | 239.4              |
|                                | lucidin methyl ether (8) | 12.3      | 244.5, 281.3                  | 283.4              |

163

It is hypothesised that in this case the reaction probably proceeds through a retro-aldol type mechanism (Scheme 1). The ability of this reaction to occur is unique to aromatic systems containing multiple hydroxyl groups as hydroxyl groups on an aromatic ring are electron donating, and usually in equilibrium with a low concentration of the keto tautomer. The keto tendency of the hydroxyl groups in positions one and three on the lucidin aromatic ring in acidic conditions drive the reverse aldol condition. The electron donating ability of the other hydroxyl group in the ring also provides stabilisation to the ketone tautomer. The loss of formaldehyde also provides an entropic driving force for this potentially reversible reaction.









174 **Figure 3.** HPLC chromatogram of lucidin after heating in 37% hydrochloric acid: methanol: water (2:1:1, v/v/v).

The HPLC chromatogram of the madder extract prepared using 37% hydrochloric acid: methanol: water (2:1:1, 176 177 v/v/v) (Figure 3) showed a decrease in the lucidin peak (4) and formation of the xanthopurpurin peak (7). However, in 178 this reaction there was also the formation of a third peak (Table 1) which has the largest peak height and peak area in the 179 chromatogram. LC-MS also showed three peaks in the chromatogram; lucidin (m/z = 269), xanthopurpurin (m/z = 239)180 and the third peak which gives a mass of m/z = 283, which corresponds to the methyl ether of lucidin (8) [13]. It is well 181 documented that ether products can be formed when using alcohol in the solvent system when extracting dye compounds 182 and in extraction from textile artefacts [1,2,13]. The methyl ether product is expected to be much more stable than the 183 methyl hydroxyl present in lucidin; the primary alcohol in lucidin can potentially be displaced by nucleophilic attack of 184 alcoholic solvents such as ethanol or methanol. Under dry or acidic conditions this primary alcohol is most likely removed 185 as water and formation of the quinone methide can take place. The quinone methide is very susceptible to nucleophilic 186 addition [12] and this process is reversible – addition of water will reform lucidin whereas attack by methanol will form 187 the lucidin methyl ether. It is important to note that whilst lucidin can undergo the retro-aldol process, this is not feasible 188 for the methyl ether, and reformation of the quinone methide would be the main reaction pathway available. LC-MS also 189 showed evidence of the formation of a dimeric species (9) with the mass of m/z = 491.



190

191 It is noted herein that the UV/vis spectra of each peak was very similar for these compounds. For this reason, 192 mass spectra data and <sup>1</sup>H NMR were used to fully assign the peaks and observe the reaction as it proceeds. The NMR 193 experiments are not trivial to analyse as lucidin has limited solubility in most solvents or is only soluble at low 194 concentrations. In addition to this the NMR signal corresponding to xanthopurpurin can appear diminished due to the 195 proton between the two hydroxyl groups being labile for exchange with deuterium providing further evidence for the 196 presence of the keto-equilibrium form.

197 The <sup>1</sup>H NMR spectra shown in Figure 4 shows an increase in the proton signals highlighted in the coloured box; 198 this proton corresponds to the aromatic signal between the two hydroxyl groups in xanthopurpurin [22]. The appearance of this signal shows that lucidin has degraded to xanthopurpurin most likely through the retro-aldol type reaction proposed. 199 There is also evidence for the formation of formaldehyde (as indicated in Scheme 1). Under the reaction conditions, where 200 201 water (or methanol) is present, formaldehyde would not be expected to be observed as it would exist primarily as the 202 hydrate (HOCH<sub>2</sub>OH). This equilibrium, and resulting <sup>1</sup>H NMR signals are quite sensitive to concentration, temperature and pH, but it is known that HOCH<sub>2</sub>OH has a chemical shift of ca. 4.6 ppm and the oligomer HOCH<sub>2</sub>OCH<sub>2</sub>OH slightly 203 204 higher around 4.7 ppm [23]. There are definitely appropriate (if small) signals in this region of the spectrum consistent 205 with this explanation however unambiguous assignment has not been possible so far. It is feasible that liberated 206 formaldehyde may re-add to xanthopurpurin at a different position (e.g. C4 rather than C2) to form an isomeric product, 207 although the presence of the adjacent carbonyl makes this centre much less nucleophilic, and so is unlikely. Other 208 reactions, such as O-alkylation on phenolic groups, are feasible, but there is no evidence to suggest this could occur at anything more than a small equilibrium concentration. 209

210





Figure 4. Stacked <sup>1</sup>H NMR of lucidin breakdown experiments. From top to bottom: H<sub>2</sub>O: HCl; MeOH: H<sub>2</sub>O: HCl;
 xanthopurpurin standard; lucidin standard.

215 Figure 5 shows the <sup>1</sup>H NMR spectra expanded in the aromatic region which displays the appearance of meta 216 coupling (2-3 Hz), which indicates that there is a hydrogen in the meta position of the ring, further confirming the 217 degradation to xanthopurpurin (which displays this meta coupling). Figure A.1 shows the <sup>1</sup>H NMR spectra of lucidin methyl ether and displays integration between the singlet (H4, 7.30 ppm) and the methyl group corresponding to the 218 219 methyl ether (OCH<sub>3</sub>, 3.27 ppm). Upon closer inspection, the meta-coupling constant between the two protons on the xanthopurpurin can be observed in the degradation studies, which further confirms the degradation of lucidin into 220 221 xanthopurpurin. A singlet corresponding to lucidin present in the breakdown experiments is also observed, indicating that 222 the breakdown of lucidin is not complete and some remains in the reaction medium. This result is confirmed in the HPLC 223 chromatograms (Figure 2 and 3) where lucidin is still present in both of these experiments, but in lower concentrations.

224



225

Figure 5. Stacked <sup>1</sup>H NMR spectra showing meta-coupling of the aromatic signals: xanthopurpurin standard (blue; top);
 H<sub>2</sub>O: HCl (green; middle); MeOH: H<sub>2</sub>O: HCl (red; bottom).

228

This reaction was also examined in deuterium oxide and deuterated methanol, however, this resulted in the deuterated reaction product of the lucidin methyl ether (m/z = 286), seen in Figure 6, which caused problems in analysis by NMR due to the methanol adduct being the deuterated product and, hence, not visible in the <sup>1</sup>H NMR spectrum [24]. However, the mass spectrum shows the lucidin methyl ether ion (m/z = 283 + 3) for the deuterated methanol adduct, which confirms formation of the lucidin methyl ether product.



236 Figure 6. Mass spectrum of deuterated methyl ether product of lucidin.

238 Degradation of lucidin into xanthopurpurin is important for the field of conservation scientists and conservators. 239 Previously the presence of xanthopurpurin has been used as an indicator that the sample probably contained munjistin, 240 which is a carboxylic acid derivative of xanthopurpurin [12]. Munjistin can be easily decarboxylated to form xanthopurpurin [18], this reactivity is again due to the keto tendency of the hydroxyl groups on the ring. Munjistin is a 241 242 marker pigment which can be used to prove the presence of R. cordifolia in dyed textiles [20], therefore, by employing 243 an acid extraction process information relevant to the analysis of the dyed materials is potentially lost as munjistin is 244 decarboxylated to xanthopurpurin and lucidin is degraded to xanthopurpurin, causing problems in determining whether 245 the original artefact was dyed with R. tinctorum or R. cordifolia. This is further complicated by the fact that xanthopurpurin and alizarin elute very closely on a C18 column and hence could co-elute as one peak in many systems. 246 247 The two compounds also have the same mass, hence, if their UV/vis spectra are not analysed in detail they could be 248 mistaken for the same compound and hence alizarin could be wrongly assigned in the sample.

249

#### **4. Conclusions**

It has been demonstrated herein that lucidin is not stable in acidic conditions and degrades rapidly to xanthopurpurin 251 252 when heated in aqueous acid conditions that are typically used for extraction of historical textiles dyed with madder. This is confirmed by HPLC, LC-MS and <sup>1</sup>H NMR, which have also provided support for the proposed mechanism of 253 254 degradation being a retro-aldol process. Different madder varieties and species and different origins have different chromatographic profiles in planta, hence, the most effective artefact extraction technique would be the one that preserves 255 256 the colorants in the dyeings in the form as applied. As most existing methods cause some form of acid-catalysed degradation to colorant moieties, it is vital to future development of analytical techniques to examine historical textiles, 257 258 that milder and effective extraction techniques are developed to enable better-informed identification of the original 259 dyestuff and to provide more information about the botanic, geographic and ethnographic origins of the dyes.

260

261

| 264 | Fur      | ding: The authors would like to thank The Clothworkers' Foundation for the provision of financial support to LF to    |
|-----|----------|---|
| 265 | allo     | wher to conduct her PhD studies.  |
| 266 |          |   |
| 267 | An       | pendix A. Supplementary data  |
| -07 | <b>r</b> | Former in Suppression, and  |
| 268 | Sup      | plementary data related to this article can be found at XXXX.   |
| 269 |          |   |
| 270 | Re       | ferences  |
| 271 | 1.       | Derksen GCH, Niederlander HAG, van Beek T. Analysis of anthraquinones in Rubia tinctorum L. by liquid                 |
| 272 |          | chromatography coupled with diode-array UV and mass spectrometric detection. J Chromatogr A 2002;978:119-             |
| 273 |          | 127.  |
| 274 | 2.       | Wijnsma R, Verpoorte R. Anthraquinones in the Rubiaceae. In: Hill RA, Krebs HC, editors. Progress in the              |
| 275 |          | Chemistry of Organic Natural Products, Vol. 49, Wein: Springer-Verlag; 1986, pp. 78-149.                              |
| 276 | 3.       | Wouters J. High Performance Liquid Chromatography of Anthraquinones: Analysis of Plant and Insect Extracts and        |
| 277 |          | Dyed Textiles. Stud Conserv 1985;30:119-128.  |
| 278 | 4.       | Wouters J, Maes L, Germer R. The identification of haematite as a red colorant on an Egyptian textile from the        |
| 279 |          | second millennium BC. Stud Conserv 1990;35:89-92.   |
| 280 | 5.       | Karapanagiotis I, Daniilia S, Tsakalof A, Chryssoulakis Y. Identification of Red Natural Dyes in Post-Byzantine       |
| 281 |          | Icons by HPLC. J Liquid Chromatogr Rel Technol 2005;28:739-749.   |
| 282 | 6.       | Balakina G, Vasiliev V, Karpova E, Mamatyuk V. HPLC and molecular spectroscopic investigations of the red dye         |
| 283 |          | obtained from an ancient Pazyryk textile. Dyes Pigm 2006;71:54-60.  |
| 284 | 7.       | Lech K, Jarosz M. Novel methodology for the extraction and identification of natural dyestuffs in historical textiles |
| 285 |          | by HPLC-UV-Vis-ESI MS. Case study: chasubles from the Wawel Cathedral collection. Anal Bioanal Chem                   |
| 286 |          | 2011;399:3241-3251.   |
| 287 | 8.       | Liu J, Guo D, Zhou Y, Wu Z, Li W, Zhao F, Zheng X. Identification of ancient textiles from Yingpan, Xinjiang, by      |
| 288 |          | multiple analytical techniques. J Archaeol Sci 2011;38:1763-1770.   |
| 289 | 9.       | Sanyova J, Reisse J. Development of a mild method for the extraction of anthraquinones from their aluminum            |
| 290 |          | complexes in madder lakes prior to HPLC analysis. J Cult Heritage 2006;7:229-235.                                     |
| 291 | 10.      | Boldizsár I, Szűcs Z, Füzfai Zs, Molnár-Perl I. Identification and quantification of the constituents of madder root  |
| 292 |          | by gas chromatography and high-performance liquid chromatography. J Chromatogr A 2006;1133:259-274.                   |
| 293 | 11.      | Cuoco G, Mathe C, Archier P, Chemat F, Vieillescazes C. A multivariate study of ultrasound-assisted extraction of     |
| 294 |          | madder dyes and characterisation by liquid chromatography-photodiode array detection. Ultrason Sonochem               |

Acknowledgments

- 2009;16:75-82.
  12. Mouri C, Laursen R. Identification of anthraquinone markers for distinguishing Rubia species in madder-dyed
  textiles by HPLC. Microchim Acta 2012;179:105-113.
- Henderson RL, Rayner CM, Blackburn RS. Isolation and extraction of lucidin primeveroside from Rubia tinctorum
   L. and crystal structure elucidation. Phytochemistry 2013;95:105-108.

- Ford L, Rayner CM, Blackburn RS. Isolation and extraction of ruberythric acid from Rubia tinctorum L. and crystal
   structure elucidation. Phytochemistry 2015;117:168-173.
- Ford L, Henderson RL, Rayner CM, Blackburn RS. Mild extraction methods using aqueous glucose solution for the
   analysis of natural dyes in textile artefacts dyed with Dyer's madder (Rubia tinctorum L.). J Chromatogr A
   2017;1487:36-46.
- Yasui Y, Takeda N. Identification of a mutagenic substance, in Rubia tinctorum L. (madder) root, as lucidin. Mutat
   Res 1983;121:185-190.
- 307 17. Aburjai T, Natsheh FM. Plants used in cosmetics. Phytotherapy Res 2003;17:987-1000.
- Berksen GCH, Naayer M, van Beek TA, Capelle A, Haaksman IK, van Doren HA, de Groot AE. Chemical and
   enzymatic hydrolysis of anthraquinone glycosides from madder roots. Phytochem Anal 2003;14:137-144.
- 310 19. Zhang X, Laursen R. Application of LC-MS to the analysis of dyes in objects of historical interest. Int J Mass
   311 Spectrom 2009;284:108-114.
- Blackburn RS. Natural dyes in madder (Rubia spp.) and their extraction and analysis in historical textiles. Color
   Technol 2017;133:449-462.
- Murti VVS, Seshadri TR, Sivakumaran S. A Study of Madder, the Roots of Rubia tinctorum Linn. Indian J Chem
   1970;8:779-782.
- Akrawi OA, Hussain M, Langer P. Site-selective Suzuki-Miyaura reactions of the bis(triflate) of 1,3 dihydroxyanthraquinone. Tetrahedron Lett 2011;52:1093-1095.
- Rivlin M, Eliav U, Navon G. NMR studies of proton exchange kinetics in aqueous formaldehyde solutions. J Magn
   Reson 2014;242:107-112.
- 320 24. Abraham RJ, Fisher J, Loftus P. Introduction to NMR Spectroscopy. Oxford: John Wiley & Sons; 1988.