



UNIVERSITY OF LEEDS

This is a repository copy of *The crystal morphology and growth kinetic mechanisms of para -aminobenzoic acid*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/151853/>

Version: Accepted Version

Proceedings Paper:

Rosbottom, I, Ma, CY orcid.org/0000-0002-4576-7411, O'Connel, R et al. (2 more authors) (2017) The crystal morphology and growth kinetic mechanisms of para -aminobenzoic acid. In: Acta Crystallographica Section A Foundations and Advances. Twenty-Fourth Congress and General Assembly of the International Union of Crystallography, 21-28 Aug 2017, Hyderabad, India. , C349.

<https://doi.org/10.1107/S2053273317092245>

This is an author produced version of a conference abstract published in Acta Crystallographica Section A. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

The Crystal Morphology and Growth Kinetic Mechanisms of Para-AminoBenzoic Acid

Ian Rosbottom¹, CaiYun Ma¹, Roisin O'Connell¹, Robert Docherty², Kevin John Roberts¹

¹School Of Chemical And Process Engineering, University Of Leeds, Leeds, United Kingdom, ²Pfizer Global Research & Development, Sandwich, United Kingdom

E-mail: i.rosbottom@leeds.ac.uk

The Crystal Morphology and Growth Kinetic Mechanisms of Para-AminoBenzoic Acid

I. Rosbottom¹, C.Y Ma¹, R.A. O'Connell¹, R. Docherty², K.J. Roberts¹

1. Centre for Digital Design of Drug Products, School of Chemical and Process Engineering, University of Leeds, LS2 9JT, UK

2. Pfizer Global Research & Development, Pharmaceutical R & D (i.p.c 612), Sandwich, Kent CT13 9NJ

Needle-like crystal morphologies can cause problems during downstream unit processes associated with pharmaceutical and fine chemical product manufacture, due to their fragility under compaction, difficulties in filtering and tendency to block pipes. Tailoring a crystal morphology from solution requires an understanding of the molecular scale surface chemistry and the crystal growth kinetic mechanisms, forming the basis of the design of a solution environment.

α -para amino benzoic acid (α -PABA) crystallises as a needle-like morphology from most organic solvents, such as ethanol, water and acetonitrile¹. Here the bulk solid-state intermolecular interactions (intrinsic synthons) are discussed in terms of the α -PABA stability, and the surface terminated intermolecular interactions of the major (101), (10-1) and (01-1) surfaces², in terms of their interaction with the surrounding solution and crystal morphology.


The experimentally elucidated crystal growth kinetic mechanisms of the side (10-1) and capping (01-1) surfaces, in ethanol, are linked to the extrinsic synthons and crystal morphology observed³. The surface entropic α -factors are calculated to estimate the interfacial roughening of the individual faces in ethanol, and how this can affect the crystal growth kinetics. A model for the temporal evolution of a equilibrium crystal morphology of α -PABA at different supersaturation is presented, in terms of guiding the residence time for industrial batch crystallisation.

Finally, the effect of addition of nitromethane to the ethanol solutions on the crystal morphology of α -PABA is presented. This demonstrates that through a careful choice of solvent, based on a molecular and kinetic understanding of the crystal surface can successfully modify a crystal morphology from solution.

(1) Gracin, S.; Rasmuson, Å. C. *Crystal Growth & Design* 2004, 4, 1013.

(2) Rosbottom, I.; Roberts, K. J.; Docherty, R. *CrystEngComm* 2015, 17, 5768.

(3) Toroz, D.; Rosbottom, I.; Turner, T. D.; Corzo, D. M. C.; Hammond, R. B.; Lai, X.; Roberts, K. J. *Faraday Discussions* 2015, 179, 79.



Keywords: [Crystal Growth Mechanisms](#), [Crystal Morphology](#), [Surface Chemistry](#)