

*promoting access to White Rose research papers*



**Universities of Leeds, Sheffield and York**  
<http://eprints.whiterose.ac.uk/>

---

This is author produced supplementary material to a paper published in **Physics of the Earth and Planetary Interiors**

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/id/eprint/77812>

---

**Paper:**

Walker, AM (2012) *The effect of pressure on the elastic properties and seismic anisotropy of diopside and jadeite from atomic scale simulation*. Physics of the Earth and Planetary Interiors, 192-19. 81 - 89. ISSN 0031-9201

<http://dx.doi.org/10.1016/j.pepi.2011.10.002>

---

The effect of pressure on the elastic properties and seismic anisotropy of diopside and jadeite from atomic scale simulation. Supplementary Information.

A. M. Walker<sup>1,\*</sup>

<sup>1</sup> Department of Earth Sciences,  
University of Bristol,  
Wills Memorial Building,  
Queen's Road,  
Bristol, BS8 1RJ, UK

\* [andrew.walker@bris.ac.uk](mailto:andrew.walker@bris.ac.uk)

## 1 Convergence tests

Table 1 shows the results of convergence tests for k-point sampling and plane-wave cutoff. The energy, force on one atom in one direction, and one element of the stress tensor are calculated for one particular geometry, without geometry optimisation. Only the energy derivatives strictly need to be converged and these converge much more rapidly than the total energy. By 700 eV and a  $2 \times 2 \times 3$  grid all three measures are well converged. Details of the convergence tests carried out for diopside can be found in [1].

## 2 Structure and athermal equation of state of jadeite

Table 2 shows the evolution of the lattice vectors and unit cell volume with pressure. Experimental cell parameters at 1.5K are  $a = 9.41582(9)$ ,  $b = 8.55515(4)$ ,  $c = 5.22071(21)$  Å and  $\beta = 107.5634(7)^\circ$  [2]. This gives a volume of 400.95 Å<sup>3</sup>.

Assuming a PBE error of 4.3 GPa and interpolating gives  $V = 401 \text{ \AA}^3$  and results in a P–V curve in agreement with the experimental data (Figure 3). This offset is similar to that found for diopside (4.6 GPa, [1]). Once the offset is taken into account, the calculated crystal structure (Table 3) agrees with experimental data for all sites to better than 0.002 fractional units ( $\sim 0.02 \text{ \AA}$ ).

Fitting a third-order Birch-Murnaghan equation of state to the calculated volumes gives parameters  $V_0 = 415.1 \text{ \AA}^3$ ,  $K_0 = 116.6 \text{ GPa}$  and  $K'_0 = 3.9$ . Fitting following the pressure offset gives  $V_0 = 401.3 \text{ \AA}^3$ ,  $K_0 = 128.8 \text{ GPa}$  and  $K'_0 = 3.8$ , while constraining  $K'_0$  to 5.0 gives  $V_0 = 400.6 \text{ \AA}^3$  and  $K_0 = 137.7 \text{ GPa}$  (experiments at ambient temperature give  $V_0 = 402.26 \pm 0.02 \text{ \AA}^3$ ,  $K_0 = 134.0 \pm 0.7 \text{ GPa}$  and  $K'_0 = 4.4 \pm 0.1$  [3] and  $K_0 = 124.5 \pm 4.0$  assuming  $K'_0$  of 5.0 [4]).

The parameters given in Tables 2 and 3 have been used to extract bond lengths and measures of structural and polyhedral regularity for jadeite using the same approach as that previously used for diopside [1]. These results are given in Tables 4, 5, 6 and 7 and Figures 2, 3 and 4. All three polyhedra become more ideal with increasing pressure but the detail of the variation in bond lengths is rather different to those found for diopside [1]. Table 8 contrasts the polyhedral volumes fitted to the third-order Birch-Murnaghan equation of state for diopside and jadeite. In both minerals the M2 site is more compressible than the M1 site which is more compressible than the Si site and the compressibility scales with the site volume.

### 3 Elastic constants

The evolution of the calculated elastic constants of diopside and jadeite with pressure are reported in tabular form in Table 9 and 10. These tables also contain the upper Voigt ( $K^v$  and  $G^v$ ) and lower Reuss ( $K^r$  and  $G^r$ ) bound of the bulk and shear moduli of isotropic polycrystalline samples of diopside and jadeite along with the arithmetic mean (the Voigt-Reuss-Hill average  $K^{vrh}$  and  $G^{vrh}$ ). In addition, the general anisotropy index ( $A^* = V_{s(max)}^2/V_{s(min)}^2$ , where the maximum and minimum phase velocities are found from a search over all propagation directions, [5]) and the universal anisotropy index ( $A^U$ , derived from the Voigt and Reuss estimates of the isotropic average bulk and shear moduli, [6]) are given as a function of pressure.

## References

- [1] A. M. Walker, R. P. Tyer, R. P. Bruin, and M. T. Dove. The compressibility and high pressure structure of diopside from first principles simulation. *Physics and Chemistry of Minerals*, 35:359 – 366, 2008.

- [2] K. S. Knight and G. D. Price. Powder neutron-diffraction studies of clinopyroxenes. I. The crystal structure and thermoelastic properties. *The Canadian Mineralogist*, 46:1593 – 1622, 2008.
- [3] F. Nestola, T. Boffa Ballaran, C. Liebske, M. Bruno, and M. Tribaudino. High-pressure behaviour along the jadeite  $\text{NaAlSi}_2\text{O}_6$ –aegirine  $\text{NaFeSi}_2\text{O}_6$  solid solution up to 10 GPa. *Physics and Chemistry of Minerals*, 33:417 – 425, 2006.
- [4] Y. Zhao, R. B. Von Dreele, T. J. Shankland, D. J. Weidner, J. Zhang, Y Wang, and T. Gasparik. Thermoelastic equation of state of jadeite  $\text{NaAlSi}_2\text{O}_6$ : An energy-dispersive Reitveld refinement study of low symmetry and multiple phases diffraction. *Geophysical Research Letters*, 24:5–8, 1997.
- [5] H. Ledbetter and A. Miglion. A general elastic-anisotropy measure. *Journal of Applied Physics*, 100:063516, 2006.
- [6] S. I. Ranganathan and M. Ostoja-Starzewski. Universal elastic anisotropy index. *Physical Review Letters*, 101:055504, 2008.

Plane-wave cutoff (eV)	k-point grid	Total energy (eV)	Stress (GPa)	Force (eV/Å)
600.0000	1x1x1	-16838.78747346	6.913870	-2.31715
600.0000	1x1x2	-16840.83010537	6.269173	-2.34727
600.0000	2x2x2	-16840.86712288	6.234072	-2.35151
600.0000	2x2x3	-16840.81463594	6.265156	-2.34977
600.0000	3x3x3	-16840.81398394	6.263807	-2.34969
600.0000	3x3x4	-16840.81486317	6.263370	-2.34979
600.0000	4x4x4	-16840.81612706	6.261636	-2.34977
400.0000	2x2x2	-16839.16846679	5.962158	-2.36963
450.0000	2x2x2	-16839.27319045	6.211402	-2.36321
500.0000	2x2x2	-16839.72774798	6.314173	-2.35384
550.0000	2x2x2	-16840.35969584	6.259969	-2.35354
600.0000	2x2x2	-16840.86712288	6.234067	-2.35151
650.0000	2x2x2	-16841.16789494	6.247952	-2.34671
700.0000	2x2x2	-16841.28791297	6.293571	-2.34776
750.0000	2x2x2	-16841.30849070	6.323769	-2.34415
800.0000	2x2x2	-16841.31961932	6.351028	-2.34297
850.0000	2x2x2	-16841.37787710	6.330706	-2.34443
900.0000	2x2x2	-16841.47777662	6.328530	-2.34306
950.0000	2x2x2	-16841.61340398	6.322510	-2.34240
1000.000	2x2x2	-16841.75950744	6.306950	-2.34337

Table 1: Convergence with key numerical parameters for jadeite.

$P$	$a$	$b$	$c$	$\beta$	$V$
-5.0	9.752	8.792	5.359	108.75	435.1
-4.0	9.700	8.758	5.342	108.51	430.3
-3.0	9.656	8.730	5.326	108.33	426.2
-2.0	9.616	8.702	5.311	108.18	422.3
-1.0	9.580	8.677	5.294	108.04	418.5
-0.0	9.545	8.653	5.279	107.91	414.9
1.0	9.509	8.633	5.266	107.83	411.5
2.0	9.479	8.610	5.251	107.72	408.2
3.0	9.450	8.588	5.237	107.61	405.1
4.0	9.423	8.567	5.224	107.51	402.2
5.0	9.397	8.546	5.211	107.41	399.3
6.0	9.374	8.525	5.197	107.32	396.5
7.0	9.350	8.505	5.184	107.22	393.8
8.0	9.328	8.486	5.171	107.13	391.2
9.0	9.305	8.465	5.159	107.00	388.6
10.0	9.284	8.446	5.147	106.93	386.2
11.0	9.264	8.428	5.136	106.86	383.8
12.0	9.245	8.411	5.124	106.79	381.5
13.0	9.227	8.393	5.113	106.72	379.2
14.0	9.208	8.375	5.100	106.59	376.9
15.0	9.191	8.357	5.088	106.50	374.7
16.0	9.174	8.339	5.077	106.42	372.6
17.0	9.158	8.322	5.066	106.33	370.5
18.0	9.142	8.305	5.055	106.25	368.5
19.0	9.128	8.288	5.045	106.17	366.5
20.0	9.113	8.272	5.034	106.10	364.6
21.0	9.099	8.255	5.024	106.03	362.7
22.0	9.085	8.239	5.015	105.96	360.9
23.0	9.072	8.223	5.005	105.89	359.1
24.0	9.059	8.208	4.996	105.82	357.4
25.0	9.046	8.192	4.987	105.76	355.6

Table 2: Calculated cell parameters for jadeite




Figure 1: Unit cell volume as a function of pressure from the present calculations (open circles) and experiments (filled symbols: triangle [2], diamonds [4], squares [3]). Both the unshifted and corrected DFT results are shown (points plotting near the experimental data are shifted by 4.3 GPa to correct for the under-binding of the GGA)




Figure 2: Bond lengths in the Si tetrahedron as a function of pressure. Closed circles Si–O1, open circles Si–O2, open squares Si–O3a, closed squares Si–O3b.




Figure 3: Bond lengths in the M1 octahedron as a function of pressure. Closed circles Al–O1a, open circles Al–O1b, open squares Al–O2.




Figure 4: Bond lengths in the M2 polyhedron as a function of pressure. Closed circles Na–O1, open circles Na–O2, open squares Na–O3a, closed squares Na–O3b

$P$ GPa	M1 $y$	M2 $y$	Si $x$	Si $y$	Si $z$	O1 $x$	O1 $y$	O1 $z$	O2 $x$	O2 $y$	O2 $z$	O3 $x$	O3 $y$	O3 $z$
-4.9995	0.889023	0.296287	0.288775	0.091496	0.224815	0.110007	0.075392	0.122291	0.363248	0.256651	0.285870	0.347274	0.000535	0.009546
-3.9955	0.900630	0.296967	0.289033	0.091830	0.225337	0.109811	0.075330	0.123331	0.362807	0.285556	0.288214	0.001295	0.009275	
-3.0021	0.901801	0.297335	0.289289	0.092069	0.225759	0.109682	0.075364	0.124954	0.362519	0.258659	0.287257	0.001967	0.009080	
-2.0017	0.902691	0.298102	0.289494	0.092324	0.226121	0.109564	0.075504	0.125815	0.362219	0.259492	0.288167	0.002781	0.008604	
-1.0032	0.903483	0.298728	0.289671	0.092688	0.226504	0.109461	0.075726	0.126654	0.361995	0.260329	0.289308	0.003686	0.008100	
-0.0003	0.904121	0.299298	0.289852	0.092915	0.226788	0.109351	0.075984	0.127226	0.361729	0.261048	0.290334	0.004571	0.007530	
0.9995	0.904806	0.299352	0.290522	0.093076	0.227427	0.109596	0.076028	0.127882	0.361669	0.261754	0.291611	0.005491	0.007321	
1.9979	0.905305	0.299924	0.290655	0.093301	0.227673	0.109505	0.076290	0.128356	0.361466	0.262391	0.292773	0.006424	0.006654	
2.9959	0.905755	0.300501	0.290760	0.093532	0.227883	0.109392	0.076567	0.128736	0.361285	0.263001	0.293922	0.0053429	0.005947	
4.0026	0.906123	0.301077	0.290859	0.093721	0.228030	0.109307	0.076880	0.129029	0.361111	0.263226	0.295122	0.008303	0.005147	
5.0003	0.906501	0.301652	0.290953	0.093938	0.228259	0.109215	0.077162	0.129352	0.360944	0.264087	0.296293	0.009180	0.004461	
5.9984	0.906858	0.302226	0.291040	0.094173	0.228408	0.109133	0.077453	0.129683	0.360795	0.264633	0.297475	0.004796	0.003744	
6.9991	0.907145	0.302787	0.291092	0.094370	0.228564	0.109054	0.077759	0.129883	0.360644	0.265112	0.298674	0.005226	0.0011003	
7.9885	0.907423	0.303342	0.291141	0.094586	0.228640	0.108956	0.078099	0.130007	0.360510	0.265584	0.299898	0.005580	0.011927	
9.0016	0.907568	0.303940	0.291225	0.094577	0.228865	0.108960	0.078139	0.130105	0.360462	0.265834	0.301345	0.006007	0.0013387	
9.9885	0.907818	0.304316	0.291320	0.094766	0.228622	0.108903	0.078430	0.130334	0.360329	0.266300	0.302457	0.006330	0.014078	
11.0004	0.908061	0.304684	0.291393	0.094945	0.228947	0.108848	0.078723	0.130550	0.360203	0.266760	0.303527	0.006753	0.014759	
11.9982	0.908290	0.305026	0.291466	0.095119	0.228253	0.108791	0.079000	0.130729	0.360076	0.267197	0.304572	0.007097	0.015411	
12.9982	0.908503	0.305378	0.291525	0.095288	0.229509	0.108737	0.079268	0.130890	0.359957	0.267615	0.305609	0.007419	0.016057	
14.0006	0.908571	0.306265	0.291540	0.095465	0.229377	0.108683	0.079593	0.130789	0.359965	0.267853	0.307316	0.007556	0.017500	
14.9945	0.908756	0.306711	0.291575	0.095660	0.229472	0.108644	0.079882	0.130911	0.359899	0.268217	0.308552	0.007855	0.018389	
15.9984	0.908919	0.307066	0.291608	0.095850	0.229615	0.108590	0.080181	0.130981	0.359830	0.268569	0.309726	0.008138	0.019218	
17.0035	0.909065	0.307588	0.291636	0.095988	0.229754	0.108538	0.080478	0.131039	0.359769	0.268894	0.310853	0.008371	0.020021	
18.0015	0.909214	0.308043	0.291650	0.096154	0.228984	0.108493	0.080770	0.131094	0.359701	0.269240	0.312025	0.008588	0.020813	
18.9998	0.909345	0.308441	0.291669	0.096312	0.230011	0.108449	0.081056	0.131124	0.359645	0.269550	0.313126	0.0021594	0.092933	
20.0012	0.909486	0.308820	0.291690	0.096417	0.230194	0.108404	0.081340	0.131170	0.359580	0.269883	0.314258	0.0023322	0.092245	
21.0014	0.909617	0.309185	0.291703	0.096628	0.230360	0.108259	0.081626	0.131211	0.359518	0.270197	0.315380	0.0359159	0.0024055	0.091572
22.0022	0.909728	0.309498	0.291717	0.096762	0.230540	0.108233	0.081903	0.131237	0.359456	0.270501	0.316414	0.0359357	0.023730	0.091010
23.0017	0.909843	0.309846	0.291729	0.096913	0.230762	0.108281	0.082175	0.131256	0.359389	0.270810	0.317504	0.035927	0.024404	0.090456
23.9931	0.909943	0.310140	0.291743	0.097042	0.231011	0.108244	0.082435	0.131279	0.359321	0.271109	0.318508	0.0359709	0.025002	0.090028
25.0008	0.910040	0.310432	0.291755	0.097175	0.231239	0.108209	0.082698	0.131286	0.359249	0.271410	0.319535	0.0359887	0.025631	0.098545

Table 3: Atomic positions in the calculated structure of jadeite.

$P$ GPa	O3O3O3	$\Delta_{\text{Si}}$ Å	$v_{\text{Si}}$ (%)	$\Delta_{\text{Al}}$ Å	$\Sigma_{\text{Al}}$	$v_{\text{Al}}$ (%)	$\Delta_{\text{Na}}$ Å	$\Sigma_{\text{Na}}$	$v_{\text{Na}}$ (%)
-5.0	179.54	0.0343	0.9616	0.1691	0.9852	1.7767	0.2009	0.9228	2.5715
-4.0	178.96	0.0343	0.9108	0.1528	0.9896	1.7257	0.1906	0.9256	2.6070
-3.0	178.47	0.0342	0.8699	0.1408	0.9928	1.6916	0.1821	0.9279	2.6489
-2.0	177.87	0.0342	0.8285	0.1321	0.9952	1.6609	0.1741	0.9304	2.6722
-1.0	177.17	0.0339	0.7910	0.1248	0.9972	1.6246	0.1664	0.9330	2.6814
-0.0	176.53	0.0338	0.7525	0.1189	0.9987	1.6035	0.1589	0.9355	2.6972
1.0	175.88	0.0338	0.7097	0.1133	0.9997	1.5683	0.1536	0.9378	2.7547
2.0	175.18	0.0336	0.6798	0.1088	0.9985	1.5488	0.1471	0.9404	2.7607
3.0	174.49	0.0334	0.6517	0.1051	0.9975	1.5303	0.1408	0.9429	2.7645
4.0	173.76	0.0333	0.6272	0.1016	0.9968	1.5188	0.1348	0.9456	2.7686
5.0	173.10	0.0332	0.6058	0.0984	0.9960	1.5059	0.1292	0.9480	2.7677
6.0	172.44	0.0330	0.5883	0.0954	0.9952	1.4939	0.1239	0.9504	2.7624
7.0	171.75	0.0328	0.5702	0.0929	0.9947	1.4856	0.1187	0.9530	2.7611
8.0	171.05	0.0328	0.5548	0.0907	0.9944	1.4796	0.1133	0.9556	2.7543
9.0	169.96	0.0323	0.5445	0.0880	0.9938	1.4694	0.1073	0.9600	2.7699
10.0	169.44	0.0321	0.5306	0.0860	0.9933	1.4651	0.1043	0.9617	2.7635
11.0	168.93	0.0321	0.5182	0.0842	0.9930	1.4632	0.1016	0.9634	2.7588
12.0	168.44	0.0321	0.5077	0.0823	0.9926	1.4629	0.0991	0.9650	2.7549
13.0	167.96	0.0320	0.4994	0.0806	0.9923	1.4643	0.0966	0.9667	2.7505
14.0	166.88	0.0321	0.4939	0.0797	0.9924	1.4540	0.0903	0.9709	2.7389
15.0	166.22	0.0320	0.4894	0.0781	0.9921	1.4522	0.0877	0.9734	2.7267
16.0	165.61	0.0321	0.4841	0.0768	0.9920	1.4532	0.0850	0.9756	2.7151
17.0	165.02	0.0321	0.4798	0.0757	0.9918	1.4548	0.0827	0.9778	2.7061
18.0	164.43	0.0321	0.4767	0.0745	0.9917	1.4587	0.0803	0.9800	2.6929
19.0	163.85	0.0322	0.4740	0.0735	0.9916	1.4626	0.0783	0.9821	2.6805
20.0	163.31	0.0323	0.4715	0.0725	0.9915	1.4691	0.0767	0.9840	2.6674
21.0	162.76	0.0324	0.4699	0.0714	0.9914	1.4765	0.0753	0.9860	2.6547
22.0	162.27	0.0325	0.4688	0.0706	0.9913	1.4847	0.0742	0.9877	2.6406
23.0	161.78	0.0326	0.4683	0.0697	0.9913	1.4949	0.0730	0.9894	2.6267
24.0	161.34	0.0326	0.4687	0.0689	0.9913	1.5059	0.0720	0.9909	2.6134
25.0	160.88	0.0327	0.4687	0.0682	0.9912	1.5183	0.0712	0.9924	2.6002

Table 4: The effect of pressure on some measures of structural regularity

$P$ GPa	Si–O1	Si–O2	Si–O3a	Si–O3b	Si – O	$r_{\text{Si}}$	$V_{\text{Si}}$
-5.0	1.657	1.609	1.658	1.648	1.643	1.643	2.252
-4.0	1.655	1.607	1.656	1.646	1.641	1.640	2.244
-3.0	1.653	1.605	1.654	1.644	1.639	1.638	2.237
-2.0	1.651	1.603	1.652	1.642	1.637	1.636	2.230
-1.0	1.648	1.601	1.650	1.640	1.635	1.634	2.222
-0.0	1.646	1.600	1.648	1.638	1.633	1.632	2.215
1.0	1.644	1.598	1.647	1.636	1.631	1.630	2.209
2.0	1.642	1.596	1.645	1.635	1.629	1.629	2.202
3.0	1.640	1.594	1.643	1.633	1.628	1.627	2.195
4.0	1.638	1.593	1.642	1.631	1.626	1.625	2.189
5.0	1.636	1.592	1.640	1.630	1.624	1.624	2.183
6.0	1.634	1.590	1.639	1.628	1.623	1.622	2.177
7.0	1.632	1.589	1.637	1.627	1.621	1.620	2.171
8.0	1.630	1.587	1.636	1.625	1.620	1.619	2.165
9.0	1.628	1.586	1.634	1.623	1.618	1.617	2.159
10.0	1.626	1.585	1.633	1.622	1.617	1.616	2.154
11.0	1.624	1.584	1.632	1.621	1.615	1.614	2.148
12.0	1.623	1.582	1.631	1.619	1.614	1.613	2.143
13.0	1.621	1.581	1.630	1.618	1.612	1.612	2.138
14.0	1.619	1.580	1.629	1.617	1.611	1.610	2.133
15.0	1.618	1.579	1.628	1.616	1.610	1.609	2.128
16.0	1.616	1.577	1.626	1.615	1.609	1.608	2.123
17.0	1.614	1.576	1.625	1.614	1.608	1.607	2.118
18.0	1.613	1.575	1.625	1.613	1.606	1.606	2.114
19.0	1.611	1.574	1.624	1.612	1.605	1.604	2.109
20.0	1.610	1.573	1.623	1.611	1.604	1.603	2.105
21.0	1.609	1.572	1.622	1.610	1.603	1.602	2.101
22.0	1.607	1.571	1.621	1.609	1.602	1.601	2.096
23.0	1.606	1.570	1.620	1.608	1.601	1.600	2.092
24.0	1.604	1.569	1.619	1.607	1.600	1.599	2.088
25.0	1.603	1.568	1.619	1.606	1.599	1.598	2.084

Table 5: Variation in bond lengths in the Si tetrahedra in jadeite with pressure

$P$ GPa	Al–O1a	Al–O1b	Al–O2	Al – O	$r_{\text{Al}}$	$V_{\text{Al}}$
-5.0	1.951	2.122	1.883	1.985	1.980	10.164
-4.0	1.953	2.096	1.881	1.977	1.972	10.047
-3.0	1.954	2.076	1.878	1.969	1.965	9.946
-2.0	1.954	2.060	1.875	1.963	1.959	9.856
-1.0	1.953	2.046	1.872	1.957	1.953	9.771
-0.0	1.951	2.035	1.869	1.952	1.948	9.694
1.0	1.950	2.023	1.865	1.946	1.943	9.622
2.0	1.948	2.014	1.862	1.941	1.938	9.554
3.0	1.946	2.006	1.859	1.937	1.933	9.490
4.0	1.943	1.998	1.857	1.932	1.929	9.428
5.0	1.941	1.990	1.854	1.928	1.925	9.369
6.0	1.938	1.983	1.851	1.924	1.921	9.311
7.0	1.936	1.977	1.848	1.920	1.917	9.256
8.0	1.932	1.972	1.846	1.916	1.913	9.203
9.0	1.930	1.965	1.843	1.913	1.910	9.151
10.0	1.928	1.960	1.840	1.909	1.906	9.103
11.0	1.925	1.955	1.838	1.906	1.903	9.055
12.0	1.922	1.950	1.835	1.903	1.900	9.008
13.0	1.920	1.945	1.833	1.899	1.897	8.962
14.0	1.917	1.942	1.831	1.896	1.894	8.921
15.0	1.914	1.937	1.829	1.893	1.891	8.879
16.0	1.911	1.933	1.826	1.890	1.888	8.838
17.0	1.909	1.930	1.824	1.887	1.885	8.798
18.0	1.906	1.926	1.822	1.885	1.882	8.759
19.0	1.903	1.922	1.820	1.882	1.879	8.721
20.0	1.901	1.919	1.818	1.879	1.877	8.683
21.0	1.898	1.916	1.816	1.877	1.874	8.647
22.0	1.896	1.913	1.814	1.874	1.872	8.611
23.0	1.893	1.909	1.812	1.872	1.869	8.577
24.0	1.891	1.907	1.810	1.869	1.867	8.543
25.0	1.888	1.904	1.809	1.867	1.864	8.509

Table 6: Variation in bond lengths in the M1 octahedron in jadeite with pressure

$P$ GPa	Na–O1	Na–O2	Na–O3a	Na–O3b	Na – O	$r_{\text{Na}}$	$V_{\text{Na}}$
-5.0	2.423	2.459	2.945	2.423	2.563	2.550	27.753
-4.0	2.413	2.457	2.916	2.413	2.550	2.537	27.346
-3.0	2.403	2.453	2.891	2.404	2.538	2.526	26.981
-2.0	2.395	2.448	2.866	2.397	2.527	2.516	26.631
-1.0	2.387	2.442	2.841	2.392	2.515	2.505	26.296
-0.0	2.380	2.436	2.817	2.386	2.505	2.495	25.980
1.0	2.372	2.427	2.795	2.382	2.494	2.484	25.632
2.0	2.366	2.420	2.772	2.378	2.484	2.475	25.342
3.0	2.360	2.414	2.750	2.374	2.474	2.466	25.064
4.0	2.354	2.407	2.728	2.371	2.465	2.457	24.794
5.0	2.348	2.401	2.707	2.368	2.456	2.449	24.537
6.0	2.343	2.394	2.687	2.365	2.447	2.440	24.289
7.0	2.338	2.388	2.667	2.363	2.439	2.432	24.046
8.0	2.333	2.381	2.646	2.360	2.430	2.424	23.810
9.0	2.330	2.374	2.620	2.364	2.422	2.416	23.574
10.0	2.325	2.367	2.604	2.361	2.414	2.409	23.359
11.0	2.319	2.361	2.589	2.358	2.407	2.402	23.151
12.0	2.314	2.355	2.575	2.356	2.400	2.395	22.952
13.0	2.309	2.349	2.560	2.353	2.393	2.388	22.758
14.0	2.307	2.342	2.534	2.355	2.385	2.380	22.539
15.0	2.302	2.335	2.517	2.355	2.378	2.373	22.348
16.0	2.298	2.329	2.501	2.354	2.371	2.367	22.163
17.0	2.294	2.323	2.485	2.354	2.364	2.360	21.983
18.0	2.289	2.317	2.470	2.353	2.357	2.354	21.808
19.0	2.285	2.312	2.455	2.352	2.351	2.347	21.640
20.0	2.281	2.306	2.441	2.351	2.345	2.341	21.476
21.0	2.276	2.300	2.427	2.351	2.339	2.335	21.314
22.0	2.272	2.295	2.415	2.350	2.333	2.330	21.160
23.0	2.268	2.289	2.402	2.349	2.327	2.324	21.009
24.0	2.263	2.284	2.391	2.348	2.322	2.319	20.865
25.0	2.259	2.279	2.379	2.347	2.316	2.313	20.720

Table 7: Variation in bond lengths in the M2 polyhedron in jadeite with pressure

Site	$V_0$ Å <sup>3</sup>	$K_0$ GPa	$K'_0$
Si (diopside)	2.26	334.4	6.4
Si (jadeite)	2.22	315.7	8.8
Mg (M1 diopside)	12.63	88.9	4.3
Al (M1 jadeite)	9.70	129.0	6.05
Ca (M2 diopside)	27.10	75.3	4.8
Na (M2 jadeite)	25.96	81.9	2.8

Table 8: EOS parameters for polyhedra in diopside and jadeite

Table 9: Elastic constants (in GPa) of diopside to elevated pressure.

Nominal pressure	0 GPa	5 GPa	10 GPa	15 GPa	20 GPa
Applied pressure	4.66 GPa	9.66 GPa	14.66 GPa	19.66 GPa	24.66 GPa
C <sub>11</sub>	243.8±1.4	273.2±1.4	298.9±0.5	326.9±0.7	348.5±1.7
C <sub>12</sub>	91.2±0.7	114.3±0.7	135.2±1.1	150.1±1.1	168.3±1.5
C <sub>13</sub>	80.5±1.1	102.3±1.3	121.0±1.5	138.7±1.7	158.4±1.5
C <sub>15</sub>	9.1±0.3	4.4±0.2	1.1±0.3	1.2±0.2	0.8±0.2
C <sub>22</sub>	184.2±1.2	205.3±1.6	226.7±1.6	255.2±3.5	271.6±1.9
C <sub>23</sub>	68.0±0.7	84.9±0.9	102.7±1.1	122.5±1.5	138.3±1.0
C <sub>25</sub>	4.5±0.1	1.0±0.2	-1.2±0.3	-4.4±0.3	-3.1±0.5
C <sub>33</sub>	251.0±1.9	277.9±2.4	305.4±2.7	330.9±2.8	351.9±2.8
C <sub>35</sub>	50.9±0.1	45.8±0.2	42.4±0.3	37.5±0.2	35.3±0.2
C <sub>44</sub>	76.9±0.4	81.1±1.2	83.2±1.1	88.4±1.0	80.1±1.0
C <sub>46</sub>	3.9±0.2	-0.6±0.4	-4.8±0.4	-6.4±0.5	-5.7±0.7
C <sub>55</sub>	69.3±0.1	77.4±0.1	84.0±0.2	89.5±0.1	91.8±0.1
C <sub>66</sub>	80.6±0.7	92.2±0.8	102.2±0.9	109.1±1.1	115.0±1.3
K <sup>v</sup>	128.7±0.4	151.1±0.4	172.1±0.5	192.9±0.6	211.3±0.6
K <sup>r</sup>	119.8±0.8	144.2±1.1	166.3±1.7	188.4±2.2	206.3±2.4
K <sup>vrh</sup>	124.3±0.6	147.6±0.7	169.2±1.1	190.6±1.4	208.8±1.5
G <sup>v</sup>	74.6±0.3	80.5±0.4	85.3±0.4	90.8±0.5	91.2±0.4
G <sup>r</sup>	68.8±0.2	75.1±0.3	79.8±0.3	86.0±0.3	86.2±0.3
G <sup>vrh</sup>	71.7±0.2	77.8±0.3	82.6±0.3	88.4±0.4	88.7±0.4
A <sup>U</sup>	0.495	0.404	0.383	0.303	0.312
A <sup>*</sup>	1.91	1.86	1.87	1.78	1.74

Table 10: Elastic constants (in GPa) of jadeite to elevated pressure.

Nominal pressure	0 GPa	5 GPa	10 GPa	15 GPa	20 GPa
Applied pressure	4.30 GPa	9.30 GPa	14.30 GPa	19.30 GPa	24.30 GPa
C <sub>11</sub>	283.4±2.6	322.0±2.3	357.0±2.9	389.0±2.9	418.1±2.8
C <sub>12</sub>	93.3±0.8	110.4±0.8	127.6±0.9	144.1±0.9	160.3±1.0
C <sub>13</sub>	72.5±1.2	89.5±1.1	107.4±1.3	124.8±1.4	141.2±1.5
C <sub>15</sub>	4.4±0.4	0.5±0.3	-1.5±0.3	-2.5±0.3	-2.8±0.2
C <sub>22</sub>	252.6±1.7	275.1±1.5	292.0±1.2	306.8±1.2	322.6±1.5
C <sub>23</sub>	81.8±0.9	91.8±0.6	100.8±0.6	113.6±0.9	128.3±1.1
C <sub>25</sub>	14.0±0.1	14.6±0.1	15.0±0.1	15.7±0.2	16.0±0.2
C <sub>33</sub>	281.8±3.0	297.6±2.1	315.6±2.7	337.4±3.2	362.1±3.8
C <sub>35</sub>	41.5±0.6	45.9±0.5	47.8±0.3	47.5±0.2	46.0±0.1
C <sub>44</sub>	86.7±0.2	93.0±0.1	96.5±0.1	100.2±0.1	102.6±0.1
C <sub>46</sub>	11.9±0.2	10.3±0.1	9.5±0.1	9.0±0.2	9.1±0.2
C <sub>55</sub>	71.4±0.2	76.2±0.2	81.0±0.1	85.7±0.1	90.6±0.0
C <sub>66</sub>	96.6±1.4	107.7±1.1	117.2±1.0	125.2±1.1	132.3±1.0
K <sup>v</sup>	145.9±0.6	164.2±0.5	181.8±0.5	199.8±0.6	218.1±0.6
K <sup>r</sup>	139.7±0.9	157.0±0.8	173.4±0.9	190.7±1.1	209.0±1.4
K <sup>vrh</sup>	142.8±0.7	160.6±0.6	177.6±0.7	195.3±0.8	213.5±1.0
G <sup>v</sup>	88.9±0.4	95.6±0.3	100.8±0.4	105.6±0.4	110.0±0.4
G <sup>r</sup>	84.1±0.3	89.8±0.2	94.5±0.2	99.3±0.2	103.9±0.2
G <sup>vrh</sup>	86.5±0.3	92.7±0.3	97.7±0.3	102.4±0.3	106.9±0.3
A <sup>U</sup>	0.334	0.369	0.382	0.365	0.334
A <sup>*</sup>	1.86	1.96	1.96	1.90	1.82