



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/89310/>

Version: Supplemental Material

Article:

Schuch, B., Feigenbutz, M., Makino, D.L. et al. (2014) The exosome-binding factors Rrp6 and Rrp47 form a composite surface for recruiting the Mtr4 helicase. *EMBO Journal*, 33 (23). 2829 - 2846. ISSN: 0261-4189

<https://doi.org/10.15252/emj.201488757>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Table E1. Size exclusion chromatography analysis (Superdex 200)

Sample injected	Number of peaks	V _R peak 1 [ml]	Components peak 1*	V _R peak 2 [ml]	Components peak 2*
Mpp6	1	1.48	Mpp6		
Mtr4	1	1.24	Mtr4		
Mtr4 + Mpp6	2	1.23	Mtr4	1.46	Mpp6
Rrp6 _{ΔNLS} /Rrp47	1	1.20	Rrp6 _{ΔNLS} /Rrp47		
Mtr4 + Rrp6 _{ΔNLS} /Rrp47 + Mpp6	2	1.13	Mtr4/Rrp6 _{ΔNLS} /Rrp47	1.46	Mpp6
Rrp6 _{ΔN}	1	1.25	Rrp6 _{ΔN}		
Exo-9	1	1.13	Exo-9		
Exo-9 + Rrp6 _{ΔN} + Mtr4	2	1.08	Exo-9/Rrp6 _{ΔN}	1.23	Mtr4
Exo-9 + Rrp6 _{ΔNLS} /Rrp47	1	1.05	Exo-9/Rrp6 _{ΔNLS} /Rrp47		
Exo-9 + Rrp6 _{ΔNLS} /Rrp47 + Mtr4	1	1.02	Exo-9/Rrp6 _{ΔNLS} /Rrp47/Mtr4		
Rrp44	1	1.31	Rrp44		
Exo-9 + Mtr4 + Mpp6	2	1.09	Exo-9/Mpp6	1.21	Mtr4
Exo-9 + Rrp6 _{ΔNLS} /Rrp47 + Mtr4 + Mpp6	1	1.01	Exo-9/Rrp6 _{ΔNLS} /Rrp47/Mtr4/Mpp6		
Exo-9 + Rrp44 + Rrp6 _{ΔNLS} /Rrp47 + Mtr4 + Mpp6	1	1.01	Exo-9/Rrp44/Rrp6 _{ΔNLS} /Rrp47/Mtr4/Mpp6		
Rrp6 _N /Rrp47 _{ΔC}	1	1.52	Rrp6 _N /Rrp47 _{ΔC}		
Mtr4 _{Δ80}	1	1.31	Mtr4 _{Δ80}		
Mtr4 _{Δ80} + Rrp6 _N /Rrp47 _{ΔC}	2	1.31	Mtr4 _{Δ80}	1.51	Rrp6 _N /Rrp47 _{ΔC}
Mtr4 + Rrp6 _N /Rrp47 _{ΔC}	2	1.22	Mtr4/Rrp6 _N /Rrp47 _{ΔC}	1.51	Rrp6 _N /Rrp47 _{ΔC} [†]
Mtr4 ₈₀	1	1.57	Mtr4 ₈₀		
Mtr4 ₈₀ + Rrp6 _N /Rrp47 _{ΔC}	1	1.43	Mtr4 ₈₀ /Rrp6 _N /Rrp47 _{ΔC}		
Rrp6 _N	1	1.56	Rrp6 _N		
Rrp47 _{ΔC}	1	1.46	Rrp47 _{ΔC}		
Mtr4 + Rrp6 _N	2	1.23	Mtr4	1.56	Rrp6 _N
Mtr4 + Rrp47 _{ΔC}	2	1.24	Mtr4	1.46	Rrp47 _{ΔC}
<i>N.crassa</i> Mtr4	1	1.20	<i>N.crassa</i> Mtr4		
<i>N.crassa</i> Mtr4 + Rrp6 _N /Rrp47 _{ΔC}	2	1.18	<i>N.crassa</i> Mtr4/Rrp6 _N /Rrp47 _{ΔC}	1.50	Rrp6 _N /Rrp47 _{ΔC} [†]

* identified by SDS-PAGE

† excessive free component