



UNIVERSITY OF LEEDS

This is a repository copy of *Feeding a Fussy Eater: Examining Longitudinal Bidirectional Relationships Between Child Fussy Eating and Maternal Feeding Practices*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/133541/>

Version: Accepted Version

Article:

Mallan, KM, Jansen, E, Harris, H et al. (3 more authors) (2018) Feeding a Fussy Eater: Examining Longitudinal Bidirectional Relationships Between Child Fussy Eating and Maternal Feeding Practices. *Journal of Pediatric Psychology*, 43 (10). pp. 1138-1146. ISSN 0146-8693

<https://doi.org/10.1093/jpepsy/jsy053>

© 2018, The Author(s). Published by Oxford University Press on behalf of the Society of Pediatric Psychology. All rights reserved. This is an author produced version of a paper published in *Journal of Pediatric Psychology*. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Table 1. Maternal reported child Food Fussiness and Feeding Practices at child ages 2, 3.7 and 5 years (N=207).

	Assessment time point (child age)		
	2 years	3.7 years	5 years
	Mean (Standard Deviation)		
Child Food Fussiness ^a 6 items, e.g., My child refuses new foods at first	2.62 (0.75)	2.93 (0.81)	2.93 (0.82)
Maternal Feeding Practices ^b			
Reward for Behaviour 4 items, e.g. "I reward my child with something to eat when (s)he is well behaved"	1.85 (0.69)	2.20 (0.74)	2.22 (0.73)
Reward for Eating 4 items, e.g. "When your child refuses food they usually eat, do you encourage to eat by offering a food reward (e.g., dessert)?"	1.81 (0.71)	2.54 (0.73)	2.58 (0.71)
Persuasive Feeding 6 items, e.g. "When your child refuses food they usually eat, do you insist your child eats it?"	2.70 (0.60)	3.12 (0.62)	3.14 (0.60)
Overt Restriction items, e.g. "If I did not guide or regulate my child's eating, (s)he would eat too many junk foods"	3.40 (0.83)	3.54 (0.91)	3.46 (0.84)
Covert Restriction 4 items, e.g. "How often do you avoid buying lollies and snacks e.g., potato chips and bringing them into the house?"	3.20 (0.90)	3.28 (0.80)	3.24 (0.78)
Family Meal Setting 1 item, "My child eats the same meals as the rest of the family"	3.71 (1.27)	4.07 (1.16)	4.39 (0.96)
Structured Meal Timing 3 items, e.g. "I decide the times when my child eats his/her meals"	3.88 (0.59)	3.80 (0.52)	3.76 (0.52)
Structured Meal Setting 3 items, e.g. "I insist my child eats meals at the table"	3.96 (0.72)	4.11 (0.66)	4.31 (0.59)

^a Measured via the Children's Eating Behaviour Questionnaire (Wardle et al., 2001); 5 point scale with higher scores indicating higher level of Food Fussiness.

^b Measured via the Feeding Practices and Structure Questionnaire (Jansen et al., 2016); 5 point scale with higher scores indicating higher level of the feeding practice.