

This is a repository copy of *Interaction of LRRK2 with Rab GTPases in vivo - York*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/138718/>

Version: Other

Conference or Workshop Item:

Petridi, Stavroula, Middleton, Adam, Fellgett, Alison et al. (7 more authors) (2018)
Interaction of LRRK2 with Rab GTPases in vivo - York. In: Parkinson's UK Meeting, 12-13
Nov 2018, York.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown


If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Stavroula Petridi, Adam Middleton, Alison Fellgett, Laura Covill, Amy Stewart
Jack Munns, Friederike Kohrs, Robin Hiesinger, Sangeeta Chawla & Chris Elliott


Aim

To test if LRRK2-G2019S interacts with any Rab GTPase in dopaminergic neurons, *in vivo*. We use the conservation of Rab sequence, neuronal circuit, easy genetics of the fly to show an interaction with Rab10 in some (but not all) dopaminergic neurons.


Conservation of Rabs




Expression Screen for interaction: Rab10 is top hit and Rab3 the weakest



Knockout of Rab10 (but not Rab3) rescues LRRK2-G2019S degeneration



Morphologically - not all dopamine neurons have the same Rabs



Summary and Conclusion

In vivo, in dopaminergic neurons Rab10 strongly interacts with LRRK2-G2019S, both in overexpression and knockout experiments.
• Global and dopamine-specific knockouts are equally effective
Not all dopamine neurons have the same palette of Rabs

Novel Hypothesis

We suggest the differences in dopamine neuron death (in different parts of the *substantia nigra* or VTA) may be due to the palette of Rabs contained in dopamine neurons

Acknowledgements

Funded by
PARKINSON'S
CHANGE ATTITUDES.
FIND A CURE.
JOIN US.
DFG