

This is a repository copy of *Emerging drugs for treating methicillin-resistant Staphylococcus aureus*.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/152609/

Version: Accepted Version

Article:

Bassetti, M, Russo, A, Carnelutti, A et al. (1 more author) (2019) Emerging drugs for treating methicillin-resistant Staphylococcus aureus. Expert Opinion on Emerging Drugs, 24 (3). pp. 191-204. ISSN 1472-8214

https://doi.org/10.1080/14728214.2019.1677607

This article is protected by copyright. This is an author produced version of a journal article published in Expert Opinion on Emerging Drugs. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Drug	Spectrum of activity	Administration	Development phase
Tedizolid	Gram-positive (including MRSA) and some linezolid-resistant strains	200 mg q24h IV, oral	Approved for ABSSSIs Phase III for HAP/VAP (NCT02019420)
Eravacycline	MRSA, enterococci (included vancomycin- resistant) and Enterobacteriacae expressing ESBL, KPC and OXA	1 mg/kg q12h IV	Approved for cIAI No ongoing trials
Telavancin	MRSA and S. pneumoniae	10 mg/Kg q24h IV	Approved for ABSSSIs and HAP No ongoing trials
Delafloxacin	MRSA, penicillin-sensitive, penicillin- resistant, and levofloxacin-resistant S. pneumoniae, Streptococcus pyogenes and enterococci. Gram-negative pathogens including quinolone- susceptible P. aeruginosa. Anaerobes	IV: 300 mg q12h Oral: 450 mg q12h	Phase III for CAP (NCT02679573)
Iclaprim	MRSA, Gram-negative bacteria (like Haemophilus influenzae and Moraxella catarrhalis)	80 mg q12h	Ongoing Phase III trial for ABSSSIs (NCT02600611)
Oritavancin	S. aureus, including MRSA	IV 1.2g dose, one dose	Approved for ABSSSI No ongoing trials
Omadacycline	MRSA, Enterococcus faecium (included VRE), Gram-negative pathogens, including Ambler class A (both ESBL and KPC) and some class D-carbapenemase-producing Enterobacteriaceae, MDR Acinetobacter spp., Moraxella catharralis and Stenotrophomonas maltophilia, anaerobes. Not effective against P.aeruginosa.	200 mg single dose IV or 100 mg q12h (loading dose) followed by 100 mg q 24 h IV or 300 mg q24h oral (maintenance dose). Option of oral single loading dose 450 mg for ABSSSIs	Approved for CAP and ABSSSIs Phase II for acute pyelonephritis (NCT03757234)
Plazomycin	Gram negative pathogens, included MDR Enterobacteriacae, P.aeruginosa and A.baumanii. No activity against MBLs-producing Gram negatives. Active against Staphylococci. Limited activity against S.pneumoniae and Enterococci.	15 mg/kg q24 h IV	Approved for cUTIs
Ceftaroline/avibactam	Gram positive pathogens, included MRSA; no activity against Enterococci. Gram negatives, included Ambler class A, C and some class D β - lactamase producing Enterobacteriacae. Active against anaerobes. P.aeruginosa and A.baumanii are not susceptible.	600/600 mg q8h IV	Phase II for cUTIs (NCT01281462)
Lefamulin	Gram positives (included MRSA and VRE) and intracellular pathogens (Mycoplasma spp., Legionella pneumophila, Chlamydia spp., Neisseria gonorrhoeae).		Completed Phase III for CAP (NCT02813694 an NCT02559310)

Table 1. New antibiotic options for MRSA infections

Legend. MRSA: methicillin-resistant Staphylococcus aureus; VRE: vancomycin-resistant Enterococcus faecium; ESBL: Extended Spectrum Beta Lactamases; KPC: Klebsiella pneumoniae carbapenemases; cUTIs: complicated urinary tract infections; HAP: hospital-acquired pneumonia; VAP: ventilator-associated pneumonia; CAP: community acquired pneumonia; MDR: multidrug-resistant pathogens; ABSSSI: acute bacterial skin and skin structure infection