

This is a repository copy of *Enhancing the efficiency of PTB7-Th:COi8DFIC-based ternary solar cells with versatile third components*.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/156046/

Version: Supplemental Material

Article:

Li, W., Xiao, Z., Smith, J.A. orcid.org/0000-0001-6889-4408 et al. (11 more authors) (2019) Enhancing the efficiency of PTB7-Th:COi8DFIC-based ternary solar cells with versatile third components. Applied Physics Reviews, 6 (4).

https://doi.org/10.1063/1.5125438

The following article has been accepted by Applied Physics Reviews. After it is published, it will be found at https://doi.org/10.1063/1.5125438.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Enhancing the efficiency of PTB7-Th:COi8DFIC-based ternary solar cells with versatile third components

Wei Li^{1,2}, Zuo Xiao³, Joel A. Smith⁴, Jinlong Cai^{1,2}, Donghui Li^{1,2}, Rachel C. Kilbride⁴, Emma L. K. Spooner⁴, Onkar S. Game⁴, Xianyi Meng³, Dan Liu^{1,2}, Richard A. L. Jones⁴, David G. Lidzey^{4, a)}, Liming Ding^{3, a)}, Tao Wang^{1,2, a)}

¹School of Materials Science and Engineering, Wuhan University of Technology, Wuhan 430070, China

²State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China

³Center for Excellence in Nanoscience (CAS), Key Laboratory of Nanosystem and Hierarchical Fabrication (CAS), National Center for Nanoscience and Technology, Beijing 100190, China ⁴Department of Physics and Astronomy, University of Sheffield, Sheffield, S3 7RH, UK

a) Authors to whom correspondence should be addressed: twang@whut.edu.cn, ding@nanoctr.cn and d.g.lidzey@sheffield.ac.uk




FIG. S1. PL spectra of PTB7-Th:CO*i*8DFIC films with the addition of different amounts of PBDB-T-SF and IT-4F.




FIG. S2. 2D GISAXS patterns of PTB7-Th:CO*i*8DFIC films with the addition of different amounts of PBDB-T-SF and IT-4F.




FIG. S3. Photocurrent density versus effective voltage curves of PTB7-Th:CO*i*8DFIC based ternary solar cells.




FIG. S4. (a, b) Root square plots of electron current densities versus bias voltage of the ITO/TiO₂/Active layer/Ca/Ag electron-only devices. (c, d) Root square plots of hole current densities versus bias voltage of the ITO/PEDOT:PSS/Active layer/MoO₃/Ag hole-only devices.