



This is a repository copy of *Adaptive control of passifiable linear systems with quantized measurements and bounded disturbances*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/158811/>

Version: Accepted Version

---

**Article:**

Selivanov, A. [orcid.org/0000-0001-5075-7229](http://orcid.org/0000-0001-5075-7229), Fradkov, A. and Liberzon, D. (2016) Adaptive control of passifiable linear systems with quantized measurements and bounded disturbances. *Systems & Control Letters*, 88. pp. 62-67. ISSN 0167-6911

<https://doi.org/10.1016/j.sysconle.2015.12.001>

---

Article available under the terms of the CC-BY-NC-ND licence  
(<https://creativecommons.org/licenses/by-nc-nd/4.0/>).

**Reuse**

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

# Adaptive control of passifiable linear systems with quantized measurements and bounded disturbances<sup>☆</sup>

Anton Selivanov<sup>a</sup>, Alexander Fradkov<sup>b,c</sup>, Daniel Liberzon<sup>d</sup>

<sup>a</sup>*School of Electrical Engineering, Tel Aviv University, Israel*

<sup>b</sup>*Saint Petersburg State University, St. Petersburg, Russia*

<sup>c</sup>*Institute for Problems of Mechanical Engineering, Russian Academy of Sciences,  
St. Petersburg, Russia*

<sup>d</sup>*University of Illinois at Urbana-Champaign, Urbana, IL 61801 USA*

---

## Abstract

We consider a linear uncertain system with an unknown bounded disturbance under a passification-based adaptive controller with quantized measurements. First, we derive conditions ensuring ultimate boundedness of the system. Then we develop a switching procedure for an adaptive controller with a dynamic quantizer that ensures convergence to a smaller set. The size of the limit set is defined by the disturbance bound. Finally, we demonstrate applicability of the proposed controller to polytopic-type uncertain systems and its efficiency by the example of a yaw angle control of a flying vehicle.

*Keywords:* Adaptive control; Quantization; Disturbance; Passification method

---

## 1. Introduction

Adaptive control plays an important role in the real world problems, where exact system parameters are often unknown. One of the possible methods for adaptive control synthesis is the *passification method* [2]. Starting from  
5 the works [3, 4] this method proved to be very efficient and useful. Nevertheless, while implementing passification-based adaptive control, several issues

---

<sup>☆</sup>This work was performed in IPME RAS and supported by Russian Science Foundation (grant 14-29-00142). Some preliminary results have been presented in [1].

*Email addresses:* antonselivanov@gmail.com (Anton Selivanov), fradkov@mail.ru (Alexander Fradkov), liberzon@uiuc.edu (Daniel Liberzon)

may arise. First of all, disturbances inherent in most systems can cause infinite growth of the control gain. This issue may be overcome by introducing the so-called “ $\sigma$ -modification” [5, 6]. Secondly, the measurements can experience  
10 time-varying unknown delay. This problem has been recently studied in [7]. In this paper we consider passification-based adaptive control in the presence of measurement quantization and propose a switching procedure for the controller parameters that ensures the convergence of the system state to an ellipsoid whose size depends on the upper bound of the disturbance.

15 Control with limited information has attracted growing interest in the control research community lately [8, 9, 10, 11]. Due to limited sensing capabilities, defects of sensors and limited communication channel capacities it is reasonable to assume that only approximate value of the output is available to a controller. These sensor and communication imposed constraints can be modeled by quan-  
20 tization [12].

Although adaptive control of uncertain systems received considerable interest and has been widely investigated, there are few works devoted to adaptive control with quantized measurements. In [13] the performance of an adaptive observer-based chaotic synchronization system under information constraints has  
25 been analyzed. A binary coder-decoder scheme has been proposed and studied in [14] for synchronization of passifiable Lurie systems via limited-capacity communication channel. In [15] a direct adaptive control framework for systems with *input* quantizers has been developed. In [16] a supervisory control scheme for uncertain systems with quantized measurements has been proposed.  
30 In supervisory control schemes usually a finite family of candidate controllers is employed together with an estimator-based switching logic to select the active controller at every time.

Differently from these works, the control scheme proposed here does not require any estimator or observer. Unlike [16] we consider adaptive tuning of  
35 the controller gain, rather than switching between several known controllers. At the same time, to ensure convergence to a smaller set, our controller switches parameters of the adaptation law.

*Notations.* By  $\|\cdot\|$  we denote Euclidean norm for vectors and spectral norm for matrices. For  $P \in \mathbb{R}^{n \times n}$  notation  $P > 0$  means that  $P$  is symmetric and positive-definite,  $\lambda_{\max}(P)$ ,  $\lambda_{\min}(P)$  are the maximum and minimum eigenvalues, respectively,  $P^T$  denotes transposed matrix  $P$ .

## 2. System description

Consider an uncertain linear system

$$\begin{aligned} \dot{x}(t) &= Ax(t) + Bu(t) + w(t), \\ y(t) &= Cx(t) \end{aligned} \tag{1}$$

with state  $x \in \mathbb{R}^n$ , control input  $u \in \mathbb{R}$ , output  $y \in \mathbb{R}^l$ , and constant uncertain matrices  $A$ ,  $B$ ,  $C$  of appropriate dimensions. Unknown disturbance  $w(t) \in \mathbb{R}^n$  has a bounded norm:

$$\|w(t)\| \leq \Delta_w, \quad t \geq 0.$$

Following [2] we introduce the notion of *hyper-minimum-phase* (HMP) systems.

**Definition 1.** For a given  $g \in \mathbb{R}^l$  the transfer function  $g^T W(s) = g^T C(sI - A)^{-1} B$  is called *hyper-minimum-phase* (HMP) if  $g^T W(s) \det(sI - A)$  is a Hurwitz polynomial with a positive leading coefficient  $g^T C B > 0$ .

**Assumption 1.** There exists  $g \in \mathbb{R}^l$  such that  $\|g\| = 1$  and the transfer function  $g^T W(s) = g^T C(sI - A)^{-1} B$  is HMP.

The condition  $\|g\| = 1$  is imposed only to simplify calculations and is not restrictive since if  $g^T W(s)$  is HMP then  $\|g\|^{-1} g^T W(s)$  is also HMP.

**Remark 1.** The search of the vector  $g$  satisfying Assumption 1 in general is a difficult problem. It is equivalent to the search of a Hurwitz polynomial in an affine family of polynomials which is probably NP-hard (cannot be solved in a polynomial time, see [17]). One approach based on Monte-Carlo method can be found in [18].

### 2.1. Passification lemma

Our results are based on the following lemma [4, 19].

**Lemma 1 (Passification lemma).** *The rational function  $g^T W(s) = g^T C(sI - A)^{-1} B$  is HMP if and only if there exist a matrix  $P$ , a vector  $\theta_* \in \mathbb{R}^l$ , and a scalar  $\varepsilon > 0$  such that*

$$P > 0, \quad P\bar{A} + \bar{A}^T P < -\varepsilon P, \quad PB = C^T g, \quad (2)$$

where  $\bar{A} = A - B\theta_*^T C$ .

**Remark 2.** *If  $g^T W(s) = g^T C(sI - A)^{-1} B$  is HMP then there exists  $\theta$  such that the input  $u = -\theta^T y + v$  makes the system*

$$\begin{aligned} \dot{x}(t) &= Ax(t) + Bu(t), \\ y(t) &= Cx(t) \end{aligned}$$

*strictly passive with respect to a new input  $v$ , i.e. there exist functions  $V(x) = x^T Px$ , with  $P > 0$ , and  $\varphi(x) \geq 0$ , where  $\varphi(x) > 0$  for  $x \neq 0$ , such that*

$$V(x(t)) \leq V(x(0)) + \int_0^t [y^T(s)gv(s) - \varphi(x(s))] ds.$$

**Remark 3.** *Passification lemma is also contained in [20] (implicitly) and in [21] (explicitly). This lemma provides conditions for existence of an output static feedback  $u = -\theta^T y$  that renders the closed-loop system strictly positive real (SPR). If no such constant output feedback exists, then no dynamic output feedback with a proper transfer matrix exists to make the closed-loop system SPR [22]. More subtle results for the case of non-strict passivity can be found in [23].*

### 2.2. Quantizer model

Further we will assume that the controller receives quantized measurements. Following [8] we introduce a *quantizer with a quantization range  $M$  and a quantization error bound  $\Delta_e$*  as a mapping  $q: y \mapsto q(y)$  from  $\mathbb{R}^l$  to a finite subset of  $\mathbb{R}^l$  such that

$$\|y\| \leq M \Rightarrow \|q(y) - y\| \leq \Delta_e.$$

We will refer to the quantity  $e = q(y) - y$  as the *quantization error*. The concrete codomain of  $q$  is not important for our further analysis, therefore, can be chosen arbitrary. The value of  $M$  is usually dictated by the effective range of a sensor.

By *dynamic quantizer* we will mean the mapping

$$q_\mu(y) = \mu q\left(\frac{y}{\mu}\right), \quad (3)$$

75 where  $\mu > 0$ . For each positive  $\mu$  one obtains a quantizer with the quantization range  $\mu M$  and the quantization error bound  $\mu \Delta_e$ . We can think of  $\mu$  as the “zoom” variable: increasing  $\mu$  corresponds to zooming out and essentially obtaining a new quantizer with larger quantization range and quantization error bound, whereas decreasing  $\mu$  corresponds to zooming in and obtaining a quantizer with a smaller quantization range but also a smaller quantization error bound. A useful example to keep in mind is a camera with optical zooming capability: one can zoom in and out while the number of photodiodes in the image sensor is fixed. Another example is the system with digital communication channel that can transmit a finite number of bytes. In this case one needs to encode all possible values of the output signal to transmit it through a communication channel. Obviously, in such case one can reduce the quantization error by reducing the range.

### 3. Ultimate boundedness

Together with the system (1) that satisfies Assumption 1 with some  $g$  we consider the adaptive controller

$$\begin{aligned} u(t) &= -\theta^T(t)q(y(t)), \\ \dot{\theta}(t) &= \gamma q(y(t))q^T(y(t))g - a\theta(t), \end{aligned} \quad (4)$$

where  $\gamma > 0$  is a controller gain parameter and  $a > 0$  is a regularizing parameter. Since  $q(y(t))$  is piece-wise continuous we consider right-hand side derivative. As it has been previously shown [24] adaptive controllers similar to (4) without quantization ( $q(y) = y$ ) can ensure ultimate boundedness of the system (1).

95 Here we analyze this controller in the case of quantized measurements.

We will derive our results using the following Lyapunov function

$$V(x, \theta) = x^T P x + \gamma^{-1} \|\theta - \theta_*\|^2, \quad (5)$$

where  $P, \theta_*$  satisfy (2). For convenience define the following quantities:

$$\Lambda_C = \|C\|, \quad \lambda_P = \lambda_{\min}(P), \quad \Lambda_P = \lambda_{\max}(P). \quad (6)$$

**Remark 4.** *Since chattering on the boundaries between the quantization regions is possible, solutions to differential equation (1), (4) are to be interpreted in the sense of Filippov. However, this issue will not play a significant role in the subsequent stability analysis. Indeed, all upper bounds on  $\dot{V}$  that we will establish remain valid (almost everywhere) along Filippov's solutions (cf. [? ]).*

First we prove the following lemma.

**Lemma 2.** *Under Assumption 1 consider the system (1), (4) with a quantization range  $M > 0$ . Denote*

$$\begin{aligned} \alpha &= \varepsilon - \nu - 2\sigma^{-1}\lambda_P^{-1}\Lambda_C^2, \\ a &= \alpha + \gamma(\sigma + \|\theta_*\|^{-1})\Delta_e^2, \\ \beta &= \nu^{-1}\Lambda_P\Delta_w^2 + a\gamma^{-1}\|\theta_*\|^2 + (\sigma\|\theta_*\|^2 + \|\theta_*\|)\Delta_e^2, \end{aligned} \quad (7)$$

where  $\varepsilon$  is from (2) and  $\nu > 0, \sigma > 0$  are such that  $\alpha > 0$ . If  $\Delta_e$  and  $\Delta_w$  are such that

$$\frac{\beta}{\alpha} < \frac{M^2\lambda_P}{\Lambda_C^2} \quad (8)$$

and

$$V(x(t_*), \theta(t_*)) < \frac{M^2\lambda_P}{\Lambda_C^2} \quad (9)$$

then for  $t \geq t_*$

$$V(x(t), \theta(t)) \leq \left( V(x(t_*), \theta(t_*)) - \frac{\beta}{\alpha} \right) e^{-\alpha(t-t_*)} + \frac{\beta}{\alpha}, \quad (10)$$

where  $t_* \geq 0$  is arbitrary time instant.

*Proof.* See Appendix A.

The following remark will be useful later.

**Remark 5.** *One can easily see that*

$$\frac{\beta}{\alpha} = c_\gamma + c_w \Delta_w^2 + c_e \Delta_e^2,$$

where

$$\begin{aligned} c_\gamma &= \gamma^{-1} \|\theta_*\|^2, \\ c_w &= \alpha^{-1} \nu^{-1} \Lambda_P, \\ c_e &= 2\alpha^{-1} (\|\theta_*\| + \|\theta_*\|^2 \sigma). \end{aligned} \tag{11}$$

**Remark 6.** *Lemma 2 asserts that the state of the system (1), (4) converges from the ellipsoid  $V(x, \theta) < M^2 \lambda_P \Lambda_C^{-2}$  to a smaller ellipsoid  $V(x, \theta) \leq c_\gamma + c_w \Delta_w^2 + c_e \Delta_e^2$ . The size of the initial ellipsoid is such that  $y(t_*)$  is in the quantization range. The condition (8) guarantees that the values  $\Delta_w, \Delta_e$  are small enough so that the limit ellipsoid is smaller than the initial one and, therefore,  $y(t)$  is in the quantization range for  $t \geq t_*$ .*

The next theorem follows directly from Lemma 2, Remark 5, and the fact that  $c_\gamma$  can be made arbitrary small by increasing the controller gain parameter  $\gamma$ .

**Theorem 1.** *Consider the system (1), (4) under Assumption 1 with a quantization range  $M$  and a controller parameter  $a$  given by (7). If  $\Delta_e$  and  $\Delta_w$  are such that*

$$c_w \Delta_w^2 + c_e \Delta_e^2 < \frac{M^2 \lambda_P}{\Lambda_C^2},$$

where  $c_w, c_e$  are given by (11) with positive  $\nu, \sigma$  such that  $\alpha > 0$ , then for  $\gamma > 0$  such that  $c_\gamma + c_w \Delta_w^2 + c_e \Delta_e^2 < M^2 \lambda_P \Lambda_C^{-2}$ , the trajectories of the system are ultimately bounded for any initial conditions satisfying

$$\Lambda_P \|x(0)\|^2 + \gamma^{-1} \|\theta(0) - \theta_*\|^2 < \frac{M^2 \lambda_P}{\Lambda_C^2}.$$

**Corollary 1.** *The system (1), (4) under Assumption 1 is ultimately bounded for any controller parameters  $\gamma > 0$  and  $a > 0$  if the quantization error bound  $\Delta_e > 0$  and  $\|x(0)\|$  are sufficiently small.*



#### 4. Switching control

Under conditions of Lemma 2 the state of the system (1), (4) converges from the ellipsoid (9) to a smaller ellipsoid  $V(x, \theta) \leq c_\gamma + c_w \Delta_w^2 + c_e \Delta_e^2$ . Consequently, the output converges to a smaller set and if the controller “zooms in” onto this smaller set it will reduce the maximum quantization error  $\Delta_e$ . This, in turn, will decrease the value  $c_\gamma + c_w \Delta_w^2 + c_e \Delta_e^2$  and ensure convergence to an even smaller set. By repeating this zooming procedure one will obtain a sequence of converging ellipsoids. Below we give a mathematical description of this idea.

Consider the following controller

$$\begin{aligned} u(t) &= -\theta^T(t)q_{\mu(t)}(y(t)), \\ \dot{\theta}(t) &= \gamma q_{\mu(t)}(y(t))q_{\mu(t)}^T(y(t))g - a(t)\theta(t), \end{aligned} \tag{12}$$

where  $q_{\mu(t)}$  is a dynamic quantizer,  $\mu(t)$ ,  $a(t)$  are piecewise constant (switching) parameters to be determined later.

Suppose there is a known  $V_0$  such that

$$V(x(0), \theta(0)) < V_0.$$

Let us choose a zooming parameter  $\mu_0 > 0$  such that

$$V_0 \leq \frac{\mu_0^2 M^2 \lambda_P}{\Lambda_C^2}.$$

This will ensure that  $\|y(0)\| < \mu_0 M$ , that is  $y(0)$  is in the quantization range. Assume that  $\Delta_w$  and  $\Delta_e$  are such that  $c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 < V_0$ . From (11) one can see that  $c_\gamma$  can be made arbitrary small by choosing a large enough controller gain parameter  $\gamma > 0$ . Let us fix some  $\gamma > 0$ ,  $\epsilon > 0$  such that

$$c_\gamma + c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 + \epsilon < V_0.$$

Following (7) we choose

$$a_0 = \alpha + \gamma \mu_0^2 \Delta_e^2 (\sigma + \|\theta_*\|^{-1}).$$

Let us require the quantizer to change its zoom when  $V(x(t), \theta(t)) < V_1 = c_\gamma + c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 + \epsilon$ . Then (10) suggests that the first switching instance

should have the form

$$t_1 = t_0 + \frac{1}{\alpha} \ln \frac{V_0 - c_\gamma - c_w \Delta_w^2 - c_e \mu_0^2 \Delta_e^2}{\epsilon},$$

where  $t_0 = 0$  and  $\alpha$  is defined in (7). Inequality  $V(x(t_1), \theta(t_1)) < V_1$  implies

$$\|y(t_1)\| < \Lambda_C \sqrt{V_1 \lambda_P^{-1}} = \mu_1 M,$$

where  $\mu_1 = \mu_0 \sqrt{V_1 V_0^{-1}}$ . Then one should recalculate the regularizing parameter

$$a_1 = \alpha + \gamma \mu_1^2 \Delta_e^2 (\sigma + \|\theta_*\|^{-1}).$$

Since the maximum quantization error  $\mu_0 \Delta_e$  has changed to a smaller quantity  $\mu_1 \Delta_e$ , the limit value for  $V(x(t), \theta(t))$  is now given by

$$c_\gamma + c_w \Delta_w^2 + c_e \mu_1^2 \Delta_e^2.$$

By repeating the procedure described above one obtains the following sequence of parameters for  $i = 1, 2, \dots$

$$\begin{aligned} V_i &= c_\gamma + c_w \Delta_w^2 + c_e \mu_{i-1}^2 \Delta_e^2 + \epsilon, \\ \mu_i &= \mu_0 \sqrt{V_i V_0^{-1}}, \\ a_i &= \alpha + \gamma \mu_i^2 \Delta_e^2 (\sigma + \|\theta_*\|^{-1}), \\ t_i &= t_{i-1} + \frac{1}{\alpha} \ln \frac{V_{i-1} - c_\gamma - c_w \Delta_w^2 - c_e \mu_{i-1}^2 \Delta_e^2}{\epsilon}. \end{aligned} \tag{13}$$

Note that the parameters of switching are predefined. To switch the zooming  
 140 variable  $\mu$  one needs to guarantee that the output  $y$  doesn't leave some compact  
 set. This can be done in terms of the state  $x(t)$  using Lyapunov function (5).  
 Since  $x(t)$  is not known, the value of  $V$  cannot be calculated. Therefore, we  
 use known upper bounds  $V_i$  for  $V$  on  $[t_i, t_{i+1})$  that can be calculated "a priori".  
 The next lemma gives the limit value for  $V_i$ .

**Lemma 3.** *For any positive scalars  $c_\gamma, c_w, c_e, \Delta_w, \Delta_e, \epsilon, V_0, \mu_0$  if*

$$c_\gamma + c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 + \epsilon < V_0$$

then the sequence

$$V_{i+1} = c_\gamma + c_w \Delta_w^2 + c_e \frac{V_i}{V_0} \mu_0^2 \Delta_e^2 + \epsilon$$

monotonically decreases to the value

$$V_\infty = \frac{c_\gamma + c_w \Delta_w^2 + \epsilon}{1 - c_e \mu_0^2 \Delta_e^2 V_0^{-1}}.$$

145 *Proof.* See Appendix B.

Now we minimize the quantity  $V_\infty$  by choosing appropriate  $\sigma, \nu$ . The values  $c_\gamma$  and  $\epsilon$  can be chosen arbitrary small. By minimizing the quantity  $c_w/(1 - c_e \mu_0^2 \Delta_e^2 V_0^{-1})$  with respect to  $\sigma, \nu$  one finds that

$$\begin{aligned} \sigma &= \frac{\Lambda_C}{\mu_0 \Delta_e \|\theta_*\|} \sqrt{V_0 \lambda_P^{-1}}, \\ \nu &= \frac{\epsilon}{2} - \|\theta_*\| \mu_0^2 \Delta_e^2 V_0^{-1} - 2 \frac{\mu_0 \Delta_e \|\theta_*\| \Lambda_C}{\sqrt{\lambda_P V_0}}. \end{aligned} \quad (14)$$

Then

$$V_\infty = \frac{c_\gamma + \epsilon}{1 - c_e \mu_0^2 \Delta_e^2 V_0^{-1}} + \frac{\Lambda_P \Delta_w^2}{\nu^2}. \quad (15)$$

**Remark 7.** By substituting  $\sigma, \nu$  given by (14) into (7) we obtain

$$\alpha = \frac{\epsilon}{2} + \|\theta_*\| \mu_0^2 \Delta_e^2 V_0^{-1} > 0.$$

Relation  $c_e \mu_0^2 \Delta_e < V_0$  is equivalent to  $(\|\theta_*\| + \|\theta_*\|^2 \sigma) \mu_0^2 \Delta_e^2 V_0^{-1} < \alpha/2$ , therefore,

$$\nu = \frac{\epsilon}{2} - \sigma^{-1} \lambda_P^{-1} \Lambda_C^2 - (\|\theta_*\| + \|\theta_*\|^2 \sigma) \mu_0^2 \Delta_e^2 V_0^{-1} > \frac{\epsilon}{2} - \sigma^{-1} \lambda_P^{-1} \Lambda_C^2 - \frac{\alpha}{2} = \frac{\nu}{2}.$$

150 That is  $\nu$  given in (14) is positive.

**Remark 8.** In [1] for a linear system without disturbances it has been shown that adaptive controller (12) can ensure convergence of  $V$  given by (5) to any vicinity of the origin. The quantity  $\Lambda_P \Delta_w^2 \nu^{-2}$  that appears in (15) is the one that cannot be improved due to unknown disturbance inherent in the system.

155 One could note that according to (13) there may exist such finite  $t_\infty$  that  $t_i \rightarrow t_\infty$ . That is the controller should be able to switch infinitely often. To avoid this issue we choose some value  $\zeta > 0$  and stop switching when  $V_i < V_\infty + \zeta$ .

The next theorem summarizes the aforementioned ideas.

**Theorem 2.** Under Assumption 1 consider the system (1), (12) with quantizer  
 160 range  $M$ . If  $\Delta_e, \Delta_w$  are such that

$$c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 < V_0, \quad (16)$$

where  $c_w, c_e$  are given by (11) with  $\sigma, \nu$  given by (14) and  $\alpha$  given by (7), then  
 for any  $\delta$  there exists a positive integer  $l$  such that adaptive controller (12) with  
 positive  $\gamma$  and  $\epsilon$  satisfying

$$\frac{c_\gamma + \epsilon}{1 - c_e \mu_0^2 \Delta_e^2 V_0^{-1}} < \delta \lambda_P, \quad c_\gamma + c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 + \epsilon < V_0$$

and switching parameters

$$a(t) = \begin{cases} a_i, & t \in [t_i, t_{i+1}), \quad 0 \leq i < l, \\ a_l, & t \geq t_l, \end{cases}$$

$$\mu(t) = \begin{cases} \mu_i, & t \in [t_i, t_{i+1}), \quad 0 \leq i < l, \\ \mu_l, & t \geq t_l, \end{cases}$$

where  $a_i, \mu_i, t_i$  are given in (13), ensures that

$$\|x(t)\|^2 < \frac{\Lambda_P \Delta_w^2}{\lambda_P \nu^2} + \delta, \quad t \geq t_l \quad (17)$$

for initial conditions that satisfy

$$\Lambda_P \|x(0)\|^2 + \gamma^{-1} \|\theta(0) - \theta_*\|^2 < V_0 \leq \frac{\mu_0^2 M^2 \lambda_P}{\Lambda_C^2}. \quad (18)$$

Moreover,  $\|\theta(t)\|$  is a bounded function.

*Proof.* See Appendix C.

165 **Remark 9.** To obtain convergence conditions for the system (1), (12) without  
 quantization one can use Theorem 2 with  $\Delta_e \rightarrow 0, M \rightarrow \infty$ . Then (16), (18)  
 are always true, switching procedure (13) vanishes and (17) in view of (14)  
 transforms to

$$\|x(t)\|^2 < \frac{4\Lambda_P}{\epsilon^2 \lambda_P} \Delta_w^2 + \delta. \quad (19)$$

This estimate coincides with [25, Theorem 2.13].

170 **Remark 10.** *The value of  $\varepsilon$  from (2) is the stability level that can be achieved by using the control law  $u(t) = -\theta_*y(t)$ . Larger  $\varepsilon$  leads to smaller  $c_e$  and, therefore, (16) is satisfied with a larger maximum quantization error  $\Delta_e$ .*

**Remark 11.** *Our results are applicable to the system (1) with uncertain  $A$  that resides in the polytope*

$$A = A_\xi = \sum_{i=1}^N \xi_i A_i, \quad 0 \leq \xi_i, \quad \sum_{i=1}^N \xi_i = 1. \quad (20)$$

175 *If  $g^T W_\xi(s) = g^T C(sI - A_\xi)^{-1} B$  is HMP for all  $\xi$  from (20), then (2) are feasible for each  $\xi$  with some  $\theta_\xi$  and  $P_\xi$ . To apply the results of this paper one should take*

$$\begin{aligned} \varepsilon &= \min_{\xi \in \Xi} \varepsilon_\xi, & \theta_* &= \operatorname{argmax}_{\theta_\xi, \xi \in \Xi} \|\theta_\xi\|, \\ \lambda_P &= \min_{\xi \in \Xi} \lambda_{\min}(P_\xi), & \Lambda_P &= \max_{\xi \in \Xi} \lambda_{\max}(P_\xi). \end{aligned} \quad (21)$$

*The existence of these quantities follows from Lemma 1, compactness of a set of  $\xi$ , and continuity of the matrix  $A_\xi$  in  $\xi$ .*

*The relations (2) are feasible for  $\theta_\xi = k_*g$  with large enough  $k_*$  [2]. Since (2) are affine in  $A_\xi$ , to obtain the values from (21) one can solve linear matrix inequalities*

$$P > 0, \quad P(A_i - Bk_*g^T C) + (A_i - Bk_*g^T C)^T P < -\varepsilon P, \quad PB = C^T g, \quad i = 1, \dots, N,$$

180 *with a decision variable  $P$  and tuning parameters  $\varepsilon, k_*$ . To find appropriate tuning parameters one should first set  $\varepsilon = 0$  and find the minimum  $k_*$  such that LMIs are feasible. Then by increasing  $k_*$  one will obtain larger allowable values for  $\varepsilon$ .*

## 5. Example: yaw angle control

We demonstrate applicability of our results by an example of a yaw angle control. Under several simplifying assumptions [26] dynamics of the lateral




Figure 1: (a): norm of the state; (b): Lyapunov function (5).

motion of an aircraft can be described by (1) with

$$A = \begin{bmatrix} a_{11} & 1 & 0 \\ a_{21} & a_{22} & 0 \\ 0 & 1 & 0 \end{bmatrix}, \quad B = \begin{bmatrix} b_1 \\ b_2 \\ 0 \end{bmatrix}, \quad C = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix},$$

185 where  $x_1$  is a sideslip angle,  $x_3$  and  $x_2$  are the yaw angle and its rate, respectively,  $u(t)$  is the rudder angle. Following [26] we take  $a_{22} = 1.3$ ,  $b_1 = 19/15$ ,  $b_2 = 19$  and suppose that  $a_{11}$ ,  $a_{21}$  are uncertain parameters:

$$a_{11} \in [0.1, 1.5], \quad a_{21} \in [25, 40]. \quad (22)$$

For  $g = \frac{\sqrt{2}}{2}(1, 1)^T$  the transfer function

$$g^T W(s) = \frac{b_2 s^2 + (b_1 a_{21} - b_2 a_{11} + b_2) s + b_1 a_{21} - b_2 a_{11}}{s \sqrt{2} (s^2 - (a_{11} + a_{22}) s + a_{11} a_{22} - a_{21})}$$

is HMP for all  $a_{11}$ ,  $a_{21}$  from (22). Using Remark 11 we find that (2) are satisfied with  $\varepsilon = 0.25$ ,  $\theta_* = 5.3g$ ,

$$P \approx \begin{bmatrix} 2.3 & -0.15 & -2 \\ -0.15 & 0.05 & 0.17 \\ -2 & 0.17 & 5.15 \end{bmatrix},$$

where  $P$  is given up to hundredth. We take

$$V_0 = 10^3, \quad \mu_0 = 1, \quad \Delta_w = 0.1, \quad \Delta_e = 0.01.$$

For these parameters (16) is satisfied and, therefore, Theorem 2 can be applied.

For  $\delta = 2$  it is sufficient to take  $\gamma = 10^3$  and  $\epsilon = 10^{-2}$ .

Table 1: Parameters of switching:  $t_i$  — instants of switching,  $V_i$  — upper bound for  $V(x(t), k(t))$  on  $[t_i, t_{i+1})$ ,  $\mu_i$  — zooming parameter,  $a_i$  — regularizing parameter.

$i$	$t_i$	$V_i$	$\mu_i$	$a_i$
0	0	1000	1	311.67
1	90.85	144.66	0.38	45.19
2	165.98	24.89	0.158	7.88
3	225.38	8.12	0.09	2.66
4	269.08	5.78	0.076	1.92
5	297.27	5.45	0.074	1.82

190 The results of numerical simulations for  $a_{11} = 0.75$ ,  $a_{21} = 33$  are presented in Fig. 1. Initial conditions were chosen randomly such that  $\theta(0) = (0, 0)^T$ ,  $V(x(0), \theta(0)) \leq V_0$ . The values of all switching parameters are presented in Table 1. The switching procedure stops after 5 switches. As one can see  $\mu_i$  is decreasing, this corresponds to “zooming in”.

## 195 6. Conclusions

We considered hyper-minimum-phase uncertain linear system with bounded disturbance. First we proved that if the disturbance and quantization error bounds are small enough the standard passification-based adaptive controller ensures ultimate boundedness of the closed-loop system. Then we showed that 200 by using a dynamic quantizer with switching “zoom” variable one can ensure convergence to a smaller ellipsoid. The size of this ellipsoid is defined by the disturbance bound. Finally, we demonstrated applicability of the proposed controller to polytopic-type uncertain systems and its efficiency by the example of a yaw angle control of a flying vehicle.

205 **References**

- [1] A. Selivanov, A. L. Fradkov, D. Liberzon, Passification-Based Adaptive Control with Quantized Measurements, in: 19th IFAC World Congress, Elsevier, 2014, pp. 1477–1482. doi:10.3182/20140824-6-ZA-1003.00505.
- [2] B. R. Andrievskii, A. L. Fradkov, Method of passification in adaptive control, estimation, and synchronization, Automation and Remote Control 67 (11) (2006) 1699–1731. doi:10.1134/S0005117906110014.
- [3] A. L. Fradkov, Synthesis of adaptive system of stabilization of linear dynamic plants, Automation and Remote Control (12) (1974) 96–103.
- [4] A. L. Fradkov, Quadratic Lyapunov functions in the adaptive stability problem of a linear dynamic target, Siberian Mathematical Journal 17 (2) (1976) 341–348. doi:10.1007/BF00967581.
- [5] D. P. Lindorff, R. L. Carroll, Survey of adaptive control using Liapunov design, International Journal of Control 18 (5) (1973) 897–914. doi:10.1080/00207177308932569.
- [6] P. Ioannou, P. Kokotovic, Instability analysis and improvement of robustness of adaptive control, Automatica 20 (5) (1984) 583–594.
- [7] A. Selivanov, E. Fridman, A. Fradkov, Passification-based adaptive control: Uncertain input and output delays, Automatica 54 (2015) 107–113. doi:10.1016/j.automatica.2015.01.029.
- [8] D. Liberzon, Nonlinear control with limited information, Communications in Information & Systems 9 (1) (2009) 41–58. doi:10.4310/CIS.2009.v9.n1.a2.
- [9] S. Tarbouriech, F. Gouaisbaut, Control design for quantized linear systems with saturations, IEEE Transactions on Automatic Control 57 (7) (2012) 1883–1889. doi:10.1109/TAC.2011.2179845.



- [10] L. Zhang, H. Gao, O. Kaynak, Network-induced constraints in networked control systems-A survey, *IEEE Transactions on Industrial Informatics* 9 (1) (2013) 403–416. doi:10.1109/TII.2012.2219540.
- [11] T. Ohtsuka, T. Zanma, K. Liu, State estimation in quantized feedback control system, in: *International Workshop on Advanced Motion Control*, 2014, pp. 746–751. doi:10.1109/AMC.2014.6823374.
- [12] R. W. Brockett, D. Liberzon, Quantized feedback stabilization of linear systems, *IEEE Transactions on Automatic Control* 45 (7) (2000) 1279–1289. doi:10.1109/9.867021.
- [13] A. L. Fradkov, B. R. Andrievsky, Adaptive observer-based synchronization of chaotic systems with first-order coder in the presence of information constraints, *IEEE Transactions on Circuits and Systems I: Regular Papers* 55 (6) (2008) 1685–1694.
- [14] A. Fradkov, I. Junussov, R. Ortega, Decentralized adaptive synchronization in nonlinear dynamical networks with nonidentical nodes, in: *IEEE International Conference on Control Applications*, 2009, pp. 531–536. arXiv:0912.2285, doi:10.1109/CCA.2009.5280718.
- [15] T. Hayakawa, H. Ishii, K. Tsumura, Adaptive quantized control for nonlinear uncertain systems, *Systems & Control Letters* 58 (9) (2009) 625–632. doi:10.1016/j.sysconle.2008.12.007.
- [16] L. Vu, D. Liberzon, Supervisory control of uncertain systems with quantized information, *International Journal of Adaptive Control and Signal Processing* 26 (2012) 739–756. doi:10.1002/acs.
- [17] V. D. Blondel, J. N. Tsitsiklis, Survey of computational complexity results in systems and control, *Automatica* 36 (9) (2000) 1249–1274. doi:10.1016/S0005-1098(00)00050-9.

- [18] P. Shcherbakov, F. Dabbene, On the Generation of Random Stable Polynomials, *European Journal of Control* 17 (2) (2011) 145–159. doi:10.3166/ejc.17.145-159.
- 260 [19] A. L. Fradkov, Passification of Non-square Linear Systems and Feedback Yakubovich-Kalman-Popov Lemma, *European Journal of Control* (6) (2003) 573–582.
- [20] G. Gu, On the Existence of Linear Optimal Control with Output Feedback, *SIAM Journal on Control and Optimization* 28 (3) (1990) 711–719. doi:10.1137/0328041.
- 265 [21] G. Gu, Stabilizability conditions of multivariable uncertain systems via output feedback control, *IEEE Transactions on Automatic Control* 35 (8) (1990) 926–927.
- [22] C.-H. Huang, P. A. Ioannou, J. Maroulas, M. G. Safonov, Design of strictly positive real systems using constant output feedback, *IEEE Transactions on Automatic Control* 44 (3) (1999) 569–573. doi:10.1109/9.751352.
- 270 [23] M. Larsen, P. V. Kokotovic, On passivation with dynamic output feedback, *IEEE Transactions on Automatic Control* 45 (6) (2001) 962–967. doi:10.1109/9.928608.
- 275 [24] A. L. Fradkov, Speed-gradient scheme and its application in adaptive control problems, *Automation and Remote Control* 40 (9) (1980) 1333–1342.
- [25] A. L. Fradkov, *Adaptive control of complex systems*, Moscow: Nauka, 1990.
- [26] A. L. Fradkov, B. R. Andrievsky, Passification-based robust flight control design, *Automatica* 47 (12) (2011) 2743–2748. doi:10.1016/j.automatica.2011.09.004.
- 280 [27] H. K. Khalil, *Nonlinear Systems*, 3rd Edition, Prentice Hall, 2002.

## Appendix A. Proof of Lemma 2

Under Assumption 1 it follows from Lemma 1 that relations (2) are valid for some matrix  $P$  and vector  $\theta_*$ , therefore, Lyapunov function (5) can be constructed. Its derivative along the trajectories of the system (1), (4) has the form

$$\begin{aligned}\dot{V} &= 2x^T P[Ax - B\theta^T q(y)] + 2x^T Pw \\ &\quad + 2(\theta - \theta_*)^T q(y)q^T(y)g - 2a\gamma^{-1}(\theta - \theta_*)^T \theta \\ &= 2x^T P[Ax - B\theta_*^T Cx] + 2q^T(y)g(\theta_* - \theta)^T q(y) \\ &\quad - 2e^T(t)g(\theta_* - \theta)^T q(y) - 2y^T g\theta_*^T e + 2x^T Pw \\ &\quad + 2(\theta - \theta_*)^T q(y)q^T(y)g - 2a\gamma^{-1}(\theta - \theta_*)^T \theta.\end{aligned}$$

Here we used the relation  $PB = C^T g$  from (2) and notation  $e = q(y) - y$ . Condition (9) implies  $\|y(t_*)\| < M$ . Since  $y(t)$  is continuous in  $t$ ,  $\|y(t)\| < M$  on  $[t_*, T)$  for some  $T > t_*$ . Thus  $\|e(t)\| \leq \Delta_e$  for  $t \in [t_*, T)$ . Since  $\|g\| = 1$  and  $2a^T b \leq a^T Qa + b^T Q^{-1}b$  for any vectors  $a, b$  and a matrix  $Q > 0$ , for  $t \in [t_*, T)$  we obtain

$$\begin{aligned}-2e^T(y)g(\theta_* - \theta)^T q(y) &\leq 2\Delta_e |(\theta_* - \theta)^T q(y)| \\ &\leq 2\Delta_e |(\theta_* - \theta)^T y| + 2\Delta_e |(\theta_* - \theta)^T e| \\ &\leq (\sigma + \|\theta_*\|^{-1})\Delta_e^2 \|\theta_* - \theta\|^2 + \sigma^{-1}\|y\|^2 + \|\theta_*\|\Delta_e^2, \\ -2y^T g\theta_*^T e &\leq \sigma^{-1}x^T C^T g g^T Cx + \sigma\Delta_e^2 \|\theta_*\|^2, \\ 2x^T Pw &\leq \nu x^T Px + \nu^{-1}\Lambda_P \Delta_w^2, \\ -2a\gamma^{-1}(\theta - \theta_*)^T \theta &= -2a\gamma^{-1}\|\theta - \theta_*\|^2 - 2a\gamma^{-1}(\theta - \theta_*)^T \theta_* \\ &\leq -a\gamma^{-1}\|\theta - \theta_*\|^2 + a\gamma^{-1}\|\theta_*\|^2.\end{aligned}$$

Then

$$\begin{aligned}\dot{V} + \alpha V - \beta &\leq -(\varepsilon - \nu - 2\sigma^{-1}\lambda_P^{-1}\Lambda_C^2 - \alpha)x^T Px \\ &\quad - (a - \gamma\sigma\Delta_e^2 - \gamma\|\theta_*\|^{-1}\Delta_e^2 - \alpha)\gamma^{-1}\|\theta_* - \theta\|^2 \\ &\quad + \nu^{-1}\Lambda_P \Delta_w^2 + a\gamma^{-1}\|\theta_*\|^2 + \sigma\Delta_e^2 \|\theta_*\|^2 + \|\theta_*\|\Delta_e^2 - \beta.\end{aligned}$$

By substituting values from (7) we find that  $\dot{V} \leq -\alpha V + \beta$ . It follows from the comparison principle [27] that for  $t \in [t_*, T)$

$$V(x(t), \theta(t)) \leq \left( V(x(t_*), \theta(t_*)) - \frac{\beta}{\alpha} \right) e^{-\alpha(t-t_*)} + \frac{\beta}{\alpha}.$$

The latter together with (8), (9) implies  $T = \infty$ .

### Appendix B. Proof of Lemma 3

For  $i = 0$  we have

$$V_1 = c_\gamma + c_w \Delta_w^2 + c_e \mu_0^2 \Delta_e^2 + \epsilon < V_0.$$

Suppose that  $i > 0$  and for  $j < i$  it has been proved that  $V_j < V_{j-1}$ . Then

$$\begin{aligned} V_i &= c_\gamma + c_w \Delta_w^2 + c_e \frac{V_{i-1}}{V_{i-2}} \frac{V_{i-2}}{V_0} \mu_0^2 \Delta_e^2 + \epsilon \\ &< c_\gamma + c_w \Delta_w^2 + c_e \frac{V_{i-2}}{V_0} \mu_0^2 \Delta_e^2 + \epsilon = V_{i-1}. \end{aligned}$$

Therefore  $V_i$  is a monotonically decreasing sequence of positive numbers, and, therefore, it has a limit value, which is a solution of the equation

$$V = c_\gamma + c_w \Delta_w^2 + c_e \frac{V}{V_0} \mu_0^2 \Delta_e^2 + \epsilon,$$

285 i.e.  $V = V_\infty$ .

### Appendix C. Proof of Theorem 2

Let us choose  $\zeta > 0$  such that

$$\frac{c_\gamma + \epsilon}{1 - c_e \mu_0^2 \Delta_e^2 V_0^{-1}} + \zeta \leq \delta \lambda_P.$$

Under conditions of Theorem 2, Lemma 2 implies (10) for  $t \in [t_0, t_1]$ ,  $t_* = t_0$ , therefore,

$$V(x(t), \theta(t)) < V_0, \quad \forall t \in [t_0, t_1].$$

Consider  $t \in [t_i, t_{i+1}]$  and assume that for  $j < i$  it has been proved that

$$V(x(t), \theta(t)) < V_j, \quad \forall t \in [t_j, t_{j+1}].$$

By applying Lemma 2 on  $[t_{i-1}, t_i]$  with  $t_* = t_{i-1}$  and substituting  $t = t_i$  into (10) one arrives at

$$V(x(t_i), \theta(t_i)) < c_\gamma + c_w \Delta_w^2 + c_e \mu_{i-1}^2 \Delta_e^2 + \epsilon = V_i.$$

Moreover,

$$V_i = \mu_i^2 V_0 = \frac{\mu_i^2 M^2 \lambda_P}{\Lambda_C^2} = \frac{M_i^2 \lambda_P}{\Lambda_C^2},$$

where  $M_i = \mu_i M$ . Thus, (9) is satisfied with  $M = M_i$ ,  $t_* = t_i$ . Relation (13) implies

$$c_\gamma + c_w \Delta_w^2 + c_e \mu_i^2 \Delta_e^2 < V_i = \frac{M_i^2 \lambda_P}{\Lambda_C^2}.$$

That is (8) is true with  $\beta = \nu^{-1} \Lambda_P \Delta_w^2 + a_i \gamma^{-1} \|\theta_*\|^2 + (\sigma \|\theta_*\|^2 + \|\theta_*\|) \mu_i^2 \Delta_e^2$ ,  $M = M_i$ ,  $t_* = t_i$ . Therefore, Lemma 2 can be applied on  $[t_i, t_{i+1}]$ . By induction we conclude that

$$V(t) < V_i, \quad \forall t \in [t_i, t_{i+1}).$$

Since  $V_i \rightarrow V_\infty$  there exists  $l$  such that

$$V_l \leq V_\infty + \zeta \leq \frac{\Lambda_P \Delta_w^2}{\nu^2} + \delta \lambda_P.$$

Thus, if switching stops after  $t_l$ , one obtains that for  $t \geq t_l$

$$V(x(t), \theta(t)) < \frac{\Lambda_P \Delta_w^2}{\nu^2} + \delta \lambda_P,$$

therefore, for  $t \geq t_l$

$$\|x(t)\|^2 < \frac{\Lambda_P \Delta_w^2}{\lambda_P \nu^2} + \delta.$$

Function  $\|\theta(t)\|$  is bounded since  $V(x(t), \theta(t))$  is bounded.