



UNIVERSITY OF LEEDS

This is a repository copy of *Carbon Capture and Storage: bury the myth and focus on alternatives*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/77131/>

Article:

Lovelace, R (2012) Carbon Capture and Storage: bury the myth and focus on alternatives. *Metis*, 3 (1). 5. 20 - 26 (7).

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

CARBON CAPTURE AND STORAGE

BURY THE MYTH AND FOCUS ON ALTERNATIVES

Robin Lovelace

E-Futures, University of Sheffield

Luke Temple

Geography, University of Sheffield

In theory, carbon capture and storage (CCS) mitigates the effects of climate change by pumping carbon dioxide underground. It proposes to reduce emissions without curbing the use of fossil fuels and, as a result, has been advocated by energy corporations, governments and international institutions. Much academic research also favours the idea. Criticism is often isolated and purely technical. However, surveys indicate that the public is either ambivalent towards CCS or has reservations about its use.

The public is right to be cautious: CCS is expensive, high risk, and may actually increase emissions due to greater demand for coal. These technical drawbacks alone suggest that the government's commitment to CCS does not add up. Cheaper and more reliable options exist, yet these rarely enter the debate. To overcome this, the concept of an 'energy hierarchy' can be used to highlight the full range of options for meeting climate change and energy security commitments. Criticism of CCS can therefore be seen as an opportunity to re-evaluate energy policy priorities and focus on the proven and economically prudent measures of energy conservation and efficiency.

Introduction

Carbon capture and storage is not, as its name suggests, a single technology. It can be defined as the separation, transportation, and sequestration of CO₂ arising from burning fossil fuels. CCS is complex and requires expensive technologies, many of which come from the oil industry (figure 1).

In political debate the idea is grossly oversimplified. When he was secretary of state for energy and climate change, Chris Huhne frequently referred to CCS as a 'key technology' that was 'essential', yet showed little understanding of the many technologies involved.¹ This simplistic view seems to be shared: in the Hansard records 53 MPs have mentioned 'CCS technology' during recorded parliamentary debates yet only one, from Scotland, has referred to the underlying science.² If the technical risks are not understood, an overly optimistic assessment of CCS may be the result (Hansson 2009). Lack of scientific knowledge about CCS, such as the impacts on plant

1 Hansard, Parliamentary answers to Malcolm Wicks, Annual Energy Statement, HC Deb, 23 November 2011, c305. Term tracked at <http://www.theyworkforyou.com>

2 Patrick Harvey quoted Ehlig-Economides and Economides (2010) to cast doubt on the capacity of pore spaces in rock to sequester CO₂ on the scale required. Hansard, Climate Change debate, Scottish Parliament, 18 March 2010, <http://www.theyworkforyou.com/sp/?gid=2010-03-18.24710.3>

efficiency and thereby rates of coal depletion, hinders informed debate on the subject. These things matter because they can result in the promotion of a technology that may not live up to its promise.

Figure 1:
Key phases, processes and corresponding technologies in the CCS supply chain

Phase	Separate CO ₂	Transport	Sequestration	Site management
Processes ^a	Post combustion ^b	Compress waste gases ^d	Drilling	Above-ground site monitoring
	Pre-combustion	Pipeline construction ^e	Injection ^f	Below-ground site monitoring
	Oxyfuel combustion ^c	Pipeline operation		
	Amine-based solvents	Large compressors	Oil and gas drilling and enhanced oil recovery (EOR) technologies	3d seismic, time-lapse gravity, and satellite survey techniques
	Integrated gasification combined cycle (IGCC)	Steel pipelines ^g and fans from oil and gas industry	High chrome steel pipes ^h	Vertical seismic profiling, flow meters ⁱ

Notes: a) Forbes et al (2008); b) Wall (2007); c) Buhre et al (2005); d) compression energy costs are large, ~100 kWh/TCO₂ using a 31 MW centrifugal compressor (Koorneef et al 2008); e) pipelines were estimated to cost \$18m to \$102m per 100 km in China (Liu and Gallagher 2011); f) Michael et al (2010); g) Liu and Gallagher (2011); h) Pffennig and Kranzmann (2009); i) Michael et al (2010)

The public appears to be less optimistic than politicians: opinion polls indicate that attitudes toward CCS are largely ambivalent or mildly opposed.³ Overall CCS has a low public profile.⁴ This, together with the lack of scientific understanding amongst politicians, makes it timely to present the case against CCS in a straightforward and succinct way.

The case against CCS

In a nutshell, CCS is expensive, risky, and may not reduce global greenhouse gas emissions. Even assuming minimal CO₂ leakage, the wider impacts include risk-laden and energy-intensive infrastructure and increased methane emissions. These issues are rarely stated in political debate.

These arguments are not widespread because existing criticisms of CCS often focus solely on one technological problem or legal difficulty. Few have confronted the idea directly and comprehensively⁵ whilst providing viable alternatives. The condensed argument presented

3 See Tyndale Centre (2009): 'On first contact with the idea ... most people (48 ±7per cent) are neither for nor against. And a large amount (38 ±6.5 per cent) expressed slight or strong reservations.'

4 An international study found 'low levels of awareness, recognition or understanding of CCS' (Reiner et al 2005).

5 A notable exception is 'Carbon capture is turning out to be just another great green scam' (Monbiot 2008).

above combines five specific shortfalls: cost, risk, efficiency, viability and legality.

First, the economics of CCS do not add up. Estimated marginal abatement costs of hypothetical projects vary from \$31 to £300 per tonne of CO₂ (tCO₂).⁶ Few economic evaluations of actual CCS projects have been conducted. However, one study of a gas-fired power plant in Norway suggests costs greater than \$300 per tCO₂: 'about 20 times the international carbon emission allowance price and many times higher than alternative domestic climate measures' (Osmundsen and Emhjellen 2010). The costs increase for retrofitted CCS plants (McKinsey 2007), which would dominate the UK market (DECC 2010). Aside from high capital and operation costs, the reliance of CCS plants on carbon credits may create incentives for the 'venting' of CO₂ if the price of carbon drops (Haszeldine 2009).

Second, CCS is a high-risk option. The technology has yet to be tested on the industrial scales required to make a dent in the UK's annual emissions. 'Slippage', where progress is hampered by continual setbacks, has been identified as a problem by the Committee on Climate Change. CCS may have limited capacity to help decarbonisation through the 2020s even assuming major projects such as Longannet had succeeded (CCC 2010). CCS plants take many years to construct even without the teething problems experienced by test plants (Russell and Markusson 2012).

Third, emission savings from CCS plants may be less than expected due to lifecycle impacts. These include carbon embodied in the manufacture of compressors, chemicals required to capture the CO₂, and the reinforced steel pipelines needed to transport the CO₂ to suitable geological structures (IPCC 2005). Efficiency losses affect CCS plants (IEA et al 2010), resulting in coal-fired power plants requiring 24–40 per cent more fuel for the same amount of final energy output (IPCC 2005: table 8.3a). Because coal mining is associated with emissions of methane, this could lead to an *increase* in the total emissions of a potent greenhouse gas. This is also undesirable for energy security.⁷

Fourth, even assuming suitable geological formations exist nearby, ready to accept thousands of tonnes of compressed CO₂ each day, each of these issues above is severe. However, recent research casts doubt on the idea that geological formations are available to safely retain CO₂ on the scale required (Ehlig-Economides and Economides 2010, Shukla et al 2010).

6 Costs have been estimated by a range of studies. These include estimates reported by the IPCC (2005): \$31 to 71 tCO₂ and DECC: £100-300/tCO₂ by 2050 (quoted in Harland et al 2010).

7 The UK's coal imports are double its production (Scrase and Watson 2009). Imports would increase if coal plants fitted with CCS became a major source of new electricity generating capacity, as proposed by the Committee on Climate Change (CCC 2010).

Finally, further impediments are related to the legal status of CO₂ deposits, insurance responsibilities, and the availability of low-cost fuel imports needed to power CCS-fitted power plants.


These considerations demonstrate that funding CCS is ill-advised. However, how facts are framed is often more important than the facts themselves in political debate (Lakoff 2004). For this reason, technical details should not overshadow the wider issues of morality, inequality, and energy-intensive lifestyles associated with CCS. Science should provide an objective foundation for informed discussion, not ‘the final answer’. Any comprehensive debate on CCS should also include alternatives: setting aside CCS can usefully be seen as an opportunity to re-evaluate UK energy policy priorities.

Alternatives

Given the large political investment in CCS, it should come as no surprise that politicians expect ‘serious international and economic implications’ if it fails (Nichols 2011). The recent collapse of the Longannet CCS scheme – backed by £1 billion of government money – led to soul-searching from corporate, political, and environmental commentators (Gersmann and Harvey 2011). Such pessimism is misplaced: a grim outlook for CCS does not mean a grim outlook for all climate and energy strategies. It can be seen as an opportunity.

The time and investment currently earmarked for CCS could be spent on alternatives, which perform better in terms of emissions, energy security, and the economy. A framework for joined-up thinking about energy policies and, crucially, for prioritising investment, is provided by the ‘energy hierarchy’ (figure 2).

Figure 2:
The energy hierarchy,
as advocated
by the Institute
of Mechanical
Engineers



Source: ImechE 2009.

The energy hierarchy implies that a break from the existing (growth-centred) approach to energy policy is needed, based on a clear vision of a low-energy future (ImechE 2009). The framework accepts any conceivable energy policy, from CCS (which fits into priority 4) to carbon rationing (priority 1). It encourages all the options – technical and legislative – to be ‘laid on the table’ and considered together. It encourages diverse and mutually reinforcing measures to be pursued

in tandem, so a coherent energy strategy can be developed. As well as providing useful categories, the energy hierarchy arranges the available options in order. This is important in ensuring the most effective measures are prioritised. This differs from the thinking behind CCS and its focus on 'golden bullets'.

The mix of policies required to bring about a low carbon future in a socially acceptable way is open to debate. However, the government's botched support for CCS provides important lessons; policies should be based on evidence rather than rhetoric, on past experience rather than wishful thinking. The diversity of options raises the following questions: what would a comprehensive energy strategy, based on the energy hierarchy look like in practice? Which policies would be prioritised?

Many measures in priorities 1 and 2 of the energy hierarchy exist that are more cost-effective, reliable, and faster to implement than CCS. Priority 2 means simply improving the efficiency of buildings, vehicles and appliances. The resulting measures are likely to be attractive politically because they require no change in behaviour. Options include improved regulation of the energy performance of buildings by strengthening implementation of the EU's energy certificate, offering very low marginal costs or negative abatement costs (Boardman 2007) and furthering the use of vehicle emissions bands to discourage 'gas guzzlers' (Ryan et al 2009).

Priority 1 measures cost even less to implement because they require no change to existing technology. Energy conservation implies a change in behaviour and may therefore be seen as more risky politically. Energy rationing has the potential to reduce emissions rapidly in a socially equitable way (Fleming and Chamberlin 2011). More modest legislative changes encouraging energy conservation include fiscally neutral modifications to farming subsidies (Harvey 2008) and rising block energy tariffs (CCC 2009).

These options may not be as grand as CCS, but offer better value for money and can work in synergy. Insulation combined with policies to penalise energy waste is a good example (Boardman 2007), with very low or negative abatement costs. Various insulation measures, including insulated doors, windows and lofts, are associated with negative abatement costs: they pay for themselves (DECC 2011).

A major advantage of 'demand side' measures is that they make 'supply side' solutions easier to implement, due to lower energy use (Mackay 2009). Conservation measures to promote more flexible electricity demand, for example, would aid the integration of renewables into the National Grid (Bouffard and Kirschen 2008). Reducing energy wastage – in parallel with efficiency and improved supply-side technology – is a central tenet of the energy hierarchy, and in this sense it follows the waste hierarchy. By illustrating the full range of options the energy hierarchy also encourages finding the best value for money. For example, the £1 billion saved through the collapse of the Longannet

CCS scheme could be used to restructure electricity tariffs, so that they penalise waste whilst reducing levels of fuel poverty (Boardman 2010).

The energy hierarchy encourages a wide perspective. Including energy policy within a wider remit of taxes, well-being and equality has a huge potential to produce win-win scenarios. Improved health and emissions outcomes due to cycling policy (Woodcock et al 2007) and aforementioned fuel poverty policies are just a couple of examples. Such measures are 'low-hanging fruit' that can be implemented rapidly at comparatively little cost. They should be prioritised, especially in these times of fiscal contraction.

Conclusion

The energy hierarchy approach to energy policy can meet the aim of CCS (reduced greenhouse gas emissions) with lower risks and at a lower cost. Energy conservation and efficiency measures tackle associated problems of resource depletion, energy security and recession: these are issues that CCS could make worse. This is the advantage of treating the problem – our inability to stop burning fossil fuels – at its root. Rather than relying solely on 'techno-fixes' such as CCS or geo-engineering to tackle emissions, the energy hierarchy places CCS in its wider context and considers the demand side. The energy hierarchy encourages the selection of options that are cost-effective, simple, and fast to implement.

The energy hierarchy does not, however, encourage a focus on 'golden bullets'. A range of measures, from regulation of light bulbs to research into fusion, must be pursued in parallel to tackle the energy/climate problem in the long term; research into carbon sequestration options can be part of the mix. However, the current government strategy, which uncritically assumes that CCS *will* work based on scarce evidence and subsequently diverts public money and attention into large and risky schemes, amounts to placing the nation's future energy options in one weak basket. For a sure energy future, policymakers should take heed of the evidence and prioritise conservation, efficiency, renewables, and only lastly research into riskier options such as CCS.

Boardman B (2007) *Home truths: a low carbon strategy to reduce UK housing emissions by 80% by 2050*, Oxford: University of Oxford

Boardman B (2010) *Fixing fuel poverty: challenges and solutions*, London: Earthscan

Bouffard F and Kirschen D (2008) 'Centralised and distributed electricity systems', *Energy Policy*, 36: 4504-4508

Buhre BJP, Elliot LK, Sheng, CD, Gupta RP and Wall TF (2005) 'Oxy-fuel combustion technology for coal-fired power generation', *Progress in Energy and Combustion Science*, 31(4): 283-307

Committee on Climate Change [CCC] (2009) 'An investigation of the effect of rising block tariffs on fuel poverty', prepared for Claire Thornhill by Jack Hulme and Claire Summers

Committee on Climate Change [CCC] (2010) 'Meeting Carbon Budgets – ensuring a low-carbon recovery: 2nd Progress Report to Parliament', Committee on Climate Change June 2010

Department of Energy and Climate Change [DECC] (2010) 'A study to explore the potential for CCS business clusters in the UK', HM Government

Department of Energy and Climate Change [DECC] (2011) 'What measures does the Green Deal cover?', HM Government

- Ehlig-Economides C and Economides MJ (2010) 'Sequestering carbon dioxide in a closed underground volume', *Journal of Petroleum Science and Engineering*, 70(1-2): 123-130
- Fleming D and Chamberlin S (2011) 'Tradable Energy Quotas: A Policy Framework for Peak Oil and Climate Change', *Design*, London: Calverts
- Forbes SM, Verma P, Curry TE, Friedmann SJ and Wade SM (2008) 'Guidelines for Carbon Dioxide Capture, Transport, and Storage', World Resources Institute
- Gersmann H and Harvey F (2011) 'Longannet carbon capture project cancelled', *Guardian*, 19 October 2011
- Hansson A (2009) 'Expert opinions on carbon dioxide capture and storage—A framing of uncertainties and possibilities', *Energy Policy* 37(6), 2273-2282
- Harland K, Pershad H and Slater S (2010) 'Potential for the application of CCS to UK industry and natural gas power generation', Committee on Climate Change Final Report, Issue 3
- Harvey G (2008) *The Carbon Fields: How Our Countryside Can Save Britain*, GrassRoots, London
- Haszeldine RS (2009) 'Carbon capture and storage: how green can black be?', *Science*, New York, 325(5948): 1647-1652
- International Energy Agency [IEA], Organisation for Economic Co-operation and Development [OECD] and Nuclear Energy Agency [NEA] (2010) 'Projected Costs of Generating Electricity'
- Institute of Mechanical Engineers [ImechE] (2009) 'The Energy Hierarchy Energy policy statement', 09/03
- IPCC [Intergovernmental Panel on Climate Change] (2005) *Special Report on Carbon Dioxide Capture and Storage*, Cambridge: Cambridge University Press
- Koornneef J, van Keulen T, Faaij A and Turkenburg W (2008) 'Life cycle assessment of a pulverized coal power plant with post-combustion capture, transport and storage of CO₂', *International Journal of Greenhouse Gas Control*, 2(4): 448-467
- Lakoff G (2004) *Don't think of an elephant! know your values and frame the debate: the essential guide for progressives*, Chelsea: Green Publishing
- Liu H and Gallagher KS (2011) 'Preparing to ramp up large-scale CCS demonstrations: An engineering-economic assessment of CO₂ pipeline transportation in China', *International Journal of Greenhouse Gas Control*, 5(4): 798-804
- MacKay D (2009) *Sustainable energy without the hot air*, UIT Cambridge
- McKinsey (2007) 'A cost curve for greenhouse gas reduction', *McKinsey Quarterly* 2007, Number 1
- Michael K, Golab A, Shulakova V, Ennis-King J, Allinson G, Sharma and Aiken T (2010) 'Geological storage of CO₂ in saline aquifers: A review of the experience from existing storage operations', *International Journal of Greenhouse Gas Control*, 4(4): 659-667
- Monbiot G (2008) 'Carbon capture is turning out to be just another great green scam', *Guardian*, 18 March 2008
- Nichols W (2011) 'MPs demand clarity on carbon capture funding', *Guardian*, 7 December 2011
- Osmundsen P and Emhjellen M (2010) 'CCS from the gas-fired power station at Kårstø A commercial analysis', *Energy Policy*, 38(12): 7818-7826
- Pfennig A and Kranzmann A (2009) 'Effects of saline aquifer water on the corrosion behaviour of injection pipe steels 14034 and 17225 during exposure to CO₂ environment', *Energy Procedia*, 1(1): 3023-3029
- Reiner D, Curry T and Figueiredo MD (2005) 'An international comparison of public attitudes towards carbon capture and storage technologies', in Rubin ES and Gilboy CF (ed) *Proceedings of the 7th international conference on greenhouse gas control technologies*, London: Elsevier
- Russell S and Markusson N (2012) 'What will CCS demonstrations demonstrate?', *Mitigation and Adaptation Strategies for Global Change* 17(6): 651-668
- Ryan L, Ferreira S, Convery F (2009) 'The impact of fiscal and other measures on new passenger car sales and CO₂ emissions intensity: Evidence from Europe', *Energy Economics* 31(3): 365-374,
- Scrase JI and Watson J (2009) 'Strategies for the deployment of CCS technologies in the UK: a critical review', *Energy Procedia*, 1(1): 4535-4542
- Shukla R, Ranjith P, Haque A and Choi X (2010) 'A review of studies on CO₂ sequestration and caprock integrity', *Fuel* 89(10): 2651-2664
- Tyndale Centre (2009) 'An integrated assessment of carbon dioxide capture and storage in the UK', Technical Report 47
- Wall TF (2007) 'Combustion processes for carbon capture', *Proceedings of the Combustion Institute*, 31(1): 31-47
- Woodcock J, Banister D, Edwards P, Prentice AM and Roberts I (2007) 'Energy and health 3 - Energy and transport', *Lancet* 370(9592): 1078-1088