



This is a repository copy of *Reconstruction of Linear and Non-Linear Continuous Time System Models Using the Kernel Invariance Algorithm*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/83852/>

Monograph:

Billings, S.A. and Li, L.M. (1999) *Reconstruction of Linear and Non-Linear Continuous Time System Models Using the Kernel Invariance Algorithm*. Research Report. ACSE Research Report 743 . Department of Automatic Control and Systems Engineering

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

X

Reconstruction of Linear and Non-linear Continuous Time System Models Using the Kernel Invariance Algorithm

S.A.Billings

L.M.Li



Department of Automatic Control
and Systems Engineering,
University of Sheffield, Sheffield
Post Box 600 S1 3JD
UK

Research Report No. 743

24 MAR 1999

200449449



Reconstruction of Linear and Non-linear Continuous Time System Models Using the Kernel Invariance Algorithm

S.A.Billings and L.M.Li

Department of Automatic Control and Systems Engineering,

University of Sheffield, Sheffield S1 3JD, UK

Abstract

A new Kernel Invariance Algorithm(KIA) is introduced to determine both the significant model terms and estimate the unknown parameters in non-linear continuous time differential equation models of unknown systems.

1. Introduction

Although most physical systems are continuous in nature the input-output data from these systems is usually sampled and a discrete time model is identified. But in some cases a continuous time model, which is often easier to relate to the physical operation of the underlying system, is required. Identification of linear continuous time models has been studied by several authors and can be classified into direct and indirect approaches(Young, 1981). The direct approach is based on the output error or equation error methods(Unbehauen and Rao,1990). The equation error method has been widely employed and is based on converting the differential equations into a linear algebraic form. Modulating functions, orthogonal polynomials and linear integral filters have been used in the literature(Pearson and Lee, 1985a, 1985b; Hwang and Shih, 1982; Paraskevopoulos, 1985; Horng and Chou, 1985; Zhao, et al. ,1991). The indirect approach consists of fitting either a non-parametric model(step, impulse or frequency response) or a discrete parametric ARMAX model initially and then constructing a continuous time model of the system from this(Sanathanan and Koerner, 1963;Whitefield, 1986; Unbehauen and Rao, 1990).

In the linear time-invariant case, the 'impulse invariance method' (IIM) (Oppenheim and Schaffer,1975) is based upon the equivalence between the linear time-invariant differential and difference equations. Zhao and Marmarelis(1997) recently extended this basic concept to non-linear time-invariant models and called the new approach the 'Kernel Invariance Method'(KIM). The method exploits the equivalence between the high order kernels associated with non-linear differential and difference equation models. The great advantage is that this approach avoids the direct computation of derivatives which can induce severe numerical problems and the non-linear model can be constructed sequentially by building in the linear model terms, followed by the quadratic terms and so on.

Identification of continuous time non-linear differential equation models from sampled data is an important problem that has only been studied by a few authors(Tsang and Billings, 1992; Swain and Billings, 1995). The Kernel Invariance Method offers one possible solution to this problem and in the present study the method is developed into a practical identification procedure. In the original formulation by Zhao and

Marmarelis all the calculations were done by hand, the authors noted that the analysis 'can be a rather unwieldy task in general as demonstrated by two relatively simple examples', and no account was taken of noise effects and bias. But in the identification of practical non-linear systems almost all these restrictions will be violated because the discrete time non-linear model that is identified from the input-output data is often complex and can involve many terms. A new practical procedure is therefore introduced below which uses a new orthogonalised version of the generalised least squares algorithm (Clarke, 1967) to select the significant model terms and to yield unbiased estimates of the parameters in continuous time non-linear differential equation models. The new method will be referred to as the Kernel Invariance Algorithm (KIA).

The paper is organised as follows. In section 2, the basic concepts of non-linear system representations and the Kernel Invariance Method are introduced. In section 3, the reconstruction formulation for linear and non-linear continuous time models from difference equation models is described, and an orthogonal least squares procedure is introduced to determine the model structure. In section 4, a simulation example is used to illustrate the identification procedure, and in section 5 a real application of an electromagnet suspension control system is described. Finally conclusions are given in section 6.

2. The Kernel Invariance Method (KIM)

A wide class of continuous time non-linear systems can be represented by the Volterra functional series (Schetzen, 1980)

$$y(t) = \sum_{n=1}^N y_n(t) \quad (1)$$

where $y_n(t)$ is the n -th order output of the system

$$y_n(t) = \int_{-\infty}^{\infty} \cdots \int_{-\infty}^{\infty} h_n(\tau_1, \dots, \tau_n) \prod_{i=1}^n u(t - \tau_i) d\tau_i \quad n > 0 \quad (2)$$

$u(t)$ is the input and $h_n(\tau_1, \dots, \tau_n)$ is called the n th-order Volterra kernel or impulse response function. If $n=1$, this reduces to the familiar linear impulse response function.

In the Kernel Invariance Method (KIM) introduced by Zhao and Marmarelis (1997) non-linear systems described by nonlinearities of only second degree were considered. This was presumably because of the complexity associated with higher order non-linear effects. However, results are available in the literature which can be applied immediately to extend these ideas to the much more realistic and general non-linear case. These results form the basis of the new Kernel Invariance Algorithm and are reviewed below.

Many continuous time systems can also be characterised by a non-linear differential equation (NDE) model

$$f\left(y, \frac{dy}{dt}, \dots, \frac{d^p y}{dt^p}; u, \frac{du}{dt}, \dots, \frac{d^q u}{dt^q}\right) = 0 \quad (3)$$

The polynomial form of (3) is given by the model

$$\sum_{n=1}^N \sum_{p=0}^n \sum_{l_1, l_{p+q}=0}^L c_{p,q}(l_1, \dots, l_{p+q}) \prod_{i=1}^p D^{l_i} y(t) \prod_{i=p+1}^{p+q} D^{l_i} u(t) = 0 \quad (4)$$

where q and p are the number of input and output terms respectively with $p + q = n$, L is the maximum derivative of the input-output and $c_{p,q}(\cdot)$ represent the model parameters. The operator D is defined by

$$D^l x(t) = \frac{d^l x(t)}{dt^l} \quad l \geq 0$$

The n th-order Volterra kernel can be related to the parameters of the NDE model. In fact, the multidimensional Laplace transform of the n th-order kernel can be shown to be a function of the NDE model parameters (Billings and Peyton Jones, 1990)

$$\begin{aligned} H_n^{asym}(s_1, \dots, s_n) &= \frac{1}{-\left[\sum_{l_1=0}^L c_{1,0}(l_1)(s_1 + \dots + s_n)^{l_1}\right]} \left\{ \sum_{l_1, l_n=1}^L c_{0,n}(l_1, \dots, l_n) s_1^{l_1} \dots s_n^{l_n} \right. \\ &+ \sum_{q=1}^{n-1} \sum_{p=1}^{n-q} \sum_{l_1, l_n=1}^L c_{p,q}(l_1, \dots, l_{p+q}) \times s_{n-q+1}^{l_{n-q+1}} \dots s_{p+q}^{l_{p+q}} H_{n-p,q}^{asym}(s_1, \dots, s_{n-q}) \\ &\left. + \sum_{p=2}^n \sum_{l_1, l_p=0}^L c_{p,0}(l_1, \dots, l_p) H_{n,p}^{asym}(s_1, \dots, s_n) \right\} \end{aligned} \quad (5)$$

where

$$H_{n,p}^{asym}(s_1, \dots, s_n) = \sum_{i=1}^{n-p+1} H_i(s_1, \dots, s_i) H_{n-i,p-1}^{asym}(s_{i+1}, \dots, s_n) (s_1 + \dots + s_i)^{i-p} \quad (6)$$

and without loss of generality, we assume $c_{1,0}(0) = -1$;

A commonly used non-linear discrete time system model is the NARX model

$$y(k) = F[y(k-1), \dots, y(k-d_y), u(k-1), \dots, u(k-d_u)] \quad (7)$$

where $F[\cdot]$ represents some non-linear function of the lagged inputs $u(k-1), \dots, u(k-d_u)$ and outputs $y(k-1), \dots, y(k-d_y)$. Selecting $F[\cdot]$ to be a polynomial expression yields

$$y(k) = \sum_{m=1}^M y_m(k) \quad (8)$$

where M is the order of the nonlinearity and $y_m(k)$, the m th-order output of the system, is given by

$$y_m(k) = \sum_{p=0}^m \sum_{d_1, d_{p+q}=1}^K b_{p,q}(d_1, \dots, d_{p+q}) \prod_{i=1}^p y(k-d_i) \prod_{i=p+1}^{p+q} u(k-d_i) \quad (9)$$

with

$$p + q = m, d_i = 1, \dots, K, \text{ and } \sum_{d_a, d_b=1}^K \equiv \sum_{d_a=1}^K \dots \sum_{d_b=1}^K \quad (10)$$

where q and p are the number of input and output terms respectively and κ is the maximum lag of the input-output terms.

For the NARX model the multidimensional Z transform of the nth-order kernel can be shown to be a function of the NARX model parameters (Billings and Peyton Jones, 1990)

$$\begin{aligned}
H_n^{asym}(z_1, \dots, z_n) &= \frac{1}{[1 - \sum_{k_1=1}^K b_{1,0}(k_1)(z_1 \dots z_n)^{-k_1}]} \left\{ \sum_{k_1, k_n=1}^K b_{0,n}(k_1, \dots, k_n) z_1^{-k_1} \dots z_n^{-k_n} \right. \\
&+ \sum_{q=1}^{n-1} \sum_{p=1}^{n-q} \sum_{k_1, k_n=1}^K b_{p,q}(k_1, \dots, k_{p+q}) \times z_{n-q+1}^{-k_{n-q+1}} \dots z_{p+q}^{-k_{p+q}} H_{n-p,q}^{asym}(z_1, \dots, z_{n-q}) \\
&\left. + \sum_{p=2}^n \sum_{k_1, k_p=1}^K b_{p,0}(k_1, \dots, k_p) H_{n,p}^{asym}(z_1, \dots, z_n) \right\} \quad (11)
\end{aligned}$$

where

$$H_{n,p}^{asym}(z_1, \dots, z_n) = \sum_{i=1}^{n-p+1} H_i(z_1, \dots, z_i) H_{n-i,p-1}^{asym}(z_{i+1}, \dots, z_n) (z_1 \dots z_i)^{-k_p} \quad (12)$$

The n-th order transfer functions of equation (5) and (11) are not necessarily unique because changing the order of any two arguments generates a new function without changing the value of $y_n(t)$ in equation (1) and (8). However the symmetric version of these functions are unique and these are given as

$$H_n^{sym}(s_1, \dots, s_n) = \frac{1}{n!} \sum_{\substack{\text{all permutations} \\ \text{of } \omega_1, \dots, \omega_n}} H_n^{asym}(s_1, \dots, s_n) \quad (13)$$

and

$$H_n^{sym}(z_1, \dots, z_n) = \frac{1}{n!} \sum_{\substack{\text{all permutations} \\ \text{of } \omega_1, \dots, \omega_n}} H_n^{asym}(z_1, \dots, z_n) \quad (14)$$

The Kernel Invariance Method is based on the fact that the discrete high-order kernels are the sampled versions of their continuous counterparts provided that the sampling interval is sufficiently short to avoid aliasing. This implies that

$$H_{n,p}^{sym}(s_1, \dots, s_n) = H_{n,p}^{sym}(z_1, \dots, z_n) \Big|_{z_1=e^{s_1 T}, \dots, z_n=e^{s_n T}} \quad (15)$$

where T is the sampling interval. If $n=1$ in equation (15) this reduces to the well-known Impulse Invariance Method(IIM) introduced by Oppenheim and Schaffer(1975). Zhao and Marmarelis extended this to include both the linear model terms and the quadratic terms and called the new method the Kernel Invariance Method. But the restriction to quadratic systems can be avoid and the results can be generalised to all analytic non-linear systems using the analysis introduced above. This follows because the left hand side of equation (15) can be related by equation (5) to the NDE model and the coefficients $c_{p,q}(\cdot)$ and the right hand side can be related by equation(11) to the NARX model and the coefficients $b_{p,q}(\cdot)$. Therefore if either set of coefficients is known, the other set can be determined. However, in system identification we are more likely to obtain the NARX model coefficients $b_{p,q}$ from sampled measurements

of the input-output data. Once these coefficients have been estimated the equivalence in equation (15) can be used to construct the NDE model sequentially by building in the linear model terms followed by the quadratic terms and so on. In real applications the identified model is likely to be complex and the effects of noise or nonperfect estimates of the Kernel functions should be accommodated. Both these problems can be addressed by introducing the new Kernel Invariance Algorithm described below.

3. Reconstruction Formulations

From equations (5) to (15) it is clear that the first order kernel is only related to the set of linear coefficients, the second order kernel is related to the linear and quadratic coefficients, the third order kernel is related to the linear, quadratic and cubic coefficients and so on. This suggests that the continuous time model reconstruction procedure can be split and can be applied sequentially to reconstruct just the linear terms, followed by the quadratic terms etc. An important problem at each construction stage is how to determine which of the many possible terms should be included in the continuous time model. These issues will be investigated in the following sections.

3.1 Linear continuous terms reconstruction

Consider initially the case $n=1$ in equation (15) to yield the linear equivalence

$$H_1(z) \Big|_{z=e^{sT}} = \frac{\sum_{l_1=0}^L c_{0,l_1}(l_1)(s)^{l_1}}{1 + \sum_{l_1=1}^L c_{1,l_1}(l_1)(s)^{l_1}} = \frac{B(s)}{A(s)} \quad (16)$$

The well-known map between the s and the z -plane is illustrated in Table 1

s -plane	z -plane
$s = j\omega$ (frequency axis)	$ z = 1$ Unit circle
$s = \sigma \geq 0$	$z = r \geq 1$
$s = \sigma \leq 0$	$z = r, 0 \leq r \leq 1$
$s = \sigma + j\omega$	$z = re^{j\theta}$ where $r = e^{\sigma T}$, $\theta = \omega T$

Table 1. Mapping the s plane to the z plane

Conventionally the s -data is extracted along the imaginary(frequency) axis, that is, $s(1) = j\omega(1), s(2) = j\omega(2), \dots, s(N) = j\omega(N)$, where $H_1(s)$ is now called the frequency response, and this leads to algorithms solely in the frequency domain (Whitefield, 1986). However during the application of this approach to some real examples it was found that sometimes the results under this s -data selection criterion do not satisfy the mapping in the whole of the s -plane. In this paper therefore the s -data will be selected randomly along both the imaginary and the real axis of the s -plane to guarantee the mapping on both axes.

Assuming that a NARMAX model has been identified from sampled data records the linear transfer function can be computed from equation (11) to yield

$$\hat{H}_1(z) = H_1(z) + N_1(z) \quad (17)$$

where $\hat{H}_1(z)$ is obtained from the identified NARX model and $N_1(z)$ represents any inaccuracies or noise on $\hat{H}_1(z)$.

Thus

$$\begin{aligned} \hat{H}_1(z) \Big|_{z=e^{sT}} = \hat{H}_1(s) &= \frac{\sum_{l_1=0}^L c_{0,1}(l_1)(s)^{l_1}}{1 + \sum_{l_1=1}^L c_{1,0}(l_1)(s)^{l_1}} + N_1(e^{sT}) \\ &= \frac{\sum_{l_1=0}^L c_{0,1}(l_1)(s)^{l_1}}{1 + \sum_{l_1=1}^L c_{1,0}(l_1)(s)^{l_1}} + N_1(s) \end{aligned} \quad (18)$$

Equation (18) is a rational form with respect to s . As far as the estimation of $c_{0,1}(\cdot)$ and $c_{1,0}(\cdot)$ is concerned, s can be regarded as an input signal and $\hat{H}_1(z) \Big|_{z=e^{sT}}$ or $\hat{H}_1(s)$ from the NARX model as a known output. So the problem is to estimate the unknown coefficients $c_{1,0}(\cdot), c_{0,1}(\cdot)$ from a noisy rational process.

Assume that the noise process can be represented by the transfer function

$$N_1(s) = \frac{P(s)}{Q(s)} \xi_1(s) = \frac{\sum_{k_1=0}^{Kp} p(k_1)(s)^{k_1}}{\sum_{k_2=0}^{Kq} q(k_2)(s)^{k_2}} \xi_1(s) \quad (19)$$

where $\xi_1(s)$ is a zero mean white noise process. Multiplying out (18) and re-arranging gives

$$\hat{H}_1(s) = -\sum_{l_1=1}^L c_{1,0}(l_1)(s)^{l_1} \hat{H}_1(s) + \sum_{l_1=0}^L c_{0,1}(l_1)(s)^{l_1} + E_1(s) \quad (20)$$

where $E_1(s) = \frac{A(s)P(s)}{Q(s)} \xi_1(s)$.

Further arranging equation (20) yields

$$z(s) = \sum_{i=1}^{2L+1} \theta_i P(s) + E_1(s) \quad (21)$$

where

$$\begin{aligned}
z(s) &= \hat{H}_1(s) \\
\theta_1 &= c_{0,1}(0), \quad P_1 = 1 \\
\theta_2 &= c_{0,1}(1), \quad P_2 = s \\
&\vdots \\
\theta_{L+1} &= c_{0,1}(L), \quad P_{L+1} = (s)^L \\
\theta_{L+2} &= c_{1,0}(1), \quad P_{L+2} = -(s)^1 \hat{H}_1(s) \\
&\vdots \\
\theta_{2L+1} &= c_{1,0}(L), \quad P_{2L+1} = -(s)^L \hat{H}_1(s)
\end{aligned}$$

If 'N' data points of $z(s)$ and $P_i(s)$ are available, at $s(i) = [R(i), jI(i)]$, $i = 1, \dots, N$, where $R(i)$ and $I(i)$ are random points, then (21) can be expressed as

$$Z = P\Phi + \Xi \quad (22)$$

$$Z = \begin{bmatrix} z(s(1)) \\ z(s(2)) \\ \vdots \\ z(s(N)) \end{bmatrix}_{N \times 1}, \quad \Phi = \begin{bmatrix} \theta_1 \\ \theta_2 \\ \vdots \\ \theta_{2L+1} \end{bmatrix}_{(2L+1) \times 1}, \quad \Xi = \begin{bmatrix} E_1(s(1)) \\ E_1(s(2)) \\ \vdots \\ E_1(s(N)) \end{bmatrix}_{N \times 1}$$

where

$$P = \begin{bmatrix} P_1(s(1)) & P_2(s(1)) & \cdots & P_{2L+1}(s(1)) \\ P_1(s(2)) & P_2(s(2)) & \cdots & P_{2L+1}(s(2)) \\ \vdots & \vdots & \ddots & \vdots \\ P_1(s(N)) & P_2(s(N)) & \cdots & P_{2L+1}(s(N)) \end{bmatrix}_{N \times (2L+1)}$$

Finally since $s(i) = [R(i), jI(i)]$, $i = 1, \dots, N$, are complex numbers, equation (22) should be partitioned into real and imaginary parts as

$$\begin{bmatrix} \text{Re}(Z) \\ \text{Im}(Z) \end{bmatrix} = \begin{bmatrix} \text{Re}(P) \\ \text{Im}(P) \end{bmatrix} \Phi + \begin{bmatrix} \text{Re}(\Xi) \\ \text{Im}(\Xi) \end{bmatrix} \quad (23)$$

This basic procedure will be applied to all the model reconstructions.

Although equation (23) is a linear-in-parameters expression, if least squares is applied directly the estimates would be biased because $E_1(s)$ is not white.

To overcome this problem, postulate a filter $F(s)$ and multiply both sides of (21) with $F(s)$ to give

$$F(s)z(s) = \sum_{i=1}^{2L+1} \theta_i F(s)P(s) + F(s)[A(s)P(s)Q^{-1}(s)]\xi_1(s) \quad (23)$$

If $F(s)$ is selected as

$$F(s) = A(s)^{-1} P^{-1}(s) Q(s)$$

then equation (23) becomes

$$F(s)z(s) = \sum_{i=1}^{2L+1} \theta_i F(s)P(s) + \xi_1(s) \quad (24)$$

or in matrix form

$$Z_F = P_F \Phi + \zeta \quad (25)$$

$$Z_F = \begin{bmatrix} F(s(1))z(s(1)) \\ F(s(2))z(s(2)) \\ \vdots \\ F(s(N))z(s(N)) \end{bmatrix}_{N \times 1}, \quad \Phi = \begin{bmatrix} \theta_1 \\ \theta_2 \\ \vdots \\ \theta_{2L+1} \end{bmatrix}_{(2L+1) \times 1}, \quad \zeta = \begin{bmatrix} \xi_1(s(1)) \\ \xi_1(s(2)) \\ \vdots \\ \xi_1(s(N)) \end{bmatrix}_{N \times 1}$$

where

$$P_F = \begin{bmatrix} F(s(1))P_1(s(1)) & F(s(1))P_2(s(1)) & \cdots & F(s(1))P_{2L+1}(s(1)) \\ F(s(2))P_1(s(2)) & F(s(2))P_2(s(2)) & \cdots & F(s(2))P_{2L+1}(s(2)) \\ \vdots & \vdots & \cdots & \vdots \\ F(s(N))P_1(s(N)) & F(s(N))P_2(s(N)) & \cdots & F(s(N))P_{2L+1}(s(N)) \end{bmatrix}_{N \times (2L+1)}$$

and the noise $E_1(s)$ is reduced to a white signal $\xi_1(s)$ and unbiased estimates of the system parameters will be obtained using least squares. This is essentially a modified version of the generalised least squares (GLS) algorithm developed by Clarke (1967).

The practical implementation of the above idea can be summarised in the following steps.

1). Randomly select $s(i) = [R(i), jI(i)]$, $i = 1, \dots, N$ in the s -plane and form Z and P in equation (22). Apply the standard linear least squares to obtain the initial estimates of $\hat{\Phi}$ in equation (22). These estimates will be biased if the noise is coloured.

2). Analyse the residual from equation (21)

$$\hat{E}_1(s) = z(s) - \sum_{i=1}^{2L+1} \hat{\theta}_i P_i(s)$$

3). Set the filter $F(s) = \sum_{k=0}^G f_k s^k$, $f_0 = 1$, where G is the order. Estimate the filter $\hat{F}(s)$

from $\hat{F}(s)\hat{E}_1(s) = \xi_1(s)$ using least squares. In matrix form this gives,

$$\Gamma = \Psi\Theta + \Delta_1$$

$$\Gamma = \begin{bmatrix} \hat{E}_1(s(1)) \\ \hat{E}_1(s(2)) \\ \vdots \\ \hat{E}_1(s(N)) \end{bmatrix}_{N \times 1}, \quad \Theta = \begin{bmatrix} f_1 \\ f_2 \\ \vdots \\ f_G \end{bmatrix}_{G \times 1}, \quad \Delta_1 = \begin{bmatrix} \xi_1(s(1)) \\ \xi_1(s(2)) \\ \vdots \\ \xi_1(s(N)) \end{bmatrix}_{N \times 1}$$

where

$$\Psi = \begin{bmatrix} s\hat{E}_1(s(1)) & s^2\hat{E}_1(s(1)) & \cdots & s^G\hat{E}_1(s(1)) \\ s\hat{E}_1(s(2)) & s^2\hat{E}_1(s(2)) & \cdots & s^G\hat{E}_1(s(2)) \\ \vdots & \vdots & \cdots & \vdots \\ s\hat{E}_1(s(N)) & s^2\hat{E}_1(s(N)) & \cdots & s^G\hat{E}_1(s(N)) \end{bmatrix}_{N \times G}$$

$$\text{Thus } \hat{F}(s) = \sum_{k=0}^G \hat{f}_k s^k = \hat{A}(s)^{-1} \hat{P}^{-1}(s) \hat{Q}(s)$$

4). Form Z_F and P_F in equation (25) using the filtered data and apply the least squares estimator to obtain the estimates $\hat{\Phi}$.

5). Go to step 2) and repeat until the estimates converge.

3.2. Quadratic non-linear continuous term reconstruction

Next consider just the quadratic terms, setting $n=2$ in (5) yields

$$H_2^{asym}(s_1, s_2) = \frac{1}{-\left[\sum_{l_1=0}^L c_{1,0}(l_1)(s_1 + \dots + s_n)^{l_1}\right]} \left\{ \sum_{l_1, l_2=0}^L c_{0,2}(l_1, l_2)(s_1)^{l_1}(s_2)^{l_2} + \sum_{l_1, l_2=0}^L c_{1,1}(l_1, l_2)(s_2)^{l_2} H_{1,1}(s_1) + \sum_{l_1, l_2=0}^L c_{2,0}(l_1, l_2) H_{2,2}^{asym}(s_1, s_2) \right\} \quad (26)$$

With the recursive relation

$$H_{1,1}(s_1) = H_1(s_1)(s_1)^{l_1}$$

$$H_{2,2}^{asym}(s_1, s_2) = H_1(s_1)H_{1,1}(s_2)(s_1)^{l_1} = H_1(s_1)H_1(s_2)(s_2)^{l_2}(s_1)^{l_1}$$

where $H_1(\cdot)$ is the noise-free part in equation (18). In a practical implementation $H_1(\cdot)$ is formed using the coefficients $\hat{c}_{1,0}(\cdot)$ and $\hat{c}_{0,1}(\cdot)$ estimated in the linear term identification.

Assuming that the kernel may be noisy and using the symmetrised formulation from equation (13) and (14) gives

$$\begin{aligned} \hat{H}_2^{sym}(z_1, z_2) \Big|_{z_1=e^{s_1 T}, z_2=e^{s_2 T}} &= H_2^{sym}(s_1, s_2) + N_2(e^{s_1 T}, e^{s_2 T}) \\ &= \frac{1}{-\left[\sum_{l_1=0}^L c_{1,0}(l_1)(s_1 + s_2)^{l_1}\right]} \left\{ \frac{1}{2} \sum_{l_1, l_2=0}^L c_{0,2}(l_1, l_2)[(s_1)^{l_1}(s_2)^{l_2} + (s_2)^{l_2}(s_1)^{l_1}] \right. \\ &\quad + \frac{1}{2} \sum_{l_1, l_2=0}^L c_{1,1}(l_1, l_2)[(s_2)^{l_2} H_{1,1}(s_1) + (s_1)^{l_1} H_{1,1}(s_2)] \\ &\quad \left. + \frac{1}{2} \sum_{l_1, l_2=0}^L c_{2,0}(l_1, l_2)[H_{2,2}^{asym}(s_1, s_2) + H_{2,2}^{asym}(s_2, s_1)] \right\} + N_2(s_1, s_2) \end{aligned} \quad (27)$$

where $\hat{H}_2^{sym}(z_1, z_2)$ is computed from the NARX model parameters as described in section 2 and

$$N_2(s_1, s_2) = \frac{P_2(s_1, s_2)}{Q_2(s_1, s_2)} \xi_2(s_1, s_2)$$

where $\xi_2(s_1, s_2)$ is a two dimensional independent, zero mean white noise.

Notice that the coefficients $c_{1,0}(\cdot)$ have been estimated in the previous step where the linear terms were reconstructed, so equation (27) is linear-in-the-parameters. Unbiased least squares estimates of the unknown coefficients can therefore be obtained by using a generalised least squares type algorithm as in the linear case. This consists of the following steps. Note that s_1 and s_2 are vectors consisting of data points over the s -plane. For simplicity, detailed expanded formulations are omitted here, but the algorithm can be summarised as

1). Apply standard least squares to equation (27) to obtain estimates of $\hat{c}_{0,2}(\cdot)$, $\hat{c}_{1,1}(\cdot)$ and $\hat{c}_{2,0}(\cdot)$, which will be biased if $N_2(s_1, s_2)$ is not white.

2). Analyse the residual $\hat{N}_2(s_1, s_2)$ from (27).

3). Estimate a filter $\hat{F}_2(s_1, s_2)$ as $\hat{F}_2(s_1, s_2)\hat{N}_2(s_1, s_2) = \xi_2(s_1, s_2)$ using least squares so that

$$\hat{F}_2(s_1, s_2) = \hat{P}_2^{-1}(s_1, s_2)\hat{Q}_2(s_1, s_2)$$

4). Multiply both sides of (27) by $\hat{F}_2(s_1, s_2)$ and apply least squares to get estimates of the parameters $\hat{c}_{0,2}(\cdot)$, $\hat{c}_{1,1}(\cdot)$, $\hat{c}_{2,0}(\cdot)$.

5). Go to step 2) and repeat until the estimates converge.

This procedure can be continued for higher order nonlinearities, $n=3, 4, \dots$ etc.

3.3. Model Structure Determination

The sequential construction of the model starting with the linear terms, followed by the quadratic terms, and so on as described in the previous subsections forms the basis of the solution. But in practice only a few of the numerous possible candidate linear, quadratic, cubic etc. terms will be relevant. It is therefore important, when no *a priori* information is available regarding the continuous time model, to be able to select significant model terms at each stage of the model reconstruction. This can be achieved using a modification of the orthogonal least squares method (OLS) (Billings, et al. 1988).

Consider a system expressed by the linear-in-the-parameters model

$$z = \sum_{i=1}^M \theta_i p_i + \varepsilon \quad (28)$$

where $\theta_i, i = 1, \dots, M$ are unknown parameters.

Reformulating equation (28) in the form of an auxiliary model yields

$$z = \sum_{i=1}^M g_i w_i + \varepsilon \quad (29)$$

where $g_i, i = 1, \dots, M$ are auxiliary parameters and $w_i, i = 1, \dots, M$ are constructed to be orthogonal over the data record such that

$$\sum_{t=1}^N w_j(t)w_{k+1}(t) = 0, \quad j = 0, 1, \dots, k \quad (30)$$

where N is the length of the data record.

Multiplying the auxiliary model (29) by itself, using the orthogonal property (30) and taking the time average gives

$$\frac{1}{N} \sum_{t=1}^N z^2(t) = \frac{1}{N} \sum_{t=1}^N \left\{ \sum_{i=0}^M g_i^2 w_i^2(t) \right\} + \frac{1}{N} \sum_{t=1}^N \varepsilon^2(t) \quad (31)$$

Finally define

$$ERR_i = \frac{\sum_{t=1}^N g_i^2 w_i^2(t)}{\sum_{t=1}^N z^2(t) - \frac{1}{N} \left\{ \sum_{t=1}^N z(t) \right\}^2} \times 100 \quad (32)$$

for $i = 1, 2, \dots, M$. The quantity ERR_i is called the Error Reduction Ratio and provides an indication of which terms should be included in the model in accordance with the contribution each term makes to the energy of the dependent variable. Terms with associated ERR values which are less than a pre-defined threshold value (e.g., 0.01) can be considered to be insignificant and negligible.

However, this idea cannot be applied directly to the iterative identification procedures described in section 3. In general the result of the first iteration will be biased and this will not give the correct significance of each term. Some modification must therefore be made when implementing OLS in this particular application. Simulations suggest that the best solution to this problem is to begin with an overparameterized model structure. When the parameters of this model converge, the terms where the ERR values are below the threshold are then eliminated. Finally re-estimate the parameters for this reduced model structure and hence obtain the final coefficients. This idea is illustrated in the following simulation example.

The selection of the order of the filters $\hat{F}(\cdot)$ and $\hat{F}_2(\cdot, \cdot)$ is also important, and the OLS algorithm can also be used to determine these orders.

4. Simulation Example

Consider the non-linear system

$$1 y + 0.002 Dy + 0.0001 D^2 y - 1 u + 0.1 y^2 - 0.006 yDy = 0 \quad (33)$$

This model was simulated using MATLAB. The input signal was chosen to be a random sequence with amplitude ± 1 , and 1000 input-output data were collected after sampling at 400HZ. A white noise was then added to the output to give a SNR of 20dB.

4.1. NAMAX Identification

The first step in the identification procedure is to identify a NARMAX model of the system. An enlarged model structure was used to represent the system, and after passing all the model validation tests (Billings and Voon, 1986) the final model was obtained as:

$$\begin{aligned}
y(k) = & 0.22099y(k-1) - 0.28266y(k-8) + 0.00073y(k-2) + 0.11415u(k-2) \\
& + 0.13593u(k-3) + 0.16375u(k-5) + 0.09909y(k-3) + 0.13737u(k-4) \\
& + 0.02375y(k-3)y(k-8) + 0.08582y(k-9) + 0.13896u(k-7) + 0.04719u(k-1) \\
& - 0.34567y(k-12) + 0.11822u(k-6) - 0.0840y(k-7)y(k-9) + 0.13378y(k-1)y(k-2) \\
& + 0.09797u(k-8) + 0.08407u(k-9) - 0.06159y(k-13) + 0.07489u(k-10) \\
& - 0.09918y(k-10)y(k-11) + 0.03417u(k-11) - 0.09156y(k-11) + 0.1092y(k-5) \\
& + 0.08644y(k-10) + 0.10144y(k-7)y(k-15) - 0.10199y(k-9)y(k-14) \\
& + 0.01344u(k-12) - 0.02788y(k-16) - 0.09730y(k-2)y(k-8) + \Theta_{\xi} + \xi(k)
\end{aligned} \tag{34}$$

where Θ_{ξ} represents the noise model terms. Discarding the noise model terms Θ_{ξ} which were included to ensure unbiased process model parameters and $\xi(k)$ in equation (34), $H_1(z)$ and the asymmetric form of $H_2(z_1, z_2)$ can be computed directly from the parameters of the NARX model as

$$\begin{aligned}
H_1(z) = & \frac{[0.04719z^{-1} + 0.11415z^{-2} + 0.13593z^{-3} + 0.13737z^{-4} + 0.16375z^{-5} + 0.11822z^{-6} \\
& + 0.13896z^{-7} + 0.09797z^{-8} + 0.08407z^{-9} + 0.074886z^{-10} + 0.03417z^{-11} + 0.01344z^{-12}]}{[1 - 0.22099z^{-1} - 0.00073z^{-2} - 0.09909z^{-3} - 0.10916z^{-5} + 0.28266z^{-8} \\
& + 0.08582z^{-9} - 0.08644z^{-10} + 0.09156z^{-11} + 0.34567z^{-12} + 0.06159z^{-13} + 0.02788z^{-16}]}
\end{aligned} \tag{35}$$

and

$$\begin{aligned}
H_2^{asym}(z_1, z_2) = & H_1(z_1)H_1(z_2) \cdot \\
& \frac{[0.02375z_1^{-3}z_2^{-8} - 0.0840z_1^{-7}z_2^{-9} + 0.13378z_1^{-1}z_2^{-2} - 0.09918z_1^{-10}z_2^{-11} + 0.10144z_1^{-7}z_2^{-15} \\
& - 0.10199z_1^{-9}z_2^{-14} - 0.09730z_1^{-2}z_2^{-8}]}{[1 - 0.22099(z_1 + z_2)^{-1} - 0.00073(z_1 + z_2)^{-2} - 0.09909(z_1 + z_2)^{-3} - 0.10916(z_1 + z_2)^{-5} \\
& + 0.28266(z_1 + z_2)^{-8} + 0.08582(z_1 + z_2)^{-9} - 0.08644(z_1 + z_2)^{-10} + 0.09156(z_1 + z_2)^{-11} \\
& + 0.34567(z_1 + z_2)^{-12} + 0.06159(z_1 + z_2)^{-13} + 0.02788(z_1 + z_2)^{-16}]
\end{aligned} \tag{36}$$

The non-linear differential equation model can now be constructed sequentially. Just the linear model terms are identified first, followed by the quadratic non-linear terms and so on. At each step the algorithm determines the appropriate model terms and produced estimates of the unknown parameters.

4.2 Linear Term Reconstruction

A total of 500 $\hat{H}_1(z)$ data points with $z = e^{st}$ were generated in equation (35) choosing $s = [t_1, jt_2]$ where t_1, t_2 were selected as random points over 0~500.

An initial overparameterized structure was used with 5 linear input terms and 3 linear output terms. The results using the iteration procedure in section 3.1 are listed in Table 1. The ERR values obviously suggest that the extra terms D^4y, D^3y, Du and D^2u can be removed from the model structure. Eliminating these terms and re-applying the estimator provided the final results in Table 2. A comparison of the results in Table 1 and 2 shows that the estimates from the first iteration were biased as expected.

Terms	D^4y	D^3y	D^2y	Dy	u	Du	D^2u
Estim's	3.12e-10	2.885e-9	1.03e-4	1.891e-3	-0.961	-7.23e-5	-1.83e-6
ERR(%)	2.99e-3	2.23e-7	26.99	1.107	71.90	4.70e-5	5.63e-4

Table 1. Initial identification results based on an overparameterised model structure for the linear term reconstruction

Terms	D^2y	Dy	u
Estim's of 1st itera	7.5832e-05	1.8424e-3	-0.84392
Estim's converged	0.00009951	0.0019168	-0.96325
True value	0.0001	0.002	-1.00
ERR(%)	63.8562	1.7937	34.3461

Table 2. Final linear term identification

The order of the filter $\hat{F}(s)$ was determined based on the ERR values obtained when estimating the filter $\hat{F}(s)\hat{E}_1(s) = \hat{\xi}_1(s)$. When the order was set to be 10, the sum of the ERR values was 99.992% suggesting that the order of the filter was adequate and $\hat{F}(s)\hat{E}_1(s)$ should be white. Figure 1 shows a comparison of the autocorrelation of the true $N_1(s)$ and the estimated $\hat{N}_1(s)$. Figure 2 shows the autocorrelation of the estimated $\hat{E}_1(s)$ and the estimated $\hat{\xi}_1(s) = \hat{F}(s)\hat{E}_1(s)$. It can be seen that $\hat{E}_1(s)$ has been reduced to white $\hat{\xi}_1(s)$ by the operation of the filter $\hat{F}(s)$.

4.3 Non-linear Term Reconstruction

The data points were generated from equation (36) with $z_1 = e^{-s_1T}$, $z_2 = e^{-s_2T}$ along $s_1, s_2 = [t_{11}, jt_{22}]$ where t_{11}, t_{22} are random points between 0~220. A total of 70 points were chosen along both axes. Initially an overparameterised non-linear model with model terms y^2 , yDy , $DyDy$ and yu was used. Applying the iterative procedure in section 3.2 and retaining the two most significant terms produced the results illustrated in Table 3. The sum of ERR values of 99.655% implies that the terms y^2 and yDy are sufficient to represent the non-linear phenomena.

Term	Estim's of 1st itera	Estim's converged	True value	ERR(%)
y^2	0.0794	0.0990	0.1	17.184
yDy	-0.0056	-0.0055	-0.006	82.471
SUM (ERR)%				99.655

Table 3. Final quadratic non-linear term identification




Fig 1. Autocorrelation test of $N_1(s)$ (upper)
and $\hat{N}_1(s)$ (lower)




Fig 2. Autocorrelation test of $\hat{E}_1(s)$ (upper)
and $\hat{\xi}_1(s)$ (lower)

5. Identification of an Electromagnetic Suspension System

The data used in this example was collected from a energy-store unit for an electrically-driven car. The main component in this unit is the electromagnetic suspension system illustrated in Figure 3. It is known that a quadratic nonlinearity usually relates the force F_n and the input currents i_n , $n = 1,2$ in Figure 3. A continuous time model is required for this system so that the designers can relate the system components to the model and to produce more insight for subsequent controller design studies. The block diagram of the experimental set up is illustrated in Figure 4, where $r(t)$ is a random signal that was added for the purpose of identification. The output $x(t)$ and the input $i(t)$ were measured, as shown in Figure 5, at the sampling time interval 1.5×10^{-4} seconds.

The input-output data was decimated to give an effective sampling time interval of 4.5×10^{-4} seconds. A quadratic NARMAX model with only output non-linear terms was identified.

The identified NARX and non-linear continuous time model contained many terms and will not be listed to save space. But a comparison of the linear part of the reconstructed continuous time model and the NARX model is illustrated in Figure 5 and this shows that the mapping on the imaginary and the real axis are recovered with very little error. Figure 6 shows the comparison of the quadratic non-linear frequency response of the reconstructed continuous time model and the NARX model. Finally a comparison of the measured output and the simulated output from the reconstructed continuous time model with the same input signal at the original sampling interval of 1.5×10^{-4} seconds is illustrated in Figure 7. This comparison is only possible because the continuous time model can be simulated for any sample interval.




Fig 3. Schematic diagram of the electromagnet system




Fig 4. Block diagram of the controlled system




Fig5. Comparison of linear part of the reconstructed continuous time model and the NARX model for the electromagnetic suspension system: upper -comparison along the imaginary axis (solid- NARX , dashed-Continuous); lower- comparison along the real axis (solid-NARX, dashed-Continuous)




Fig 6. Comparison of quadratic frequency response of the reconstructed continuous time model and the NARX model for the electromagnetic suspension system: upper--from NARX; lower-- from the identified continuous time model




Fig 7. A comparison of the measured output and the simulated output from the reconstructed continuous time model for the electromagnetic suspension system at the original sampling interval

6. Conclusions


A new algorithm for reconstructing linear and non-linear differential equation models from sampled data by identifying a non-linear difference model has been proposed as a practical means of implementing the Kernel Invariance procedure. It has been shown that by combining the procedures of Generalised Least Squares, with the orthogonal estimator and the error reduction ratio that the parameters and the structure of non-linear differential equation models can be identified without the need to compute higher order derivatives of noisy data.

Acknowledgements:

SAB gratefully acknowledges that part of this work was sponsored by EPSRC. LL gratefully acknowledges financial support from an ORS award and a scholarship from the University of Sheffield. We would also like to thank Mr. Z. Wu of the Department of EEE, University of Sheffield for the data associated with the electromagnetic suspension system.

References:

- Billings, S.A., Korenberg, M.J., and Chen, S., 1988, Identification of non-linear output-affine systems using an orthogonal least-squares algorithm, *Int. J. Systems Science*, Vol. 19, pp. 1559-1568.
- Billings, S.A. and Peyton Jones, J.C. (1990). Mapping nonlinear integro-differential equation into the frequency domain, *Int. J. Control*, Vol 52, No. 4, pp. 863-879.
- Billings, S.A. and Voon, W.S.F. (1986), Correlation based model validity test for non-linear models, *Int. J. Control*, Vol 44, No. 1, pp. 235-244.
- Clarke, D.W (1967). Generalised least squares estimation of the parameters of a dynamic model, IFAC symposium, System identification, Prague, pp1-11.
- Jiang, Z.H and Schaufelberger, W, A new algorithm for SISO system identification via block-pulse functions. *Int. J. Syst. Sci*, Vol 16, pp. 1556-1571.
- Hornig, I.R. and Chou, J.H. (1985) Analysis, parameter-estimation and optimal-control of time-delay systems via Tschebyschef series. *Int.J.Control*, Vol. 41, No.5, pp.1221-1234.
- Hwang, C, and Shih Y.P, (1982) Parameter identification via Laguerre polynomials, *Int.J.Control*, Vol. 13, No.2, pp.209-217.
- Oppenheim, A.V. and Schaffer, R.W. (1975). *Digital Signal Processing*. Prentice-Hall, Englewood Cliffs, NJ.
- Paraskevopoulos, P.N. (1985), Legendre series approach to identification and analysis of linear systems. *IEEE Trans. on Automat. Control*, Vol. 30, No. 6, pp585-589.
- Pearson, A.E. and F.C Lee, (1985a) On the identification of polynomial input-output differential system. *IEEE Trans. Automat. Control* AC-30, pp778-782. (1985b) Parameter identification of linear differential system via Fourier-based modulating functions. *Control Theory Adv. Technol.* Vol. 1, No. 4, pp239-266.
- Sanathanan, C.K. and Koerner, J. (1963) Transfer function synthesis as a ratio of two complex polynomials. *IEEE Trans. on Automat. Control*, AC-8, pp56-58.
- Swain, A.K. and Billings, S.A. (1998). Weighted complex orthogonal estimator for identifying linear and non-linear continuous time models from generalised frequency response functions, *Mech. Systems and Signal Processing*, Vol. 12, No. 2, pp. 269-292.
- Tsang, K.M. and Billings, S.A. (1992). Reconstruction of Linear and Non-linear Continuous Time models from Discrete Time Sampled Data Systems, *Mech. Systems and Signal Processing*, Vol.6, No.1, pp.69-84.



Unbehauen, H and Rao, G.P.(1990), Continuous-time approaches to system identification-A survey, Automatic, Vol. 26, No. 1, pp. 23-35.

Whitefield, A.H.(1986), Transfer Function Synthesis Using Frequency Response data, Int.J.Control, Vol. 43, No.5, pp.1413-1426.

Young, P.C.(1981), Parameter estimation for continuous-time models--A survey, Automatica, Vol. 17, pp. 23-29.

Zhao, X and Marmarelis, V.Z.(1997), On the relation between continuous and discrete nonlinear parametric models, Automatica, Vol.33, No.1, pp.81-84.

Zhao, Z.Y., Sagara, S. and Wada, K. (1991) Bias-compensated least squares method for identification of continuous-time system from sampled data, Int.J.Control, Vol. 53, No.2, pp.445-461.