



This is a repository copy of *Identification of Coupled Map Lattice Models for Spatio-Temporal Patterns Using Wavelets*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/84947/>

Monograph:

Billings, S.A., Guo, L.Z. and Wei, H.L. (2003) Identification of Coupled Map Lattice Models for Spatio-Temporal Patterns Using Wavelets. Research Report. ACSE Research Report 848 . Department of Automatic Control and Systems Engineering

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

x

Identification of Coupled Map Lattice Models for Spatio-Temporal Patterns Using Wavelets

S. A. Billings, L.Z. Guo, H L Wei



Research Report No. 848

Department of Automatic Control and Systems Engineering
The University of Sheffield
Mappin Street, Sheffield,
S1 3JD, UK

October 2003



Identification of coupled map lattice models for spatio-temporal patterns using wavelets

Billing, S. A., Guo, L. Z. and Wei, H. L.

Department of Automatic Control and Systems Engineering
University of Sheffield
Sheffield S1 3JD, UK

Abstract

This paper introduces a new approach for the identification of coupled map lattice models of complex spatio-temporal patterns from measured data. The nonlinear functionals describing the evolution of the spatio-temporal patterns are constructed using B-spline wavelet and scaling functions. This provides a multiresolution approximation for the underlying spatio-temporal dynamics. An orthogonal least squares algorithm is used to determine the suitable terms from wavelet functions to form an accurate representation of the nonlinear spatio-temporal dynamics. Two examples are used to demonstrate the application of the proposed new approach.

1 Introduction

Complex spatio-temporal patterns have been widely observed and explored in recent years involving diverse fields such as physical, chemical, biological, and ecological systems (Kaneko 1993, Sole, Valls and Bascompte 1992, Yanagita and Kaneko 1997, Tabuchi, Yakawa and Mallick et al. 2002, Kohler, Reinhard and Huth 2002, Bertram, Beta, Rotermund, and Ertl 2003, Goldman, et al. 2003, Adamatzky 2003). A large number of current studies of pattern formation phenomena involve observing what patterns are formed or changed under a variety of initial and boundary conditions. But an interesting and important question needs to be addressed: if an observed pattern formation follows some dynamical laws, then how can this dynamical origin be revealed effectively? In some instances, the dynamical origin of spatio-temporal pattern formation can be represented as partial differential equations (PDE's). But in many other cases such as for example in ecological systems, only a series of snapshots of the spatial pattern are available. At the same time, the study of the formation and evolution of spatio-temporal patterns normally requires a model with a specified accuracy. In both cases, however, obtaining or deriving such a dynamical model or PDE describing the pattern formation is by no means straightforward

because either the interactions involved are too complex or there maybe no established laws on which to base the choice of the model. In this case, it would be advantageous if a model could be identified from the observed patterns. The model could then be used for the analysis of pattern formation or in control.

Computer simulations have emerged as an effective and powerful tool to study complex spatio-temporal patterns. In such cases the spatio-temporal dynamical systems by necessity are discretised in space as well as in time. This was one of the main motivations for the introduction of coupled map lattice (CML) models of spatio-temporal systems. CML models were developed in the late 80's by Kaneko (1985, 1986, 1989a) and can exhibit surprisingly rich dynamical behaviours, including spatio-temporal chaos, intermittency, traveling waves and pattern formation (Kaneko 1989b). CML's have been used to model convected temperature fluctuations in the atmosphere (Platt and Hammel 1997), boiling processes (Yanagita 1992), spatio-temporal chaos in fluid flows (He, Cao and Li 1995) and cloud dynamics (Yanagita and Kaneko 1997). But most of the studies of CML's mainly concentrate on analysing the properties and behaviours of CML's such as chaos. Just like the case of PDE's, the identification of CML models from observations or measured data is still regarded as a very important but difficult problem. The aim of this paper is to introduce a new approach to identifying the local CML equations from spatio-temporal observations using wavelets.

Various methods for the identification of local CML models from spatio-temporal observations have already been proposed (Coca and Billings 2001, Mandelj, Grabec and Govekar 2001, Marcos-Nikolaus, Martin-Gonzalez and Sólé 2002, Grabec and Mandeji 1997, Parlitz and Merkwirth 2000). In practice however, some of these approaches may fail to produce models that accurately describe the underlying spatio-temporal patterns either due to an inability to adapt the model structure to that of the unknown system, or because the functions used to implement the model structure are not suitable for modelling the underlying dynamics. This is especially critical when an equivalent description of real-world systems is sought. In such cases the estimated model should provide very accurate information regarding the dynamical properties of the observed system. Theoretical studies have shown that the wavelet representation of any nonlinear function can be shown to be asymptotically near optimal in the sense that the convergence rates are equal to the best attainable using general nonlinear approximation schemes (DeVore, Jawerth, and Popov 1992). In addition wavelet approximations also provide similar rates of approximation for functions belonging to a wide variety of function spaces including functions with sparse singularities or functions that are not uniformly smooth or regular. All these properties suggest that wavelet multiresolution expansions should provide an excellent foundation for the development of identification algorithms for nonlinear CML models.

A mixed wavelets and NARX approach to the identification of nonlinear spatio-temporal dynamical systems has been discussed in Billings, Wei, Mei, and Guo (2003). In this paper, wavelets, as regressors, are directly used to identify the CML models, which drive spatio-temporal pattern formation, from measured data or snapshots for the purpose of revealing the dynamical origin of the given patterns. The nonlinear functionals describing the evolution of the spatio-temporal patterns are constructed using B-spline wavelet and scaling functions, originally introduced by Chui and Wang (1991). The orthogonal least squares algorithm proposed by Chen, Billings, and Luo (1989) is used to determine the suitable terms from B-spline wavelet and scaling functions.

The paper is organised as follows. Section 2 introduces the CML model of spatio-temporal dynamical systems. The wavelet models are introduced in section 3 including an introduction to wavelets and a discussion about wavelet model structures. In section 4, the identification method and the implementation strategy are presented. Section 5 illustrates the proposed approach using two examples. Finally conclusions are drawn in section 6.

2 The CML model

Consider a d -dimensional lattice I consisting of the set of all integer coordinate vectors $i = (i_1, \dots, i_d) \in \mathbf{Z}^d$. The deterministic CML state-space model of spatio-temporal dynamical systems defined over I is of the following form (Coca and Billings 2001)

$$x_i(t) = f_i(x_i(t-1), u_i(t-1)) + f_c(x_i(t-1), u_i(t-1), \mathbf{s}^m x_i(t-1), \mathbf{s}^m u_i(t-1)) \quad (1)$$

where $x_i(t) \in X_i \subset \mathbf{R}^n$ and $u_i(t) \in U_i \subset \mathbf{R}^l$, X_i and U_i are open sets, n and l -dimensional vectors representing the local state and input variables respectively at the i th site in I , and f_i and f_c are piecewise differentiable maps. \mathbf{s}^m is a spatial shift operator, which is defined as

$$\mathbf{s}^m = (s^{p_1}, s^{p_2}, \dots, s^{p_m}) \quad (2)$$

such that

$$\mathbf{s}^m x_i(t) = (s^{p_1} x_i(t), s^{p_2} x_i(t), \dots, s^{p_m} x_i(t)) = (x_{i+p_1}(t), x_{i+p_2}(t), \dots, x_{i+p_m}(t)) \quad (3)$$

where p_1, p_2, \dots, p_m are the indices of the neighbours of the i th site - that is the region in I around the i th site, which influences the dynamics of that particular site.

The CML model (1) can also be written, in terms of the global state and input variables $x = \{x_i\}_{i \in I} \subset X = \prod_{i \in I} X_i$ and $u = \{u_i\}_{i \in I} \subset U = \prod_{i \in I} U_i$, as follows

$$x(t) = f(x(t-1), u(t-1)) \quad (4)$$

where $f : X \times U \rightarrow X$ is the function sequence $f = \{f_i\}_{i \in I}$ with $f_i = f_i + f_c$ and $i = \{i_1, \dots, i_d\} \in I$.

In general, the direct measurement of the state vector x is not possible and only some observable variable y which depends on the state and input can be measured. Therefore, the state-space model of the CML is usually complemented with a measurement equation

$$y_i(t) = h_i(x(t)) \quad (5)$$

Here it is assumed that the lattice equations are spatially invariant over the observed spatial domain. This implies that the difference equations corresponding to each lattice site or location are the same for all lattice sites. Generally it is also assumed that the following input-output representation

$$y_i(t) = g(\mathbf{q}^{n_y} y_i(t), \mathbf{q}^{n_u} u_i(t), \mathbf{s}^{m'} \mathbf{q}^{n_y} y_i(t), \mathbf{s}^{m'} \mathbf{q}^{n_u} u_i(t)) \quad (6)$$

can be derived for any site from (1) and (5). In (6), \mathbf{q} is a backward shift operator such that

$$\mathbf{q}^{n_y} y_i(t) = (y_i(t-1), y_i(t-2), \dots, y_i(t-n_y)) \quad (7)$$

A number of sufficient conditions which ensure that this can be found are given in Billings and Coca (2002) and Guo, Mei and Billing (2002).

Many spatio-temporal patterns can be generated from the above CML model (6). Two typical examples are the reaction-diffusion processes and predator-prey populations in ecosystems. CML models of both types of systems will be identified using the proposed method later on in this paper.

Note that in eqn. (6) g is generally a nonlinear differential map depending on the history of local input and output variables, and on the variables at some neighbouring sites. If g is unknown then the nonlinearity of g makes it difficult to apply traditional identification techniques. It is common practice to approximate nonlinear input-output equations from the available data using a known set of basis functions or regressors. Typical classes of regressors used in nonlinear identification include polynomial and rational functions, Gaussian radial basis functions and wavelets. In this paper, wavelets are chosen as basis functions to approximate the CML model (6).

3 Wavelet models

3.1 Wavelets for identification

The approximating properties of wavelet multiresolution expansions in many situations outperform many other approximation schemes (DeVore et al. 1992). Because of the space-frequency localisation properties of the functions involved, wavelets are ideal candidates to represent spatial model structures which can match the complexity of the underlying nonlinear relationship without the risk of overfitting. The advantage in this case is that the approximation can be refined locally over a subregion in the input domain without affecting the model elsewhere too much.

In practice, a multiresolution approximation can be implemented using different types of wavelet and scaling basis functions, the class usually depends on the applications. For nonlinear system identification, the class of semi-orthogonal wavelet multiresolution approximation introduced by

Chui and Wang (1992), defined in terms of B-spline scaling and wavelet basis functions are particularly suitable. The main reasons are that B-spline wavelets are compactly supported and analytic which provide near-optimal time-frequency localisation. Moreover, a comparative study of the approximation power of some classes of wavelet decompositions (Sweldens and Piessens 1994) emphasized that B-spline wavelets are by far the best in terms of the approximation rate. Practically this means that fewer resolution levels are required to approximate a function with a given degree of accuracy. Since each extra level doubles the amount of work, the selection of wavelets is clearly important.

3.2 B-spline wavelet models

Consider a wavelet multiresolution approximation structure which allows the representation of a square-summable function $f(\cdot)$ as a series expansion in terms of the translates and dilates of a scaling and a wavelet basis function $\phi(x)$ and $\psi(x)$

$$f(x) = \sum_k c_{j,k} \phi_{j,k}(x) + \sum_{l=j}^{\infty} \sum_k d_{l,k} \psi_{l,k}(x) \quad (8)$$

where $c_{j,k}$ and $d_{l,k}$ are the coefficients of the expansion, $\phi_{j,k}(x) = 2^{j/2} \phi(2^j x - k)$ and $\psi_{l,k}(x) = 2^{l/2} \psi(2^l x - k)$. In (8) j is an integer representing the scale while k is the translation parameter, an integer indicating the location of the basis function.

The scaling basis function considered in this paper is the m -th order cardinal B-spline function $\phi(x) = \phi^m(x) = \beta^m(x)$ given by the recursive relation

$$\beta^m(x) = \frac{x}{m-1} \beta^{m-1}(x) + \frac{m-x}{m-1} \beta^{m-1}(x-1) \quad (9)$$

where $\beta^1(x)$ is the indicator function

$$\beta^1(x) = \begin{cases} 1 & \text{if } x \in (0, 1) \\ 0 & \text{otherwise} \end{cases} \quad (10)$$

The wavelet function is defined as a linear combination of scaling functions

$$\psi^m(x) = \sum_{l=0}^{3m-2} q_l \phi^m(2x-l) \quad (11)$$

with the coefficients given by

$$q_l = \frac{(-1)^l}{2^{m-1}} \sum_{k=0}^m \binom{m}{k} \phi^{2m}(l-k+1), \quad l = 0, \dots, 3m-2 \quad (12)$$

The wavelet model of the input-output CML equation (6) can be obtained by expanding the nonlinear function g as a multiresolution wavelet series in terms of the B-spline scaling and wavelet functions as follows

$$y_i(t) = g(X) = \sum_{j,k} \theta_{j,k} g_{j,k}(X), \quad j, k \in \mathbf{Z} \quad (13)$$

where

$$X = (\mathbf{q}^{n_y} y_i(t), \mathbf{q}^{n_u} u_i(t), \mathbf{s}^{m'} \mathbf{q}^{n_y} y_i(t), \mathbf{s}^{m'} \mathbf{q}^{n_u} u_i(t)) \quad (14)$$

is the vector of regression variables consisting of past outputs, inputs, coupling variables from the neighbouring sites, $\theta = \{\theta_{j,k}, j, k \in \mathbf{Z}\}$ is the parameter vector and $g = \{g_{j,k}\}_{j,k \in \mathbf{Z}}$ represents the model set, the family of scaling and wavelet basis functions (or regressors) doubly indexed according to scale and location.

Note that if $X = x$ is a scalar, then

$$\{g_{j,k}(x)\} = \{\phi_{j_0,k}(x), \psi_{j,k}(x)\}, \quad j \geq j_0, j, k \in \mathbf{Z} \quad (15)$$

where $\phi(x) = \phi^m(x) = \beta^m(x)$ and $\psi(x) = \psi^m(x)$ for some positive integer m are the B-spline scaling and wavelet functions given in (9) and (11) and j_0 is the starting scale. Multi-variable bases can be constructed using the tensor product method. A d -dimensional multi-resolution approximation can be implemented using the basis functions $\{\Phi(x)\}$ and $\{\Psi^{(l)}(x)\}_{l=1, \dots, 2^d-1}$ constructed as tensor products of scalar basis functions. Assuming $X = \{x_1, x_2\}$ for example, the multiresolution decomposition can be implemented in terms of the translation and dilations of the following two-dimensional basis functions

$$\begin{aligned} \Phi(X) &= \phi(x_1)\phi(x_2) \\ \Psi^{(1)}(X) &= \phi(x_1)\psi(x_2) \\ \Psi^{(2)}(X) &= \psi(x_1)\phi(x_2) \\ \Psi^{(3)}(X) &= \psi(x_1)\psi(x_2) \end{aligned} \quad (16)$$

In this case

$$\{g_{j,k}(X)\} = \{\Phi_{j_0,k}(X), \Psi_{j,k}^{(1)}(X), \Psi_{j,k}^{(2)}(X), \Psi_{j,k}^{(3)}(X)\}, \quad j \geq j_0, j, k \in \mathbf{Z} \quad (17)$$

4 Identification algorithm

In theory, the wavelet multiresolution approximation is an infinite series expansion. In practice, however, it is not realistic to use all the terms in this infinite series expansion. Generally the objective of the identification algorithm is to obtain a truncated finite representation containing the terms up to some orders of scaling and dilation. Therefore the identified CML model will be an approximate representation of the underlying spatio-temporal dynamics, which can be equivalently described as an infinite wavelet series. Although this is a finite approximation representation, in practice, it can be made to approximate the underlying dynamics at any given accuracy. Note that the key task of the identification algorithm is to select the desirable terms for the final representation from a given set of candidate terms $\{g_{j,k}(X)\}_{j,k \in \Omega}$. In this paper, the orthogonal least squares algorithm (Chen, Billing, and Luo 1989) is employed to implement the selection task. Based on the algorithm, the iterative identification procedure can be outlined as follows

Step 1 Determine the spatial neighbourhood sites (represented by $s^{m'}$) of the i th site.

Step 2 Select the time lags n_y and n_u , then the process variables involved in the identification is

$$\{s^{m'} y_i(t-1), \dots, s^{m'} y_i(t-n_y), s^{m'} u_i(t-1), \dots, s^{m'} u_i(t-n_u)\} \quad (18)$$

For above each process variable initialise the following parameters

- the order of B-spline wavelet and scaling functions used to implement the model;
- the starting resolution;
- the number of resolutions.

Step 3 Apply the orthogonal least squares algorithm to obtain the terms and parameters of the CML model (wavelets as regressors).

Step 4 Apply model validity test to evaluate the model. If no valid models are found, then the set of candidate terms is refined in the following way

- select the resolution just one order higher than the current used;
- increase the order of B-spline functions;
- add higher dimensional terms to the set of candidate terms.

If data is available from more sensors than the minimum required to extract the CML equations, the additional measurements can be used in model validation. The CML model identified using a set of data from a given spatial site can be validated on data recorded at different spatial locations by computing the model predicted output

$$\hat{y}_j(t) = \bar{g}(\mathbf{q}^{n_y} \hat{y}_j(t), \mathbf{q}^{n_u} u_j(t), \mathbf{s}^{m'} \mathbf{q}^{n_y} \hat{y}_j(t), \mathbf{s}^{m'} \mathbf{q}^{n_u} u_j(t)) \quad (19)$$

Model predicted output is a much more rigorous test than one step ahead predicted outputs which most authors use.

Note that in the above identification procedure, the spatial neighbourhood sites (represented by $s^{m'}$) of the identified site and the time lags (n_y, n_u) need to be known *a priori*. In other words, the neighbourhood of the identified site, that is, the region around that site which influences the dynamics of that site in the spatial domain and the time domain need to be known before starting the identification. In practice, these two factors are important in determining the spatio-temporal dynamics of the underlying system. Determining which site and what time lag should be included in the model structure is therefore very important in CML identification. This problem has been studied by Guo, Mei, and Billings (2002).

5 Simulation studies

5.1 Example 1 - Linear Diffusion Equation

Consider the following diffusion equation

$$\frac{\partial^2 v(t, x)}{\partial t^2} - C \frac{\partial^2 v(t, x)}{\partial x^2} = u(t, x), x \in [0, 1] \quad (20)$$

with initial conditions

$$\begin{aligned} v(0, x) &= 0 \\ \frac{dv(0, x)}{dt} &= 4\exp(-x) + \exp(-0.5x) \end{aligned} \quad (21)$$

where

$$u(t, x) = -13\exp(-x)\cos(1.5t) - 9.32\exp(-0.5x)\cos(2.1t) \quad (22)$$

For $C = 1.0$ the exact solution $v(t, x)$ of the initial value problem (20), (22) is

$$\begin{aligned} v(t, x) &= 4\exp(-x)\cos(1.5t) + 2\exp(-0.5x)\cos(2.1t) \\ &\quad - 4\exp(-x)\exp(-t) - 2\exp(-0.5x)\exp(-0.5t) \end{aligned} \quad (23)$$

The measurement function was taken as

Terms	Estimates	ERR	STD
$\phi_{0,0}(y_i(t-1))$	3.2293e-01	9.9576e-01	3.9659e-02
$\phi_{0,0}(u_i(t-1))$	-8.3119e-03	1.6033e-05	3.9600e-02
$\phi_{0,0}(y_{i-1}(t-1))$	3.7405e-01	9.9002e-04	3.4647e-02
$\phi_{0,0}(y_{i-1}(t-2))$	2.0120e-01	2.1336e-04	3.3483e-02
$\phi_{0,0}(y_i(t-2))$	1.0362e-01	3.0315e-05	3.3314e-02
$\phi_{0,0}(u_i(t-2))$	1.1808e-02	6.7397e-07	3.3310e-02

Table 1: Example 1: The terms and parameters of the final CML model

$$y(t, x) = v(t, x) \quad (24)$$

The reference solution was sampled at 15 equally spaced points over the spatial domain $\Omega = [0, 1]$, $x = \{x_1, \dots, x_{21}\}$. From each location, 500 input/output data points sampled at $\Delta t = \pi/100$ were generated. Note that all data were normalised to the interval $(0, 1)$. The data are plotted in Fig.(1).

In this simulation, the neighbourhood was selected to be $i-1$ and $i+1$ in the spatial domain and $t-1, t-2$ in the time domain. The identification data consisted of the first 30 data points of input/output data $u_i(t), y_i(t)$ at site $i=3$. In addition, 30 input and output data $u_i(t), y_{i-1}(t)$ and $y_{i+1}(t)$ from neighbouring locations $i-1, i+1$ acted as inputs during the identification. The identified model using the forward regression orthogonal least squares algorithm with the following parameters: the order of B-spline is 2, initial scale is 0, and the maximal resolution is 3 for all variables, is listed in Table (1), where ERR denotes the Error Reduction Ratio (Chen, Billings, and Luo 1989) and STD denotes the standard deviations.

The model predicted output is plotted in Fig.(2), which shows very good agreement between the exact solution and the CML model output.

5.2 Example 2 - Predator-prey populations in ecosystems

Consider the following spatio-temporal evolution of interacting populations on a two-dimensional coupled map lattice (Sóle, Valls and Bascompte 1992, Coca and Billings 2001)

$$\begin{aligned} x_i(t) &= \mu x_i(t-1)(1-x_i(t-1))\exp(-\beta y_i(t-1)) + D_1 \nabla^2 x_i(t-1) \\ y_i(t) &= x_i(t-1)(1-\exp(-\beta y_i(t-1))) + D_2 \nabla^2 y_i(t-1) \end{aligned} \quad (25)$$

which $i = (i_1, i_2) \in Z^2$ and the coupling is given by a discrete diffusion operator, i.e.




Figure 1: Example 1: System output




Figure 2: Example 1: Model predicted output

$$\begin{aligned}
\nabla^2 x_{i_1, i_2} &= x_{i_1-1, i_2} + x_{i_1+1, i_2} + x_{i_1, i_2-1} + x_{i_1, i_2+1} - 4x_{i_1, i_2} \\
\nabla^2 y_{i_1, i_2} &= y_{i_1-1, i_2} + y_{i_1+1, i_2} + y_{i_1, i_2-1} + y_{i_1, i_2+1} - 4y_{i_1, i_2}
\end{aligned}
\tag{26}$$

This CML model describes the evolution of the host and parasitoid population on the lattice Z^2 in which $x_i = x_{i_1, i_2}$ and $y_i = y_{i_1, i_2}$ are the host and parasitoid population respectively. It has been shown (Sóle, Valls and Bascompte 1992) that this CML model is able to exhibit many interesting spatio-temporal patterns including spiral waves, chaotic and periodic dynamics under the different parameters and/or different initial conditions.

In this simulation, the measurement function used for identification was just set to be $x_i(t)$ and $y_i(t)$ for each site $i \in Z^2$ and the data used for identification was generated by simulating the CML model (26) with $\mu = 4, \beta = 5, D_1 = 0.0001, D_2 = 0.20$ for 1000 steps over a 50×50 lattice I starting from randomly generated initial populations and periodic boundary conditions. Following Sóle, Valls and Bascompte (1992), the initial condition for which both populations were randomly generated was as follows

$$\begin{aligned}
0.3 < x_i(0) < 0.4, \text{ for all } i \in I \\
0.3 < y_i(0) < 0.4, \text{ for } i \in I_0
\end{aligned}
\tag{27}$$

$I_0 = \{i_{10}, i_{20}, i_{30}, i_{40}, i_{50}\}$ being 5 randomly selected lattice sites. As stated in Sóle, Valls and Bascompte (1992), this is a situation that an initial small number of predators appearing at random positions lead to the formation of some patterns.

The identification was performed using the proposed method from a single site (10, 10) and the four nearest neighbours, namely (9, 10), (11, 10), (10, 9), (10, 11). The identification data consisted of the last 100 data points out of total 1000 input/output data points. The initial parameters were: the order of B-spline is 2, initial scale is 0 and the maximal resolution is 1 for all variables. The identified model is listed in Table (2)

The system and model predicted outputs are plotted in Fig.(3), which show that the identified CML model can reproduce the spatio-temporal patterns of the original system very well. Note that comparing with the CML model (10 terms for both equations) obtained by using polynomial regressors (Coca and Billing 2001), the resulting CML model using wavelets only contains 7 terms in the first equation, and 6 terms in the second equation. Although there are fewer terms in the model, it can be observed that the identified model and the original model can generate very similar spatio-temporal patterns under the same initial and boundary conditions. In this sense, this means that the proposed identification algorithm is more effective.




Figure 3: Example 2: System and model predicted outputs at $t = 1000$

Output	Terms	Estimates	ERR	STD
$x_{i_1, i_2}(t)$	$\phi_{0,0}(x_{i_1, i_2-1}(t-1))$	1.3998e+00	9.5837e-01	7.9858e-02
	$\phi_{0,0}(x_{i_1+1, i_2}(t-1))$	-1.7289e-01	2.6573e-02	4.6668e-02
	$\phi_{0,0}(x_{i_1, i_2}(t-1))\phi_{0,0}(y_{i_1, i_2}(t-1))$	-7.9931e-03	4.0158e-03	4.0701e-02
	$\psi_{0,0}(x_{i_1, i_2}(t-1))$	2.1287e-02	2.1820e-03	3.6745e-02
	$\psi_{0,-1}(x_{i_1, i_2}(t-1))$	-3.7536e-01	7.1279e-04	3.5296e-02
	$\phi_{0,0}(x_{i_1-1, i_2}(t-1))$	-8.7093e-02	3.1803e-04	3.4606e-02
	$\phi_{0,0}(x_{i_1, i_2+1}(t-1))$	-2.2540e-02	1.2784e-05	3.4564e-02
	$y_{i_1, i_2}(t)$	$\phi_{0,0}(y_{i_1, i_2-1}(t-1))$	1.4245e+00	9.1482e-01
$\phi_{0,0}(y_{i_1+1, i_2}(t-1))$		-2.1467e-01	4.3702e-02	4.4427e-02
$\phi_{0,0}(y_{i_1, i_2}(t-1))\phi_{0,0}(x_{i_1, i_2}(t-1))$		-8.0286e-01	1.1992e-02	3.7521e-02
$\psi_{0,0}(y_{i_1, i_2}(t-1))$		-1.1236e-02	1.1643e-03	3.6695e-02
$\phi_{0,0}(y_{i_1, i_2+1}(t-1))$		-4.2812e-02	1.1570e-04	3.6587e-02
$\phi_{0,0}(x_{i_1-1, i_2}(t-1))$		2.1707e-03	1.7294e-07	3.6586e-02

Table 2: Example 2: The terms and parameters of the final CML model

6 Conclusions

A novel approach to the identification of CML models of spatio-temporal dynamics, which is the origin of some pattern formation, has been introduced. It has been demonstrated that the B-spline wavelet multiresolution approximation method provides a powerful approximation tool for the spatio-temporal dynamics being responsible for pattern formation. It is also shown that it is possible to extract the CML model using only a small number of spatio-temporal locations. Simulation results were included to demonstrate that the new wavelet-based identification procedure can produce excellent final CML models with a significant reduction in computational resource.

7 Acknowledgement

The authors gratefully acknowledge financial support from EPSRC (UK).

References

- [1] Adamatzky, A., (2003) On patterns in affective media, *International Journal of Modern Physics C*, Vol. 14, No. 5.

- [2] Bertram, M., Beta, C., Pollmann, M., Mikhailov, A. S., Rotermund, H. H., and Ertl, G., (2003) Pattern formation on the edge of chaos: experiments with CO oxidation on a Pt(110) surface under global delayed feedback, *Phys. Rev.*, E67, No. 3, 036208.
- [3] Billings, S. A. and Coca, D., (2002) Identification of coupled map lattice models of deterministic distributed parameter systems, *Int. J. Systems Science*, Vol. 33, pp. 623-634.
- [4] Billings, S. A., Wei, H. L., Mei, S. S., and Guo, L. Z., (2003) Identification of spatio-temporal systems using multiresolution wavelet models, *Research Report, The University of Sheffield*.
- [5] Chen, S., Billings, S. A., and Luo, W., (1989) Orthogonal least squares methods and their application to non-linear system identification, *International Journal of Control*, Vol. 50, No. 5, pp. 1873-1896.
- [6] Chui, C. K. and Wang, J. Z., (1991) A general framework of compactly supported splines and wavelets, *J. Approx. Theory*, Vol. 71, pp. 263-304.
- [7] Coca, D. and Billings, S. A., (2001) Identification of coupled map lattice models of complex spatio-temporal patterns, *Phys. Lett.*, A287, pp. 65-73.
- [8] DeVore, R. A., Jawerth, B., and Popov, V., (1992) Compression of wavelet decompositions, *American Journal of Mathematics*, Vol.114, pp.737-785.
- [9] Goldman, D. I., Shattuck, M. D., Sung, J. M., Swift, J. B., and Swinney, H. L., (2003) Lattice dynamics and melting of a nonequilibrium pattern, *Phys. Rev. Lett.*, Vol. 90, No. 10, 104302.
- [10] Grabec, I. and Mandelj, S., (1997) Continuation of chaotic fields By RBFNN, in *Biological and Artificial Computation: From Neuroscience to Technology: Proc.*, Mira, J. et al. eds., Lecture Notes in Computer Science, Springer-Verlag, Vol. 1240, pp. 597-606.
- [11] Guo, L. Z., Mei, S. S., and Billings, S. A., (2002) Neighbourhood detection and identification of spatio-temporal dynamical systems using a coarse-to-fine approach, *Research Report, The University of Sheffield*, No. 828.
- [12] He, G., Cao, L., and Li, J., (1995) Convective coupled map for simulating spatiotemporal chaos in flows, *Acta Mechanica Sinica*, Vol. 11, pp. 1-7.
- [13] Kaneko, K., (1985) Spatio-temporal intermittency in couple map lattices, *Progress of Theoretical Physics*, Vol. 74, No. 5, pp. 1033-1044.
- [14] Kaneko, K., (1986) Turbulence in coupled map lattices, *Physica*, D18, pp. 475-476.
- [15] Kaneko, K., (1989a) Spatiotemporal chaos in one- and two-dimensional coupled map lattices, *Physica*, D37, pp. 60-82.

- [16] Kaneko, K., (1989b) Pattern dynamics in spatiotemporal chaos: pattern selection, diffusion of defect and pattern competition intermittency, *Physica*, D34, pp. 1-41.
- [17] Kaneko, K. (eds.), (1993) *Coupled map lattice: theory and experiment*, World Scientific, Singapore.
- [18] Köhler, P., Reinhard, K., and Huth, A., (2002) Simulating anthropogenic impacts to bird communities in tropical rain forests, *Biological Conservation*, Vol. 108, pp. 35-47.
- [19] Mandelj, S., Grabec, I., and Govekar, E., (2001) Statistical approach to modeling of spatiotemporal dynamics, *Int. J. Bifurcation & Chaos*, Vol. 11, No. 11, pp. 2731-2738.
- [20] Marcos-Nikolaus, P., Martin-Gonzalez, J. M. and Sólé, R. V., (2002) Spatial forecasting: detecting determinism from single snapshots, *Int. J. Bifurcation and Chaos*, Vol. 12, No. 2, pp. 369-376.
- [21] Parlitz, U. and Merkwirth, C., (2000) Prediction of spatiotemporal time series based on reconstructed local states, *Phys. Rev. Lett.* , Vol. 84, No. 9, pp. 2820-2823.
- [22] Platt, N. and Hammel, S., (1997) Pattern formation in driven coupled map lattices, *Physica*, A239, No. 1-3, pp. 296-303.
- [23] Sólé, R. V., Valls, J. and Bascompte, J., (1992) Spiral waves, chaos and multiple attractors in lattice models of interacting populations, *Phys. Lett.*, A166, No. 2, pp. 123-128.
- [24] Sweldens, W. and Piessens, R., (1994) Asymptotic error expansion of wavelet approximations of smooth function II, *Numerische Mathematik*, Vol. 68, No. 3, pp. 377-401.
- [25] Tabuchi, E., Yakawa, T., Mallick, H., Inubushi, T., Kondoh, T., Ono, T., and Torii, K., (2002) Spatio-temporal dynamics of brain activated regions during drinking behaviour in rats, *Brain Research*, Vol. 951, pp. 270-279.
- [26] Yanagita, T., (1992) Phenomenology of boiling: a coupled map lattice model, *Chaos*, Vol. 2, No. 3, pp. 343-350.
- [27] Yanagita, T. and Kaneko, K., (1997) Modeling and characterisation of cloud dynamics, *Phys. Rev. Lett.*, Vol. 78, No. 22, pp. 4297-4300.

