



UNIVERSITY OF LEEDS

This is a repository copy of *The 4th International Conference on Food Digestion*.

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/109133/>

Version: Accepted Version

---

**Article:**

Mackie, A [orcid.org/0000-0002-5681-0593](http://orcid.org/0000-0002-5681-0593), Ferranti, P and Dupont, D (2016) The 4th International Conference on Food Digestion. *Food Research International*, 88 (Part B). pp. 179-180. ISSN 0963-9969

<https://doi.org/10.1016/j.foodres.2016.08.043>

---

© 2016. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/licenses/by-nc-nd/4.0/>

**Reuse**

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

## The 4<sup>th</sup> International Conference on Food Digestion

Alan Mackie<sup>1,2</sup>, Pasquale Ferranti<sup>3,4</sup>, Didier Dupont<sup>5</sup>

1. Institute of Food Research, Norwich Research Park, NR4 7UA, UK
2. School of Food Science and Nutrition, University of Leeds, LS2 9JT, UK
3. <sup>a</sup>Department of Agricultural Science, University of Naples Federico II, Parco Gussone, Portici I-80055, Italy
4. Institute of Food Science and Technology, National Council of Research, Via Roma 64, I-83100 Avellino, Italy
5. UMR 1253 INRA - Agrocampus Ouest, STLO, 65 rue de Saint-Brieuc - 35042 Rennes Cedex - France

### Introduction to the Special issue

Food Digestion is the process that lies between the food we consume and any health benefits that it may impart. In a world where food related disease is already a significant and increasing burden on health services, it is important to understand the link between food and health. This requires a range of approaches including the use of *in vitro* simulations of the digestive process. However, if experimental data is to be comparable and useful it needs to make use of harmonised and physiologically relevant methods. The Infogest static model (Minekus et al., 2014) offers such a method and has been cited in more than 100 times. The success of this article confirms the interest in understanding the links between food structure and health.

Digestion includes a number of steps and these have all seen an increase in popularity as areas of scientific exploration. Oral processing is an important first phase because it involves diminution of the food and the addition of amylase but mainly because it represents a major sensory interaction with the food (Chen, 2009). The second stage of digestion and one that has been quite central to developing an understanding of the connection between food structure and rates of nutrient release, is the gastric phase. Because of this central importance a number of articles in this special issue have focused on the behaviour of food in the gastric compartment. Indeed it has recently become the focus of a number of studies aimed at determining the factors that drive emptying rates (Camps, Mars, de Graaf, & Smeets, 2016)(Mackie, Rafiee, Malcolm, Salt, & van Aken, 2013). The final stage of digestion is the intestinal phase, which can be divided into the small intestine, where through the release of endogenous enzymes most of the digestion and absorption occurs and the large intestine where digestion continues through the fermentation of remaining food by gut microflora. Both Infogest and this special issue of Food Research International, focus primarily on the upper GI tract and so the complex interactions between food, especially dietary fibre, intestinal microbiota and the host not explored. However, the role of soluble dietary fibre in the upper GI tract is discussed in one of the articles and fibre such as cereal beta glucan is the subject of much current research (Fardet, 2010; Wood, 2007).

This special issue brings together articles presented at the 4<sup>th</sup> International Conference on Food Digestion that was held in Naples in March 2015. The meeting was the last one in the series to be run directly by the COST Action Infogest (Dupont et al., 2011). The congress built on the success of previous meetings in Cesena (2012), Madrid (2013) and Wageningen (2014). The meeting in Naples invited submissions on three topic areas based on the three workgroups of the Action.

- Characterization of raw materials and processed food matrices for optimized nutrient bioavailability: Identification of bioactive compounds - stability during processing - characterization of food structures.
- In vitro, in vivo and in silico models of mammalian gastrointestinal digestion: Application of digestion models to food - comparison *in vitro/in vivo* - identification of digestion products.
- Evaluation of the health effects: Immunomodulatory properties of food - regulation of appetite and satiety - effect of food on gut microbiota

Both the conference series and the COST Action Infogest have proved to be highly successful and the next conference in the series will be held in Rennes, France in 2017. As interest in research involving simulating digestion continues to grow, efforts are being made to validate the methods used against *in vivo* data (Bornhorst, Roman, Dreschler, & Singh, 2014). In addition, efforts are being made to extend the research to other more specific groups such as infants (de Oliveira et al., 2016) or the elderly (Levi & Lesmes, 2014). Given the amount of research that is going on around Europe, it is clear that in the near future there will be papers showing the extent to which *in vitro* methods such as the Infogest static model can be used to predict *in vivo* outcomes.

Finally, the guest editors would like to thank Elsevier staff for all the editorial help they provided and especially like to thank Prof. Anderson Sant'Ana, Editor-in-Chief for her help and encouragement. We are also grateful for the interest and participation of all authors who submitted their work to this special issue containing in total 20 original research articles and 1 review.

## References

- Bornhorst, G. M., Roman, M. J., Dreschler, K. C., & Singh, R. P. (2014). Physical Property Changes in Raw and Roasted Almonds during Gastric Digestion In vivo and In vitro. [Article]. *Food Biophysics*, 9(1), 39-48. doi: 10.1007/s11483-013-9315-2
- Camps, G., Mars, M., de Graaf, C., & Smeets, P. A. (2016). Empty calories and phantom fullness: a randomized trial studying the relative effects of energy density and viscosity on gastric emptying determined by MRI and satiety. *Am J Clin Nutr*. doi: 10.3945/ajcn.115.129064
- Chen, J. S. (2009). Food oral processing - A review. [Review]. *Food Hydrocolloids*, 23(1), 1-25. doi: 10.1016/j.foodhyd.2007.11.013
- de Oliveira, S. C., Bourlieu, C., Menard, O., Bellanger, A., Henry, G., Rousseau, F., . . . Deglaire, A. (2016). Impact of pasteurization of human milk on preterm newborn in vitro digestion: Gastrointestinal disintegration, lipolysis and proteolysis. *Food chemistry*, 211, 171-179. doi: 10.1016/j.foodchem.2016.05.028

Dupont, D., Bordoni, A., Brodkorn, A., Capozzi, F., Cirkovic Velickovic, T., Corredig, M., . . . Wickham, M. (2011). An international network for improving health properties of food by sharing our knowledge on the digestive process. *Food Digestion*, 2(1-3), 23-25.

Fardet, A. (2010). New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre? [Review]. *Nutrition Research Reviews*, 23(1), 65-134. doi: 10.1017/s0954422410000041

Levi, C. S., & Lesmes, U. (2014). Bi-compartmental elderly or adult dynamic digestion models applied to interrogate protein digestibility. [Article]. *Food & Function*, 5(10), 2402-2409. doi: 10.1039/c4fo00478g

Mackie, A. R., Rafiee, H., Malcolm, P., Salt, L., & van Aken, G. (2013). Specific food structures suppress appetite through reduced gastric emptying rate. *American Journal of Physiology - Gut and Liver Physiology*, 304(11), G1038-G1043. doi: 10.1152/ajpgi.00060.2013

Minekus, M., Alming, M., Alvito, P., Ballance, S., Bohn, T., Bourlieu, C., . . . Brodkorb, A. (2014). A standardised static in-vitro digestion method suitable for food – an international consensus. *Food and Function*, 5, 1113-1124.

Wood, P. J. (2007). Cereal beta-glucans in diet and health. *Journal of Cereal Science*, 46(3), 230-238. doi: 10.1016/j.jcs.2007.06.012