

This is a repository copy of *The value chain for web accessibility: challenges and opportunities*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/109245/>

Version: Published Version

Proceedings Paper:

Petrie, Helen orcid.org/0000-0002-0100-9846, Power, Christopher Douglas orcid.org/0000-0001-9486-8043, Swallow, David et al. (6 more authors) (2011) *The value chain for web accessibility: challenges and opportunities*. In: *Proceedings of Accessible Design In the Digital World 2011*. University of York

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

The value chain for web accessibility: challenges and opportunities

Helen Petrie¹, Christopher Power¹, David Swallow¹, Carlos A. Velasco², Blaitthin Gallagher³, Mark Magennis³, Emma Murphy³, Sam Collin⁴ and Keren Down⁴

¹Human Computer Interaction Research Group
Department of Computer Science
University of York
Deramore Lane, York YO10 5GH UK
{apfreire|helen.petrie|cpower}@cs.york.ac.uk

²Web Compliance Center,
Fraunhofer Institute for Applied Information Technology (FIT)
Schloss Birlinghoven, D53757 Sankt Augustin, Germany
Carlos.Velasco@fit.fraunhofer.de

³National Council for the Blind of Ireland
Whitworth Rd, Drumcondra,
Dublin 9, Ireland
{Blaitthin.Gallagher|mark.magennis|emma.murphy}@ncbi.ie

⁴Foundation for Assistive Technology
302 Tower Bridge Business Centre, 46-48 East Smithfield,
London E1W 1AW UK

Abstract. Abstract. This paper presents the results of interviews with representatives of the three key groups of stakeholders in the value chain for web accessibility: website commissioners, web developers and web accessibility experts. 26 web commissioners, 7 web developers and 14 web accessibility experts were interviewed. The results show that in spite of great efforts by the World Wide Web Consortium, the European Commission and other international and national organizations to promote web accessibility, knowledge of this topic is still low. More critically, the tools to support commissioners, developers and accessibility experts are still very poor and do not provide much of the functionality that the various groups in the value chain need. We believe these results highlight some of the reasons why the state of web accessibility is still as poor as it is.

Keywords: web accessibility, value chain, website commissioners, website owners, web developers, web accessibility experts

1 Introduction

At the moment it is clear that much Web content and many Web 2.0 applications are not accessible to disabled and older users (Kane, Shulman, Shockley, and Ladner, 2007; Lazar et al, 2011). If this situation is to change, there is a chain of stakeholders who need to be both aware of accessibility issues and able to play their appropriate role in creating accessible Web content and Web 2.0 application and services.

The first link in this chain is the individuals who commission, own and manage websites and Web 2.0 applications. In this paper we will refer to these individuals as “website commissioners” for brevity. These individuals may not understand a great deal about the technicality of the websites and applications, and in particular, they may not understand the technicalities of how these are created to be accessible. But they do need to be able to understand the general issues of accessibility and to monitor whether the websites and applications they are responsible for are indeed accessible. This might involve running accessibility tests or at least understanding the output from accessibility testing of websites and applications, and discussions with web developers and web accessibility evaluators.

The second group in the chain is individuals who design and develop websites and Web 2.0 applications (we will refer to this group as “web developers” for brevity). Some of these individuals may do only the design of a website or application, such as the layout and colour schemes. They should know about aspects of accessibility such as easy to read fonts and good colour contrast for partially sighted people, colour combinations not suitable for people with colour vision deficiencies and line length and spacing requirements for people with dyslexia. They need tools to help them assess whether their designs are going to be accessible. Developers are those individuals who actually code a website, application or service. They need to understand all the “nitty gritty” of how to code for accessibility, from marking up tables correctly to ensuring that Flash animations are coded appropriately. They need tools to help them produce accessible code most effectively and efficiently.

The third group in the chain are the accessibility experts, who may well advise the first two groups in the chain, and who test websites, applications and services for accessibility. They may be employed by web commissioners or web developers, either directly or as consultants or they may be working for external services that are benchmarking websites and applications, such as government agencies or organizations that represent disabled and older people. Obviously, they need to understand all the complexities of technical accessibility. Nonetheless, they need tools to support them in assessing the accessibility of websites and applications effectively and efficiently as this is a very time consuming process, and they also need to be able to communicate the results of these assessments to web commissioners and web developers in ways that will be understandable to these individuals who may have different levels of understanding of accessibility.

This paper will present the results of in-depth interviews with samples of individuals from each of these three groups in the chain to achieve accessible websites and applications. These results will provide us with a greater understanding of the

needs of each of these groups and requirements for the development of tools to support each group.

2 Terminology about web accessibility testing

We have discovered that there are considerable differences between experts in the field as to the terms used to describe different forms of web accessibility testing. Therefore we will set out our definitions for a number of relevant terms. “Manual accessibility testing” (sometimes shortened to “manual testing”) is any process where the human web accessibility evaluator (sometimes shortened to “accessibility evaluator”, who may or may not be a web accessibility expert, see above) makes the decision about whether something is an accessibility issue or not. To do this, they may use Web Accessibility Testing Tools (WATTs) to provide information to help them make this decision. These tools are often plug-ins to web browsers and include:

- WAVE Toolbar¹
- Web Accessibility Toolbar from the Paciello Group²
- AIS Web Accessibility Toolbar³

These tools allow a human web accessibility evaluator to work with the source code to assess accessibility issues. For example, a tool can find all the elements on a web page and indicate whether they have an alt text or not. However, a human accessibility evaluator decides whether the alt text, if provided, is appropriate for the . Accessibility evaluators also often use testing tools not specifically developed for accessibility testing but for other web development purposes (Non-Web Accessibility Testing Tools, nWATTs), such as:

- Firebug⁴
- Web Developer Toolbar for Mozilla^{5,6}
- Opera Dragonfly⁷
- Code inspector for Safari⁸

For example, many WATTs allow the evaluator to isolate specific lines of code; however, many nWATTs provide more useful functionality, and allow the accessibility evaluator to dynamically move from a line of code to view and access the elements that encapsulate it, or allow the accessibility evaluator to view the Document Object Model (DOM) directly.

¹<http://wave.webaim.org/toolbar> (retrieved April 25 2011)

²<http://www.paciellogroup.com/resources/wat-ie-about.html> (retrieved 25 April 2011)

³<http://www.visionaustralia.org.au/ais/toolbar/> (retrieved 25 April 2011)

⁴<https://addons.mozilla.org/en-US/firefox/addon/firebug/> (retrieved 25 April 2011)

⁵<http://chrispederick.com/work/web-developer/> (retrieved 25 April 2011)

⁶<https://addons.mozilla.org/en-us/firefox/addon/web-developer/> (retrieved 25 April 2011)

⁷<http://www.opera.com/dragonfly/> (retrieved 25 April 2011)

⁸<http://www.apple.com/safari/features.html> (retrieved 25 April 2011)

Helen Petrie, Christopher Power, David Swallow, Carlos A. Velasco, Blaithe Gallagher, Mark Magennis, Emma Murphy, Sam Collin and Keren Down

“Automatic accessibility testing” (sometimes shortened to “automatic testing”) is any process where an algorithm makes the decision about whether something is an accessibility problem or not. For example, an algorithm can decide whether an element has an alt text or not. The first and still most famous Automatic Accessibility Testing Tool (AATT) was Bobby⁹, now no longer available. An extensive list of AATTs is available at the WAI website¹⁰. AATTs inevitably only assess a subset of web accessibility problems, as many problems require a human judgement, as discussed above.

3 Method

3.1 Participants

26 website commissioners participated in this study. 3 (11.5%) work in the private sector, 13 (50%) in the public sector and 10 (38.5%) in the third sector (for charities, NGOs etc.). 10 (38.5%) work for very small organizations (49 employees or less), 7 (26.9%) for small organizations (50 to 250 employees) and 9 (34.6%) for large organizations (more than 250 employees).

7 web developers took part in the study. All were male. Four were in their 20s and three were in their 30s. They have between 4 and 13 years of experience of web development, with an average of 8 years. Three participants work for large enterprises, three work for SMEs and one is self-employed.

The web developers use different tools for their Web2.0 development. Only two of the developers used integrated development environments (IDEs), and then only for a minority of their development tasks. One developer uses ECLIPSE, but only for coding, debugging and validation is done in separate applications. Another developer uses Dreamweaver, but stressed it was purely for the code highlighting, and he preferred the old version because it was much simpler. The other five developers used simple text editors such as Notepad++ or vim for all their development work.

14 web accessibility experts participated in this study. 3 were women and 11 were men. Interviewees had an average of 8.7 years of experience with accessibility evaluations with the range being 0.5 years to 13 years. The web accessibility experts were from a range of types of organizations, x were from private organizations and x from public organizations; x were from SMEs and x were from large organizations. For all of those working for large organizations and for one of the small organizations, the interviewee worked in a smaller unit/group within the organization. From all organizations, three reported that they only did evaluations of web applications internal to the company, while two reported that they do only evaluations for external clients. The remaining nine reported that they do evaluations

⁹<http://www.cast.org/learningtools/Bobby/index.html> (retrieved April 25 2011)

¹⁰<http://www.w3.org/WAI/ER/tools/complete.html> (retrieved April 25 2011)

for internal and external clients, with two saying their work was more heavily weighted to external clients.

3.2 Interview schedules

For the web commissioners and web accessibility experts, interviews were conducted either face-to-face or via phone. For the web developers, a contextual interview was used – the interview took place at the participant's place of work and the participant was asked to work through their typical working methods with the interviewer, illustrating how they do typical tasks (Beyer and Holtzblatt, 1997).

For web commissioners the interview schedule covered the following topics:

- The organization
- The website, and web applications if relevant
- The interviewee, particularly their knowledge/training in web technologies, accessibility and usability
- Web quality processes

As the interviewer did not want to cue the interviewee that the interview was about web accessibility in particular, the recruitment information and interview schedule was presented as being about web quality processes. This was reasonable, as web accessibility is one aspect of web quality. Therefore questions about web usability as well as web accessibility were asked.

For the web developers, the interview schedule covered the following topics:

- **The web developer:** *their knowledge and skills, their organisation, and the nature of the work they are involved in.* As well as asking for objective, factual information to put the participant at ease, this section also established whether the participant felt their knowledge of the field was up-to-date and what they considered to be their strengths and weaknesses.
- **Workspace configuration:** *an "introduction" to the participant's workspace and immediate surroundings.* This section investigated the hardware used by the participant (e.g. monitors, input devices etc.) as well as any development-related artefacts (e.g. post-it note reminders, whiteboards, notepads etc.). It also established the software applications and webpages that the participant typically uses to develop websites.
- **Communication:** *who the web developer communicates with during a typical day, and how.* This section focused on how and when the participant communicates with clients, colleagues, and management in order to gain an understanding of their day-to-day interaction with others. It also established how web development requirements and progress reports are formalized in the participant's organization.
- **Help and information:** *who and what resources the web developer turns to when they need help.* Having asked the participant to assume they have run into a typical technical problem, this section investigated who and what

Helen Petrie, Christopher Power, David Swallow, Carlos A. Velasco, Blaithe Gallagher, Mark Magennis, Emma Murphy, Sam Collin and Keren Down

resources they turn to for help, the type of information they are typically looking for, and the stage of development that such problems usually occur.

- **Standards-compliance:** *what standards-compliance means to the web developer and how they achieve it.* This section explored the participant's understanding of a standards-compliant website, any challenges they have faced in making websites standards-compliant, and the extent to which their websites are standards-compliant.
- **Preview:***how the web developer previews a website they have created.* This section required the participant to demonstrate the browsers, applications, and devices that they typically use to preview websites. It also established what the developer looks for when previewing a website and how dynamic webpages and third-party components are previewed.
- **Validation:***how the web developer validates a website they have created.* This section required the participant to demonstrate how they validate a website. It also established how they tackle any validation errors, how frequently they validate a website, how useful they find the feedback from validation tools, and how easily validation checks fit into the participant's workflow.
- **Users:***what consideration the web developer gives to the users of their websites.* This section focused upon the usability of the developer's websites, whether instructions are required, and established who is responsible for the development of feedback, instructions, and error messages.
- **Accessibility:***what consideration the web developer gives to the accessibility of their websites.* This section explored the web developer's understanding of accessibility, the importance they place upon accessibility, and whom they feel is responsible for making websites accessible. It also established the extent to which the participant's websites are accessible as well as the factors that motivate or prevent the participant from making a website accessible.
- **Accessibility Testing:** *how the web developer tests the accessibility of a website they have created.* This section required the participant to demonstrate how they test the accessibility of a website. It also established how they tackle any accessibility problems, how frequently they test the accessibility of a website, how useful they find the feedback from accessibility tools, and how easily accessibility tests fit into the participant's workflow.
- **Future Improvements:***how the web developer could improve the accessibility of the website they have created in future.* This forward-looking section investigated the type of help and information that the participant would find useful to develop accessible websites in future. It considered the form such information might take, the granularity of the information, when such help and information might be useful, and how it might fit into the developer's workflow.

For the web accessibility experts, the interview schedule covered the following topics:

- The organization and its culture regarding accessibility evaluations
- The experience and training of the interviewee in accessibility evaluations

- The tools used during automated and/or manual accessibility evaluations
- What features in the tools are used most commonly and how useful are those features to the evaluators
- Sampling methods used to select web pages for testing
- Tracking of tests performed on web pages
- Reporting to developers/commissioners
- Procedures for maintenance of web accessibility

4 Results

The interviews with website commissioners showed that they are responsible for websites which include a range of complex features that are challenges for accessibility, particularly the use of media players(found in 61.5% of the websites) and link sharing for social network sites (found in 57.7% of the websites). The use of CMSs was very common, with 88.5% of the websites using them. There were a number of comments from participants indicating that they rely on the CMS to ensure accessibility of the website. This strategy is only as good as the CMS used and its ability to ensure accessibility correctly. Web commissioners need to be able to evaluate accessibility independently of their CMS, and in the case of several participants, this was clearly not happening.

Web commissioners' organizations often out-source part or all of the website work (34.6% total out-sourcing, 46.2% partial out-sourcing). Out-sourcing of web design and development work lead to a number of issues around accessibility. Several participants remarked that companies claimed to have expertise in accessibility, but they found this hard to judge independently. In addition, out-sourcing could create accessibility-related conflicts, as one participant found to their cost, when their design company proposed a design for the website that the implementation company argued would be inaccessible (and unfortunately, design won over accessibility).

In terms of disabled and older people as audiences for websites, only 11.5% of web commissioners spontaneously mentioned these groups as potential audiences for their website. However, when prompted, 69.2% agreed that these groups might be potential audiences for the website. These results show that website commissioners are not really thinking about the potential audiences of their websites, as disabled and older people are almost always possible audiences for websites. This means that accessibility will often be omitted from the agenda in the commissioning of websites.

In contrast, when asked whether their organization has a policy on accessibility of the website for disabled and older people, 61.5% of the web commissioners said they did. This difference between the question about audiences and the question about web accessibility policy probably shows the subject bias effect (Rosnow and Rosenthal, 1997) one gets in asking questions about web accessibility. It may also show the lack of realism in the minds of most people about people with disabilities and older people – they fail to realize the range of things that disabled and older people may wish and need to do using the web. An example was a school for children with disabilities who did not think their website needed to be accessible to disabled or older people –

Helen Petrie, Christopher Power, David Swallow, Carlos A. Velasco, Blaithe Gallagher, Mark Magennis, Emma Murphy, Sam Collin and Keren Down

although parents of the pupils were a key target audience. Could not the parent of a disabled child be disabled themselves or could not the guardian of a disabled child be their grandparent?

Most website commissioners (88.5%) correctly understood the meaning of web accessibility with somewhat less showing a correct understanding of web usability (69.2%). About half the participants had some training or knowledge of web technologies, web accessibility and web usability. However, only a third had any training in web accessibility and usability and had picked up information on the job. In retrospective, it would have been better to ask separate questions about training and knowledge, to tease out this difference. Even the figure of one third of web commissioners having knowledge of web accessibility may over estimate their knowledge, as a number of the participants had worked with the CFIT, part of NCBI and had training or knowledge in web accessibility from this collaboration.

Finally, web commissioners were asked about their web quality processes for accessibility and usability. For web accessibility, more than half (61.5%) of participants said that they (or the companies they out-source to) assess the accessibility of their website. However, it was worrying that only a quarter of these participants could say what kind of testing had been done. This does not indicate a good understanding of the process. And only 7.7% of participants named a WCAG level conformance that they were aiming for/were tested against. Few participants had a formal process for ensuring that accessibility problems identified in testing were addressed and that accessibility of the website was maintained going forward from the testing. This would indicate a clear gap in the support provided to website commissioners in tracking accessibility of their site.

Results for web usability quality control were very similar and participants appeared to deal with accessibility and usability together. This may be a “hook” that those concerned with web accessibility can use to convince website commissioners to implement quality control for accessibility – by bundling it with usability and showing that commissioners can achieve two goals with one system or tool.

The contextual interviews with web developers showed that amongst 7 developers who represented a range of organization and Web 2.0 application types, only 2 used IDEs for their work, and those two only in a small way.

The points of particular interest that emerged from these interviews with minimalist environment developers are:

- These web developers use very minimalist environments for coding and separate both physically and temporally their coding from their testing and validation of webpages
- Many of these developers use and are very positive about browser extensions such as FireBug for debugging, and thought that a similar system for accessibility support would be appropriate (interestingly, none of the developers were aware of the browser extensions for accessibility such as the AIS Web Accessibility Toolbar
- These developers felt that inline active accessibility tools in their main editor would be very annoying

These points suggest that for these developers accessibility tool developers should follow the route started by the AIS Toolbar and similar browser extensions and provide accessibility testing support for minimalist environment web developers as browser extensions.

In addition:

- These developers want a clearer quantitative checklist of accessibility problems (while acknowledging that not all problems can be “programmatically determined”) or a bullet-point headline list of problems in clear “human” language with more technical code suggestions and examples behind each bullet-point
- These developers want explanations of accessibility problems from accessibility checkers that show the reasoning behind them
- Feedback from accessibility checkers was considered too vague; warnings such as “you may need to check the alt description of this image” were considered unhelpful

These points suggest that accessibility checking tools need to organize information in different ways from current practices and need to provide more information, particularly the reasoning behind accessibility problems, which they generally do not do at the moment.

- These developers were open to the idea of simulations of the experiences of web users with disabilities as a tool in developing accessible websites and applications
- They thought these could provide definitive information about whether a piece of code would be accessible or not and “settle arguments”
- However, they were cautious about the amount of time it would take to run and in particular to interpret the results from such simulations

These points suggest that simulations of disabled users can be a useful tool for minimalist environment web developers, but they need to be developed with regard to the time to run and interpret them.

The interviews with web accessibility experts indicate that there is currently a gap in how tools support accessibility experts and the reality of practice for these individuals.

The statements from accessibility experts regarding AATs are particularly interesting. The current tools do not provide adequate information to the expert about what the tools test or what the problems are on a webpage. These statements are supported by the fact that so few experts report using AATs. If new AATs are to be widely adopted they must provide more information about what is being tested. It is not sufficient for a tool to simply “dump out” a set of problems. It must be possible for the user to query what tests are being performed, and engage in a dialogue with the tool regarding how decisions are made by a tool. All of this information must be presented in the language of the user and frame the results in terms of how the problems are likely to impact the web user, and in terms of repair of the issue.

Further to this, most experts feel that they bring more knowledge and experience to an evaluation than can be captured in an AAT. When new automated tools are

Helen Petrie, Christopher Power, David Swallow, Carlos A. Velasco, Blaithe Gallagher, Mark Magennis, Emma Murphy, Sam Collin and Keren Down

developed, they must be created in such a way that the expert can contribute their knowledge into the system in order to eliminate false positives or false negatives. For example, assume that an AATT returns a list of alternative text warnings, such as having an empty (`alt=""`) text for an image. Many will be decorative images not needing an alternative text, thus creating a false positive. However, in the first instance of such a test, the expert must manually check all warnings. In current AATTs, each time the automated test is run, all warnings are produced, and as a result each error may need to be checked by an expert every time. In a future AATT one could imagine a case where the expert could annotate the information about which warnings are real and which are false positives for propagation to the next time the tests are run. In this way, such manual checking would only need to be done the first time after elements on web pages change.

In terms of manual testing, there are a large number of experts who rely on multiple tools in order to get the complete set of features needed to undertake evaluations. The use of different toolbars, browsers and development tools (e.g. Firebug) in an ad hoc way makes it very difficult to integrate different tests and related reports together. A more unified approach, or at least a unified view of these different tools through a common interface, is something that would likely be welcomed by experts.

Web accessibility experts are in need of tools that will help them manage the pages they have been asked to test and what tests have been undertaken on those pages. These features must be flexible enough to accommodate different strategies that experts have when undertaking an evaluation. For example, in some cases experts will take the traditional approach of performing all tests on one page, and that is a strategy that should continue to be supported. However, the tools should also support the approach of applying one test (e.g. checking for alternative texts on images) to all pages in sequence. Tools that help in these seemingly mundane and tedious tasks will allow experts who are working in opportunistic and/or scrambled styles of evaluation to move their practices towards more strategic approaches. Hopefully, this will reduce the overall potential for missing problems in a given set of pages and increase the reliability of an individual evaluator.

The comments regarding the lack of training that many experts have, in conjunction with the rapidly changing technology environment, show a need to provide more structured support and help during evaluation sessions through tools. If it is the case that experts are reluctant to engage in formal training, and yet there are still issues that they do not understand, then tools that providing comprehensive guidance and structured dialogues for repair would be of value.

It is absolutely essential that any future tools that are produced be able to generate a variety of different formats of reports. Reports that only contain lists of violations found in tests are not of interest to the majority of experts or their clients. While it is important to still provide this feature in situations where an organization must have a complete audit of their web application/websites against a set of guidelines, it is equally important that tools support annotation of problems by experts. Further, having the ability of collecting together similar problems between pages and then

annotate those problems with examples or solutions, is a feature that would be received well by the expert community.

5 Conclusions and Future Work

This paper has presented the results of interviews with web commissioners, web developers and web accessibility experts about their experiences of commissioning, developing and evaluating websites for accessibility. The results show that in spite of great efforts by the World Wide Web Consortium, the European Commission and other international and national organizations to promote web accessibility, knowledge of this topic is still low. More critically, the tools to support commissioners, developers and accessibility experts are still very poor and do not provide much of the functionality that the various groups in the value chain need. We believe these results highlight some of the reasons why the state of web accessibility is still as poor as it is.

Acknowledgments. We would like to thank all the participants who took part in this study for their time and valuable input. We would also like to thank all the i2Web consortium for their work and support. Finally, we would like to particularly thank the European Commission for supporting this work through FP7 Project 257623 from the Software and Service Architectures and Infrastructures Unit.

References

- Beyer, H. and K. Holtzblatt (1997). *Contextual design: defining customer-centred systems*. Morgan Kaufmann.
- Kane, S. K., Shulman, J.A., Shockley, T.J. and Ladner, R.E. (2007). A Web Accessibility Report Card for Top International University Web Sites. *Proceedings of the 2007 international cross-disciplinary conference on Web accessibility (W4A '07)*. New York: ACM Press.
- Lazar, J. et al. (2011). Societal Inclusion: evaluating the accessibility of job placement and travel web sites. *Proceeding of INCLUDE 2011*. London, UK, Royal College of Art.
- Rosnow, R.L. and Rosenthal, R. (1997). *People studying people: artifacts and ethics in behavioural research*. W. H. Freeman and Co.