

Provisions of Quran Tajweed Ontology (Articulations Points of the Letters, UN Vowel Noon and Tanween)

Eiman Alsiddig Altayeb Ibrahim¹, Mohammed Awad Mohammed Ataelfadiel², Eric Steven Atwell³

¹Sudan University of Science and Technology, College of Computer Science and Information Technology, Khartoum – Sudan

²Computer Science dept. AL-Imam Mohammad Ibn Saud Islamic University, AL-ahsa, Kingdom of Saudi Arabia

³Asst Prof, Language@Leeds and Artificial Intelligence groups, School of Computing, University of Leeds, Times University of the Year 2017

Abstract: *The Holy Quran has rules that the reader must learn so that he can read the Qur'an correctly (Tajweed). The objective of this research is to design an ontology for some of Tajweed (Articulations Points of the Letters, Un Vowel Noon and Tanween) to support the learning of this part of Tajweed and to facilitate the sharing of knowledge with the other Holy Quran applications. In order to achieve this goal, the researchers adopted the applied approach using protégé framework with OWL to the provisions build the Ontology. The provisions of Quran Tajweed Ontology (Articulations Points of the Letters, Un Vowel Noon and Tanween) use knowledge representation to define the key concepts in Un Vowel Noon and Tanween (Clearness, Merge, Hiding, Change) and The Letters Articulations, and show the relationships between these concepts and its properties. The fundamental concepts in the ontology are based on the knowledge extracting from the Books of Tajweed, and some verses of the Holy Quran to infer the Provisions. The designed ontology can retrieve information about Articulations Points of the Letters, Un Vowel Noon and Tanween. Furthermore, it can be shared and reused in applications related to Holy Quran Tajweed.*

Keywords: Quran, Tajweed, Articulations Points of the Letters, Ontology, Un Vowel Noon, Tanween

1. Introduction

The Holy Quran is the word of Allah Almighty revealed by His Messenger Muhammad (peace be upon him). It is the primary source of universal laws and regulations for all Muslims and non-Muslims. Quran Tajweed is the set of rules governing the way in which the words of the Quran should be pronounced during its recitation.

Many researchers have built different Quranic ontologies to facilitate the retrieval of knowledge

From Al-Quran, with a minority of these ontologies covering all Al-Quran chapters. Most of the ontologies built for the Qur'an are incomplete and/or focused in a limited specific domain [2], and there is no more Tajweed ontology. In this paper we will design ontology for Quran Tajweed Provisions, part of these rules (Articulations Point of the Letters, Un Vowel Noon and Tanween).

Before starting to build the Ontology, we highlight some concepts:

Ontology is an explicit specification of a conceptualization. The term is borrowed from philosophy, where Ontology is a systematic account of Existence. For AI systems, what "exists" is that which can be represented [3].

Un Vowel Noon (Noon saakinah) is a noon free from any vowel (حركة). It remains unchanged in its written form and as well as in pronunciation when continuing to read after it and when stopping on it. Noon saakinah occurs in nouns and verbs in the middle of the word and

at the end of the word, and occurs in prepositions and particles (حروف) only at the end of the word. The noon saakinah can have a (sukoon) on it, as in مِنْهُمُ ; or can be written with no vowel on it, as in مَن [3].

Un Vowel Noon has four rules:

- The Clearness.
- The Merge.
- The Hiding.
- The Change

The Tanween is a term for an extra noon saakinah not used for emphasis, found at the end of nouns when continuing the reading, but absent from the noun in the written form (the noon of the Tanween is pronounced but not written), and abandoned in pronunciation when stopping. The Tanween can be accompany akasrah, or a dhammah, or a fathah, as in ٍ ُ ُ [3].

Articulations Point of the Letters is the place of emitting the letter when pronouncing it that differentiates that specific letter from other letters

- **The empty space in the mouth and throat:** has one articulation point for the three, lengthened letters: الألف, الواو, الياء.
- **The Throat:** has two articulations points for six different letters which are pronounced from the deepest, middle and closest part of the Throat: الهاء, الغين, الخاء: الهمزة, الهاء.
- **The Tongue:** it has ten articulations points for eighteen letters: القاف, الكاف, الجيم, الشين, الياء غير المدية, الضاد, اللام, النون, الراء, الطاء, الدال, التاء, الصاد, الزاي, السين, الطاء, الدال, التاء.
- **The Two Lips:** it has two articulations points for four letters: الفاء, الواو غير المدية, الميم, الباء.

Volume 6 Issue 8, August 2017

www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

Initially, it is important to get a comprehensive list of terms without worrying properties that the concepts may have, or whether the concepts are classes or slots.

2.4 Define the Classes and the Class Hierarchy

At this stage the concepts of the domain will be arranged hierarchically through the Class and subclass relationship. Class hierarchy can be developed through several adopted approaches: Top-Down and Bottom-up.

The ontology has been built using first approach with two main classes as follow:

- 1) **The Articulation Point of the Letter** with its sub classes:
 - a) **The Empty Space of the Mouth and Throat.**
 - b) **The Nose.**
 - c) **The Two Lips.**
 - d) **The Tongue**, with its sub classes:
 - Deepest Part of the Tongue.
 - Edge of the Tongue.
 - Middle of the Tongue.
 - Tip of the Tongue.
 - e) **The Throat, with its sub classes:**
 - The Closest Part of the Throat.
 - Deepest Part of the Throat.
 - The Closest Part of the Throat.
- 2) **The Un Vowel Noon and Tanween Rules**, with its sub classes:
 - a) **Un Vowel Noon:**
 - The Change.
 - The Clearness.
 - The Hiding.
 - The Merging, with its sub classes:
 - b) **With Ghunnah, with its sub classes:**
 - Complete.
 - Incomplete.
 - Without Ghunnah.
 - c) **Tanween.**




Figure 3: The Main Classes.

2.5 Define the properties of classes

We have already selected classes from the list of terms we created in Step 3, but the classes alone will not provide enough information to answer the competency questions

from Step 1. Once we have defined some of the classes, we must describe the internal structure of concepts [5].

OWL Properties represent relationships. There are two main types of properties, Object properties and Datatype properties. Object properties are relationships between two individuals, Datatype properties are between individuals and Data type. OWL also has a third type of property, Annotation properties. Annotation properties can be used to add information (metadata — data about data) to classes, individuals and object/Datatype properties [6].

According to Provisions of UN Vowel Noon and Tajweed ontology, the Properties will be like:

1) Object Properties:

- get out from:
- is part of
- subsumes
- has one word.
- has two words.
- has type.

For example get out from: links an individual of class **Clearness** to an individual of class **Throat**.

2) Data Properties:

- has applied definition.
- has linguistic definition.
- has wards.
- has example.
- for example has linguistic definition.: links an individual of class **Clearness** to **String** DataType.




Figure 4: Object Properties Hierarchy.




Figure 5: Data Properties Hierarchy.

2.6 Define properties of properties

Here we will define properties for each property. Properties might be:

- **Cardinality constraints:** are used to talk about the number of relationships that an individual may participate in for a given property. Cardinality restrictions come in three flavors: Minimum cardinality restrictions, Maximum cardinality restrictions and exact cardinality restrictions.

For example in our ontology **Tanween** should be in two words [3], as in (Figure6). This constrain written use cardinality constrain as shown in (Figure7).

Also, when one of the letters of **The Merge** comes after the UN Vowel Noon, and it was in **one word** there is no **Ghunnah**, but called **Absolute** as in (Figure8) , It comes only in **four words** in the Holy Quran {قنوان, صنوان, بنیان, قنوان} [3]. Such class called **Enumerated Class**.



Figure 6: has_word Property




Figure 7: Cardinality Constraint for has_word Property




Figure 8: Enumerate class Absolute with its members

- **Data Type constraints:** Data type properties describe relationships between individuals and data values.
- **Range constraints and Domain constraints:** Properties may have a domain and a range specified. Properties link individuals from the domain to individuals from the range. For example, in this ontology, the property **get_out_from** would probably link individuals belonging to the class **The_Clearness** to individuals belonging to the class of **The_Throat**. In this case the domain of the **get_out_from** property is **The_Clearness** and the range is **The_Throat** this is depicted in (Figure8).




Figure9: Domain and Range of get_out_from Properties.

2.7 Create instances

At this level the ontology populate with instances of all classes. For example, class **Ghunnah** has instances such as النون, الميم, الياء, الواو غير المدية as shown in (figure9). Also, it may have more details with verses from Quran as in (figure10). And so for other classes.



Figure10: Class Ghunnah Individuals.




Figure11: الميم Instanced with more Information

3. Results

After completing the design of the ontology, and ascertaining that all the classes are consistent via using the Reasoner, the researchers inquired about some information. We used DL Query and SPARQL Query to inquire about Articulations Points of Letters, Provisions of UN Vowel Noon and Tanween.

For Example,

```
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX xsd: <http://www.w3.org/2001/XMLSchema#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
SELECT ?subject ?object
WHERE { ?subject rdfs:subClassOf ?object }
```

This Query through SPQRQL Query, which will Retains back all subjects and objects of the ontology as in (Figure11).



Figure12: Query of Whole ontology Elements.

When we used DL and inquired about The Merging (الإدغام), the result was as shown in (Figure12). This is all information about Merging.




Figure13: The_Merging Query Result

3.1 Results Discussion

The user can specify what part of the query he wants to be appeared through the selection buttons on the right of the DL Query window, such as Super classes, Ancestor classes, Subclasses, Descendent classes, Individuals. (Figure12). Furthermore, user also can do so when using SPARQL Query by selects what concept he wants to look for -Class, subclass or Object- through the below Query statement.
SELECT ?subject ?object
WHERE { ?subject rdfs:subClassOf ?object }




Figure14: Selective Member.

Other Resources

- "عون المرید في فن التجويد" we use this book to understand the Provisions of UN Vowel Noon and Tanween, and how can we arrange the hierarchy of the ontology classes and the relationships between these classes.
- <http://quran.ksu.edu.sa/tafseer/tabary/sura108-aya2.html>. From this site we take the verses that include into the ontology.
- http://protege.stanford.edu/download/protege/4.3/installanywhere/Web_Installers/

This site where we download the tool that used to build the ontology.

4. Conclusion

The researchers designed ontology for the Provisions of Quran Tajweed using Protégé framework with OWL language. They organized the concepts of Un Vowel Noon and Tanween through using classes and properties that identify this class and define the relationships between them. Furthermore, they also put restrictions on some properties according to what the rules of Tajweed stipulate. Also, they added instances to each class. And we ensured that all the classes are consistent with each other by using the Reasoner. Finally, some Queries were applied to the ontology using both DL Query and SPARQL Query, and thanks to God, it retrieved correct information.

References

- [1] Sameer M. Alrehaili, Eric Atwell, "Computational ontologies for semantic tagging of the Quran: A survey of past approaches", School of Computing, University of Leeds, Leeds LS2 9JT, UK.
- [2] Thomas R. Gruber, "Toward Principles for the Design of Ontologies Used for Knowledge Sharing", Stanford Knowledge Systems Laboratory.
- [3] Ayman Rushdi Swayd, Kareema carol Czerepinski "Tajweed rules of Quran", Part one.
- [4] Tom Gruber "Ontology", Stanford University, 2008.
- [5] Natalya F. Noy, Deborah L. McGuinness "Ontology Development 101: A Guide to Creating Your First Ontology", Stanford University, Stanford, CA, 94305.

- [6] Matthew Horridge, "A Practical Guide To Building OWL Ontologies Using Protégé 4 and CO-ODE Tools Edition 1.2", The University Of Manchester, March 13, 2009
- [7] Floriano Zoini, Leon Sterling "Designing Ontologies for Agents", Department of Computer Science Software Engineering, University of Melbourne, Parkville 30502, Australia, 1999.
- [8] Othman M. A. Abd Allatif, "عون المرید في فن التجويد", Omdurman Islamic University, Sudan, 2013.
- [9] <http://quran.ksu.edu.sa/tafseer/tabary/sura108-aya2.html>.
- [10] http://protege.stanford.edu/download/protege/4.3/installanywhere/Web_Installers/

Author Profile



Eiman Alsiddig Altayeb Ibrahim received the B.S. degree in Computer science: Omdurman Islamic University in 2007, M.S.C degree in Computer Science: Sudan University of Science and Technology in 2014, PhD researcher in computer science at Sudan University of Science and Technology. Now works for Omdurman Islamic University.



Mohammed Awad Mohammed Ata Elfadiel received the B.S. degree in Computer science: Omdurman Islamic University in 2007, M.S.C degree in Computer Programming: Sudan Academy of Science in 2011, PhD in computer science: Alribat National University in 2015. Now works for Open University of Sudan. Work at: Al-Imam Mohammad Ibn Suad Islamic University.



Eric Steven Atwell Asst Prof, Language@Leeds and Artificial Intelligence groups, School of Computing, University of Leeds, Times University of the Year 2017. PhD Computing (Leeds), BA Computing and linguistics (Lancaster).