

This is a repository copy of *Experimental demonstration of a compact epithermal neutron* source based on a high power laser.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/id/eprint/120499/

Version: Published Version

Article:

Mirfayzi, S. R., Alejo, A., Ahmed, H. et al. (18 more authors) (2017) Experimental demonstration of a compact epithermal neutron source based on a high power laser. Applied Physics Letters. 044101. ISSN: 0003-6951

https://doi.org/10.1063/1.4994161

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Experimental demonstration of a compact epithermal neutron source based on a high power laser

S. R. Mirfayzi, A. Alejo, H. Ahmed, D. Raspino, S. Ansell, L. A. Wilson, C. Armstrong, N. M. H. Butler, R. J. Clarke, A. Higginson, J. Kelleher, C. D. Murphy, M. Notley, D. R. Rusby, E. Schooneveld, M. Borghesi, P. McKenna, N. J. Rhodes, D. Neely, C. M. Brenner, and S. Kar

Citation: Appl. Phys. Lett. 111, 044101 (2017); doi: 10.1063/1.4994161

View online: http://dx.doi.org/10.1063/1.4994161

View Table of Contents: http://aip.scitation.org/toc/apl/111/4

Published by the American Institute of Physics

Articles you may be interested in

Tunable electron affinity with electronic band alignment of solution processed dielectric Applied Physics Letters **111**, 041602 (2017); 10.1063/1.4995982

Deep donor state of the copper acceptor as a source of green luminescence in ZnO Applied Physics Letters **111**, 042101 (2017); 10.1063/1.4995404

Color mixing from monolithically integrated InGaN-based light-emitting diodes by local strain engineering Applied Physics Letters **111**, 041101 (2017); 10.1063/1.4995561

Tunable fluid-filled phononic metastrip

Applied Physics Letters 111, 041906 (2017); 10.1063/1.4985167

Impact of boron diffusion on oxynitrided gate oxides in 4H-SiC metal-oxide-semiconductor field-effect transistors Applied Physics Letters **111**, 042104 (2017); 10.1063/1.4996365

Thermal characterization of polycrystalline diamond thin film heat spreaders grown on GaN HEMTs Applied Physics Letters **111**, 041901 (2017); 10.1063/1.4995407





Experimental demonstration of a compact epithermal neutron source based on a high power laser

S. R. Mirfayzi, A. Alejo, H. Ahmed, D. Raspino, S. Ansell, L. A. Wilson, M. C. Armstrong, S. N. M. H. Butler, R. J. Clarke, A. Higginson, J. Kelleher, C. D. Murphy, M. Notley, D. R. Rusby, E. Schooneveld, M. Borghesi, P. McKenna, N. J. Rhodes, D. Neely, C. M. Brenner, and S. Kar^{1,4,a)}

¹Centre for Plasma Physics, School of Mathematics and Physics, Queen's University Belfast, Belfast BT7 1NN, United Kingdom

²ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot OX11 0QX, United Kingdom

³European Spallation Source, 22100 Lund, Sweden

(Received 23 May 2017; accepted 4 July 2017; published online 26 July 2017)

Epithermal neutrons from pulsed-spallation sources have revolutionised neutron science allowing scientists to acquire new insight into the structure and properties of matter. Here, we demonstrate that laser driven fast (~MeV) neutrons can be efficiently moderated to epithermal energies with intrinsically short burst durations. In a proof-of-principle experiment using a 100 TW laser, a significant epithermal neutron flux of the order of 10⁵ n/sr/pulse in the energy range of 0.5–300 eV was measured, produced by a compact moderator deployed downstream of the laser-driven fast neutron source. The moderator used in the campaign was specifically designed, by the help of MCNPX simulations, for an efficient and directional moderation of the fast neutron spectrum produced by a laser driven source. *Published by AIP Publishing*. [http://dx.doi.org/10.1063/1.4994161]

Over the last few decades, there has been sustained interest in laser-driven neutron sources, which are capable of producing sub-ns bursts of fast (MeV energies) neutrons with high brightness. 1-5 Although fast neutrons are useful for many applications, such as imaging⁶ and material testing for fusion reactor vessels, the arena of neutron science and applications mainly requires slow neutrons (with energies ranging from sub-meV to keV) which are provided at reactor⁸ and accelerator⁹ based facilities by moderating fast neutrons. In particular, sources of epithermal neutrons (eV-100 keV) are of high interest for a wide range of applications, from material science 10-12 to nuclear waste transmutations¹³ and healthcare. ^{14,15} However, the scale and operational costs involved in the acceleratorbased facilities not only limit their availability to the scientific community but also hinder their wider promotion in the industrial, security, and healthcare sectors.

In this paper, we report an experimental demonstration of producing epithermal neutrons from a laser driven source. By directing the laser-driven fast neutrons produced by p-Li reactions onto a compact ($10\,\mathrm{cm} \times 10\,\mathrm{cm} \times 8\,\mathrm{cm}$) moderator placed at $\sim 11\,\mathrm{cm}$ from the source, a significant flux of epithermal neutrons $\sim 5 \times 10^5$ n/sr/pulse in the range of 0.5–300 eV was produced. The epithermal neutrons were measured at a distance of 2.58 m from the moderator using ³He detectors in the time of flight (ToF) mode. The proof-of-principle results presented here indicate a significant scope for further improvement in terms of attainable flux by optimising the setup and the fast neutron source, as will be discussed in the concluding part of the paper. In light of the latest development in diode-pumped, high repetition rate

The experiment was carried out employing the 100 TW arm of the VULCAN laser facility of the Rutherford Appleton Laboratory, STFC, UK. A schematic of the experimental setup is shown in Fig. 1. The ~ 1 ps FWHM laser pulses with an energy of ~50 J after the compressor were focused onto 10 µm Au targets by an f/3 off-axis parabola, delivering peak intensities of $\sim 5 \times 10^{19} \,\mathrm{W \ cm^{-2}}$ onto the target. The fast neutrons were produced by impinging the ions from the gold foil (henceforth called pitcher) onto a \sim 2 cm thick block of lithium (henceforth called *catcher*), placed ~5 mm away from the pitcher. The spectra of the fast neutrons produced at the catcher were diagnosed by a time of flight (ToF) technique, employing two fast scintillator detectors (EJ232Q16 plastic scintillator coupled to Hamamatsu R2083 PMT¹⁷). As shown in Fig. 1, the detectors (henceforth called ND-1 and ND-2, respectively) were located at 4.37 m and 4.27 m from the source, respectively, measuring fast neutrons spectra along the lines 0° (on axis) and 35° (off axis) with respect to the ion beam axis. The scintillator detectors were absolutely calibrated for fast neutrons, as reported in Ref. 18.

After characterising the fast neutron spectra along 0° and 35° , a pair of Reuter Stokes ³He filled (at 10 bars pressure) proportional counters¹⁹ were placed along the beam axis. The ³He detectors were placed inside a shielded housing with high voltage (2 kV) applied across their anodes and cathodes. Due to the high sensitivity of the ³He detectors, the

111, 044101-1

⁴Central Laser Facility, Rutherford Appleton Laboratory, Didcot, Oxfordshire OX11 0QX, United Kingdom

⁵Department of Physics, SUPA, University of Strathclyde, Glasgow G4 0NG, United Kingdom

⁶Department of Physics, University of York, York YO10 5DD, United Kingdom

high power laser systems, laser-based sources in the future may offer the possibility of developing compact beamlines, closely coupled to the moderator, thanks to the significantly less hostile environment offered by a laser-based system compared to reactor-based and pulsed-spallation facilities.

a)s.kar@qub.ac.uk

FIG. 1. (a) Schematic of the experimental setup (figure not to scale). (b) Image of the setup inside the interaction chamber. The fast neutrons were generated by nuclear reactions in the catcher target, induced by the MeV ions accelerated from the laser irradiated pitcher target. ND-1 and ND-2 are EJ232Q scintillator detectors, placed inside lead (5 cm thick) and plastic (5 cm thick) housings, employed in the ToF mode to diagnose the fast neutron spectra. ¹⁸ Epithermal neutrons produced by the moderator were diagnosed by the ³He proportional counters employed in the ToF mode, placed behind a B₄C collimator.

gamma flash produced by the laser interaction saturated the signal at early times, and only neutrons of energy up to $\sim 300\,\mathrm{eV}$ could be detected by the $^3\mathrm{He}$ detectors in a ToF mode. The efficiency of the detectors with respect to the incident neutron energy is given by the formula, $\eta=1-\exp(-0.00482Pd\lambda)$, where P is the gas pressure in bar, d is the tube diameter in mm, and λ is the wavelength of neutrons in angstroms. One of the $^3\mathrm{He}$ detectors was wrapped with a few mm thick cadmium sheets in order to identify the background level of stray thermal [$\lesssim 0.5\,\mathrm{eV}$ (Ref. 20)] neutrons hitting the detector. The $^3\mathrm{He}$ detectors were placed behind a $\mathrm{B_4C}$ cylindrical collimator ($\sim 30\,\mathrm{cm}$ long with an outer diameter of $\sim 30\,\mathrm{cm}$ and an inner diameter of $\sim 5\,\mathrm{cm}$) as shown in Fig. 1.

The configuration of the compact moderator used in the experiment is shown in Fig. 2(a). The fast neutrons from the catcher were directed to impinge onto the moderator, which was aligned along the beam axis as shown in Fig. 1. The thickness and materials used in the moderator were chosen based on Monte Carlo N-Particle eXtended (MCNPX)²¹ simulations, with the aim of optimizing the flux of epithermal neutrons from the exit plane of the moderator. The choice of materials for the experiment was restricted by radiation safety and manufacturing constraints. Within the overall moderator the main component size, $5 \text{ cm} \times 5 \text{ cm} \times 4 \text{ cm}$ block of high density polystyrene, which was designed to slow down ~MeV neutrons to the epithermal range [mean free path of 1 MeV neutron is \sim 3 cm (Ref. 22)]. Under the condition of the experiment, the high Z front layers (2.4 cm thick lead and 1.2 cm thick tungsten) mainly served as reflectors to the moderated neutrons produced by the polystyrene block. However, in the presence of higher energy (≥10 MeV) neutrons, this design would also increase the neutron population by (n, xn) reactions inside the thick layers of lead and tungsten. The polystyrene, tungsten, and lead blocks were housed in a cm-thick aluminium structure, surrounded by 1.5 cm thick lead to reduce neutron leakage from the side walls of the moderator. In order to produce a pure epithermal beam and filter the lower energy neutrons, a 2 mm cadmium sheet was placed at the exit plane of the moderator.

As can be seen in Fig. 2(a), the moderator produces an anisotropic flux distribution of epithermal neutrons. While the front layers of lead and tungsten may contribute by premoderating and multiplying high energy neutrons, the sub-MeV neutrons are efficiently moderated to the epithermal range inside the polystyrene block. The neutron spectra emerging from the exit plane and the side of the moderator for different input neutron energies are shown in Fig. 2(b), which illustrates the effectiveness of the design in moderating neutrons of MeV energies, as produced in abundance in our experiment [see Fig. 3(a)].

The experiment was carried out in two stages. Since the moderator and the ³He detector restrained us from measuring the fast neutrons produced along the beam axis, the first stage was devoted for characterising spectra and angular distribution of the fast neutrons produced by the catcher, before deploying the moderator and the ³He detectors. The data collected by the two scintillator detectors over a number of dedicated shots showed fairly similar spectral profiles as shown




FIG. 2. (a) The design of the moderator superimposed on the neutron (in the range of 1 eV–1 keV) flux distribution across the mid-plane of the moderator, obtained from MCNPX simulation for 1 MeV neutrons entering the moderator from the left side (shown by red arrow). (b) Comparison between neutron spectra at the two detectors, *detector-1* and *detector-2*, respectively [shown in (a)], placed 5 cm away from the side and exit faces of the moderator for different incident neutron energies as obtained from MCNPX simulations.




FIG. 3. (a) Typical spectra of fast neutrons produced in the experiment, as measured by the ND-1 (on-axis) and ND-2 (35° off axis) detectors. (b) and (c) Raw data (from three shots for each case) obtained in the ³He detectors without and with the moderator, respectively. (d) Raw data in the presence of the moderator obtained in the ³He detectors wrapped with Cd foil, which is a good absorber of neutrons of energies below \sim 0.5 eV, as can be seen from the cross-section of 113 Cd(n, total)²⁰ plotted in the inset. The zoomed plots of the raw data on the linear X-scale are shown in the insets. Epithermal neutron hits are identified by the voltage spikes in the output signal [as shown in the inset in (b)] and the neutron energy is calculated by ToF [as shown in a separate axis under (d)]. (e) Epithermal neutron spectra produced by the moderator, averaged over 16 measurements, where the red line is an eye-guide to the data points.

in Fig. 3(a). The neutron flux above 2.5 MeV was measured to be $\sim \! 10^7$ n/Sr, whereas the spectra indicate that the highest flux lies in the sub-MeV region (estimated to be of the order of 10^9 n/sr between 0.1 and 1 MeV). The ratio of the fast neutron fluxes recorded by ND-1 and ND-2 was found to be $\sim \! 0.6$ over a number of shots taken at similar laser and pitcher/catcher conditions. When the ND-1 became redundant in the following stage (due to the installation of the onaxis 3 He detector, see Fig. 1), the data obtained by the ND-2 were used as a reference to infer the on-axis fast neutron spectra.

Placing the moderator at a distance of \sim 11 cm behind the catcher produced a significant amount of epithermal neutrons along the beam axis, in contrast to what detected in shots without the moderator. This is apparent from the increased number of voltage spikes in the voltage versus time/energy plots of Figs. 3(c) and 3(d), compared to the plot of Fig. 3(b). Each voltage spike is created when a neutron is absorbed in the ³He detector via the ³He(n, p)³H reaction, and the released proton and ³H ionize the gas inside the detector generating an electron avalanche. While the incident neutron energy was determined from the ToF, the neutron flux was calculated by counting the number of voltage spikes in the output signal. As expected, the Cd wrapped ³He detector showed rapidly decreasing number of neutron hits in the signal trace after $\sim 300 \ \mu s$, as shown in Fig. 3(d), which is consistent with the absorption cross-section of Cd for low energy neutrons. Taking into account the detector efficiency (as mentioned earlier) and normalising the signal with respect to the incident neutron flux measured by the ND-2 detector in the same shot, the spectrum of the epithermal neutrons was obtained. Figure 3(e) shows the epithermal neutron spectrum produced by the moderator in the detectable energy range of 0.5–300 eV, by averaging over 8 shots (i.e., 16 measurements). The high energy cut-off is due to the saturation of the $^3{\rm He}$ detectors at early times by the gamma flash. As can be seen in Fig. 3(b), the number of neutron hits within the detectable energy range was insignificant in shots without the moderator. The background-subtracted neutron flux produced by the moderator in the energy range of $0.5{-}300\,{\rm eV}$ was $(5.1\pm0.15)\times10^5$ n/sr/pulse.

As mentioned earlier, the experiment was designed to assess and demonstrate the feasibility of driving intense bursts of epithermal neutrons with short pulse lasers. The moderator in the current experiment was placed at a distance of ~ 11 cm from the catcher to monitor shot-to-shot variations in the fast neutron spectra by the ND-2. If the moderator were placed in contact with the catcher, using a minimal (~cm) thickness of high Z material in its front layer, the fast neutron flux per cm² incident on the polystyrene would have increased by two orders of magnitude, producing a commensurate increase in epithermal flux at the moderator output. A prudent estimation based on MCNPX simulations suggests that an epithermal flux of $\sim 10^4$ n/cm²/pulse in the energy range of 0.5–300 eV $(\sim 3 \times 10^4 \text{ n/cm}^2/\text{pulse for } 1 \text{ eV}-100 \text{ keV})$ was produced in the current experiment at a nominal distance of 5 cm from the moderator [i.e., at the *detector-2* position in Fig. 2(a)].

While these proof-of-principle results are encouraging, there is significant scope for further optimisation of the epithermal neutrons flux by optimising the moderator design as well as the fast neutron source. The input flux of fast neutrons can be significantly enhanced by increasing the energy and number of incident ions on the catcher. Order of magnitude higher fast neutron fluxes than produced in the current experiment have been already reported, ²⁻⁴ and, in

Laser-based sources are fast approaching a crucial stage in their development for neutron science and applications to complement large-scale facilities. Although sources such as the National Ignition Facility report record yield in fusion neutrons per pulse, ^{29,30} its scale and repetition rate are inadequate for any credible application related to neutron science. On the other hand, the repetition rates achievable on smaller scale installations could still be too low to guarantee successful exploitation for the aforementioned applications. The future of a laser-based approach would be reliant on the progress in diode-pumped technologies, such as the DiPOLE^{31,32} and HAPLS³³ projects, aiming towards developing 10 Hz, Petawatt-class laser systems.

We acknowledge funding from EPSRC [EP/J002550/1-Career Acceleration Fellowship held by S.K., EP/L002221/1, EP/J500094/1, EP/K022415/1, and EP/J003832/1] and STFC [ST/P000142/1]. This work was also supported by STFC's Business and Innovation Directorate. Authors would like to acknowledge valuable discussions with J. Collier (Director of CLF, STFC, UK), S. Langridge (Head of diffraction and materials division, ISIS, STFC, UK), and R. Dalgliesh (Instrument Scientist, ISIS, STFC, UK). Authors also acknowledge support from A. Cox (mechanical engineering) and D. Haddock (target fabrication group) of the CLF, STFC, UK. Data associated with the research published in this article can be accessible at http://dx.doi.org/10.17034/d3a467ee-2fb1-4825-9a35-1bbb46207ca8.

- ⁵I. Pomerantz, E. McCary, A. R. Meadows, A. Arefiev, A. C. Bernstein, C. Chester, J. Cortez, M. E. Donovan, G. Dyer, E. W. Gaul *et al.*, Phys. Rev. Lett. **113**, 184801 (2014).
- ⁶A. Buffler, Rad. Phys. Chem. **71**, 853 (2004).
- ⁷L. J. Perkins, B. G. Logan, M. D. Rosen, M. D. Perry, T. Diaz de la Rubia, N. M. Ghoniem, T. Ditmire, P. T. Springer, and S. C. Wilks, Nucl. Fusion **40**, 1 (2000).
- 8See http://www.ga.com/triga for information about TRIGA reactor neutron source; see https://www.ill.eu for information about ILL high flux reactor.
- ⁹See http://www.isis.stfc.ac.uk for information about ISIS pulsed neutron; see https://neutrons.ornl.gov/sns for information about Spallation Neutron Source and the High Flux Isotope Reactor at Oak Ridge National Laboratory; see https://europeanspallationsource.se for information about European Spallation Source.
- ¹⁰R. Senesi, A. Pietropaolo, A. Bocedi, S. E. Pagnotta, and F. Bruni, Phys. Rev. Lett. 98, 138102 (2007).
- ¹¹C. A. Chatzidimitriou-Dreismann and I. C. Tietje, J. Phys. Conf. Ser. 237, 012010 (2010).
- ¹²E. P. Cippo, A. Borella, G. Gorini, W. Kockelmann, M. Moxon, H. Postma, N. J. Rhodes, P. Schillebeeckx, E. M. Schoonenveld, M. Tardocchi *et al.*, J. Anal. At. Spectrom. **26**, 992 (2011).
- ¹³E. Mendoza, D. Cano-Ott, C. Guerrero, E. Berthoumieux, U. Abbondanno, G. Aerts, F. Álvarez-Velarde, S. Andriamonje, J. Andrzejewski, P. Assimakopoulos, L. Audouin *et al.*, Phys. Rev. C **90**, 034608 (2014).
- ¹⁴N. Burgio, L. Maciocco, K. Abbas, F. Simonelli, A. Santagata, S. Buono, N. Gibson, G. Cotogno, I. Cydzik, U. Holzwarth *et al.*, IEEE Trans. Nucl. Sci. 58, 445 (2011).
- ¹⁵R. Terlizzi, N. Colonna, P. Colangelo, A. Maiorana, S. Marrone, A. Rainó, G. Tagliente, and V. Variale, Appl. Radioact. Isot. 67, S292 (2009).
- ¹⁶See http://www.eljentechnology.com for information about EJ-232Q crystal.
- ¹⁷See http://www.hamamatsu.com/jp/en/R2083.html for information about R2083 Hamamatsu photomultiplier tube.
- ¹⁸S. R. Mirfayzi, S. Kar, H. Ahmed, A. G. Krygier, A. Green, A. Alejo, R. Clarke, R. R. Freeman, J. Fuchs, D. Jung *et al.*, Rev. Sci. Instrum. 86, 073308 (2015).
- ¹⁹GE Reuter Stokes, https://www.gemeasurement.com/ for Helium-3 neutron detector.
- ²⁰See https://www-nds.iaea.org/exfor/endf.htm for information on cadmium capture cross-section.
- ²¹D. B. Pelowitz, MCNPX User's Manual Version 2.5.0. (Los Alamos National Laboratory, 2005), Vol. 76.
- ²²W. J. Nellis, Am. J. Phys. **45**, 443 (1977).
- ²³A. Macchi, M. Borghesi, and M. Passoni, Rev. Mod. Phys. 85, 751 (2013).
- ²⁴F. Wagner, O. Deppert, C. Brabetz, P. Fiala, A. Kleinschmidt, P. Poth, V. A. Schanz, A. Tebartz, B. Zielbauer, M. Roth *et al.*, Phys. Rev. Lett. 116, 205002 (2016).
- ²⁵S. Kar, K. F. Kakolee, B. Qiao, A. Macchi, M. Cerchez, D. Doria, M. Geissler, P. McKenna, D. Neely, J. Osterholz *et al.*, Phys. Rev. Lett. **109**, 185006 (2012).
- ²⁶N. Watanabe, Rep. Prog. Phys. **66**, 339 (2003).
- ²⁷E. V. Iverson, B. J. Micklich, and J. M. Carpenter, KEK Proc. Vol. 2, High Energy Accel. Res. Org. 6–9, 1372 (1999–2000), available at https://inis. iaea.org/search/search.aspx?orig_q=RN:43009536.
- ²⁸K. Kino, M. Furusaka, F. Hiraga, T. Kamiyama, Y. Kiyanagi, K. Furusaka, S. Goko, K. Y. Hara, H. Harada, M. Harada *et al.*, Nucl. Instrum. Methods A 736, 66 (2014).
- ²⁹A. Taylor, M. Dunne, S. Bennington, S. Ansell, I. Gardner, P. Norreys, T. Broome, D. Findlay, and R. Nelmes, Science 315, 1092 (2007).
- ³⁰T. Döppner, D. A. Callahan, O. A. Hurricane, D. E. Hinkel, T. Ma, H.-S. Park, L. F. Berzak Hopkins, D. T. Casey, P. Celliers, E. L. Dewald *et al.*, Phys. Rev. Lett. **115**, 055001 (2015).
- ³¹S. Banerjee, K. Ertel, P. D. Mason, P. J. Phillips, M. De Vido, J. M. Smith, T. J. Butcher, C. Hernandez Gomez, R. J. S. Greenhalgh, and J. L. Collier, Opt. Express 23, 19542 (2015).
- ³²S. Banerjee, P. D. Mason, K. Ertel, P. J. Phillips, M. De Vido, O. Chekhlov, M. Divoky, J. Pilar, J. M. Smith, T. J. Butcher *et al.*, Opt. Express **41**, 2089 (2016).
- 33See https://lasers.llnl.gov/science/photon-science/highpowered-lasers for information on HAPLS.

¹T. Ditmire, J. Zweiback, V. P. Yanovsky, T. E. Cowan, G. Hays, and K. B. Wharton, Nature **398**, 489 (1999).

²M. Roth, D. Jung, K. Falk, N. Guler, O. Deppert, M. Devlin, A. Favalli, J. Fernandez, D. Gautier, M. Geissel *et al.*, Phys. Rev. Lett. **110**, 044802 (2013).

³S. Kar, A. Green, H. Ahmed, A. Alejo, A. P. L. Robinson, M. Cerchez, R. Clarke, D. Doria, S. Dorkings, J. Fernandez *et al.*, New J. Phys. **18**, 053002 (2016).

⁴A. Alejo, A. G. Krygier, H. Ahmed, J. T. Morrison, R. J. Clarke, J. Fuchs, A. Green, J. S. Green, D. Jung, A. Kleinschmidt *et al.*, Plasma Phys. Controlled Fusion **59**, 064004 (2017).