



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/124506/>

Version: Published Version

Article:

Fotios, S. and Johansson, M. (2019) Appraising the intention of other people: Ecological validity and procedures for investigating effects of lighting for pedestrians. *Lighting Research & Technology*, 51 (1). pp. 111-130. ISSN: 1477-1535

<https://doi.org/10.1177/1477153517737345>

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

The Society of
Light and Lighting

Appraising the intention of other people: Ecological validity and procedures for investigating effects of lighting for pedestrians

S Fotios PhD^a and M Johansson PhD^b^aSchool of Architecture, University of Sheffield, Sheffield, UK^bEnvironmental Psychology, Department of Architecture and Built Environment, Lund University, Lund, Sweden

Received 6 June 2017; Revised 7 September 2017; Accepted 26 September 2017

One of the aims of outdoor lighting in public spaces, such as pathways and subsidiary roads, is to help pedestrians to evaluate the intentions of other people. This paper discusses how a pedestrians' appraisal of another persons' intentions in artificially lit outdoor environments can be studied. We review the visual cues that might be used, and the experimental design with which effects of changes in lighting could be investigated to best resemble the pedestrian experience in artificially lit urban environments. Proposals are made to establish appropriate operationalisation of the identified visual cues, choice of methods and measurements representing critical situations. It is concluded that the intentions of other people should be evaluated using facial emotion recognition; eye-tracking data suggest a tendency to make these observations at an interpersonal distance of 15 m and for a duration of 500 ms. Photographs are considered suitable for evaluating the effect of changes in light level and spectral power distribution. To support investigation of changes in spatial distribution, further investigation is needed with three-dimensional targets. Further data are also required to examine the influence of glare.

1. Introduction

Imagine that you are walking alone, after dark, along a road. Ahead you can see another person or group of people: what visual cues inform your decision of whether or not to continue walking in the same direction or to take action to avoid approaching any closer?

Lighting in public spaces such as pathways and subsidiary roads is designed primarily to meet the needs of pedestrians and making an appraisal about the intentions of other people

is an assumed critical visual task for pedestrians.^{1–4} Support for this assumption has been found in studies using eye tracking. When looking at static images, observers will tend to look at other people if present in a scene with an area-weighted frequency significantly greater than chance.⁵ In natural outdoor settings, there is a probability of over 80% that another person in the field of view will be fixated at least once^{6,7} and fixations on other people can be sufficiently important to demand significant cognitive attention.⁸ In these studies, the use of an area-weighted analysis⁵ or a dual task to focus cognitive attention⁸ suggests some confidence that fixations upon other people are important.

Address for correspondence: S Fotios, School of Architecture, The University of Sheffield, Arts Tower, Western Bank, Sheffield, S10 2TN, UK.

E-mail: steve.fotios@sheffield.ac.uk

This paper reviews the current literature on pedestrians' responses to encounters with other people in artificially lit outdoor environments. Based on a theory of human–environment interaction (HEI) the extent to which the lit environment supports the appraisal of the other persons' intentions is discussed. Moreover, the visual cue(s), the operationalisation and choice of method(s) and specific measurement(s) that might be used in experimental studies to best resemble pedestrian experience in artificially lit urban environments are considered. The contribution of this work is to discuss the extent to which ecologically valid methods are used in research leading to recommendations presented in guidance for outdoor lighting.

People are in constant interaction with their surroundings. In this interaction or transaction, people's experience of the environment shapes their behaviour, and their behaviour in turn will affect the environment.⁹ The HEI model¹⁰ offers a framework to systematically analyse these relationships between people and the physical and social dimensions of the environment, and has previously been used to study mobility in urban areas.^{11–14} The HEI model is based on the theory that emotional processes are affected by different levels of appraisal of stimuli in the external natural and social environment.^{10,15} Therefore, different outcomes of the emotional process, in terms of approach or avoidance response, are expected depending on the outcome of the interplay between the physical and social environment, the activity at hand, and the individual's characteristics, values, attitudes and prior experiences.

From a HEI perspective, there is a concern when evaluating environmental quality¹⁶ with respect to the degree of congruence between expert, technical or objective evaluations and lay, observational or subjective evaluations. The former are based on objective physical measures – i.e. light, noise or experts'

judgements – and the latter on the users' observations and perceptions that are shaped by social constructions and experience of the places.¹⁷ Both perspectives aim to assess the environment in which people live, but different values, ideals and goals underlie the experts' and the laypersons' observational assessments, pointing to the importance of using different methods in the evaluation of the environment.¹⁶ This implies that we need a thorough understanding of what are the relevant stimuli to address, the associated measurement(s) available and the appropriate procedure(s) required to discern the effect of the environment on an individual's appraisal of other people in the outdoor lit environment, i.e. in making interpersonal judgements. From a research perspective, it becomes important to choose the most relevant stimuli (visual cues), find a suitable operationalisation and use appropriate methods and measurements of sufficient ecological validity.

2. Relevance: What do we look at?

A wide range of visual cues are used to communicate between people in social interactions.^{18–20} These present a range of visual and cognitive demands, leading to a need to determine which is/are the most appropriate for investigating effects of road lighting for pedestrians' appraisal of other people's intent.

Human faces are key in interpersonal communication. A face can convey information about age, gender, identity and emotion.²¹ The face communicates a person's emotional state as well as his/her behavioural intentions. The emotional expression also serves to trigger the perceiver's basic responses in terms of approach or avoidance.²² Consequently, research into lighting has tended to focus on the face (Table 1). One reason why the face may be a suitable target is that there is a tendency to attend to the eyes of other people, the eyes being a cue for social attention, and this tendency may be at least

Table 1 Past studies of lighting and facial identity recognition.

Study	Method				Effect of light level	Effect of lamp SPD
	Task	Type of target face	Distance ^a	Duration		
Boyce and Rea ⁴⁵	Matching	Real person	Stop-distance	Unlimited	Yes	No
Rea <i>et al.</i> ⁴⁶	Matching	Real person	Stop-distance	Unlimited	Not tested	No ^b
Dong <i>et al.</i> ⁴⁷	Matching	Photographs of sculptures	Set distance (10 m)	0.1 s, 0.3 s, 1.0 s, 3.0 s and 10 s	Yes	Not tested
Caminada and van Bommel, ³	Recognise (familiar) face 'without any doubt'.	Real person	stop-distance	Unlimited	Yes	Not tested
Raynham and Saksvikrønning ⁴⁸	'Walk towards a person until their face could be recognised'	Real person	Stop-distance	Unlimited	Yes	Yes ^c
Knight ⁴⁹	State name of person	Photographs of celebrities	Stop-distance	Unlimited	Not tested	Yes ^c
Knight and van Kemenade ⁵⁰	State name of person	Photographs of celebrities	Stop-distance	Unlimited	Not tested	Yes ^c
Lin and Fotios ⁴⁴	State name of person	Photographs of celebrities	Set distances	1s, 3s	Not tested	Yes
Yao <i>et al.</i> ⁵¹	State name of person	Photographs of celebrities	Stop-distance	Unlimited	Not tested	Yes ^c
Dong <i>et al.</i> ⁴⁷	State name of person	Photographs of celebrities	Set distance (10 m)	0.1, 0.3, 1.0, 3.0 and 10 s	Yes	Not tested
Alferdinck <i>et al.</i> ⁵²	Ratings of recognisability	Real person	Set distances	Unlimited	Yes	No
Lin and Fotios ⁴⁴	Ratings of recognisability	Photographs of celebrities	Set distances	Unlimited	Not tested	Yes
Rombauts <i>et al.</i> ⁵³	Ratings of recognisability	Real person	Set distances (not reported)	Unlimited	Yes	Not tested
Iwata <i>et al.</i> ⁵⁴	Ratings of recognisability	Real person	Set distances	Unlimited	Yes (no stats)	Yes ^c

SPD: spectral power distribution.

^aStop-distance: the test participant walks toward the target and stops at the point when the identification judgement can be made – distance is the proxy for performance. Set distance: the task is repeated at one or more locations pre-determined by the experimenter.

^bIt is reported that there was no significant difference between the MH and HPS, but the article does not provide any numeric results for this test nor the method of statistical analysis.

^cIn these studies, there was a reported trend for SPD to affect recognition distance but this is not supported by a statistical analysis of differences.

partially automatic.²³ If internal features of the face such as the eyes, mouth, nose and eyebrows are obscured, then face recognition becomes challenging and strongly limits social interactions: in a face recognition task, a recognition accuracy of approximately 90% when viewing the whole face was reduced to approximately 78% when only the internal region of the face could be seen and reduced further to approximately 48% when the internal features were hidden.²⁴ For live targets – i.e. a real person rather than a photograph – direct gaze more strongly activates the approach–avoidance system than does averted gaze.²³ Eye tracking whilst looking at images has shown that observers will tend to look at other people if present in a scene with a frequency significantly greater than chance when weighted by area: when looking at other people, viewing time on the face is greater than that on the body.⁵ This gaze behaviour is a cue to attention. Given that humans possess limited cognitive resources, we naturally allocate attention to the most relevant social cues in order to make behavioural forecasts about others so as to respond in an efficient and adaptive manner.²⁵

Body posture provides an additional source of information about other people's emotions,^{19,26,27} but which is the more significant stimulus for pedestrians' appraisal of other people, the face or the body? This has been examined in identity recognition studies by comparing performance when the whole body is visible with performance when only the head or body are visible.^{28,29} These studies show that judgements made with observation of only the head are of about the same accuracy as for whole body, with both being more accurate than judgements made with the body only. For example, in one study,²⁸ a correct responses rate of approximately 90% for whole body images was reduced to 80% when the body was obscured but reduced to 30% when the face was obscured: in further

analysis of these data using only the first trial to reduce learning effects, the face-obscured response reduced to approximately 15%. In a further study using face and body composite images, it was found that approachability judgments were driven largely by the facial expression.¹⁹ Observation of the face is thus suggested to be more important than the body for evaluating other people. Note, however, that these studies tended to use dynamic images (videos) rather than static images (photographs): the difference may be less prevalent for static images.³⁰ There may be an interaction with distance: the body contribution may become more significant at larger distances when face details become too small to be useful to the evaluation, while the face dominates at shorter distances.²⁹

The hands may be a specifically important part of the body to take into consideration as hand gestures are a physical action by which people may purposefully reveal their state of emotion. Although their meanings do not appear to be universally recognised, there are many commonly used gestures.³¹ There are as yet no studies investigating how lighting affects recognition of a hand gesture, but given that the hand and face are of similar size, it may be safe to assume that lighting which enables satisfactory acuity for facial details also provides satisfactory acuity for hand gestures.

The eyes and the direction of gaze can be used to exert social control.³² Humans are skilled at detecting the direction of gaze, perhaps because this gives the observer an indication of a person's mental state, their focus of attention and their goals.²³ For example, direct gaze is associated with approach motivation and averted gaze with avoid motivation.^{18,20,33} Angry faces are considered less approachable when displaying direct eye gaze than averted eye gaze.²⁰ Gaze direction is also used as a cue to the intended travel path of an approaching pedestrian such that one's own direction is adjusted to steer

clear and reduce the risk of walking into one another.³⁴

There is a fear of direct gaze: looking someone in the eye is only seen as friendly if the looker is talking to the person or knows them.¹⁸ Laidlaw *et al.*³⁵ found that a person seated alone in a waiting room looked toward a video screen of another person more frequently than they did when the real person was present. Having the impression that one is the recipient of a gaze can be decisive in many social interactions.³⁶ A person is acutely aware of when they are, and are not, being looked at by another person and this ability tends to decline with increasing distance.^{36,37}

While gaze direction may be a useful cue to social interactions, the target features (the eyes) are, however, small, and under the reduced visibility conditions of road lighting, that lighting may not be of benefit. Fotios *et al.*³⁸ explored gaze direction and found that a face luminance of at least 1.0 cd/m² was needed to ensure a probability of correct identification above chance level at an observation distance of 2 m, but for observation distances of 4 m and 10 m, performance did

not rise above chance level. It is therefore concluded that gaze direction is not a suitable focus for research of road lighting.

In the appraisal process, our individual characteristics as well as values, norms, expectations and stereotyping shape our interpretation of certain stimuli. In these interpretations, people tend to use heuristics based on for example out-group characteristics associated with threat.³⁹ Therefore, factors such as gender – and skin colour, the formation of people in small groups etc – add to pedestrians' appraisal of other people's intent and associated feelings of danger/fear in the environment.

From this point of view, females may feel threatened by the presence of males.^{40,41} One female stated that 'If I'm walking alone at night, and you are a man between the ages of 20 and 60 and your gait looks even remotely confident, I'm terrified of you'.⁴² A study of aural responses suggested that the sound of male footsteps and conversation aroused anxiety whilst female footsteps and conversation promoted reassurance.⁴³ The chance of correctly recognising the gender of a remote person tends to be greater than the chance of recognising their identity (Figure 1).⁴⁴




Figure 1 Proportion of correct facial identity and gender judgements plotted against distance under metal halide (MH) lighting.⁴⁴

Hence using gender identification as a representative task would underestimate the lighting needed for a more difficult task such as identity recognition.

Taken together, previous research suggests that the face may serve as the most important stimulus. The face provides cues to identity, emotion, age and gender and it is what people tend to look at. The face appears to be more influential than the body, presents greater difficulty than gender identification, and facial details subtend a similar visual size to the hands. We next need to know how to use the face in empirical research to gain valid and reliable information about how well differently lit outdoor environments support pedestrians.

3. Operationalisation: What is being evaluated?

Several studies of lighting have used the face as the key stimulus to understand pedestrians' appraisal of other people's intent (Table 1).^{3,44–54} These studies operationalised the stimulus as facial identity recognition.

Three methods have been used in these studies: identification, matching and rating. Identification requires participants to state the name of the target person, with these studies typically using photographs of celebrities. Matching requires participants to match the target person with one from a sample of faces displayed in a reference set. Rating requires the degree of recognition to be reported, using a scale of, perhaps, zero (absolutely not recognisable) to 100 (completely recognisable). Both photographs and real people have been used as targets in these studies. Given that different experimental methods are available, it should be asked whether the choice matters, i.e. whether the method used affects the conclusions drawn regarding the effect of changes in lighting. If so, which measurement(s) has the highest

ecological validity and best resembles the behaviour of a pedestrian?

Different experimental methods present different levels of difficulty.^{44,55} Following review of past studies, Lin and Fotios⁴⁴ observed that a relatively difficult task – a name the celebrity identification task – required targets to be closer for identification and that the spectral power distribution (SPD) of the light had a significant effect while a relatively easy task (matching) could be completed at a greater distance – or, smaller targets at the same distance – and that the SPD was not a significant factor. In an experiment carried out subsequently to test this proposal, Dong *et al.*⁴⁷ confirmed that the identification task was more difficult than the matching task. These results are in line with previous research showing that in memory, retrieval of information is a more complex process than recognition of information (e.g. Ellis and Hunt⁵⁶). Here, we have used the term task difficulty on the basis that the more difficult task is the one that requires a larger (closer) target for the task to be completed correctly: this may alternatively be considered as the information content involved in the choice, with the small number of target photos in a matching array being a smaller load than the myriad faces held in one's memory.

When making identification judgements, factors such as expectation and familiarity can affect performance. A higher proportion of correct responses is gained in a celebrity naming task if observers are primed before observing target photographs.⁵⁷ The size of this expectation benefit is such that primed identification performance matched unprimed performance despite targets that were more visually difficult – 24.5% smaller, or 22.8% more blurred). Familiar faces can be recognised in a rapid and effortless process⁵⁸ such that recognition performance is significantly better when the targets are familiar than when they are unknown.^{28,58–60} The absence of familiarity leads to poor

identification: one study demonstrated relatively poor person recognition performance from a test sample comprising police officers.²⁸ These factors are, however, given little consideration in past experiments in lighting: the use by Caminada and van Bommel³ of familiar targets in a recognition task may have underestimated performance with unfamiliar targets, affecting their recommendations regarding road lighting criteria. This distinction is relevant if it is assumed pedestrians are more likely to encounter unfamiliar people.

The wider body of research on facial recognition presents, however, additional methods that may be useful for the study of lighting and pedestrians. Table 2 shows six procedures found in research papers associated with facial recognition studies beyond those from the domain of lighting research.

The four additional methods tend to use tasks associated with familiarity, and in which recognition of the target face is made difficult by blurring, illumination from an unusual direction, or viewed from different angles. Two methods present target faces sequentially – one at a time – and ask whether the target is a work colleague or classmate – identification 2 – or is one of a sample of faces previously seen – familiar face. Two procedures present pairs of targets in succession – one after another – and ask if they are the same or different person – paired matching; composite face.

Facial identity recognition is unlikely to be the only, nor most essential, evaluation made about other people when walking after dark. What may be more critical is the decision on whether it is safe to approach another person or whether they should be avoided. Recognition of

Table 2 Summary of methods used to investigate face-based social evaluations.

Method	Description	Studies using method
Identification 1	State the name of (or otherwise identify) the target person, typically a selection of celebrities and typically presented as a photograph or digital image.	Bernard and Chung ⁶¹ Loftus and Harley (Experiment 2) ⁵⁷
Identification 2	Identify if person shown is known (i.e. a work colleague or classmate). The photographs are typically distorted (by blurring or lighting from an unusual direction) to confound identification.	Hill and Bruce ⁶² (work colleagues) Johnston <i>et al.</i> ⁶³ (classmates)
Familiar face	Observe sequence of faces, in various views, some novel and some already seen, and state if familiar or not.	Harries <i>et al.</i> ⁶⁴
Composite face	The upper and lower halves of a face are different: observers are shown two composite faces in succession and asked whether the tops were the same or different.	Konar <i>et al.</i> ⁶⁵
Matching (array) ^a	State which of an array of people is the target. Target and matching images of a specific person may be identical or different.	Bruce <i>et al.</i> ⁶⁶ (4) Chelnokova and Laeng ⁶⁷ (4) Elliot <i>et al.</i> ⁶⁸ (8) Konar <i>et al.</i> ⁶⁵ (4) Loftus and Harley (Exp 1) (41) ⁵⁷ Pitz <i>et al.</i> ⁶⁹ (2, 4, 6) Royer <i>et al.</i> ⁵⁸ (2) Yang <i>et al.</i> ⁷⁰ (5) Braje ⁷¹ Burton <i>et al.</i> ²⁸ Hill and Bruce. ⁶² Liu <i>et al.</i> ⁷² Simhi and Yovel ³⁰ Troje and Bülthoff ⁷³
Paired matching	Two faces shown in succession: Are they the same person? The two faces may be different views of the same person.	

^aNumbers in brackets refer to number of faces in the array.

emotion from facial expression – facial emotion recognition (FER) – might be a more representative task^{74,75} as this is more likely to reveal the behavioural intentions of the encountered pedestrian.²⁵ Confirmation of this proposal can be found in Willis *et al.*¹⁹ who found that faces exhibiting angry expressions were considered less approachable than those with happy expressions – and similarly so for emotions conveyed by body posture. Approachability was defined by Willis *et al.* as the willingness to approach a stranger in a crowded street to ask for directions, which might be considered the opposite of a judgement of threat intent and the resulting motivation to avoid.

There are several photographic databases of facial emotional expressions, for example Ekman,⁷⁶ FACES⁷⁷ and NimStim.⁷⁸ These are photographs of actors/models using facial expression to portray what is considered to be a universally recognised emotion – such as happiness, fear, anger and disgust, – the success of this portrayal being confirmed by subsequent evaluations. These standardised expressions are not equally well recognised, with the proportion of correct identification tending to be high (≥ 0.95) for happy and low (0.68) for disgust. Given these different levels of difficulty, it might be expected that expression choice matters; however, the *post-hoc* analysis of FER studies did not find evidence that expression choice affected conclusions drawn about changes in luminance or SPD of lighting on the target face.⁷⁹

FER is suggested to be a more complex cognitive task than is recognition of identity from memory or from a reference image.²¹ More details are needed to recognise facial expression than to recognize facial identity and as a result, identity may be easier to recognise than expression under conditions that degrade the transmission of higher spatial frequencies in a face image such as large distances and poor lighting.⁸⁰ In contrast, the results of a study⁶⁸ which used both identification and expression recognition tasks

revealed that expressions could be identified at a greater distance than could identity, suggesting FER to be the easier task, but this difference existed only for the test participants undergoing cataract surgery (pre-op and post-op trials) and was not apparent in the control group.

It is concluded that FER better resembles pedestrian needs than do facial identity recognition. This is not to say that FER is the only evaluation that matters, but that it offers a suitable representative task for how pedestrians appraise other people and is unlikely to be affected by familiarity.

4. Ecological validity: How representative is the pedestrian situation investigated?

The generalisability of study results to the urban environment depends not only on the choice of relevant stimuli and adequate methods and measurements, but also which conditions are studied. Ecological validity concerns the degree to which the conditions used in an experiment represent those of the intended setting in which they would naturally occur. In the case of pedestrians' appraisal of other people in an artificially lit environment, the literature suggests that there are in particular three issues that should be addressed: (i) the representativeness of the presentation of the key stimuli, the face and its setting; (ii) the measurement procedures in terms of the relevancy of distance and the duration of observation; and (iii) the potential impact of disability glare.

4.1. Representation: Photos, moving pictures or real persons?

Some studies^{19,20} exploring social evaluations based on facial expression have used photographs of people rather than live actors as targets. One advantage of photographs – specifically, those from recognised databases^{76–78} – is that the emotion portrayal

has been independently validated under good lighting conditions. In other words, the image tends to convey the message it is intended to.

In photographs, the target is static, typically solitary and set within a non-complex scene. In real social interaction, the target may be dynamic, possibly accompanied by other people, and probably within a complex scene. Walking, or other physical activity, leads to movement of the body and face. We are able to evaluate the gender and identity of people from movements such as the speed, rhythm and amount of arm swing, or gait and stride length.⁸¹ There is a better than chance ability to make correct recognition judgements from walking movement,^{82,83} in particular for familiar targets.⁸⁴ Movement attracts attention, in particular for the onset of movement⁸⁵ and unexpected changes in direction⁸⁶ which might change the attention given to other cues in the environment.

Movement changes the position of the target relative to sources of light. For example, at a simplistic level, walking between two lamp posts will tend to lead to a lower average luminance on the face at the mid-point, it will vary the formation of shadows and vary the face-to-background contrast, which together may reduce facial identification ability.⁸⁷ At a more complex level, the interaction between the spatial distribution of light and facial geometry means that the face has a range of luminances, and a region of the face in shadow immediately beneath a lamp post could have higher luminance when further away from the lamp post. Studies in lighting have tended to present a frontal view of the target. Movement, however, changes the profile visible to the observer. Research of this change has not led to consistent evidence, with one study suggesting that profile and full-face views result in poorer recognition performance than the 3/4 view,⁷³ while a second study comparing full face, 3/4 profile, back 3/4 and full back views suggested little difference between views except for behind view.⁶⁴

People walk differently when they are alone or when they are in groups.⁸⁸ The number of people and how they walk together may therefore affect judgements made of other people. This should also be considered together with the finding that crowds may be perceived as more threatening than solo people,⁸⁹ especially if they express out-group characteristics. Thus, similar to gender, if the visual task of discriminating between individuals and groups is less demanding than that of making a facial evaluation, this would underestimate the lighting needed.

A laboratory setting is often purposefully uniform, with extraneous variables held constant and with little or no chance of unexpected events: the observer is able to concentrate upon the experimental task without distraction or expectation of distraction. Real-world settings are complex: the visual environment may be spatially and temporally dynamic and there may be approaching cars, dogs and other people, each offering their own risk.

Real people also have the possibility of social reciprocity, to look back at the observer and to alter their behaviour in response to the observer's actions.^{23,90} Peterson *et al.*⁹⁰ examined the individual differences in face fixation behaviour, and found these behaviours to be consistent when looking at either photographs of faces or during real-world encounters with other people. This means that when test participants are instructed to evaluate the photograph of a face, their visual behaviour is similar to that used in a real encounter.

In general, photographs provide a useful tool in environmental simulation as they allow for a high degree of control of the presentation of stimuli and also allow for representation of the complex backgrounds typical of subsidiary roads (e.g. Nasar⁹¹). Still more information is needed with regard to the effect of the interplay between figure and background as the perceived quality of the background may colour the appraisal of other people's face, as discussed in the classical

study of Maslow and Mintz.⁹² This must be considered in the use of photographs as well as moving pictures and methods are available to systematically describe the natural as well as the built environment (e.g. Gifford⁹).

Regarding the medium by which target faces are presented to observers, there are advantages in using photographs of people rather than video recordings or real people directly for FER evaluations. One critical factor is validity of the emotion portrayed, this being independently validated in established databases,^{76–78} but this is not the case for observation of naïve people and in videos which relies on the ability of the actor. For example, in the gaze-following experiment of Gallup *et al.*,⁹³ there was no reported attempt to validate the actor's ability to create and replicate a certain facial expression. A literature search has not revealed evidence that photographs do not work in terms of the ability to make an evaluation.

What is critical for the current review is the interaction between lighting and the target face, and this interaction depends on the parameter of interest: photographs may be useful if the aim is to reveal the relative effect of changes in light level but are unlikely to be

of use in studies where the aim is to vary the direction of light, for which a three-dimensional (3D) target is required.

The technology of immersive virtual reality (VR) studies is becoming easier to use and more easily available, e.g. by means of goggles. VR presents a new alternative to move real settings into the laboratory, although there remain challenges for the representation of lighting.⁹⁴

4.2. Observation duration

Cook¹⁸ quotes from the novelist Kingsley Amis who referred to '*the unspoken code which prohibits the eye from resting on a stranger for more than two seconds*'. In a conversation between two people, the average length of gaze is 3.0 s, reduced to 1.2 s for mutual gaze when both parties look at one another.¹⁸

Dong *et al.*⁴⁷ investigated facial identity recognition using two methods (matching and celebrity identification) with five durations of observation (0.1 s, 0.3 s, 1.0 s, 3.0 s and 10 s) at three luminances (0.1 cd/m², 1.0 cd/m² and 10.0 cd/m²). The results are shown in Figure 2. Duration was suggested to be a significant factor for all three luminances and both procedures, with longer durations




Figure 2 Proportion of correct facial identification plotted against observation duration for three luminances. Left: proportion correctly identified with a matching procedure; Right: proportion correctly identified using an identification procedure.⁴⁷

increasing the proportion of correct responses, although performance tends towards a ceiling at higher luminances.

Given that duration matters, there is a need to identify an appropriate duration with which to investigate changes in lighting. First consider evidence as to the minimum time needed to make an evaluation. Carey⁹⁵ suggests a familiar face can be recognised in 500 ms, but does not, however, cite evidence to support this. Hsiao and Cottrell⁹⁶ examined the influence of the number of eye fixations on face recognition performance. With only one fixation, performance was above chance; performance increased with two fixations but there was no further increase for more than two fixations, which suggests two fixations to be optimum. Todorov *et al.*⁹⁷ reports two experiments where judgements of trustworthiness were made after brief observations of a series of faces and these yes/no responses were compared with ratings of trustworthiness made without time restraint. In a first experiment, the targets were presented for 50 ms, 100 ms or 500 ms. There was a significant difference between the three durations; people are able to make trustworthy judgement after 50 ms but they are better in 100 ms. A second experiment used durations of 17 ms, 33 ms, 50 ms, 67 ms, 100 ms, 167 ms and 500 ms. Comparing these with judgements made without time restraint revealed a plateau reached at 167 ms. Similarly, Willis and Todorov⁹⁸ used 100 ms, 500 ms and 1000 ms durations in personality judgements including trustworthiness using a yes/no response. Comparing these to separate judgements made using a nine-point response scale without time limit shows high correlation even for the 100 ms duration. Clearly, these results address reliability of judgements and not their validity – that the same judgement was given with both methods does not mean they were correct judgements, only consistent judgements. These results demonstrate an ability to form

reliable judgements of others with very thin slices of information.⁹⁹

Consider next evidence as to the typical time desired for looking at other people. Two studies^{100,101} investigated this using the data recorded in a pedestrian eye-tracking study,⁸ including the duration of visual fixations towards other people. These studies reported a median of 480 ms,¹⁰⁰ and a mean of 475 ms,¹⁰¹ the latter using a larger data set comprising 5955 fixations towards 2496 pedestrians. For convenience, this might be rounded to 500 ms. Further evidence that 500 ms is a typical duration of observation is found in an additional eye-tracking study in which test participants walked around an oval circuit in a laboratory in the opposite direction to target pedestrians.¹⁰² The first of their 48 laps of the circuit best simulated real situations, i.e. before behaviour was influenced by learning of the behaviour patterns of target pedestrians, and for these laps, the fixation duration was also approximately 500 ms.

Given that observation duration affects the chance of correct facial identity recognition,⁴⁷ then further research should at least include a duration of 500 ms. Eye-tracking data suggest a mean tendency to look at other people 2.4 times,¹⁰¹ although the nature of these repeated fixations was not established. Overall, this is 1.2 s observation, which indicates that the stop-distance procedure used in some past studies of lighting (Table 1) is not realistic as it instructs an observation of longer (likely continuous) duration.

4.3. Observation distance

The inter-personal distance at which an evaluation is made affects the visual size of the target and thus the ability to discriminate detail. The accuracy of recognition judgements is affected by distance, becoming more accurate for closer targets²⁹ and this appears to be a function of image size rather than the

longer duration of observation likely for an approaching person.

Some studies (see Table 1) have used a stop-distance procedure, in which the test participant and/or the target person walk towards one another until the test participant stops walking (or otherwise indicates) the point at which the required identification can be made. A problem with this approach is that it reveals when a judgement can be made, but not if that is a desirable distance for the judgement to be made. It also means the task is completed at a somewhat random size. Evidence is sought here for the desirable distance. This distance may be sensitive to the cultural context, since people raised in different parts of the world seems to prefer different distances when communicating with other persons.¹⁰³

Current lighting recommendations for pedestrians were established by Caminada and van Bommel,³ and for evaluating other people they adopted the inter-personal distances described by of Hall.¹⁰⁴ The minimum distance at which an alert subject would be able to take evasive or defensive action if threatened was suggested to be 3.7 m (12 feet), an ideal facial recognition distance being 10 m. Fotios *et al.*¹⁰⁰ reviewed Hall and concluded that the evidence was not sufficiently robust and furthermore that Hall had not intended its use in such a manner.

Two studies^{105,106} have attempted to investigate comfortable interpersonal distances but a comparison of the results with the size of the test environment hints at an influence of range bias – the smaller laboratory room led to the smaller estimate of comfort distance¹⁰⁰ – and thus that the findings are not generalizable.

An estimate of desirable fixation distances was made by further analysis of pedestrian eye tracking recorded in natural settings,⁸ and this suggested that fixations took place at a mean distance of 14.0 m.¹⁰¹ For the purposes of investigating the effects of lighting on

interpersonal judgements, this was rounded to 15 m with consideration to other evidence. It is a practical distance, being shorter than that (23 m) at which the rate of correct facial identity recognition reduces to only 25%,⁵⁷ it falls within the ‘action space’ zone (2 m–30 m) of Cutting and Vishton¹⁰⁷ and agrees with Townshend’s finding of the preferred comfort distance after dark (15 m).¹⁰⁸ It is longer than the distances (4 m and 10 m) adopted by Caminada and van Bommel³ but agrees better with opinion from design guidance texts which propose there should be an ability to have a good look at other people at distances from 12 m to 25 m.^{109–111}

4.4. Disability glare

Glare arises from an extremely non-uniform distribution of light in the visual field. As light sources have become more efficient and as optical control has improved, road lighting has tended to use smaller but brighter lamps, these offering ideal conditions for disability glare. As a pedestrian walks and changes their location relative to road lighting fixtures, there may be a change in the relative amount of glare. The headlamps of oncoming vehicles and bicycles, domestic security lamps and shop displays may also induce disability glare.

Disability glare is an impediment to the visual system caused by light scattered in the eye forming a luminous veil over the retinal image; the likely result is that this will reduce the luminance contrasts of the retinal image and thus reduce the visibility of the scene.¹¹² For older subjects, there is a significant effect of glare on low contrast visual acuity.⁶⁸ Disability glare is therefore likely to hinder visual information sought by observing other people, although the magnitude of this may be less than predicted by a consideration of the decrease in effective contrast alone.¹¹³

There is little research available which directly relates to the influence of glare on interpersonal judgements. Caminada and van

Bommel³ investigated the influence of glare using a stop-distance recognition procedure, and found that *with* glare – $8 < \text{Threshold Increment} < 15$ – recognition required a slightly shorter distance than *without* glare – $\text{Threshold Increment} < 2$ – for the same light level. The results suggest this effect diminishes at higher light levels; the use of familiar targets may have made the task too easy and thus hiding a greater effect of glare; in any case, the apparent difference was not confirmed by statistical analysis.

Kohko *et al.*⁸⁷ used a luminance adjustment task to find the target luminance needed to identify the facial features of a dummy under different combinations of background luminance and glare (veiling) luminance. These results suggest that the face luminance required for identification increases as the veiling luminance increases; specifically, the luminance required for facial identification correlated well ($r^2 = 0.995$) with the combination of veiling luminance and background luminance. The central tendency expected with an adjustment task^{114–117} may, however, have influenced these data.

Although there is some evidence that the presence of disability glare reduces performance on a facial identification task, further data are required to confirm and quantify the effect.

5. Summary

One of the aims of outdoor lighting public spaces such as pathways and subsidiary roads is to help pedestrians to evaluate the intentions of other people. This paper discusses how the effect of changes in lighting on pedestrians' appraisal of another persons' intentions in artificially lit outdoor environments can be studied.

We propose that the face is a suitable visual target. Much past work in lighting has examined facial identity recognition; this work gives mixed conclusions as to the effect

of SPD which can be explained by the different levels of difficulty presented by the different experimental procedures used in those studies.

To make progress, there is a need to consider which procedure(s) best represent pedestrians' visual needs when walking after dark. To discern the effect of the outdoor lit environment on an individual's ability to appraise the intentions of other people, there is a need to understand what are the relevant visual cues, how are they operationalised, what are the associated measurement(s) available and what are the appropriate procedure(s). Review of the literature suggested that appropriate conditions for lighting experiments are evaluation of the face using a FER procedure rather than identity recognition, with targets scaled to represent a distance ahead of 15 m, and observed for 500 ms.

We propose FER as a representative task for further studies in research of outdoor lighting. We do not suggest that pedestrians always look at the faces of other people, nor that facial expression is the sole cue to determination of the likely intentions of other people. It is known, for example, that the context will influence how we appraise people⁹² and that the interpretation of an expression can be influenced by context (such as an angry expression being interpreted as afraid in a frightening situation).^{25,118,119} What we do suggest is that FER is a suitable task for evaluating changes in lighting because it has a higher degree of ecological validity than an abstract foveal task such as Landolt ring gap identification and is a better defined task than facial identity recognition. There may be a range of cues when evaluating others, such as gender, number of people and direction of travel; if we can see a persons' facial expression, it is plausible that these other cues can also be determined.

One critical question is the medium by which target faces are observed. Photographs offer many advantages, including the ease of providing randomised, brief, presentations.

While dynamic images – e.g. videos – offer cues associated with motion, such cues are relevant only for familiar people but not unfamiliar people. However, while photographs may be suitable for investigating the effect of changes in light level or SPD, they may have limited use when investigating changes in the spatial distribution; where 3D target faces are employed then care is needed to ensure expressions are consistent. Repeatable 3D targets have become possible through the use of 3D printing or immersive virtual environments, but these tools require further work to become useable for FER studies and have not yet – to our knowledge – been used in reported work.

Four studies have examined how variations in lighting effect the ability to discriminate emotion conveyed by facial expression with changes in luminance and SPD (Table 3).^{38,120–122} Further work is required to investigate the effects on these evaluations of glare and the spatial distribution of light. Moreover, participants' individual characteristics such as age, gender and previous experiences should be taken into account.

All four studies used photographs as the target and should therefore be validated using 3D targets.

More reliable and valid data can be obtained for adequate outdoor lighting if studies are founded on knowledge of relevant visual cues and employ informed methods and procedure to assess people's appraisals of other people. We need to understand the individual's response to other people in relation to the physical and social context of public spaces including pathways and subsidiary roads and including prevailing cultural norms and lighting preferences. The appraisal of other people is only one of several tasks that are important to pedestrians. Perceived safety from threats by other people is, however, a key issue for pedestrians and an argument for many installations of artificial outdoor lighting in urban pedestrian environments. Further research is needed to understand to what extent these measures are associated with perceived safety and increased walking in such environments.

One further consideration is the purpose of walking. People walk for many purposes but

Table 3 Past studies of lighting and facial emotion recognition in the context of outdoor lighting.

Study	Method				Effect of light level	Effect of lamp SPD
	Task	Type of target face	Distance	Duration		
Fotios <i>et al.</i> ³⁸	Facial emotion recognition	Photographs of acted expressions ^a	Set distances	1 s	Yes	No
Yang and Fotios ¹²¹	Facial emotion recognition	Photographs of acted expressions ^a	Set distances	0.5 s, 1 s	Yes	No
Fotios <i>et al.</i> ¹²⁰	Facial emotion recognition	Photographs of acted expressions ^a	Set distances	0.5 s	Yes	No
Johansson and Rahm ¹²²	(1) Facial emotion recognition (2) rating scale	Photographs of acted expressions ^a	Stop-distance	Unlimited ^b		

SPD: spectral power distribution.

^aPhotographs of acted expressions: this refers to photographs of people portraying one or more of the universally recognised expressions rather than of celebrities, and where taken from a database such as FACES (Ebner *et al.*⁷⁷) the emotion portrayal is validated – confirmed repeatable – by testing under good conditions.

^bBoth SPD and light level varied in the three scenes examined and thus the separate effects of light level and SPD are confounded: it was found that with light source C the emotion could be identified at a longer distance. Source C had higher correlated colour temperature (CCT) and S/P ratio than did sources A or B.

they tend to overlap and transform during the walk.¹²³ While some trips are flexible and can be post-poned or avoided if one does not feel confident in the environment – e.g. a recreational walk in the evening – others are fixed with regard to time and place – e.g. an early morning walk to catch a train to work – and are done regardless of how confident one feels in the environment.¹²⁴ In the latter case, it could be expected that the pedestrian is more alert and sensitive to the visual cues in the environment. Eye-tracking studies might help to identify such differences.

The assessment of outdoor lighting for pedestrians demands multidisciplinary approaches to accurately define appropriate lighting designs meeting both pedestrians' needs and goals to reduce energy use. In other words, the development and evaluations of such lighting installations should combine current psychological knowledge of human appraisal of other people in diverse pedestrian settings with an understanding of urban planning and design and the development and use of energy efficient lighting technology.

Declaration of conflicting interests

The authors declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The authors disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: Steve Fotios' contribution was supported by the Engineering and Physical Sciences Research Council (EPSRC) grant number EP/M02900X/1. Maria Johansson's contribution was supported by Lighting Metropolis EU Inter-reg project NYPS 20200430.

References

- 1 British Standards Institution BS 5489-1:2013. *Code of Practice for the Design of Road Lighting Part 1: Lighting of Roads and Public Amenity Areas*. London: BSI, 2012.
- 2 Commission Internationale de l'Éclairage. CIE115:2010 *Lighting of Roads for Motor and Pedestrian Traffic*. Vienna: CIE, 2010.
- 3 Caminada JF, van Bommel WJM. New lighting criteria for residential areas. *Journal of the Illuminating Engineering Society* 1984; 13: 350–358.
- 4 Simons RH, Hargroves RA, Pollard NE, Simpson MD. *Lighting criteria for residential roads and areas: Proceedings of the CIE*, Venice, 1987: pp. 274–277.
- 5 Fletcher-Watson S, Findlay JM, Leekam SR, Benson V. Rapid detection of person information in a naturalistic scene. *Perception* 2008; 37: 571–583.
- 6 Foulsham T, Walker E, Kingstone A. The where, what and when of gaze allocation in the lab and the natural environment. *Vision Research* 2011; 51: 1920–1931.
- 7 Fotios S, Uttley J, Yang B. Using eye-tracking to identify pedestrians' critical visual tasks. Part 2. Fixation on pedestrians. *Lighting Research and Technology* 2015; 47: 149–160.
- 8 Fotios S, Uttley J, Cheal C, Hara N. Using eye-tracking to identify pedestrians' critical visual tasks. Part 1. Dual task approach. *Lighting Research and Technology* 2015; 47: 133–148.
- 9 Gifford R. *Environmental Psychology. Principles and Practice*. 5th edition, Colville, WA: Optimal Books, 2016.
- 10 Küller R. Environmental assessment from a neuropsychological perspective. In: Gärling T, Evans GW. (eds). *Environment, Cognition, and Action*. New York, NY: Oxford University Press, 1991: pp. 111–147.
- 11 Johansson M. Psychological motivation of pro-environmental travel behaviour in an urban area. In: Rothengatter T, Huguenin RD. (eds). *Traffic and Transport*. Oxford, UK: Elsevier, 2004: , pp. 435–442.
- 12 Johansson M. Environment and parental factors as determinants of mode for children's

- leisure travel. *Journal of Environmental Psychology* 2006; 26: 156–169.
- 13 Ferreira IA, Johansson M, Sternudd C, Fornara F. Transport walking in urban neighbourhoods. Impact of perceived neighbourhood qualities and emotional relationship. *Landscape and Urban Planning* 2016; 150: 60–69.
 - 14 Fyhri A, Hjortol R. Children's independent mobility to school, friends, and leisure activities. *Journal of Transport Geography* 2009; 17: 377–384.
 - 15 Leventhal H, Scherer K. The relationship of emotion to cognition: A functional approach to a semantic controversy. *Cognition and Emotion* 1987; 1: 3–28.
 - 16 Bonaiuto M, Fornara F, Bonnes M. Perceived residential environment quality in middle- and low-extension Italian cities. *Revue Européenne de Psychologie Appliquée* 2006; 56: 23–34.
 - 17 Gifford R, Hine DW, Muller-Clemm W, Shaw KT. Why architects and laypersons judge buildings differently: Cognitive properties and physical bases. *Journal of Architectural and Planning Research* 2002; 19: 131–148.
 - 18 Cook M. Gaze and mutual gaze in social encounters. *American Scientist* 1977; 65: 328–333.
 - 19 Willis ML, Palermo R, Burke D. Judging approachability on the face of it: The influence of face and body expressions on the perception of approachability. *Emotion* 2011; 11: 514–523.
 - 20 Willis ML, Palermo R, Burke D. Social judgements are influenced by both facial expression and direction of eye gaze. *Social Cognition* 2011; 29: 415–429.
 - 21 Adolphs R. Recognizing emotion from facial expressions: Psychological and neurological mechanisms. *Behavioral and Cognitive Neuroscience Reviews* 2002; 1: 21–62.
 - 22 Seidel EM, Habel U, Kirschner M, Gur RC, Derntl B. The impact of facial emotional expressions on behavioral tendencies in women and men. *Journal of Experimental Psychology: Human Perception and Performance* 2010; 46: 500–507.
 - 23 Risko EF, Laidlaw KEW, Freeth M, Foulsham T, Kingstone A. Social attention with real versus reel stimuli: Toward an empirical approach to concerns about ecological validity. *Frontiers in Human Neuroscience* 2012; 6: 143.
 - 24 Bernard JB, Chung STL. The role of external features in face recognition with central vision loss. *Optometry and Vision Science* 2016; 93: 510–520.
 - 25 Adams Jnr. RB, Albohn DN, Kveraga K. Social vision: Applying a social-functional approach to face and expression perception. *Current Directions in Psychological Science* 2017; 26: 243–248.
 - 26 Etcoff N, Magee J. Categorical perception of facial expressions. *Cognition* 1992; 44: 227–240.
 - 27 De Gelder B, Den Stock JV. The bodily expressive action stimulus test (BEAST). Construction and validation of a stimulus basis for measuring perception of whole body expression of emotions. *Frontiers in Psychology* 2011; 2: 1–6.
 - 28 Burton AM, Wilson S, Cowan M, Bruce V. Face recognition in poor-quality video: Evidence from security surveillance. *Psychological Science* 1999; 10: 243–248.
 - 29 Hahn CA, O'Toole AJ, Phillips PJ. Dissecting the time course of person recognition in natural viewing environments. *British Journal of Psychology* 2016; 107: 117–134.
 - 30 Simhi N, Yovel G. The contribution of the body and motion to whole person recognition. *Vision Research* 2016; 122: 12–20.
 - 31 Morris D, Collett P, Marsh P, O'Shaughnessy M. *Gestures: Their Origins and Distributions*. London: Book Club Associates, 1979.
 - 32 Kleinke CL. Gaze and eye contact: A research review. *Psychological Bulletin* 1986; 100: 78–100.
 - 33 Ellsworth P, Carlsmith J, Henson A. The stare as a stimulus to flight in human subjects: A series of field experiments. *Journal of Personality and Social Psychology* 1972; 21: 302–311.
 - 34 Nummenmaa L, Hyönä J, Hietanen JK. I'll walk this way: Eyes reveal the direction of locomotion and make passersby look and go the other way. *Psychological Science* 2009; 20: 1454–1458.
 - 35 Laidlaw KEW, Foulsham T, Kuhn G, Kingstone A. Potential social interactions are important to social attention. *Proceedings of*

- the National Academy of Science USA 2011; 108: 5548–5553.
- 36 Gamer M, Hecht H. Are you looking at me? Measuring the cone of gaze. *Journal of Experimental Psychology: Human Perception and Performance* 2007; 33: 705–715.
 - 37 Gibson JJ, Pick A. Perception of another person's looking behavior. *American Journal of Psychology* 1963; 76: 386–394.
 - 38 Fotios S, Yang B, Cheal C. Effects of outdoor lighting on judgements of emotion and gaze direction. *Lighting Research and Technology* 2015; 47: 301–315.
 - 39 Mange J, Sharvit K, Margas N, Sénémeaud C. Do I shoot faster because I am thinking about an outgroup or a threatening outgroup. *Social Psychology* 2016; 47: 29–37.
 - 40 Keane C. Evaluating the influence of fear of crime as an environmental mobility restrictor on women's routine activities. *Environment and Behavior* 1998; 30: 60–74.
 - 41 Kelly A. *Safe Cities for Women: From Reality to Rights*. Johannesburg: ActionAid, 2014.
 - 42 Wisdom P. I'm sick of being afraid to walk alone at night. Blog posted on Role Reboot, 18 August 2014. Retrieved 28 October 2015, from <http://www.rolereboot.org/life/details/2014-08-im-sick-afraid-walk-alone-night/>.
 - 43 Ohno R, Matsuda T. The effects of acoustic environment on pedestrians' anxiety on a night street. EAEA11 2013. *Envisioning Architecture: Design, Evaluation, Communication*. European Architecture Envisioning Association, Milan, Italy, 25–28 September 2013: pp. 243–250.
 - 44 Lin Y, Fotios S. Investigating methods for measuring facial recognition under different road lighting conditions. *Lighting Research and Technology* 2015; 47: 221–235.
 - 45 Boyce PR, Rea MS. Security lighting: effects of illuminance and light source on the capabilities of guards and intruders. *Lighting Research and Technology* 1990; 22: 57–79.
 - 46 Rea MS, Bullough JD, Akashi Y. Several views of metal halide and high pressure sodium lighting for outdoor applications. *Lighting Research and Technology* 2009; 41: 297–314.
 - 47 Dong M, Fotios S, Lin Y. The influence of observation duration and procedure on luminance required for recognition of pedestrian' faces. *Lighting Research and Technology* 2015; 47: 693–704.
 - 48 Raynham P, Saksvikrønning T. White light and facial recognition. *The Lighting Journal* 2003; 68: 29–33.
 - 49 Knight C. Field surveys investigating the effect of lamp spectrum on the perception of safety and comfort at night. *Lighting Research and Technology* 2010; 42: 313–330.
 - 50 Knight C, Van Kemenade J. Wahrnehmung und Wertschätzung der Endkunden in Bezug auf die öffentliche Beleuchtung (Effect of outdoor lighting on perception and appreciation of end-users). Berne, Switzerland: Licht, 10–13 September 2006.
 - 51 Yao Q, Sun Y, Lin Y. Research on facial recognition and color identification under CMH and HPS lamps for road lighting. *Leukos* 2009; 6: 169–178.
 - 52 Alferdinck JWAM, Hogervorst MA, Van Eijk AMJ, Kusmierczyk JT. Mesopic vision and public lighting – A literature review and a face recognition experiment. TNO-DV C435. Soesterberg, The Netherlands: TNO, 2010.
 - 53 Rombauts P, Vandewyngaerde H, Maggetto G. Minimum semicylindrical illuminance and modelling in residential area lighting. *Lighting Research and Technology* 1989; 21: 49–55.
 - 54 Iwata M, Ayama M, Mori T, Iwasaki H, Kohko S, Inoue Y, Itsuki H, Kyoto N. Appearance of human face and atmosphere of environment under LED street lights using different correlated colour temperature: *Proceedings of 28th Session of the CIE*, Manchester, 28 June–4 July 2015: pp. 1638–1646.
 - 55 Boyce PR. Illuminance, difficulty, complexity and visual performance. *Lighting Research and Technology* 1974; 6: 222–226.
 - 56 Ellis HC, Hunt RR. *Fundamentals of Human Memory and Cognition*. Cincinnati, USA: Brown Company Publishers, 1989.
 - 57 Loftus G, Harley EM. Why is it easier to identify someone close than far away? *Psychonomic Bulletin and Review* 2005; 12: 43–65.
 - 58 Royer J, Blais C, Barnabé-Lortie V, Carré M, Leclerc J, Fiset D. Efficient visual information for unfamiliar face matching despite viewpoint

- variations: It's not in the eyes! *Vision Research* 2016; 123: 33–40.
- 59 Bruce V, Henderson Z, Newman C, Burton AM. Matching identities of familiar and unfamiliar faces caught on CCTV images. *Journal of Experimental Psychology: Applied* 2001; 7: 207–218.
- 60 Roark DA, O'Toole AJ, Abdi H. *Human recognition of familiar and unfamiliar people in naturalistic video: Proceedings of the IEEE International Workshop on Analysis and Modelling of Faces and Gestures*, Nice, France, October 2003; pp. 36–43.
- 61 Bernard JB, Chung TL. The role of external features in face recognition with central vision loss. *Optometry and Vision Science* 2016; 93: 510–520.
- 62 Hill H, Bruce V. Effects of lighting on the perception of facial surfaces. *Journal of Experimental Psychology* 1996; 22: 986–1004.
- 63 Johnston A, Hill H, Carman N. Recognising faces: Effects of lighting direction, inversion and brightness reversal. *Perception* 1992; 21: 365–375.
- 64 Harries MH, Perrett DI, Lavender A. Preferential inspection of views of 3-D model heads. *Perception* 1991; 20: 669–680.
- 65 Konar Y, Bennett PJ, Sekuler AB. Effects of aging on face identification and holistic face processing. *Vision Research* 2013; 88: 38–46.
- 66 Bruce V, Healey P, Burton M, Doyle T, Coombes A, Linney A. Recognising facial surfaces. *Perception* 1991; 20: 755–769.
- 67 Chelnokova O, Laeng B. Three-dimensional information in face recognition: An eye tracking study. *Journal of Vision* 2011; 11: 1–15.
- 68 Elliot DB, Patla A, Bullimore MA. Improvements in clinical and functional vision and perceived disability after first and second cataract surgery. *British Journal of Ophthalmology* 1997; 81: 889–895.
- 69 Pilz KS, Vuong QC, Bülthoff HH, Thornton IM. Walk this way: Approaching bodies can influence the processing of faces. *Cognition* 2011; 118: 17–31.
- 70 Yang N, Shafai F, Oruc I. Size determines whether specialized expert processes are engaged for recognition of faces. *Journal of Vision* 2014; 14: 1–12.
- 71 Braje WL. Illumination encoding in face recognition: Effect of position shift. *Journal of Vision* 2003; 3: 161–170.
- 72 Liu CH, Collin CA, Burton AM, Chaudhuri A. Lighting direction affects recognition of untextured faces in photographic positive and negative. *Vision Research* 1999; 39: 4003–4009.
- 73 Troje NF, Bülthoff HH. Face recognition under varying poses: The role of texture and shape. *Vision Research* 1996; 36: 1761–1771.
- 74 Fotios S, Raynham P. Correspondence: Lighting for pedestrians: is facial recognition what matters?. *Lighting Research and Technology* 2011; 43: 129–130.
- 75 Newton LD. *The neurobiology of emotional signal processing in negative and non-negative schizophrenia*. PhD thesis. Sheffield: University of Sheffield, Department of Academic Clinical Psychiatry, 2007.
- 76 Ekman P. *Emotions Revealed: Recognizing Faces and Feelings to Improve Communication and Emotional Life*. New York: Henry Holt, 2007.
- 77 Ebner N, Riediger M, Lindenberger U. FACES—A database of facial expressions in young, middle-aged, and older women and men: Development and validation. *Behavior Research Methods* 2010; 42: 351–362.
- 78 Tottenham N, Tanaka JW, Leon AC, McCarry T, Nurse M, Hare TA, Marcus DJ, Westerlund A, Casey BJ, Nelson C. The NimStim set of facial expressions: Judgments from untrained research participants. *Psychiatry Research* 2009; 168: 242–249.
- 79 Fotios S, Castleton H, Yang B. Does expression choice affect the analysis of light spectrum and facial emotion recognition? *Lighting Research and Technology*. First published 1 June 2016. DOI: 1477153516651923.
- 80 Gao X, Maurer D. A comparison of spatial frequency tuning for the recognition of facial identity and facial expressions in adults and children. *Vision Research* 2011; 51: 508–519.
- 81 Troje NF, Westhoff C, Lavrov M. Person identification from biological motion: Effects of structural and kinematic cues. *Perception and Psychophysics* 2005; 67: 667–675.
- 82 Cutting JE, Kozlowski LT. Recognizing friends by their walk: Gait perception without

- familiarity cues. *Bulletin of the Psychonomic Society* 1977; 9: 353–356.
- 83 Richardson MJ, Johnston L. Person recognition from dynamic events: The kinematic specification of individual identity in walking style. *Journal of Nonverbal Behavior* 2005; 29: 25–44.
- 84 Loula F, Prasad S, Harber K, Shiffrar M. Recognizing people from their movement. *Journal of Experimental Psychology* 2005; 31: 210–220.
- 85 Abrams RA, Christ SE. Motion onset captures attention. *Psychological Science* 2003; 14: 427–432.
- 86 Howard CJ, Holcombe AO. Unexpected changes in direction of motion attract attention. *Attention, Perception and Psychophysics* 2010; 72: 2087–2095.
- 87 Kohko S, Kawakami K, Nakamura Y. A study on effects of veiling luminance on pedestrian visibility. *Journal of Light and Visual Environment* 2008; 32: 315–321.
- 88 Costa M. Interpersonal distance in group walking. *Journal of Nonverbal Behavior* 2010; 34: 15–26.
- 89 Rachman S. Agoraphobia—a safety-signal perspective. *Behaviour Research and Therapy* 1984; 22: 59–70.
- 90 Peterson MF, Lin J, Zaun I, Kanwisher N. Individual differences in face-looking behavior generalize from the lab to the world. *Journal of Vision* 2016; 16: 1–18.
- 91 Nasar JL. Assessing perceptions of environments for active living. *American Journal of Preventive Medicine* 2008; 34: 357–363.
- 92 Maslow AH, Mintz NL. Effects of esthetic surroundings: Initial effects of three esthetic conditions upon perceiving energy and well-being in faces. *The Journal of Psychology: Interdisciplinary and Applied* 1956; 41: 247–254.
- 93 Gallup AC, Chong A, Kacelnik A, Krebs JR, Couzin ID. The influence of emotional facial expressions on gaze-following in grouped and solitary pedestrians. *Scientific Reports* 2014; 4: 5794.
- 94 Chamilothoni K, Wienold J, Andersen M. Adequacy of immersive virtual reality for the perception of daylight spaces: Comparison of real and virtual environments. Leukos. In press.
- 95 Carey S. Becoming a face expert. *Philosophical Transactions of the Royal Society of London* 1992; 335: 95–103.
- 96 Hsiao JH, Cottrell G. Two fixations suffice in face recognition. *Psychological Science* 2008; 19: 998–1006.
- 97 Todorov A, Pakrashi M, Oosterhof NN. Evaluating faces on trustworthiness after minimal time exposure. *Social Cognition* 2009; 27: 813–833.
- 98 Willis J, Todorov A. First impressions: Making up your mind after a 100-ms exposure to a face. *Psychological Science* 2006; 17: 592–598.
- 99 Gatersleben B, Murtagh N, White E. Hoody, goody or buddy? How travel mode affects social perceptions in urban neighbourhoods. *Transportation Research Part F* 2013; 21: 219–230.
- 100 Fotios S, Yang B, Uttley J. Observing other pedestrians: Investigating the typical distance and duration. *Lighting Research and Technology* 2015; 47: 548–564.
- 101 Fotios S, Uttley J, Fox S. Exploring the nature of visual fixations on other pedestrians. *Lighting Research and Technology*. First published 26 August 2016, DOI 1477153516666132.
- 102 Jovancevic-Misic J, Hayhoe M. Adaptive gaze control in natural environments. *The Journal of Neuroscience* 2009; 29: 6234–6238.
- 103 Lundberg P. *Utbildning och träning för interkulturell kommunikativ kompetens (Education and Practice for Intercultural Communicative Competence)*. Lund: Studentlitteratur, 1991.
- 104 Hall E. *The Hidden Dimension*. New York: Anchor Books, 1969: pp. 123–124.
- 105 Adams L, Zuckerman D. The effect of lighting conditions on personal space requirements. *Journal of General Psychology* 1991; 118: 335–340.
- 106 Fujiyama T, Childs C, Boampong D, Tyler N. *Investigation of Lighting Levels for Pedestrians - Some Questions About Lighting Levels of Current Lighting Standards*. London: Centre for Transport Studies, 2005.

- 107 Cutting JE, Vishton PM. Perceiving layout and knowing distances: The integration, relative potency, and contextual use of different information about depth. In: Epstein W, Rogers S. (eds). *Perception of Space and Motion*. London: Academic Press, 1995: pp. 69–117.
- 108 Townshend T. The role of public lighting. In: Oc T, Tiesdell SA. (eds). *Safer City Centres: Reviving the Public Realm*. London: Paul Chapman Publishing, 1997: pp. 119–129.
- 109 Luymes DT, Tamminga K. Integrating public safety and use into planning urban greenways. *Landscape and Urban Planning* 1995; 33: 391–400.
- 110 Colquhoun I. *Design Out Crime: Creating Safe and Sustainable Communities*. Oxford: Architectural Press (Elsevier), 2004.
- 111 Dravitzki VK, Cleland BS, Walton D, Laing JN. Measuring commuting pedestrians' concerns for personal safety and the influence of lighting on these concerns. *26th Australasian Transport Research Forum*. Wellington, New Zealand, 1–3 October 2003.
- 112 Boyce PR. *Human Factors in Lighting*. 3rd Edition, Boca Raton FL: CRC Press, 2014.
- 113 Davoudian N, Raynham P, Barrett E. Disability glare: A study in simulated road lighting conditions. *Lighting Research and Technology* 2014; 46: 695–705.
- 114 Fotios SA, Cheal C. Stimulus range bias explains the outcome of preferred-illuminance adjustments. *Lighting Research and Technology* 2010; 42: 433–447.
- 115 Logadóttir Á, Christoffersen J, Fotios SA. Investigating the use of an adjustment task to set preferred illuminance in a workplace environment. *Lighting Research and Technology* 2011; 43: 403–422.
- 116 Logadóttir Á, Fotios SA, Christoffersen J, Hansen SS, Corell DD, Dam Hansen C. Investigating the use of an adjustment task to set preferred colour of ambient illumination. *Colour Research and Application* 2013; 38: 46–57.
- 117 Uttley J, Fotios S, Cheal C. Satisfaction and illuminances set with user-controlled lighting. *Architectural Science Review* 2013; 56: 306–314.
- 118 Aviezer H, Hassin RR, Ryan J, Grady C, Susskind J, Anderson A, Moscovitch M, Bentin S. Angry, disgusted, or afraid? Studies on the malleability of emotion perception. *Psychological Science* 2008; 19: 724–732.
- 119 Carroll JM, Russell JA. Do facial expressions signal specific emotions? Judging emotion from the face in context. *Journal of Personality and Social Psychology* 1996; 70: 205–218.
- 120 Fotios S, Castleton H, Cheal C, Yang B. Investigating the chromatic contribution to recognition of facial expression. *Lighting Research and Technology* 2017; 49: 243–258.
- 121 Yang B, Fotios S. Lighting and recognition of emotion conveyed by facial expressions. *Lighting Research and Technology* 2015; 47: 964–975.
- 122 Johansson M, Rahm J. Perceived lighting qualities and pedestrian performance. *Proceedings of 28th Session of the CIE*. Manchester, 28 June–4 July 2015: pp. 324–333.
- 123 Kärholm M, Johansson M, Lindelöw D, Ferreira IA. Interseriality and different sorts of walking: Suggestions for a relational approach to urban walking. *Mobilities* 2017; 12: 20–35.
- 124 Lindelöw D, Svensson Å, Sternudd C, Johansson M. What limits the pedestrian? Exploring perceptions of walking in the built environment and in the context of every-day life. *Journal of Transport & Health* 2014; 1: 223–231.