

This is a repository copy of Fragon: rapid high-resolution structure determination from ideal protein fragments.

White Rose Research Online URL for this paper: <a href="https://eprints.whiterose.ac.uk/id/eprint/127271/">https://eprints.whiterose.ac.uk/id/eprint/127271/</a>

## Article:

Jenkins, Huw Thomas orcid.org/0000-0002-3302-6966 (2018) Fragon: rapid high-resolution structure determination from ideal protein fragments. Acta crystallographica. Section D, Structural biology. pp. 205-214. ISSN: 2059-7983

https://doi.org/10.1107/S2059798318002292

## Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

## **Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.




## Fragon: Rapid high-resolution structure determination from ideal protein fragments


Huw T. Jenkins<sup>a</sup>\*

<sup>a</sup>York Structural Biology Laboratory, Department of Chemistry, The University of York, Heslington, York, YO10 5DD, UK

Correspondence email: huw.jenkins@york.ac.uk



**Figure 1** Test cases in the mixed  $\alpha/\beta$  test set solved by *Fragon*. The fragment placed by *Phaser* is shown as yellow sticks.



**Figure 2** Test cases in the all- $\beta$  test set solved by *Fragon*. The fragment placed by *Phaser* is shown as yellow sticks.