

This is a repository copy of *The use of Lapita pottery : results from the first analysis of lipid residues*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/127394/>

Version: Accepted Version

Article:

Leclerc, Mathieu, Tache, Karine, Bedford, Stuart et al. (3 more authors) (2018) The use of Lapita pottery : results from the first analysis of lipid residues. *Journal of Archaeological Science Reports*. pp. 712-722. ISSN 2352-409X

<https://doi.org/10.1016/j.jasrep.2017.12.019>

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Paper title:

Results from the first analysis of lipid residues in Lapita pottery

Authors:

Mathieu Leclerc¹ (Corresponding author)

Karine Taché²

Stuart Bedford¹

Matthew Spriggs³

Alexandre Lucquin⁴

Oliver E Craig⁴

Affiliations:

¹ College of Asia & the Pacific

The Australian National University, Australia

² Department of Anthropology

Queens College, USA

³ School of Archaeology & Anthropology

The Australian National University, Australia

⁴ Department of Archaeology

University of York, United Kingdom

Corresponding author email address:

mathieu.leclerc@anu.edu.au

Corresponding author institution address:

School of Culture, History and Language

College of Asia and the Pacific

The Australian National University

HC Coombs Building (9)

9 Fellows Road, Acton ACT, 2601, Australia

1 **ABSTRACT**

2 Biomolecular and isotopic characterization of absorbed organic residues has been performed on eight dentate-
3 stamped and two plain Lapita potsherds from the site of Teouma, in Vanuatu. Lipid profiles associated with
4 decorated pots are homogenous suggesting that similar food types or mixtures of food types were placed in these
5 vessels. This suggests a high degree of consistency in the use of Lapita decorated pots, irrespective of the
6 morphological and stylistic variation of these vessels. Data obtained from single-compound isotope analysis are also
7 not consistent with marine resources as potential food sources for Lapita vessels. Overall, the absence of marine
8 resources in decorated vessels sharply contrasts with the current accepted model of subsistence strategy during the
9 early stages of Lapita occupations at Teouma, characterised by broad-spectrum foraging of marine and terrestrial
10 species. The absence of such commonly consumed, ubiquitous and easily accessible resources in Lapita vessels
11 suggests that these pots were not manufactured to be used for ordinary occasions and day-to-day food consumption.
12 This is the first time tangible data related to the use of these vessels is provided to support this claim in addition to
13 contextual inferences.

14

15 **KEYWORDS**

16 Lapita, Vanuatu, Pottery, Lipid analysis, Oceania, Organic residue, Marine resources

17

18 **HIGHLIGHTS**

- 19
- Organic residue analysis of Lapita pottery from Teouma (2940-2710 cal BP), Vanuatu
 - Lipid profiles from decorated pots are homogenous
 - Data are not consistent with marine resources as potential food sources
 - Results suggest these pots were not manufactured to be used for ordinary occasions
- 20
21
22

1. INTRODUCTION

The first human settlers in Remote Oceania are recognised in the archaeological record by a set of cultural and material traits gathered together under the encompassing concept named the Lapita Cultural Complex (Earle and Spriggs 2015, Green 1991, 2000, Kirch 1997, Sand 2010a, Sand and Bedford 2010b, Sand et al. 2011, Sheppard 2011, Sheppard et al. 2015). The geographic extent of Lapita occupation is known to stretch from the Bismarck Archipelago and the south coast of New Guinea in the west to Tonga and Samoa in the east (Kirch 1997, McNiven et al. 2011, Skelly et al. 2014). Although it would be prejudicial to limit the complex entirely to its ceramic aspect (Green 1990: 33), the most distinctive element of the Lapita Cultural Complex remains its decorated pottery, characterized by fine dentate-stamped designs. The presence of Lapita vessels across such a wide geographical area suggests that these dentate-stamped vessels held a certain status within the social organisation of these colonising groups. The consensus is that the dentate-stamped Lapita vessels were probably used in special contexts (ceremonial, non-secular) rather than being a domestic cookware implement (Best 2002: 99-100, Spriggs 2003: 205, Chiu 2007: 257-260, Kirch 2000: 102-106, Terrell and Welsch 1997: 568). The main arguments supporting this idea are based on indirect contextual evidence from a number of Lapita sites, including the presence of decorated Lapita vessels in direct association with burials at the cemetery site of Teouma (c. 2940-2710 cal BP) in Vanuatu (Bedford et al. 2006, Bedford et al. 2010: 143). This article presents for the first time concrete data acquired directly from Lapita pottery from Teouma that clearly support this hypothesis.

The objectives of this paper are twofold:

I. To propose an analytical method able to **gain insights into the social role of dentate-stamped ceramics** by providing direct chemical evidence related to the original contents of these vessels. Previous attempts at analysing residues in Oceanic pottery have had limited success and/or targeted very specific aspects which hindered the widespread applicability of these techniques to archaeological assemblages (Hocart et al. 1993, Hill and Evans 1989, Fankhauser 1997, 1994, Hill et al. 1985). Until now, *direct* evidence of Lapita diets have been provided by i) bulk stable isotope analysis of human bone collagen (Kinaston, Buckley, et al. 2014, Kinaston, Bedford, et al. 2014, Valentin et al. 2010, Valentin et al. 2014), ii) the analysis of starch and phytolith microfossils in dental calculus (Horrocks et al. 2014), and iii) starch and phytolith analyses of pottery residues (Crowther 2009, 2005, Horrocks et al. 2009). Those studies have contributed significantly to scholarship but have important limitations when trying to reconstruct the use of Lapita pottery. Bulk stable isotope analysis of human bone collagen and the study of microfossils present in dental calculus of Lapita individuals provide direct evidence of the foods eaten by past people, but nothing indicates whether these foods were processed, cooked, stored, or displayed in Lapita vessels before being consumed. The analysis of starch and phytolith microfossils in soil adhering to sherds or preserved in carbonized deposits still adhering to the walls of ancient Lapita pottery have great potential for identifying precisely which plants have been processed or cooked in these vessels, but these techniques cannot be employed to document the use of animal resources. The biomolecular and isotopic analyses of lipids undertaken in the present study, on the other hand, shed light on a wider variety of food sources, including plant and aquatic oils, as well as animal fats.

37 This article details the results from the first organic residue analysis undertaken on Lapita pottery combining gas
38 chromatography mass spectrometry (GCMS) and gas chromatography-combustion-isotope ratio mass spectrometry
39 (GC-c-IRMS) analysis of lipids. When used in concert with stable isotope analysis of human bone collagen and
40 faunal analysis, as we do here, these state-of-the art techniques in organic residue analysis have been shown to
41 provide more accurate reconstructions of pottery use(s) than was traditionally possible (Craig et al. 2013, Craig et al.
42 2011, Craig et al. 2007, Craig et al. 2005, Outram et al. 2009, Reber and Evershed 2006, Evershed et al. 1991, Taché
43 and Craig 2015). Absorbed residues were targeted in the analyses reported here, since none of the Lapita pottery
44 sherds recovered at the site of Teouma had visible foodcrusts, or carbonized deposits, adhering to their interior
45 walls. Absorbed residues result from the contact and subsequent absorption of a ceramic container's original content
46 into its porous and permeable wall during use (Heron and Evershed 1993). Such residues allow the identification of
47 what has been placed in a vessel over its lifetime, as opposed to visible residues, which are usually formed from a
48 single or a small number of cooking accidents that resulted in the carbonization of the vessel's content.

49

50 **II.** To test the hypothesis that the importance of Lapita dentate-stamped pottery had more to do with ideology
51 (perhaps expressed in ceremony/ritual) than mundane use, with data directly acquired from the vessels via organic
52 residue analysis. This idea that dentate-stamped vessels were not primarily used for cooking but rather for
53 exceptional circumstances has been suggested originally by Groube (1971: 305) and the detailed analysis of the
54 dentate-stamped assemblages of Lapita sites in the Arawe (Summerhayes 2000a) and Mussau Islands (Kirch 1997:
55 120-122) in Papua New Guinea later suggested that “dentate-stamped vessels are one specialised component of a
56 larger assemblage” (Summerhayes 2000b: 301). If this hypothesis is today largely accepted, it still relies on
57 inferences and has yet never been demonstrated by tangible data directly related to the usage of these vessels.

58 The rationale for conducting this study is that determining *what* was placed in these vessels has great potential to
59 further our understanding as to *why* they were used. This project aims to determine what food items were placed in
60 Lapita pottery in order to gain insights on the ways these vessels were used. By comparing data obtained from
61 organic residue analysis of Lapita pottery with past study of soil microfossils, the composition of faunal
62 assemblages, and current information on Lapita subsistence patterns and availability of resources, we hope to reveal
63 whether commonly eaten food or unusual food items were placed in Lapita vessel. Established criteria employed to
64 define ‘special types’ of food, such as rarity, difficulty of preparation and acquisition (labour investment), will also
65 be considered to assess further the significance of these pots and determine whether Lapita vessels were special
66 containers reserved for special occasions (Appadurai 1986, Berry 1994, Curet and Pestle 2010, Dietler 2012,
67 Hayden 1996)¹, or if they were more likely used in mundane day-to-day food preparations. Overall, the concept of
68 Lapita cuisine has been little explored in the archaeological literature (cf. Kirch 1997, Kirch and Green 2001,
69 Pollock 1992) and this paper aims at beginning to fill this void.

70

71

72 **2. LAPITA POTTERY: THE CURRENT CONSENSUS**

73 The analysis of the decorative aspects of Lapita pottery revealed that specific decorative motifs and quite rigid
74 organisational rules were shared across a region covering 4000 km (Ambrose 1997, Chiu 2007, Mead 1975, Sand
75 2007, Siorat 1990, Spriggs 1990). Such a complex and organised decorative system implies that the iconography on
76 the pots held an important cultural significance for the people who were manufacturing and using them. Current
77 models assume that the cultural connection between Lapita communities, attested by the homogeneity of the
78 dentate-stamped decorations across Lapita sites, was associated with ideology rather than materiality; ideas were
79 transferred more than objects, and the ideological signification of these vessels was more important than their
80 economic value (Earle and Spriggs 2015). Accordingly, Best (2002), Chiu (2007) and Summerhayes (2000a) have
81 argued that dentate-stamped Lapita ceramics, especially the ones displaying face motifs, were used to promote,
82 signal and convey information about the social status and power of Lapita communities, notably in the contexts of
83 special events and/or ceremonies (e.g., funerals, feasts, etc.).

84
85 Even if generally accepted, the idea that dentate-stamped ceramics were involved in special activities rather than
86 prosaic domestic cooking relies on little information regarding how these vessels were used (see Kirch 1997,
87 Osmond and Ross 1998). The general absence from Lapita pottery assemblages of soot or carbonised residues
88 indicative of cooking (Kirch 1997: 120-121, 2000: 106), as well as the forms (notably the flat-bottomed dishes and
89 the open bowls elevated on a pedestal) and technological characteristics of Lapita pottery have been used to suggest
90 that these containers are not well suited to use directly over a fire (Ambrose 1997, Clough 1992). This was in turn
91 interpreted to mean that dentate-stamped Lapita vessels were primarily used for food display/consumption rather
92 than cooking. However, this does not exclude completely the possibility that Lapita pottery was also involved in
93 certain forms of cooking, through indirect stone boiling for example, as suggested by the presence of foodcrusts on a
94 very small number of Lapita vessels (Crowther 2009, 2005) and Proto Oceanic reconstructed words for food
95 preparation involving pottery (Osmond and Ross 1998: 68, Lichtenberk 1994: 275). Besides these technological and
96 use-wear inferences, most of the arguments used to support the assumption that dentate-stamped Lapita ceramics
97 were involved in ceremonial and/or ritual activities, as convincing as they might seem, rely on indirect contextual
98 information, as detailed below.

99
100 **i)** The Talepakemalai (ECA) site (Mussau Islands, Papua New Guinea) represents one of the largest Lapita villages
101 known and is noted for its well preserved spatial integrity amongst waterlogged deposits (Kirch 2001, Kirch 1997).
102 Two distinct activity areas with contrasting assemblages have been identified on this 82,000m² site dating back to
103 perhaps 1350 cal B.C at the earliest (Kirch 1997, Kirch 2001, Kirch et al. 2015: 50, Specht and Gosden 1997: 181-
104 187). While one area yielded a ceramic assemblage dominantly composed of plain globular jars accompanied by
105 obsidian flakes, fish bone and evidence of conus shell ring manufacturing (Kirch 1997: 172), the other yielded finely
106 dentate-stamped sherds from vessels displaying various forms, a variety of tools (e.g., shell scrapers and peelers,
107 fishhooks, oven stones), ornamental objects (shell ornaments, anthropomorphic figure carved of porpoise bone) and
108 evidence of a stilt-house (Kirch 2000). Based on the concentration of decorated ceramics and uncommon objects in

109 the latter area, it was suggested that the structure could have hosted special activities related to food preparation and
110 consumption in a non-domestic context, a feast for example. In contrast, a more conventional habitation is thought
111 to have occupied the area where artefacts were found dedicated to the completion of quotidian activities.

112

113 **ii)** Amongst other findings, excavations at the eponymous Lapita site WKO013 (Foué, New Caledonia) revealed a
114 double pit dated to 1020-820 cal B. C., where two Lapita complete pots had been buried and 15 other half-broken
115 decorated pots had been purposefully placed (Sand et al. 1998, Sand 2013: 3). It is unquestionable that the burying
116 was intentional, as suggested by the organised position of the pots and surrounding sherds and by the characteristics
117 of the filling, more compatible with a rapid filling than a natural and slow packing (Sand et al. 1998: 37, Sand 2013:
118 3). Such behaviour has been interpreted as an indication that the vessels were treated with special consideration,
119 which in turn would imply that they had some cultural significance for the occupants of the site.

120

121 **iii)** The exceptional preservation conditions at the site of Vao, an offshore island in northeast Malekula, Vanuatu,
122 allowed the recovery of paint remains on the surfaces of some dentate-stamped sherds (Bedford 2006a). It was
123 determined that multiple paint coatings were applied on the decorated vessels, as white and red paint were
124 sequentially applied, leading ultimately to obscuring the dentate-stamped decorations. The presence of paint over
125 intricate decorations could have held some special social or cultural significance and has been seen as supporting the
126 idea that Lapita dentate-stamped vessels “were associated with ceremonial activities rather than domestic cooking or
127 storage” (Bedford 2006a: 553).

128

129 **iv)** The unequivocal association of dentate-stamped pottery with burials at the Lapita cemetery site of Teouma
130 (Vanuatu) also attests to the special value of these vessels (Bedford et al. 2010: 145-147, Bedford and Spriggs 2007,
131 Bedford et al. 2007, Bedford et al. 2006). It has been demonstrated recently that some of the vessels recovered at
132 Teouma were probably deliberately smashed and deposited as part of a ritual (Ravn et al. 2016). The dentate-
133 stamped ceramic collection of Teouma is remarkable for its variability both in forms and motifs (Bedford 2007: 190,
134 Bedford and Spriggs 2007, Bedford et al. 2006: 819). The designs on a number of Teouma vessels show some
135 similarities with the earliest Lapita ceramic assemblages from New Caledonia, Reefs-Santa Cruz and further west in
136 the Bismarck Archipelago (Bedford et al. 2006, Bedford and Spriggs 2007). It also seems that there was a much
137 greater proportion of dentate-stamped decorated pottery in the cemetery area, compared to the adjacent cooking area
138 where incised and plain or notched rim pottery predominated over dentate-stamped vessels (Spriggs and Bedford
139 2013). Petrographic and chemical analysis of the Lapita ceramic collection revealed that the majority of the vessels
140 was produced on Efate, although 11% of the pots examined have been identified as exotics (i.e. not manufactured on
141 Efate), with provenances from other islands in central Vanuatu and from New Caledonia (Dickinson et al. 2013,
142 Leclerc 2016, Chiu et al. 2016).

143

144

145

146 **3. LAPITA SUBSISTENCE STRATEGY IN REMOTE OCEANIA**

147 In the early days of Lapita research, the significant presence of shellfish and fish remains in the earliest layers of
148 Lapita sites in Fiji and Tonga triggered the hypothesis that the Lapita potters were ‘oceanic strandloopers’, a model
149 suggesting ephemeral settlements and an emphasis on the exploitation of coastal resources before developing
150 horticulture later on (Groube 1971, Davidson and Leach 2001 for a review). Multiple data sources have since
151 discredited this model and revealed that a generalist subsistence strategy combining marine and terrestrial broad
152 spectrum foraging, hunting and the cultivation of native and introduced plant species (so-called ‘transported
153 landscapes’) characterises Lapita settlements. Among the data supporting this new consensus are stable isotope
154 ratios of human bone collagen (Bentley et al. 2007, Kinaston, Buckley, et al. 2014, Kinaston, Bedford, et al. 2014,
155 Valentin et al. 2010), Lapita faunal assemblages (e.g., Hawkins 2015, Worthy et al. 2015), microfossils from Lapita
156 deposits and pottery (Crowther 2009, Lentfer and Green 2004, Matthews and Gosden 1997, Crowther 2005, Tromp
157 2016, Horrocks et al. 2014, Horrocks et al. 2009, Horrocks and Nunn 2007, Horrocks and Bedford 2005) and
158 linguistic reconstruction of Proto Oceanic including terms related to plant crops and horticulture (Kirch 1997, Ross
159 1996). Moreover, it is generally accepted that Lapita subsistence strategy comprised a diversity of activities, with
160 people adapting to a range of different environments through equally diverse subsistence strategies (Burley et al.
161 2001, Kinaston, Buckley, et al. 2014, Sand and Bedford 2010a, Valentin et al. 2010).

162 **3.1 Terrestrial animal resources**

163 It is well documented that the consumption of indigenous animal populations by Lapita settlers in Remote Oceania
164 resulted in an impoverishment of natural environments following human arrival, particularly in terms of avifaunal
165 (Bedford 2006b, Steadman 2006, 1995, Worthy et al. 2015, Worthy and Clark 2009) and megafaunal species such as
166 iguanids, crocodiles and tortoisesⁱⁱ (Burley 1999, Hawkins et al. 2016, Irwin et al. 2011, Mead et al. 2002, Pregill
167 and Steadman 2004, White et al. 2010). Fruit bats also represent a terrestrial species known to have been heavily
168 exploited by Lapita communities (Bedford 2006b, Kirch and Yen 1982, Worthy and Clark 2009, Hawkins 2015).
169 Evidence also suggests that some domesticated animals and commensals (pigs, chicken, rats, but probably not dogs)
170 were introduced into Remote Oceania by Lapita settlers (Storey et al. 2008, Anderson 2009, Matisoo-Smith et al.
171 1998, Hawkins 2015) even if the intensity and the degree of reliance on these domesticates during the early phases
172 of Lapita occupations remain a matter of discussion (Davidson and Leach 2001, Lentfer and Torrence 2007,
173 Torrence 2011).

174

175 **3.2 Terrestrial plant resources**

176 Edible plants naturally available in Remote Oceania probably consisted of leafy greens, fruits and nuts although
177 their exact distribution is unknown (Kinaston, Buckley, et al. 2014: 7, Lebot and Sam in press, Walter and Lebot
178 2007). In addition to the species naturally distributed in Remote Oceania, it is generally agreed that Lapita
179 populations practiced some form of horticulture/agriculture based on introduced crops (Green 1979, Kirch 1997,
180 2000, Kirch and Green 2001, Spriggs 1997, Kennett et al. 2006). This is supported by the presence of microfossils
181 (starch grains and/or phytoliths) of *Colocasia esculenta* (common taro) and *Dioscorea esculenta* (lesser yam) in
182 sediments from putatively Lapita deposits in Fiji (Horrocks and Nunn 2007), banana (*Musa*) from Lapita and

183 immediately Post-Lapita deposits in Vanuatu (Horrocks et al. 2009), and by microfossil analysis of Lapita potsherds
184 from various sites in the Reef /Santa Cruz Islands and Samoa that yielded starch grains associated with taro
185 (*Colocasia esculenta*), lesser yam (*Dioscorea esculenta*) and banana (*Musa*) (Crowther 2009).

186

187 **3.3 Importance of marine resources**

188 The current model favours generalist and diverse subsistence strategies adapted to a variety of environments, but it
189 should be emphasized that marine resources are systematically present in the vast majority of Lapita sites and their
190 consumption is indisputable (Nagaoka 1988). Multiple lines of evidence confirm that Lapita occupants significantly
191 integrated marine resources into their diet. Sites from all across the Lapita distribution have yielded fish and
192 shellfish assemblages that are often in great abundance. Faunal assemblages dominated by marine resources have
193 been documented in New Caledonia (Sand 2010a: 195-201, Davidson et al. 2002), Vanuatu (Bedford 2006b; Ono
194 (pers. comm.)), Fiji (Jones 2009, Clark and Szabó 2009, Szabó 2009, Best 2002), Reef/Santa Cruz (Green 1986,
195 Swadling 1986), Tikopia (Kirch and Yen 1982: 286-289), Mussau (Kirch 1987, Kirch et al. 1991), Niuaotuputapu
196 (Kirch 1988), and Emirau (Summerhayes et al. 2010). Additionally, Lapita faunal assemblages are often
197 characterised by abundant sea turtle remains (Allen 2007, Dye and Steadman 1990, Burley 1999: 196-197, Hawkins
198 2015, Kirch 2000: 111). The large amount of sea turtles recovered from some Lapita sites suggest that they
199 represented easy prey, particularly during their annual breeding period when they returned to beaches to lay egg
200 clutches (Kirch 2010: 254-255).

201

202 The overwhelming majority of fish remains recovered from sites all across the Lapita distribution are species
203 inhabiting inshore or reef environments (Sand 2010b, Davidson et al. 2002, Burley and Shutler 2007, Butler 1994,
204 Kirch 2000: 111, Bedford 2006b: 231-236, Kirch and Green 2001: 133-134, Green 1986, Summerhayes et al. 2010).
205 Amongst the fish families dominating Lapita contexts are *Scaridae*, *Lethrinidae*, *Acanthuridae*, and *Diodontidae*.
206 Occasional specimens of pelagic and offshore carnivorous fish (mostly *Scombridae* and *Sphyraenidae*) are also
207 present in Lapita faunal collections, but inshore and reef fishing was preferentially practiced at the overwhelming
208 majority of Lapita sites (Butler 1994, Kirch 2000: 111, Green 1986). Remains from freshwater species are yet to be
209 recovered from Lapita assemblages but this does not necessarily mean that they were not exploited by Lapita people
210 (Ono pers. comm.). To this day, very few Lapita sites in close proximity to significant sources of freshwater have
211 been excavated, as the vast majority of the sites are located on relatively small islands constituted of uplifted
212 limestone with no rivers or streams. Due to the enormous size of the fish bone assemblage (more than 70 000
213 fragments: Bouffandeau, pers. comm.) and the presence of the Teouma River and another stream near to the site, the
214 collection of fish remains from the Lapita cemetery at Teouma represents a unique opportunity to investigate the
215 extent to which freshwater resources were exploited by Lapita people.

216 Despite the recurrence of some fish species dominating the ichthyological assemblages, the diversity of fish species
217 represented in faunal collections suggests that Lapita people used a variety of fishing techniques (Butler 1994).
218 However, the paucity of artifacts related to fishing activities recovered from Lapita sites hardly reflects the
219 importance and diversity of this subsistence practice. Fishing gear recovered from Lapita contexts is limited to

220 several types of fish hooks (for bottom fishing, open-sea trolling, and hand line fishing) and trolling lures (Szabó
221 2010, 2007, Burley and Shutler 2007, Sand 2010a, Kirch 1997, Szabó and Summerhayes 2002). This situation
222 probably reflects the perishable nature of the equipment employed for other fishing techniques, such as poisoning,
223 nettings or spearing (Kirch and Green 2001: 131-141, Ono 2003).

224 In addition to the zooarchaeological remains, isotope analysis of human bone collagen from individuals buried at
225 Teouma confirms that marine resources were consumed regularly and represented a significant portion of the diet.
226 Studies indicate that the Teouma population subsisted primarily on a mix of inshore/reef fish resources, marine
227 animals, and terrestrial animal resources (both domesticated and wild) with low-level food production (Bentley et al.
228 2007, Kinaston, Buckley, et al. 2014, Valentin et al. 2010).

229 Lastly, linguistic reconstructions also reveal the importance that the sea and its resources had for Lapita people.
230 Reconstruction of the Proto-Oceanic language shows that it included a wide array of words describing a variety of
231 coastal environments, as well as different kinds of fish and fishing techniques. Such linguistic data highlight the
232 detailed and extensive knowledge that Lapita people had in regards to their conception of the ocean and its resources
233 (Kirch 2010: 253, Walter 1989, Kirch and Green 2001: 99-119, Geraghty 1994, Ross et al. 1998).

234 **3.4 Lapita subsistence at the Teouma site and in Vanuatu**

235 When the Teouma cemetery was in use (2940 to 2710 cal BP: Petchey et al. 2015, Petchey et al. 2014), the uplifted
236 karstic reef terrace underlying the site would have been a low promontory extending into the bay, bordered by a
237 river to the north. This environment would have represented an ideal location for the exploitation of pelagic and reef
238 fish species (Bedford et al. 2006: 812-813, Bedford et al. 2010: 143, Hawkins 2015: 45). Neighbouring streams
239 supplying fresh water and the terrestrial ecosystem around the site and inland would have completed the landscape
240 and provided suitable environments for foraging both terrestrial and aquatic resources. The location would also have
241 been adequate for swidden agriculture, even though this practice has still not been demonstrated convincingly for the
242 early occupation stages.

243
244 The terrestrial animal species most represented in the Teouma faunal assemblage are bats, pigs, tortoise, sea turtles
245 and birds (Hawkins 2015). The significant amount of pig remains recovered at the site represents a convincing
246 argument for its introduction, and contrast with the rather sparse zooarchaeological record of this species elsewhere
247 in Remote Oceania (Anderson 2009). Small quantities of pig bones were also reported at the Lapita sites of Vao,
248 Uripiv and Erueti (Bedford 2007, Garanger 1972). Chicken and rat bones (both *Rattus exulans* and *Rattus praetor*)
249 are also abundant at Teouma (Hawkins 2015, Storey et al. 2010).

250
251 While published archaeobotanical work in Vanuatu has been relatively limited (Hope and Spriggs 1982, Wirthman et al.
252 al. 2011, Combettes et al. 2015, Hope et al. 1999), analysis of microfossils from archaeological deposits has yielded
253 some evidence for the introduction of plant species, including banana and taro. Banana (*Musa*) phytoliths have been
254 identified from Lapita deposits at the site of Uripiv (c. 3000-2700 BP) (Horrocks et al. 2009) as well as in dental
255 calculus from a Late-Lapita individual buried at the site of Vao (2300-2000 cal BP) (Horrocks et al. 2014). Both

256 sites are located on islets off the northeastern coast of Malekula about 225 km to the northwest of Teouma. Other
257 studies have identified starch granules attributed to the Aroid family in Lapita deposits from Uripiv, and possibly
258 from dental calculus of individuals buried at Vao and Uripiv. The species could not be identified but *Cyrtosperma*
259 *merkusii* (giant swamp taro) is believed to be the most likely candidate (Horrocks et al. 2014, Horrocks and Bedford
260 2005). Calculus of individuals buried at Teouma also yielded starch granules and phytoliths from a variety of nuts
261 and both introduced and native tree crops species (*Dioscorea esculenta*, *Cocos nucifera*, *Barringtonia* spp. nuts,
262 *Inocarpus fagifer* and *Musa sp.* amongst others) (Tromp 2016). Vegetation clearance during Lapita times has also
263 been identified from the palaeoenvironmental records of New Caledonia (Stevenson 1999); Aneityum in Vanuatu
264 (Hope and Spriggs 1982); and Fiji (Anderson et al. 2006).


265

266 **4. ORGANIC RESIDUE ANALYSIS**

267 **4.1 Sampling**

268 Organic residue analysis was conducted on eight dentate-stamped decorated and two plain Lapita rim sherds (Figure
269 1). Since Lapita decorated vessels always display decoration on their upper section near the rim (Sand and Bedford
270 2010b), the absence of decorations in this section confirms that they originated from plain vessels. In terms of
271 stratigraphic context, seven samples were recovered from the orange tephra layer associated with Lapita burials and
272 the initial activity at the site (Table 1). Two samples (TC16 and PLAIN1), were recovered from the overlying
273 midden and TCC01 was recovered from a disturbed section with limited stratigraphic control. Nevertheless, it was
274 established based on the reconstruction of these vessels that the decorated sherds TC16 and TCC01 were originally
275 deposited in association with the Lapita burials in Layer 3. It is probable that their presence in the midden was
276 caused by post-depositional disturbance, as suggested by the presence of crab burrows and coconut roots across the
277 site. As for the sample PLAIN1, it represents the only sample clearly associated with the midden. In terms of vessel
278 forms and temper types, an effort was made to select samples with different forms. The only two samples displaying
279 petrographic traits not corresponding to raw materials from Efate (TD03 and TCC03) were manufactured in New
280 Caledoniaⁱⁱⁱ.

281



282

283 **Figure 1** (double column fitting) | Ceramic pieces from Teouma that have been analysed for the biomolecular and
 284 isotopic characterization of their absorbed organic residues. The shape of the vessels from which they originate is
 285 also illustrated. TCC03 and TD03 were manufactured in New Caledonia, the others were local to the Teouma area.

286

| Pot | # catalog | Area | Square | Layer | Temper type, provenance ^a |
|--------|-----------|----------|--------|--------------------------|--------------------------------------|
| TC 10 | 8.2481 | 3A | 3.2 | Lapita orange tephra (3) | Unplacered, local |
| TC 13 | 5.3897 | 2 | G1 | Lapita orange tephra (3) | Opaque-rich, Efate |
| TC 16 | 5.3195 | 2 | B1 | Midden (2) | Unplacered, local |
| TC 46 | 6.1067A | 3B | 2.3 | Lapita orange tephra (3) | Opaque-rich, Efate |
| TD 03 | 4.2477 | 3A | 0.3 | Lapita orange tephra (3) | Metamorphic hybrid, New Caledonia |
| TD 04 | | 3 | 7.3 | Lapita orange tephra (3) | Pyroxenic, Efate |
| TCC 01 | 4.2233 | deep cut | | Undetermined | Unplacered, local |
| TCC 03 | 6.670 | 3B | 1.8 | Lapita orange tephra (3) | Metamorphic hybrid, New Caledonia |
| PLAIN1 | 10.571 | B ext | I17 | Midden (2) | Undetermined (local) |
| PLAIN2 | 10.2841 | B ext | F14 | Lapita orange tephra (3) | Opaque-rich, Efate |

^a From Dickinson et al. (2013)

287

Table 1 | Contextual details for the ceramic samples involved in this study.

288

289 **4.2 Presentation of analytical techniques**

290 Ceramic samples ($\approx 1\text{-}2$ g drilled from the potsherd interior surface) were weighed and lipids were extracted and
291 methylated according to established protocol (e.g. Craig et al. 2013) by direct acid-catalysed transesterification to
292 maximise recovery. Methanol (4 mL) was added and homogenised with the ceramic powder, the mixture was
293 ultrasonicated for 15 min and then acidified with concentrated sulphuric acid (800 μL). The acidified suspension was
294 heated in sealed tubes for four hours at 70°C and then cooled, and lipids were extracted with n-hexane (3 \times 2 mL) and
295 dried down under a gentle N₂ flow. The extracts were transferred to autosampler vials and 10 μg of internal standard
296 (hexatriacontane) was added.

297

298 Lipids extracted from ceramic matrices were first analysed by GCMS, a technique that allows the separation of
299 complex mixtures and the identification of plant- and animal-derived lipids (e.g. sterols, *n*-alkanoic acids). Lipid
300 extracts analysed by GCMS can be tentatively associated with food sources using two major techniques: the
301 biomarker and the relative abundance approaches. Through the identification of chemical compounds that are unique
302 to a certain resource or class of resources, the biomarker approach allows us to link directly and with confidence a
303 residue with a specific resource, or at the very least with a group of resources. The relative abundance approach
304 employs the ratios of various common compounds to propose, albeit with high degree of uncertainty^{iv}, the general
305 overall composition of a residue (e.g. plant vs animal). While we favor a methodology that combines both
306 approaches, no biomarker has been identified in this study.

307

308 GCMS analysis was performed using an Agilent 7890A Series gas chromatograph connected to an Agilent 5975 C
309 Inert XL mass-selective detector with a quadrupole mass analyzer (Agilent Technologies, Cheshire, UK).
310 The splitless injector and interface were maintained at 300°C and 280°C respectively. Helium was the carrier gas at
311 constant inlet pressure, and the GC column was inserted directly into the ion source of the mass spectrometer. The
312 ionization energy was 70 eV and spectra were obtained by scanning between m/z 50 and 800. All samples were
313 analyzed using a DB5-ms (5%-phenyl)-methylpolysiloxane column (30 m x 0.32 mm x 0.25 μm ; J&W Scientific,
314 Folsom, CA, USA). The temperature program was 2 min at 50°C, 10°C min⁻¹ to 325°C and 15 min at 325°C.

315

316 To better characterize the lipids extracted from Lapita pottery, the most abundant fatty acids preserved in ceramics,
317 i.e., octadecanoic (C_{18:0}) and hexadecanoic (C_{16:0}), were then classified by their isotopic composition using GC-c-
318 IRMS. By comparing such single isotope values with corresponding values from reference fats and oils, further
319 information about lipid sources can be obtained. For example, it has been shown that fats from marine organisms are
320 consistently enriched in ¹³C compared to those of freshwater and terrestrial organisms. Additionally, C_{18:0} acids in
321 ruminant animals are generally depleted in ¹³C by 1-7‰ compared to C_{16:0} acids (Copley et al. 2003). The carbon
322 isotopic composition of fats from non-ruminant animals and freshwater fish, however, exhibit a broad range of
323 values and are more difficult to discriminate from one another without an exhaustive reference collection of modern

324 fats from the study area. Moreover, to this date, very few reference data exist for the composition of oils originating
325 from plant resources, with the exception of acorns (Lucquin et al. 2016).
326 GC-c-IRMS analysis of the samples was conducted in order to estimate the $^{13}\text{C}/^{12}\text{C}$ ratio in the two most abundant
327 $\text{C}_{18:0}$ and $\text{C}_{16:0}$ fatty acids. This analysis provides further information for distinguishing different substances. The
328 samples were analyzed using an Agilent 78908 GC (Agilent Technologies, Santa Clara, CA, USA) instrument
329 coupled to an Agilent 5975C MSD and an Isoprime 100 IRMS (Isoprime, Cheadle, UK) with an Isoprime GC5
330 interface (Isoprime, Cheadle, UK). All samples were diluted with hexane and subsequently 1 μl of each sample was
331 injected into a DB-5MS (30 m x 0.25 mm x 0.25 μm) fused-silica column. The temperature was set for 0.5 min at
332 50°C, and raised by 10°C min^{-1} until 300°C was reached, and held for 10 min. The carrier gas was ultra-high purity
333 grade helium with a flow rate of 3 mL min^{-1} . The gases eluting from the chromatographic column were split into two
334 streams. One of these was directed into an Agilent 5975C inert mass spectrometer detector (MSD), for sample
335 identification and quantification, while the other was directed through the GC5 furnace held at 850°C to oxidize all
336 carbon species to CO_2 . A clear resolution and baseline separation of the analyzed peaks was achieved in both
337 systems. Eluted products were ionized in the mass spectrometer by electron impact. Ion intensities of m/z 44, 45,
338 and 46 were monitored in order automatically to compute the $^{13}\text{C}/^{12}\text{C}$ ratio of each peak in the extracts.
339 Computations were made with IonVantage and IonOS Softwares (Isoprime, Cheadle, UK) and were based on
340 comparisons with a standard reference gas (CO_2) of known isotopic composition that was repeatedly measured. The
341 results from the analysis are reported in parts per mille (‰) relative to an international standard (V-PDB). The
342 accuracy and precision of the instrument was determined on n-alkanoic acid ester standards of known isotopic
343 composition (Indiana standard F8-3). The mean \pm S.D. values of these were $-29.82 \pm 0.16\text{‰}$ and $-23.28 \pm 0.19\text{‰}$ for
344 the methyl ester of $\text{C}_{16:0}$ (reported mean value vs. VPDB $-29.90 \pm 0.03\text{‰}$) and $\text{C}_{18:0}$ (reported mean value vs. VPDB -
345 $23.24 \pm 0.01\text{‰}$) respectively. Each sample was measured in replicate (mean of S.D. 0.11‰ for $\text{C}_{16:0}$ and 0.10‰ for
346 $\text{C}_{18:0}$). Values were also corrected subsequent to analysis to account for the methylation of the carboxyl group that
347 occurs during extraction. Corrections were based on comparisons with a standard mixture of $\text{C}_{16:0}$ and $\text{C}_{18:0}$ fatty
348 acids of known isotopic composition processed in each batch under identical conditions.

349

350 4.3 Results

351 The amount of lipid yielded from the two plain rim sherds are considered too low to interpret reliably (Evershed
352 2008b). In contrast, the eight decorated samples yielded higher concentrations of lipids (Table 2) and are therefore
353 most likely derived from the use of these vessels. Whilst long-term exposure to the burial environment leads to
354 progressive loss of lipid molecules, it seems unlikely that this process has affected only the plain samples since they
355 were deposited in the same conditions as the decorated sherds. Second, the lipid profiles, as discussed below, are
356 typical of degraded oily foodstuffs rather than as might be expected from soils and sediments. Overall, the difference
357 in the amount of lipids between decorated and plain vessels is difficult to interpret at this stage but it will be
358 interesting to see if this pattern persists on a larger sample.

359


| Sample ID | Lipid analysis | | GC-c-IRMS | |
|-----------|----------------------------------|---|---|---|
| | Lipid conc.(ug g ⁻¹) | Compounds detected | C _{16:0} δ ¹³ C (‰) | C _{18:0} δ ¹³ C (‰) |
| 10.576 | <5 | | | |
| 10.2841 | <5 | | | |
| TC-10 | 13.08 | FA(C _{14:0-16:0,18:0} C _{18:1}), AL(C ₁₇₋₂₁) | -28.64 | -29.22 |
| TC-11 | 17.25 | FA(C _{14:0-16:0,18:0,20:0,24:0-26:0} C _{18:1}) | -27.36 | -26.61 |
| TC-13 | 10.12 | FA(C _{14:0-16:0,18:0} C _{16:1,18:1}) | -29.22 | -29.8 |
| TC-16 | 6.89 | FA(C _{14:0-16:0,18:0} C _{18:1}) | -28.67 | -29.89 |
| TCC-01 | 10.87 | FA(C _{14:0-16:0,18:0} C _{18:1}) | -27.73 | -28.9 |
| TCC-03 | 6.66 | FA(C _{14:0-18:0} C _{16:1,18:1}) | -28.41 | -29.44 |
| TD-03 | 10.2 | FA(C _{14:0-18:0,20:0} C _{18:1}) | -29.48 | -29.5 |
| TD-04 | 17.83 | FA(C _{14:0-18:0,20:0,23:0,24:0} C _{16:1,18:1}) | -27.25 | -27.46 |

360 **Table 2** | Biomolecular and isotopic characterisation of absorbed residues from Teouma, Vanuatu
361 FA (Cx:y)=fatty acids with carbon length x and number of unsaturations y, ALx=alkanes with carbon length x.
362 Lipid concentrations are expressed in µg g⁻¹ (concentrations below 5 µg g⁻¹ cannot be reliably interpreted (Evershed
363 2008a).

364
365 There is a high degree of homogeneity in the fatty acid profiles associated with the eight decorated Lapita sherds,
366 suggesting that the residues were composed of similar resources (Figure 2). Notable in the absorbed residues from
367 Teouma are the high abundance of unsaturated fatty acids, namely C_{16:1} and C_{18:1}, which are more common in plant
368 and fish sources than in meat (Table 3). Palmitic acid (C_{16:0}), which also tends to be more abundant in plant and fish
369 than in mammalian fats is slightly more abundant in the lipid profiles in five of the eight analyzed residues.
370 However, an absence of lipids associated with aquatic animals (e.g. isoprenoid or alkylphenyl fatty acids (Evershed
371 et al. 2008)) in all the samples suggests that plant or meat, rather than aquatic resources, contributed to these
372 residues, although this interpretation needs to be confirmed by increasing the sample size. Indeed, it has been shown
373 elsewhere that an absence of aquatic biomarker does not necessarily mean that no aquatic resources were processed
374 in the pots (Taché and Craig 2015). A ratio of C_{16:0}/C_{18:0} slightly below one characterises the three remaining
375 samples (TC10, TC11 and TD03), which tend to indicate an animal source. However, without corroboration from
376 other diagnostic compounds (e.g. cholesterol, triacylglycerides), and given the abundance of unsaturated fatty acids
377 in these samples as well, meat cannot be definitively identified as the primary components of these residues. Similar
378 chemical profile can be derived from plant resources containing relatively high abundance of stearic acid (C_{18:0}), or
379 with a mixture of terrestrial plant and animal resources. Fatty acid ratios may also change during exposure to the
380 burial environment, particularly as shorter chain molecules are more soluble and therefore more easily lost through
381 dissolution.

382 Results from single-compound analysis also show a high degree of consistency between samples and are not
383 consistent with marine or ruminant animals in all the samples (Table 2 and Figure 3). While these data are in line


384 with the preliminary interpretations outlined above, they do not allow us to identify plants, non-ruminant animals
 385 and/or freshwater resources as the main components of the residues.



386
 387 **Figure 2** (1.5 column fitting) | Typical partial gas chromatogram of lipid extract from a Lapita dentate-stamped
 388 potsherd from Teouma (TC16), Vanuatu. Cn:x are fatty acids with carbon length n and number of unsaturations x; P
 389 is a plasticizer contaminant; IS is the internal standard (*n*-hexatriacontane).

| Compounds | TC10 | TC11 | TC13 | TC16 | TCC01 | TCC03 | TD03 | TD04 |
|-------------------|------|------|------|------|-------|-------|------|------|
| C _{14:0} | 3.2 | 2.5 | 2 | 1.8 | 3.3 | 1.5 | 1.3 | 4 |
| C _{15:0} | 5.1 | 2.6 | 2.9 | 1.1 | 2 | 1.8 | 1.4 | 1.1 |
| C _{16:1} | 14.1 | 3.5 | 12.7 | 1.9 | | 7.9 | | 2.5 |
| C _{16:0} | 31.1 | 23.6 | 30.2 | 37.5 | 40.3 | 36.5 | 39.4 | 38.9 |
| C _{17:0} | | 3.7 | | | | | 1.8 | 1.5 |
| C _{18:1} | 9.6 | 22.5 | 23.1 | 27.5 | 18.7 | 20.9 | 12.4 | 13.2 |
| C _{18:0} | 36.9 | 30.2 | 29 | 30.2 | 35.6 | 31.5 | 43.3 | 35.4 |
| C _{20:0} | | 4.8 | | | | | 0.3 | 2.1 |
| C _{23:0} | | | | | | | | 0.4 |
| C _{24:0} | | 3.7 | | | | | | 0.8 |
| C _{25:0} | | 1.4 | | | | | | |
| C _{26:0} | | 1.5 | | | | | | |

390 **Table 3** | Relative amounts of fatty acids expressed as a percentage of total fatty acids for each compound in each
 391 absorbed residue.



392
 393 **Figure 3** (double column fitting) | Plot of the $\delta^{13}\text{C}$ values of $\text{C}_{16:0}$ and $\text{C}_{18:0}$ fatty acids extracted from Lapita dentate-
 394 stamped decorated pottery vessels from the Teouma site. These are compared with reference fats from acorns, wild
 395 ruminant, terrestrial non-ruminant, freshwater and marine organisms (Taché and Craig 2015, Lucquin et al. 2016)
 396 plotted as confidence ellipses (1σ ; Stastica v.7).

397

398 5. DISCUSSION

399 Three main conclusions can be reached based on the data obtained from this preliminary organic residue analysis.

400 **i)** The biomolecular and isotopic characterisation of the decorated potsherds from Teouma yielded homogenous lipid
 401 profiles and carbon isotopic values indicating that similar food types or mixtures of food types were placed in these
 402 vessels, whether manufactured locally or from New Caledonia. This suggests a high degree of consistency in the use
 403 of Lapita decorated pots, irrespective of the morphological and stylistic variation of these vessels. Indeed, results
 404 show that the content of the vessels was not differentiated based on the various forms and/or decorative motifs of the
 405 containers. The sampling included three types of vessel forms (carinated, carinated convex and flat dish) and every
 406 one of the eight decorated samples analysed displayed distinctive decorative patterns. It is thus argued that the use of
 407 Lapita pottery at Teouma was uniform, and possibly culturally regulated, rather than haphazard and opportunistic.
 408 While this is aligned with previous interpretations of decorated Lapita vessels having special significance and being
 409 employed in non-secular contexts, the context of use and social significance of Lapita pottery still eludes us and will
 410 require additional analyses combining molecular and archaeological data.

411 ii) The amount of lipids detected in the decorated samples strongly suggests that food has been placed in these
412 vessels. It is difficult from the preliminary data obtained so far, however, to identify the content of the vessels at this
413 stage and three broad categories of resources cannot be excluded: terrestrial animals (excluding ruminants), plants,
414 and freshwater resources. Importantly, $\delta^{13}\text{C}$ values of fatty acids extracted from the vessels are not consistent with
415 marine species as the dominant food source, as these would be expected to have more ^{13}C enriched fatty acids.
416 Although no comparable measurements of fatty acids from authentic marine organisms from this region are
417 available, collagen and bulk tissue samples of modern Vanuatu marine plants, shellfish, reef fish and deep water
418 fish are clearly enriched in ^{13}C over terrestrial species (Kinaston, Buckley, et al. 2014) supporting our interpretation.
419 The lack of marine foods in pottery is highly unexpected based on what is known of the faunal assemblage
420 recovered from Teouma and Lapita sites in general. Indeed, and as previously mentioned, multiple lines of evidence
421 suggest that marine resources composed a significant portion of the Lapita diet:

422

- 423 • Extensive assemblages of fish and shellfish (and sea turtle to a lesser extent) have been recovered from a
424 majority of Lapita sites all across the Lapita distribution (including Teouma), confirming that marine
425 resources were consumed in significant quantity by Lapita populations.
- 426 • Isotopic analysis of human bone collagen from individuals buried at Teouma revealed that their diet was
427 composed of a mix of marine and terrestrial resources.
- 428 • Linguistic reconstruction of Proto-Oceanic indicates that Lapita seafarers had an extended vocabulary to
429 describe marine related concepts, including words describing various kinds of fish and fishing techniques.
430 This indicates that fishing and navigating was an important part of their life and thus that marine resources
431 were likely ubiquitous.
- 432 • Elements of the Lapita material culture, such as fishhooks and trolling lures, confirm that fishing was
433 practiced, most commonly in inshore or reef environments.

434 Not only were marine resources commonly exploited, but other characteristics of Lapita sites also suggest that
435 marine resources were abundant and accessible:

- 436 • It is generally accepted that Lapita sites were preferentially located on beaches and in at least some cases
437 composed of stilt houses. Given the proximity of the ocean from their habitations, one can assume that
438 marine resources were relatively easy to exploit. Moreover, many Lapita sites are also situated in close
439 proximity to reef passes where fish are found in extremely high density.
- 440 • The size of some of the fish and shellfish assemblages recovered from Lapita sites is impressive, to the
441 point where they originally raised the question as to whether Lapita occupants were eating primarily marine
442 resources. This reveals the importance of maritime subsistence activities amongst Lapita people (Bedford
443 2006b, Davidson et al. 2002, Kirch 1997: 197-203, Szabo 2001) and indicates that such resources were
444 ubiquitous at the time of occupation.

- 445 • The assemblages of fish remains from Lapita sites are composed primarily of fish species inhabiting
446 inshore or reef environments. Offshore species are scarcely represented. This indicates that Lapita people
447 preferred easily accessible marine resources that were located in close proximity to the shore.
- 448 • Considering that Teouma probably represents a colonising site (Bedford et al. 2010, Bentley et al. 2007), it
449 is argued that pristine fish stocks existed during the earliest stages of occupation as they had never been
450 exploited before by human communities. Consequently, the marine biomass available for exploitation was
451 significant.

452 Overall, the absence of such commonly consumed, ubiquitous and easily accessible resources in Lapita vessels
453 suggests that these pots were not manufactured to be used for ordinary occasions and day-to-day food consumption.
454 This is consistent with the view that dentate-stamped pottery held a particular status in Lapita societies, and that its
455 use was reserved for exceptional occasions, possibly ceremonial/ritual activities.

456 **iii)** Preliminary results presented in this article are extremely promising and have already provided valuable insights
457 regarding dentate-stamped Lapita pottery. This represents the first step of an ongoing project involving additional
458 organic residue analysis that will bring further clarification on the numerous questions raised here. To provide
459 known food residues for isotopic and biomolecular comparisons, reference samples have been obtained from the
460 study region and carbonised experimentally on unglazed ceramic matrices. Animal bones from the site of Teouma in
461 Vanuatu have also been obtained. Lipids will be extracted from these reference samples and submitted to the same
462 analytical techniques described in this article in order to refine our identification of the food resources that were
463 preferentially placed in Lapita vessels. Additionally, a larger number of dentate-stamped and plain potsherds will be
464 analysed to get a more representative portrait of what was placed in these vessels. To account for variability in usage
465 patterns, potsherds will be selected from a variety of domestic and funerary contexts.

466

467 **6. CONCLUSION**

468 In summary, the biomolecular and isotopic characterisation of residues absorbed in Lapita pottery at the site of
469 Teouma yielded very homogeneous results, suggesting that these vessels were used consistently to process or hold a
470 specific type or mixture of food, rather than opportunistically to process or hold a variety of resources available in
471 the environment. By providing direct chemical evidence, these results support the long-held idea based on
472 contextual inferences, that Lapita dentate-stamped vessels were used for specialised functions rather than mundane
473 cooking activities. Results also show that marine resources, even though they were consumed in large quantity by
474 Lapita dwellers and despite their ubiquitous presence around Lapita sites, were unlikely to have been placed in the
475 ceramic vessels that were analysed. At this point however, data do not allow us to discriminate between freshwater
476 aquatic, terrestrial animal and/or plant resources as the main components of the residues analysed. Ongoing analyses
477 conducted on archaeological ceramics and modern samples of fats and oils will help resolve this issue.

478 As this preliminary study clearly demonstrates, organic residue analysis of Lapita vessels has the potential to
479 contribute a markedly improved methodology for reconstructing the actual use of ancient ceramics in the south
480 Pacific, while laying the groundwork for more informed theories on the origin, dispersal, function, and eventual
481 replacement of Lapita pottery across Remote Oceania. This can only be verified through the widespread application,
482 across the Lapita distribution, of a combination of techniques in organic residue analysis of archaeological ceramics
483 (e.g., lipid, bulk and single compound isotope, and microfossil analyses). The outcomes of this study not only
484 represent a breakthrough in terms of future research avenues but also provide additional data on the context within
485 which the Lapita vessels were used and on the ways foods were consumed by these colonising groups.

486 **ACKNOWLEDGEMENTS**

487 The Teouma Archaeological Project was a joint initiative of the Vanuatu National Museum and The Australian
488 National University (ANU) directed by Dr. Stuart Bedford and Professor Matthew Spriggs of the ANU and Mr.
489 Ralph Regenvanu and Mr. Marcellin Abong the former Directors of the Vanuatu Cultural Centre (VVC). The
490 authors acknowledge the support of the Australian National University College of Asia-Pacific for hosting Dr.
491 Leclerc as a Visiting Fellow during the writing stage of this article. We also thank the late Dr. Barry Fankhauser and
492 Dr. Wal Ambrose for his inspiring experimental work on residue analysis of pottery from Boera, Papua New
493 Guinea.

494 **FUNDING**

495 The analytical component of this research was funded by an Australian Research Council Future Fellowship Grant
496 FT120100716 (to Stuart Bedford).

1 REFERENCES

- 2 Allen, M. S. 2007. "Three millenia of human and sea turtle interactions in Remote Oceania." *Coral Reefs* 26:959-
3 970.
- 4 Ambrose, W. 1997. "Contradictions in Lapita pottery, a composite clone." *Antiquity* 71:525-538.
- 5 Anderson, A. J. 2009. "The rat and the octopus: initial human colonization of domestic animals to Remote Oceania."
6 *Biological Invasions* 11 (7):1503-1519.
- 7 Anderson, A. R., W. Roberts, W. R. Dickinson, G. Clark, D. V. Burley, A. De Biran, G. S. Hope, and P. D. Nunn.
8 2006. "Times of sand: Sedimentary history and archaeology at the Sigatoka dunes, Fiji." *Geoarchaeology:*
9 *An International Journal* 21:131-154.
- 10 Appadurai, A. 1986. "Introduction: commodities and the politics of value." In *The social life of things: Commodities*
11 *in cultural perspective*, edited by A. Appadurai, 3-63. Cambridge: Cambridge University Press.
- 12 Bedford, S. 2006a. "The Pacific's earliest painted pottery: An added layer of intrigue to the Lapita debate and
13 beyond." *Antiquity* 80:544-557.
- 14 Bedford, S. 2006b. *Pieces of the Vanuatu Puzzle. Archaeology of the North, South and Centre*. Edited by Terra
15 Australis 23. Canberra: ANU E Press.
- 16 Bedford, S. 2007. "Crucial first steps into Remote Oceania, Lapita in the Vanuatu Archipelago." In *From Southeast*
17 *Asia to the Pacific: Archaeological perspectives on the Austronesian expansion and the Lapita Cultural*
18 *Complex*, edited by Scarlett Chiu and Christophe Sand, 185-205. Taipei: Centre for Archaeological Studies,
19 Academia Sinica.
- 20 Bedford, S., and M. Spriggs. 2007. "Birds on the rim: A unique Lapita carinated vessel in its wider context."
21 *Archaeology in Oceania* 42 (1):12-21.
- 22 Bedford, S., M. Spriggs, H. R. Buckley, F. Valentin, R. Regenvanu, and M. Abong. 2010. "A cemetery of first
23 settlement: The site of Teouma, South Efate, Vanuatu / Un cimetière de premier peuplement: Le site de
24 Teouma, au sud d'Efate, au Vanuatu." In *Lapita: Ancêtres océaniens / Oceanic Ancestors*, edited by
25 Christophe Sand and Stuart Bedford, 140-161. Paris: Musée du Quai Branly and Somogy Éditions d'Art.
- 26 Bedford, S., M. Spriggs, and R. Regenvanu. 2006. "The Teouma Lapita site and the early human settlement of the
27 Pacific Islands." *Antiquity* 80 (310):812-828.
- 28 Bedford, S., M. Spriggs, R. Regenvanu, C. Macgregor, T. Kuautonga, and M. Sietz. 2007. "The excavation,
29 conservation and reconstruction of Lapita burials pots from the Teouma site, Efate, Central Vanuatu." In
30 *Oceanic Explorations: Lapita and Western Pacific settlement*, edited by Stuart Bedford, Christophe Sand
31 and Sean P. Connaughton. Canberra: ANU E Press.
- 32 Bentley, A. R., H. R. Buckley, M. Spriggs, S. Bedford, C. J. Ottley, G. M. Nowell, C. G. Macpherson, and G. D.
33 Pearson. 2007. "Lapita migrants in the Pacific's oldest cemetery: Isotopic analysis at Teouma, Vanuatu."
34 *American Antiquity* 72 (4):645-656.
- 35 Berry, C. J. 1994. *The idea of luxury: A conceptual and historical investigation*. Cambridge: Cambridge University
36 Press.
- 37 Best, S. 2002. *Lapita: A view from the east*. Vol. Monograph 24. Auckland: New Zealand Archaeological
38 Association.
- 39 Burley, D. V. 1999. "Lapita settlement to the East: New data and changing perspectives from Ha'apai (Tonga)
40 prehistory." In *Le Pacifique de 5000 à 2000 avant le présent: Suppléments à l'histoire d'une colonisation /*
41 *The Pacific from 5000 to 2000 BP: Colonisation and transformations*, edited by J.-C. Galipaud and I.
42 Lilley, 189-200. Paris: Éditions de l'Institut de Recherche pour le Développement.
- 43 Burley, D. V., and R. Jr Shutler. 2007. "Ancestral Polynesian fishing gear: Archaeological insights from Tonga." In
44 *Vastly ingenious. The archaeology of Pacific material culture in honour of Janet M. Davidson*, edited by A.
45 J. Anderson, K. Green and F. Leach, 155-172. Dunedin: Otago University Press.
- 46 Burley, D.V., W. R. Dickinson, A. Barton, and R. Jr. Shutler. 2001. "Lapita on the periphery: New data on old
47 problems in the Kingdom of Tonga." *Archaeology in Oceania* 36:89-104.
- 48 Butler, V. L. 1994. "Fish feeding behaviour and fish capture: The case for variation in Lapita fishing strategies."
49 *Arcaheology in Oceania* 29 (2):81-90.
- 50 Chiu, S. 2007. "Detailed analysis of Lapita face motifs: Case studies from Reef/Santa Cruz Lapita sites and New
51 Caledonia Lapita site 13A." In *Oceanic Explorations: Lapita and Western Pacific settlement*, edited by
52 Stuart Bedford, Christophe Sand and Sean P. Connaughton, 241-264. Canberra: ANU E Press.
- 53 Chiu, S., D. Killick, C. Sand, and W. R. Dickinson. 2016. "Connection and competition: Some early insights gained
54 from petrographic studies of New Caledonian Lapita pottery." *Archaeology in Oceania* 51:141-149.

- 55 Clark, G., and K. Szabó. 2009. "The fishbone remains." In *The early prehistory of Fiji*, edited by G. Clark and A. J.
56 Anderson, 213-230. Canberra: ANU E Press.
- 57 Clough, R. 1992. "Firing temperatures and the analysis of Oceanic ceramics: A study of Lapita ceramics from
58 Reef/Santa Cruz, Solomon Islands." In *Poterie Lapita et peuplement*, edited by J.-C. Galipaud, 177-192.
59 Nouméa: ORSTOM (Office de recherche scientifique et technologique Outre-Mer).
- 60 Combettes, C., A.-M. Sémah, and D. Wirthman. 2015. "High-resolution pollen record from Efate Island, central
61 Vanuatu: Highlighting climatic and human influences on Late Holocene vegetation dynamics." *Comptes*
62 *Rendus Palevol* 14:251-261.
- 63 Copley, M. S., R. Berstan, S. N. Dudd, G. Docherty, A. J. Mukherjee, V. Straker, S. Payne, and R. P. Evershed.
64 2003. "Direct chemical evidence for widespread dairying in prehistoric Britain." *Proceedings from the*
65 *National Academy of Sciences* 100 (4):1254-1529.
- 66 Craig, O. E., J. Chapman, C. P. Heron, L. H. Willis, L. Bartosiewicz, G. Taylor, A. Whittle, and M. Collins. 2005.
67 "Did the first farmers of central and eastern Europe produce dairy foods?" *Antiquity* 79:882-894.
- 68 Craig, O. E., M. Forster, S. H. Andersen, E. Koch, P. Cromb'e, N. J. Milner, B. Stern, G. N. Bailey, and C. P. Heron.
69 2007. "Molecular and isotopic demonstration of the processing of aquatic products in northern European
70 prehistoric pottery." *Archaeometry* 49:135-152.
- 71 Craig, O. E., H. Saul, A. Lucquin, Y. Nishida, K. Taché, L. Clarke, A. Thompson, D. T. Altoft, J. Uchiyama, M.
72 Ajimoto, K. Gibbs, S. Isaksson, C. P. Heron, and P. Jordan. 2013. "Earliest evidence for the use of pottery."
73 *Nature* 496 (Article):351-354. doi: 10.1038/nature12109.
- 74 Craig, O. E., V. Steele, A. Fischer, S. Andersen, P. Donohoe, A. Glykou, H. Saul, M. Jones, E. Koch, and C. P.
75 Heron. 2011. "Ancient lipids reveal continuity in culinary practices across the transition to agriculture in
76 Northern Europe." *Proceedings of the National Academy of Sciences, USA* 108 (Article):17910-17915.
77 doi: 10.1073/pnas.1107202108.
- 78 Crowther, A. 2005. "Starch residues on undecorated Lapita pottery from Anir, New Ireland." *Archaeology in*
79 *Oceania* 40 (2):62-66.
- 80 Crowther, A. 2009. "Investigating Lapita subsistence and pottery use through microscopic residues on ceramics:
81 Methodological issues, feasibility and potential." PhD Unpublished PhD Thesis, University of Queensland.
- 82 Curet, A. L., and W. J. Pestle. 2010. "Identifying high-status foods in the archaeological record." *Journal of*
83 *Anthropological Archaeology* 29:413-431.
- 84 Davidson, J., B. F. Leach, and C. Sand. 2002. "Three thousand years of fishing in New Caledonia and the Loyalty
85 Islands." In *Fifty years in the field: Essays in honour and celebration of R Shuter Jr's archaeological*
86 *career*, edited by S. Bedford, C. Sand and D. V. Burley, 153-164. Auckland: New Zeland Archaeological
87 Association.
- 88 Davidson, J., and F. Leach. 2001. "The Strandlooper concept and economic naivety." In *The archaeology of laptia*
89 *dispersal in Oceania*, edited by G. R. Clark, A. J. Anderson and T. Sorovi-Vunidilo, 115-123. Canberra:
90 Pandanus Books.
- 91 Dickinson, W. R., S. Bedford, and M. Spriggs. 2013. "Petrography of temper sands in 112 reconstructed Lapita
92 pottery vessels from Teouma (Efate): Archaeological implications and relations to other Vanuatu tempers."
93 *Journal of Pacific Archaeology* 4 (2):1-20.
- 94 Dietler, M. 2012. "Theorizing the feast: Rituals of consumption, commensal politics, and power in African
95 contexts." In *Feasts: Archaeological and ethnographic perspectives on food, politics, and power*, edited by
96 M. Dietler and B. Hayden, 65-114. Tuscaloosa: University Alabama Press.
- 97 Dye, T. S., and D. W. Steadman. 1990. "Polynesian ancestors and their animal world." *American Scientist* 78
98 (3):207-215.
- 99 Earle, T., and M. Spriggs. 2015. "Political Economy in Prehistory. A Marxist approach to Pacific sequences."
100 *Current Anthropology* 56 (4):515-544.
- 101 Evershed, R. P. 2008a. "Experimental approaches to the interpretation of absorbed organic residues in archaeological
102 ceramics." *World Archaeology* 40 (1):26-47.
- 103 Evershed, R. P. 2008b. "Organic residue analysis in archaeology: The archaeological biomarker revolution."
104 *Archaeometry* 50 (6):895-924.
- 105 Evershed, R. P., M. S. Copley, L. Dickson, and F. A. Hansel. 2008. "Experimental evidence for the processing of
106 marine animal products and other commodities containing polyunsaturated fatty acids in pottery vessels."
107 *Archaeometry* 50:101-113.
- 108 Evershed, R. P., C. P. Heron, and L. J. Goad. 1991. "Epicuticular was components preserved in potsherds as
109 chemical indicators of leafy vegetables in ancient diets." *Antiquity* 65:540-544.

- 110 Fankhauser, B. 1994. "Protein and lipid analysis of food residues." In *Tropical Archaeobotany: Applications and*
 111 *new developments*, edited by J. G. Hather, 227-250. London and New York: Routledge.
- 112 Fankhauser, B. 1997. "Amino acid analysis of food residues in pottery: A field and laboratory study." *Archaeology*
 113 *in Oceania* 32 (1):131-140.
- 114 Garanger, J. 1972. *Archéologie des Nouvelles-Hébrides*. Edited by Office de la Recherche Scientifique et Technique
 115 Outre-Mer. Paris: Société des Océanistes, Musée de l'Homme, Publication no. 30.
- 116 Geraghty, P. A. 1994. "Proto Central Pacific fish names." In *Austronesian terminologies: Continuity and change,*
 117 *Pacific Linguistics series C-127*, edited by A. Pawley and M. Ross, 141-169. Canberra: Australian National
 118 University.
- 119 Green, R. C. 1979. "Lapita." In *The Prehistory of Polynesia*, edited by J. Jennings, 27-60. Cambridge, MA: Harvard
 120 University Press.
- 121 Green, R. C. 1986. "Lapita fishing: The evidence of site SE-RF-2 from the Main Islands, Santa Cruz Group,
 122 Solomons." In *Traditional fishing in the Pacific, Pacific Anthropological Records 37*, edited by A. J.
 123 Anderson, 19-35. Honolulu: Bernice P. Bishop Museum.
- 124 Green, R. C. 1990. "Lapita design analysis: The Mead system and its use; a potted history." In *Lapita Design, Form*
 125 *and Composition*, edited by Matthew Spriggs, 33-52. Canberra: Dept. of Prehistory, Australian National
 126 University. Occasional Papers in Prehistory 19.
- 127 Green, R. C. 1991. "The Lapita cultural complex: Current evidence and proposed models." In *Bulletin on Indo-*
 128 *Pacific Prehistory Association 11*, edited by Peter S. Bellwood, 296-305.
- 129 Green, R. C. 2000. "Lapita and the cultural models for intrusion, integration and innovation." In *Australian*
 130 *Archaeologist: Collected papers in Honour of Jim Allen*, edited by A. J. Anderson and T. Murray, 372-392.
 131 Canberra: Coombs Academic Publishing, Centre for Archaeological Research, Department of Archaeology
 132 and Natural History, Australian National University, and Department of Archaeology, La Trobe University.
- 133 Groube, L. 1971. "Tonga, Lapita pottery and Polynesian origins." *Journal of the Polynesian Society* 80:278-316.
- 134 Hawkins, S. 2015. "Human behavioural ecology, anthropogenic impact and subsistence change at the Teouma
 135 Lapita site, central Vanuatu, 3000-2500 BP." Unpublished PhD thesis Unpublished PhD thesis, The
 136 Australian National University.
- 137 Hawkins, S., T. H. Worthy, S. Bedford, M. Spriggs, G. Clark, G. Irwin, S. Best, and P. Kirch. 2016. "Ancient
 138 tortoise hunting in the southwest Pacific." *Nature: Scientific reports* 6 December 2016
 139 [6:38317][DOI:10.1038/srep38317].
- 140 Hayden, B. 1996. "Feasting in prehistoric and traditional societies." In *Food and the status quest: An*
 141 *interdisciplinary perspective*, edited by P. Wiessner and W. Schiefenhovel, 127-147. Providence, RI:
 142 Bergahn.
- 143 Hayden, B. 2003. "Were luxury foods the first domesticates? Ethnoarchaeological perspectives from Southeast
 144 Asia." *World Archaeology* 34 (3):458-469.
- 145 Heron, C. P., and R. P. Evershed. 1993. "The analysis of organic residues and the study of pottery use."
 146 *Archaeological method and theory* 5:247-284.
- 147 Hill, H. E., and J. Evans. 1989. "Crops of the Pacific: New evidence from the chemical analysis of organic residues
 148 in pottery." In *Foraging and farming: The evolution of plant exploitation*, edited by D. R. Harris and G. C.
 149 Hillman, 418-425. London: Unwin Hyman.
- 150 Hill, H. E., J. Evans, and M. Card. 1985. "Organic residues in 3000 year old potsherds from Natunuku, Fiji." *New*
 151 *Zealand Journal of Archaeology* 7:125-128.
- 152 Hocart, C. H., B. Fankhauser, and D. W. Buckle. 1993. "Chemical archaeology of kava, a potent brew." *Rapid*
 153 *communication in mass spectrometry* 7:219-224.
- 154 Hope, G. S., D. O'Dea, and W. Southern. 1999. "Holocene vegetation histories of the western Pacific: Alternative
 155 records of human impact." In *Proceedings of the Western Pacific 5000 to 2000 BP Archaeology*
 156 *Conference*, edited by J.-C. Galipaud and I. Lilley, 387-404. Paris: IRD.
- 157 Hope, G. S., and M. Spriggs. 1982. "A preliminary pollen sequence from Aneityum island, Southern Vanuatu."
 158 *Bulletin of the Indo-Pacific Prehistory Association* 3:88-94.
- 159 Horrocks, M., and S. Bedford. 2005. "Microfossil analysis of Lapita deposits in Vanuatu reveals introduced Araceae
 160 (aroids)." *Archaeology in Oceania* 39:67-74.
- 161 Horrocks, M., S. Bedford, and M. Spriggs. 2009. "A short note on banana (*Musa*) phytoliths in Lapita, immediately
 162 post-Lapita and modern period archaeological deposits from Vanuatu." *Journal of Archaeological Science*
 163 36 (9):2048-2054.

- 164 Horrocks, M., M. K. Nieuwoudt, R. Kinaston, H. R. Buckley, and S. Bedford. 2014. "Microfossil and Fourier
165 Transform InfraRed analyses of Lapita and post-Lapita human dental calculus from Vanuatu, Southwest
166 Pacific." *Journal of the Royal Society of New Zealand* 44 (1):17-33.
- 167 Horrocks, M., and P. D. Nunn. 2007. "Evidence for introduced taro (*Colocasia esculenta*) and lesser yam (*Dioscorea*
168 *esculenta*) in Lapita-era (c. 3050–2500 cal. yr BP) deposits from Bourewa, southwest Viti Levu Island,
169 Fiji." *Journal of Archaeological Science* 34 (5):739-748.
- 170 Irwin, G., T. H. Worthy, S. Best, S. Hawkins, J. Carpenter, and S. Matararaba. 2011. "Further investigations at the
171 Naigani Lapita site (VL 21/5), Fiji: Excavation, radiocarbon dating and palaeofaunal extinction." *Journal*
172 *of Pacific Archaeology* 2 (2):66-78.
- 173 Jones, S. 2009. "A long-term perspective on biodiversity and marine resource exploitation in Fiji's Lau Group."
174 *Pacific Science* 63 (4):617-648.
- 175 Kennett, D. J., A. J. Anderson, and B. Winterhalder. 2006. "The ideal free distribution, food production, and the
176 colonization of Oceania." In *Behavioral ecology and the transition to agriculture*, edited by D. J. Kennett
177 and B. Winterhalder, 265-288. Berkeley: University of California Press.
- 178 Kinaston, R., S. Bedford, M. Richards, S. Hawkins, A. Gray, K. Jaouen, F. Valentin, and H. R. Buckley. 2014. "Diet
179 and human mobility from the Lapita to the early historic period on Uripiv Island, Northeast Malakula,
180 Vanuatu." *PLoS ONE* 9 (8):e104071. doi: 10.1371/journal.pone.0104071.
- 181 Kinaston, R., H. R. Buckley, F. Valentin, S. Bedford, M. Spriggs, S. Hawkins, and E. Herrscher. 2014. "Lapita diet
182 in Remote Oceania: New stable isotope evidence from the 3000-year-old Teouma Site, Efate Island,
183 Vanuatu." *PLoS ONE* 9 (3):e90376.
- 184 Kirch, P. 2001. "Three Lapita villages: Excavations at Talepakemalai (ECA), Etakosarai (ECB), and
185 Etapakengaroasa (EHB), Elouau and Emananus Islands." In *Lapita and its transformations in Near*
186 *Oceania: Archaeological investigations in the Mussau Islands, Papua New Guinea, 1985-88. Volume I:*
187 *Introduction, Excavations, Chronology*, edited by P. V. Kirch, 68-145. Berkeley: Archaeological Research
188 Facility, University of California at Berkeley.
- 189 Kirch, P. V. 1987. "Lapita and Oceanic cultural origins: Excavations in the Mussau Islands, Bismarck Archipelago,
190 1985." *Journal of Field Archaeology* 14 (2):163-180.
- 191 Kirch, P. V. 1988. *Niutopotapu: The prehistory of a Polynesian chiefdom*. Vol. Monograph No. 5. Seattle: Thomas
192 Burke Memorial Washington State Museum.
- 193 Kirch, P. V. 1997. *The Lapita peoples, ancestors of the Oceanic world*. Cambridge: Blackwell.
- 194 Kirch, P. V. 2000. *On the road of the winds : An archaeological history of the Pacific Islands before European*
195 *contact*. Berkeley: University of California Press.
- 196 Kirch, P. V. 2010. "Between garden and reef: Lapita ecology and subsistence / Entre récif et jardin: l'écologie et
197 l'économie de subsistence Lapita." In *Lapita: Ancêtres océaniens / Oceanic Ancestors*, edited by C. Sand
198 and S. Bedford, 252-267. Paris: Musée du Quai Branly and Somogy Éditions d'Art.
- 199 Kirch, P. V., S. Chiu, and Y.-Y. Su. 2015. "Lapita ceramic vessel forms of the Talepakemalai site, Mussau Islands,
200 Papua New Guinea." In *The Lapita cultural complex in time and space: Expansion routes, chronologies*
201 *and typologies*, edited by C. Sand, S. Chiu and N. Hogg, 49-62. Nouméa, Nouvelle-Calédonie:
202 Archaeologia Pasifika 4, Institut d'archéologie de la Nouvelle-Calédonie et du Pacifique.
- 203 Kirch, P. V., and R. C. Green. 2001. *Hawaiki, Ancestral Polynesia: An essay in historical anthropology*. Berkeley:
204 Cambridge University Press.
- 205 Kirch, P. V., T. L. Hunt, M. I. Weisler, V. L. Butler, and M. S. Allen. 1991. "Mussau Islands prehistory: Results of
206 the 1985-1986 excavations." In *Report of the Lapita Homeland Project*, edited by Jim Allen and Chris
207 Gosden, 144-163. Canberra, Australia: Department of Prehistory, Research School of Pacific Studies. The
208 Australian National University.
- 209 Kirch, P. V., and D. E. Yen. 1982. *Tikopia: The prehistory and ecology of a Polynesian outlier*. Honolulu: Bishop
210 Museum Press.
- 211 Lebot, V., and C. Sam. in press. "Green desert or "all you can eat"? How diverse and edible was the flora of Vanuatu
212 before human introductions?" In *Debating Lapita: Distribution, chronology, society and subsistence*, edited
213 by S. Bedford and M. Spriggs. Canberra: Terra Australis.
- 214 Leclerc, M. 2016. "Investigating the raw materials used for Lapita and post-Lapita pottery manufacturing: A
215 chemical characterisation of ceramic collections from Vanuatu." Unpublished PhD Thesis, The Australian
216 National University.
- 217 Lentfer, C., and R.C. Green. 2004. "Phytoliths and the evidence for human cultivation at the Lapita Reber-Rakival
218 site on Watom Island, Papua New Guinea." In *A Pacific odyssey: archaeology and anthropology in the*

- 219 *Western Pacific. Papers in honour of Jim Specht*, edited by V. Attenbrow and Richard Fullagar, 75-87.
 220 Sydney: Records of the Australian Museum Supplement 29.
- 221 Lentfer, C., and R. Torrence. 2007. "Holocene volcanic activity, vegetation succession, and ancient human land use:
 222 unraveling the interactions of Garua Island, Papua New Guinea." *Review of Palaeobotany and Palynology*
 223 143:83-105.
- 224 Lichtenberk, F. 1994. "The raw and the cooked: Proto Oceanic terms for food preparation." In *Austronesian*
 225 *terminologies: Continuity and change*, edited by A. K. Pawley and M. D. Ross, 267-288. Canberra: Pacific
 226 Linguistics C-127, Research School of Pacific and Asian Studies, The Australian National University.
- 227 Lucquin, A., K. Gibbs, J. Uchiyama, H. Saul, M. Ajimoto, Y. Ekey, A. Radini, C. P. Heron, S. Shoda, Y. Nishida, J.
 228 Lundy, P. Jordan, S. Isaksson, and O. E. Craig. 2016. "Ancient lipids document continuity in the use of
 229 early hunter-gatherer pottery through 9,000 years of Japanese prehistory." *Proceedings from the National*
 230 *Academy of Sciences* 113:3991-3996.
- 231 Matisoo-Smith, E., R. M. Roberts, G. J. Irwin, J. S. Allen, D. Penny, and D. M. Lambert. 1998. "Patterns of
 232 prehistoric human mobility revealed by mitochondrial DNA from the Pacific rat." *Proceedings from the*
 233 *National Academy of Sciences* 95:15145-15150.
- 234 Matthews, P. J., and C. Gosden. 1997. "Plant remains from waterlogged sites in the Arawe Islands, West New
 235 Britain, Papua New Guinea: Implications for the history of plant use and domestication." *Economic Botany*
 236 51:121-133.
- 237 McNiven, I. J., B. David, T. Richards, K. Aplin, B. Asmussen, J. Mialanes, M. Leavesley, P. Faulkner, and S. Ulm.
 238 2011. "New direction in human colonisation of the Pacific: Lapita settlement of south coast New Guinea."
 239 *Bulletin of Volcanology* 73:27-37.
- 240 Mead, J. I., D. W. Steadman, S.H. Bedford, C. J. Bell, and M. Spriggs. 2002. "New extinct Mekosuchine crocodile
 241 from Vanuatu, South Pacific." *Copeia* 3:632-641.
- 242 Mead, S. M. 1975. "The decorative system of the Lapita potters of Sigatoka, Fiji." In *The Lapita style of Fiji and its*
 243 *associations*, edited by S. M. Mead, L. Birks, H. Birks and E. Shaw, 19-43. Wellington: Polynesian Society
 244 Memoir 38.
- 245 Nagaoka, L. 1988. "Lapita subsistence: The evidence of non-fish archaeofaunal remains." In *Archaeology of the*
 246 *Lapita Cultural Complex: a critical review*, edited by P. V. Kirch and T. L. Hunt, 117-153. Seattle: Thomas
 247 Burke Memorial Washington State Museum Research report 5, Burke Museum.
- 248 Nagaoka, L. 2012. "The overkill hypothesis and conservation biology." In *Conservation biology and applied*
 249 *zoarchaeology*, edited by S. Wolverton and R. L. Lyman, 110-138. Tucson: University of Arizona Press.
- 250 Ono, R. 2003. "Prehistoric Austronesian fishing strategies: A comparison between Island Southeast Asia and the
 251 Lapita Cultural Complex." In *Pacific Archaeology: Assessments and prospects, Proceedings of the*
 252 *International Conference for the 50th anniversary of the First Lapita Excavation, Koné-Nouméa 2002*,
 253 edited by C. Sand, 191-201. Nouméa: Département Archéologie, Service des musées et du patrimoine de
 254 Nouvelle-Calédonie. Les Cahiers de l'Archéologie en Nouvelle-Calédonie 15.
- 255 Osmond, M., and M. D. Ross. 1998. "Household artefacts." In *The Lexicon of Proto Oceanic: The culture and*
 256 *environment of ancestral Oceanic society. Vol. 1: Material culture*, edited by M. D. Ross, A. Pawley and
 257 M. Osmond, 67-114. Canberra: Research School of Pacific and Asian Studies, Australian National
 258 University.
- 259 Outram, A. K., N. A. Stear, R. Bendrey, S. Olsen, A. Kasparov, V. Zaibert, N. Thorpe, and R. P. Evershed. 2009.
 260 "The Earliest Horse Harnessing and Milking." *Science* 323 (5919):1332-1335. doi:
 261 10.1126/science.1168594.
- 262 Petchey, F., M. Spriggs, S. Bedford, and F. Valentin. 2015. "The chronology of occupation at Teouma, Vanuatu:
 263 Use of a modified chronometric hygiene protocol and Bayesian modeling to evaluate midden remains."
 264 *Journal of Archaeological Science: Reports* 4:95-105.
- 265 Petchey, F., M. Spriggs, S. Bedford, F. Valentin, and H. R. Buckley. 2014. "Radiocarbon dating of burials from the
 266 Teouma Lapita cemetery, Efate, Vanuatu." *Journal of Archaeological Science* 50:227-242.
- 267 Pollock, N. J. 1992. *These roots remain: food habits in islands of the Central and Eastern Pacific since Western*
 268 *contact*. Honolulu: University of Hawaii Press.
- 269 Pregill, G. K., and D. W. Steadman. 2004. "South Pacific iguanas: Human impacts and a new species." *Journal of*
 270 *Herpetology* 38 (1):15-21.
- 271 Ravn, M., S. Bedford, M. Spriggs, S. Hawkins, and F. Valentin. 2016. "Pottery spatial patterns at the Laptia site of
 272 Teouma, Central Vanuatu. Some preliminary refitting results." In *La pratique de l'espace en Océanie:*
 273 *découverte, appropriation, émergence des systèmes sociaux traditionnels / Spatial dynamics in Oceania:*

- 274 *Discovery, appropriation and the emergence of traditional societies*, edited by F. Valentin and G. Molle,
 275 163-176. Paris, France: Société préhistorique française.
- 276 Reber, E. A., and R. P. Evershed. 2006. "Ancient vegetarians? Absorbed pottery residue analysis of diet in the late
 277 Woodland and emergent Mississippian periods of the Mississippi valley." *Southeastern Archaeology* 25
 278 (1):110-120.
- 279 Ross, M. 1996. "Reconstructing food plant terms and associated terminologies in Proto Oceanic." In *Oceanic*
 280 *studies: Proceedings of the first international conference on Oceanic linguistics*, edited by J. Lynch and F.
 281 Pat, 163-221. Canberra: Australian National University.
- 282 Ross, M., A. Pawley, and M. Osmond. 1998. *The lexicon of Proto Oceanic: The culture and environment of*
 283 *ancestral Oceanic society*. Canberra: Pacific Linguistics.
- 284 Sand, C. 2007. "Looking at the big motifs: a typology of the central band decorations of the Lapita ceramic tradition
 285 of New Caledonia (Southern Melanesia) and preliminary regional comparisons." In *Oceanic Explorations:*
 286 *Lapita and Western Pacific settlement*, edited by Stuart Bedford, Christophe Sand and Sean P.
 287 Connaughton, 265-287. Canberra: ANU E Press.
- 288 Sand, C. 2010a. *Lapita calédonien. Archéologie d'un premier peuplement insulaire océanien*. Paris: Société des
 289 Océanistes.
- 290 Sand, C. 2010b. "Southern Lapita: The case of New Caledonia / Le Lapita du sud: Le cas calédonien." In *Lapita:*
 291 *Ancêtres océaniens / Oceanic Ancestors*, edited by C. Sand and S. Bedford, 190-209. Paris: Musée du Quai
 292 Branly and Somogy Éditions d'Art.
- 293 Sand, C. 2013. "Ritually breaking Lapita pots: or, can we get into the minds of Oceanic first settlers? A discussion."
 294 *Archaeology in Oceania* 48 (1):2-12.
- 295 Sand, C., and S. Bedford. 2010a. "Lapita, archaeological signature of the first Austronesian settlement of the
 296 southwest Pacific / Lapita, icône archéologique du premier peuplement austronésien de Pacifique sud-
 297 ouest." In *Lapita: Ancêtres océaniens / Oceanic Ancestors*, edited by C. Sand and S. Bedford, 14-29. Paris:
 298 Musée du Quai Branly and Somogy Éditions d'Art.
- 299 Sand, C., and S. Bedford. 2010b. *Lapita: Ancêtres océaniens / Oceanic Ancestors*. Paris: Musée du Quai Branly and
 300 Somogy Éditions d'Art.
- 301 Sand, C., J. Bolé, and A. Ouetcho. 2011. "A revision of New Caledonia's ceramic sequence." *Journal of Pacific*
 302 *Archaeology* 2 (1):56-68.
- 303 Sand, C., K. Coote, J. Bolé, and A. Ouetcho. 1998. "A pottery pit at locality WKO013A, Lapita (New Caledonia)."
 304 *Archaeology in Oceania* 33:37-43.
- 305 Seeto, J., P. D. Nunn, and S. Sanjana. 2011. "Human-mediated prehistoric marine extinction in the tropical Pacific?
 306 Understanding the presence of *Hippopus hippopus* (Linn. 1758) in ancient shell middens on the Rove
 307 Peninsula, southwest Viti Levu Island, Fiji." *Geoarchaeology: An International Journal* 27 (1):2-17.
- 308 Sheppard, P. J. 2011. "Lapita colonization across the Near/Remote Oceania boundary." *Current Anthropology* 52
 309 (6).
- 310 Sheppard, P. J., S. Chiu, and R. Walter. 2015. "Re-dating Lapita movement into Remote Oceania." *Journal of*
 311 *Pacific Archaeology* 6 (1):26-36.
- 312 Siorat, J.-P. 1990. "A technological analysis of Lapita pottery decoration." In *Lapita design, form and composition:*
 313 *Proceedings of the Lapita design workshop, Canberra, Australia*, edited by Matthew Spriggs, 59-82.
 314 Canberra: Department of Prehistory, Research School of Pacific and Asian Studies, Australian National
 315 University.
- 316 Skelly, R., B. David, F. Petchey, and M. Leavesley. 2014. "Tracking ancient beach-lines inland: 2600-year-old
 317 dentate-stamped ceramics at Hopo, Vailala River region, Papua New Guinea." *Antiquity* 88:470-487.
- 318 Specht, J., and C. Gosden. 1997. "Dating Lapita pottery in the Bismarck Archipelago, Papua New Guinea." *Asian*
 319 *Perspectives* 36 (2):175-194.
- 320 Spriggs, M. 1990. "The changing face of Lapita: The transformation of a design." In *Lapita design, form and*
 321 *composition: Proceedings of the Lapita design workshop*, edited by Matthew Spriggs, 83-122. Canberra:
 322 Department of Prehistory, Research School of Pacific and Asian Studies, Australian National University.
- 323 Spriggs, M. 1997. *The Island Melanesians*. Edited by Peter S. Bellwood and Ian Glover, *The Peoples of South-East*
 324 *Asia and the Pacific*. Cambridge: Blackwell publishers.
- 325 Spriggs, M. 2003. "Post-Lapita evolutions in Island Melanesia." In *Pacific Archaeology: Assessments and prospects,*
 326 *Proceedings of the International Conference for the 50th anniversary of the First Lapita Excavation, Koné-*
 327 *Nouméa 2002*, edited by Christophe Sand, 205-212. Nouméa: Département Archéologie, Service des
 328 musées et du patrimoine de Nouvelle-Calédonie. Les Cahiers de l'Archéologie en Nouvelle-Calédonie 15.

- 329 Spriggs, M., and S. Bedford. 2013. "Is there an incised Lapita phase after dentate-stamped pottery ends? Data from
330 Teouma, Efate Island, Vanuatu." In *Pacific Archaeology: Documenting the Past 50,000 Years*, edited by G.
331 R. Summerhayes and Hallie Buckley, 148-156. Dunedin: University of Otago Studies in Archaeology.
- 332 Steadman, D. W. 1995. "Prehistoric extinctions of Pacific Island birds: Biodiversity meets zooarchaeology."
333 *Science* 267:1123-1131.
- 334 Steadman, D. W. 2006. *Extinction and biogeography of tropical Pacific birds*. Chicago: University of Chicago
335 Press.
- 336 Stevenson, J. 1999. "Human impact from the paleoenvironmental record on New Caledonia." In *Le Pacifique de*
337 *5000 à 2000 avant le présent: Suppléments à l'histoire d'une colonisation / The Pacific from 5000 to 2000*
338 *BP: Colonisation and transformations*, 251-258. Paris: Éditions de l'Institut de Recherche pour le
339 Développement.
- 340 Storey, A. A., T. Ladefoged, and E. A. Matisoo-Smith. 2008. "Counting your chickens: Density and distribution of
341 chicken remains in archaeological sites of Oceania." *International Journal of Osteoarchaeology* 18:240-
342 261.
- 343 Storey, A., M. Spriggs, S. Bedford, S. Hawkins, J. H. Robins, L. Huynen, and E. Matisoo-Smith. 2010.
344 "Mitochondrial DNA from 3000-year old chickens at the Teouma site, Vanuatu." *Journal of*
345 *Archaeological Science* 37:2459-2468.
- 346 Summerhayes, G. R. 2000a. *Lapita Interaction*. Edited by Terra Australis 15. Canberra: Department of Archaeology
347 and Natural History and Centre for Archaeological Research, The Australian National University.
- 348 Summerhayes, G. R. 2000b. "What's in a pot?" In *Australian Archaeologist. Collected papers in honour of Jim*
349 *Allen*, edited by Atholl Anderson and Tim Murray, 291-307. Canberra: Coombs Academic Publishing, The
350 Australian National University.
- 351 Summerhayes, G. R., E. Matisoo-Smith, H. Mandui, J. Allen, J. Specht, N. Hogg, and S. McPherson. 2010.
352 "Tamuarawai (EQS): An early Lapita site on Emirau, New Ireland, PNG." *Journal of Pacific Archaeology*
353 1 (1):62-75.
- 354 Swadling, P. 1986. "Lapita shellfishing: Evidence from sites in the Reef/Santa Cruz group, southeast Solomons." In
355 *Traditional fishing in the Pacific: Ethnographical and archaeological papers from the 15th Pacific Science*
356 *Congress*, edited by A. J. Anderson, 137-148. Honolulu: Bishop Museum Press.
- 357 Szabo, K. 2001. "The reef, the beach, and the rocks: An environmental analysis of mollusc remains from Natunuku,
358 Viti Levu, Fiji." In *The archaeology of Lapita dispersal in Oceania: Papers from the Fourth Lapita*
359 *Conference, June 2000, Canberra, Australia*, edited by G. Clark, A. J. Anderson and T. Vunidilo, 159-166.
360 Canberra: Terra Australis.
- 361 Szabó, K. 2007. "An assessment of shell fishhooks of the Lapita cultural complex." In *Vastly ingenious. The*
362 *archaeology of Pacific material culture in honour of Janet M. Davidson*, edited by A. J. Anderson, K.
363 Green and F. Leach, 227-242. Dunedin: Otago University Press.
- 364 Szabó, K. 2009. "Molluscan remains from Fiji." In *The early prehistory of Fiji*, edited by G. Clark and A. J.
365 Anderson, 183-211. Canberra: ANU E Press.
- 366 Szabó, K. 2010. "Shell artefacts and shell-working within the Lapita Cultural Complex." *Journal of Pacific*
367 *Archaeology* 1 (2):115-127.
- 368 Szabó, K., and G. R. Summerhayes. 2002. "Worked shell artefacts - New data from Early Lapita." In *Fifty years in*
369 *the field: Essays in honour and celebration of Richard Shutler Jr's archaeological career*, edited by S.
370 Bedford, C. Sand and D. V. Burley, 91-100. Auckland: New Zealand Archaeological Association.
- 371 Taché, K., and O. E. Craig. 2015. "Cooperative harvesting of aquatic resources triggered the beginning of pottery
372 production in Northeastern North America." *Antiquity* 89 (343):177-190.
- 373 Terrell, J. E., and R. L. Welsch. 1997. "Lapita and the temporal geography of prehistory." *Antiquity* 71:548-572.
- 374 Torrence, R. 2011. "Finding the right question: Learning from stone tools on the Willaumez Peninsula, Papua New
375 Guinea." *Archaeology in Oceania* 46:29-41.
- 376 Tromp, M. 2016. "Lapita plants, people and pigs." PhD Unpublished PhD Thesis, University of Otago.
- 377 Twiss, K. 2012. "The archaeology of food and social diversity." *Journal of Archaeological Research* 20 (4):357-
378 395.
- 379 Valentin, F., H. R. Buckley, E. Herrscher, R. Kinaston, S. Bedford, M. Spriggs, Stuart H., and K. Neal. 2010.
380 "Lapita subsistence strategies and food consumption patterns in the community of Teouma (Efate,
381 Vanuatu)." *Journal of Archaeological Science* 37 (8):1820-1829.
- 382 Valentin, F., E. Herrscher, S. Bedford, M. Spriggs, and H. R. Buckley. 2014. "Evidence for social and cultural
383 change in Central Vanuatu between 3000 and 2000 BP: Comparing funerary and dietary patterns of the first
384 and later generations at Teouma, Efate." *The Journal of Island and Coastal Archaeology* 9 (3).

385 van der Veen, M. 2003. "When is food a luxury?" *World Archaeology* 34 (3):405-427.
386 Walter, A., and V. Lebot. 2007. *Gardens of Oceania*. ACIAR Monograph no. 122. Canberra: Australian Centre for
387 International Agricultural Research.
388 Walter, R. 1989. "Lapita fishing strategies: A review of the archaeological and linguistic evidence." *Pacific Studies*
389 13 (1):127-149.
390 White, A. W., T. H. Worthy, S. Hawkins, S. Bedford, and M. Spriggs. 2010. "Megafaunal meiolaniid horned turtles
391 survived until early human settlement in Vanuatu, Southwest Pacific." *Proceedings from the National*
392 *Academy of Sciences* 107 (35):15512-15516.
393 Wirthman, D., S. H. Eagar, M. A. Harper, É. Leroy, and A-M. Sémah. 2011. "First insights into mid-Holocene
394 environmental change in central Vanuatu inferred from a terrestrial record from Emaotfer Swamp, Efate
395 Island." *Quaternary Science Reviews* 30:3908-3924.
396 Worthy, T. H., and G. C. Clark. 2009. "Bird, mammal and reptile remains." In *The early prehistory of Fiji*, edited by
397 G. C. Clark and A. J. Anderson, 231-258. Canberra: Terra Australis.
398 Worthy, T. H., S. Hawkins, S. Bedford, and M. Spriggs. 2015. "Avifauna from the Teouma Lapita site, Efate Island,
399 Vanuatu, including a new genus and species of megapode." *Pacific Science* 69 (2):205-254.
400
401

402 FOOTNOTES

ⁱ Many similar albeit not equating terms figure in the literature to define the type of food often consumed on special occasions: 'high status', 'luxury', 'prestige' and 'elite' food (Curet and Pestle 2010, Szabo 2001, Hayden 2003, van der Veen 2003). Each of these denominations carries a specific meaning regarding the social context in which they are consumed and their implications in terms of social and political power structure (Twiss 2012). Because it is premature at this stage to address the significance of our results in terms of the social stratification of Lapita groups, we decided to use the encompassing term 'highly valued' foods, to qualify the content of the presumably prestigious dentate-stamped Lapita vessels.

ⁱⁱ It must be noted that factors other than human predation, such as climate change for example, could also have contributed to impacting ecological conditions (Nagaoka 2012, Wirthman et al. 2011, Seeto et al. 2011).

ⁱⁱⁱ There is thus a possibility that any residues in these two vessels relate to their use in New Caledonia before transport to Vanuatu. As will be detailed in the discussion however, there is nothing different in the way they were used that might confirm this.

^{iv} This uncertainty is due in large part to the fact that fatty acids and other compounds degrade (through, oxidation and/or microbial breakdown) or leach out of pots at different rates in different environments.