

This is a repository copy of *Classification and Treatment of Chronic Neck Pain: A Longitudinal Cohort Study.* 

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/130900/

## Article:

Liu, R, Kurihara, C, Tsai, H-T et al. (4 more authors) (2017) Classification and Treatment of Chronic Neck Pain: A Longitudinal Cohort Study. Regional Anesthesia and Pain Medicine, 42 (1). pp. 52-61. ISSN 1098-7339

https://doi.org/10.1097/AAP.0000000000000505

© 2017, Lippincott, Williams & Wilkins. This is an author produced version of a paper published in Regional Anesthesia and Pain Medicine. Uploaded in accordance with the publisher's self-archiving policy.

## Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

## Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Variable	Neuropathic Pain	Nociceptive Pain	Mixed Pain	<b>P-</b>
	(N=7)	(N=43)	(N=50)	Value
NRS Neck Pain Score @ 6-	3.93 (2.03, 5.82)	3.95 (3.24, 4.66)	3.69 (3.06, 4.31)	0.84
months (mean, 95% CI)				
Change from Baseline	-2.07 (-5.03, 0.88)	-1.15 (-1.89, -0.42)	-1.53 (-2.13, -0.93)	0.54
(95% CI)				
NRS Arm Pain Score @ 6-	2.57 (0.09, 5.05)	0.82 (0.13, 1.51)	2.10 (1.25, 2.95)	0.04
months (mean, 95% CI)				
Change from Baseline	-3.50 (-6.95, -0.05)	-0.43 (-1.24, 0.38)	-1.42 (-2.52, -0.33)	0.06
(95% CI)				
Neck Disability Index Score	32.86 (21.77, 43.95)	25.20 (20.51, 29.88)	27.42 (22.54, 32.29)	0.47
(NDI) @ 6-months (mean,				
95% CI)				
Change from Baseline	-15.00 (-35.59, 5.59)	-6.63 (-10.69, -2.58)	-10.81 (-14.65, -6.97)	0.20
(95% CI)				

Table 3. Treatment Results for Continuous Variables Stratified by Pain Classification.