



This is a repository copy of *The National Institute of Neurological Disorders and Stroke and Department of Defense Sport-Related Concussion Common Data Elements Version 1.0 Recommendations*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/131196/>

Version: Accepted Version

---

**Article:**

Broglio, S.P., Kontos, A.P., Levin, H. et al. (27 more authors) (2018) The National Institute of Neurological Disorders and Stroke and Department of Defense Sport-Related Concussion Common Data Elements Version 1.0 Recommendations. *Journal of Neurotrauma*, 35 (23). pp. 2776-2783. ISSN 0897-7151

<https://doi.org/10.1089/neu.2018.5643>

---

© 2018 Mary Ann Liebert. This is an author produced version of a paper subsequently published in *Journal of Neurotrauma*. Uploaded in accordance with the publisher's self-archiving policy.

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

The National Institute of Neurological Disorders and Stroke and Department of Defense Sport-Related Concussion Common Data Elements Version 1.0 Recommendations

*Steven P. Broglio, PhD, ATC (Corresponding author)*

NeuroTrauma Research Laboratory  
University of Michigan  
401 Washtenaw Ave  
Ann Arbor, MI 48109  
734.764.9669 (o)  
734.936.1925 (f)  
broglio@umich.edu

*Anthony P. Kontos, PhD*

UPMC Rooney Sports Complex  
University of Pittsburgh  
3200 South Water St  
Pittsburgh, PA 15203  
412.432.3725 (o)  
412.432.3644 (f)  
akontos@pitt.edu

*Harvey Levin, PhD*

Baylor College of Medicine  
Michael E. DeBakey VA Medical Center  
Neurosensory Center Room: NB136, Mail Stop: BCM637  
Houston, Texas 77030  
713.798.7566 (o)  
hlevin@bcm.edu

*Kathryn Schneider, PT, PhD*

Sport Injury Prevention Research Centre  
Faculty of Kinesiology  
Alberta Children's Hospital Research Institute  
Hotchkiss Brain Institute  
University of Calgary  
Calgary, Alberta, Canada  
403.210.8951(o)  
kjschnei@ucalgary.ca

*Elisabeth A. Wilde, PhD*

University of Utah School of Medicine  
Baylor College of Medicine  
Michael E. DeBakey VA Medical Center  
Departments of Physical Medicine and Rehabilitation, Neurology and Radiology  
One Baylor Plaza, BCM637

---

Houston, TX 77030  
713.798.7331 (o)  
ewilde@bcm.edu

*Robert C. Cantu, MD*  
Concussion Center at Emerson Hospital  
131 ORNAC, Suite 820  
Concord, MA 01742  
978.369.1386 (o)  
978.287.0047 (f)  
rcantu@emersonhosp.org

*Nina Feddermann-Demont, MD*  
University Hospital Zurich  
University of Zurich  
Swiss Concussion Center  
Schulthess Klinik  
Lengghalde 2  
CH-8008 Zürich  
+41 44 385 72 00 (o)  
+41 44 385 77 92 (f)  
nina.feddermann@swissconcussion.com

*Gordon W. Fuller, MPH, PhD*  
Centre for Urgent and Emergency Care Research  
School of Health and Related Research (SchARR)  
University of Sheffield  
Regent Court  
30 Regent Street  
Sheffield  
S1 4DA  
0114 222 0751 (o)  
0114 222 0749 (f)  
g.fuller@sheffield.ac.uk

*Isabelle Gagnon, PT, PhD*  
Montreal Children's Hospital, MUHC  
5252 Boul de Maisonneuve Ouest, Office 3F-45  
Montréal, Québec, H4A 3S5, Canada  
514.412.4400 x23896 (o)  
514.412.4398 (f)  
Isabelle.gagnon8@mcgill.ca

*Gerard A. Gioia, PhD*  
Children's National Health System

---

15245 Shady Grove Road, Suite 350  
Rockville, Maryland 20850  
301.765.5430 (o)  
GGioia@childrensnational.org

*Christopher Giza, MD*  
UCLA Brain Injury Research Center  
Steve Tisch BrainSPORT Program  
University of California – Los Angeles  
300 Stein Plaza, 531 Wasserman  
Los Angeles, CA 90095  
310.794.4070 (o)  
CGiza@mednet.ucla.edu

*Grace S. Griesbach, PhD*  
Centre for Neuro Skills  
16542 Ventura Blvd. Ste. 500  
Encino CA 91436  
818. 815.3203 (o)  
818.783.8412 (f)  
ggriesbach@neuroskills.com

*John J. Leddy, MD*  
SUNY Jacobs School of Medicine and Biomedical Sciences  
University at Buffalo  
160 Farber Hall- SUNY  
Buffalo, NY 14214  
716.829.5501(o)  
leddy@buffalo.edu

*Michael L. Lipton, MD, PhD*  
Albert Einstein College of Medicine and Montefiore Medical Center  
1300 Morris Park Ave  
Bronx, NY 10461  
718.430.3390 (o)  
718.430.2185 (f)  
michael.lipton@einstein.yu.edu

*Andrew R. Mayer, PhD*  
The Mind Research Network  
University of New Mexico  
1101 Yale Blvd. NE  
Albuquerque, NM 87106  
505.272.0769 (o)  
505.272.8002 (f)

---

amayer@mrn.org

*Thomas W. McAllister, MD*  
Indiana University School of Medicine  
IU Health Neuroscience Center  
355 W. 16<sup>th</sup> Street, Suite 4800  
GH, Room 4250  
Indianapolis, IN 46202-7176  
317.963.7288(o)  
317.963.7313 (f)  
twmcalli@iupui.edu

*Michael McCrea, PhD*  
Medical College of Wisconsin  
8701 Watertown Plank Road  
Milwaukee, WI 53226  
414.955.7302 (o)  
414.955.0115 (f)  
mmccrea@mcw.edu

*Lara McKenzie, PhD, MA*  
The Research Institute at Nationwide Children's Hospital  
700 Children's Drive  
Columbus, OH 43205  
614.355.5855 (o)  
614.355.5897 (f)  
Lara.McKenzie@nationwidechildrens.org

*Margot Putukian, MD*  
Princeton University  
Washington Road  
Princeton, NJ 08544  
609.258.8471 (o)  
609.258.1355 (f)  
putukian@Princeton.edu

*Stefano Signoretti, MD, PhD*  
Azienda Ospedaliera (A.O.)  
San Camillo-Forlanini Hospital  
Circonvallazione Gianicolense  
87 - 00152 Roma  
+39 06 58704354 (o)  
+39 06 58704207 (f)  
stefano.signoretti2@gmail.com

*Stacy J. Suskauer, MD*

---

Kennedy Krieger Institute and Departments of Physical Medicine  
& Rehabilitation and Pediatrics  
Johns Hopkins University School of Medicine  
707 North Broadway  
Baltimore, MD 21205  
443.923.9440 (o)  
443.923.9445 (f)  
suskauer@kennedykrieger.org

Robert Tamburro, MD, MSc  
Johns Hopkins University School of Medicine  
*Eunice Kennedy Shriver* National Institute of Child Health and Human Development (NICHD)  
6710B Rockledge Drive, Room 2331-C  
Bethesda, Maryland, 20817  
301.480.2619 (o)  
301.496.0962 (f)  
robert.tamburro@nih.gov

*Michael Turner, MD*  
The International Concussion and Head Injury Research Foundation  
The Institute of Sport, Exercise and Health (ISEH)  
170 Tottenham Court Road  
London W1T 7HA, United Kingdom  
+44.203.447.2800 (o)  
+44.208.711.3512 (f)  
michael@ichirf.org

*Keith O. Yeates, PhD*  
University of Calgary  
2500 University Dr. NW, AD254  
Calgary, AB T2N 1N4, Canada  
403.220.2928 (o)  
403.282.8249 (f)  
kyeates@ucalgary.ca

*Roger Zemek, MD*  
Children's Hospital of Eastern Ontario Research Institute  
401 Smyth Road  
Ottawa, ON K1H 8L1, Canada  
613.737.7600 x3931 (o)  
613.738.4250 (f)  
rzemek@cheo.on.ca

*Sherita Ala'i, MS*  
The Emmes Corporation

---

401 N. Washington Street, Suite 700  
Rockville, MD 20850  
301.251.1161 (o)  
301.251.1355 (f)  
salai@emmes.com

*Joy Esterlitz, MS*  
The Emmes Corporation  
401 N. Washington Street, Suite 700  
Rockville, MD 20850  
301.251.1161 (o)  
301.251.1355 (f)  
jesterlitz@emmes.com

*Katelyn Gay, BS*  
The Emmes Corporation  
401 N. Washington Street, Suite 700  
Rockville, MD 20850  
301.251.1161 (o)  
301.251.1355 (f)  
kgay@emmes.com

*Patrick S.F. Bellgowan, PhD*  
National Institute of Neurological Disorders and Stroke (NINDS)  
NINDS - Neuroscience Center  
Division of Extramural Activities  
6001 Executive Boulevard Suite 3309  
Bethesda, MD 20892  
301.496.1447 (0)  
patrick.frostbellgowan@nih.gov

*Kristen Joseph, MA*  
The Emmes Corporation  
401 N. Washington Street, Suite 700  
Rockville, MD 20850  
301.251.1161 (o)  
301.251.1355 (f)  
kjoseph@emmes.com

*On behalf of the Sport-Related Concussion CDE Working Group*

**Word count:** 3,321

**Abstract:** 289

**Manuscript:** 3,032

**Figures and table:** 2

---

## **ABSTRACT**

Through a partnership with the National Institute of Neurological Disorders and Stroke (NINDS), National Institutes of Health (NIH), and Department of Defense (DoD), the development of Sport-Related Concussion (SRC) Common Data Elements (CDEs) was initiated. The aim of this collaboration was to increase the efficiency and effectiveness of clinical research studies and clinical treatment outcomes, increase data quality, facilitate data sharing across studies, reduce study start-up time, more effectively aggregate information into metadata results, and educate new clinical investigators. The SRC CDE Working Group consisted of 32 worldwide experts in concussion from varied fields of related expertise, divided into three Subgroups: Acute (<72 hours post-concussion), Subacute (3 days-3 months post-concussion) and Persistent/Chronic (>3 months post-concussion). To develop CDEs, the Subgroups reviewed various domains, and then selected from, refined, and added to existing CDEs, case report forms and field-tested data elements from national registries and funded research studies. Recommendations were posted to the NINDS CDE Website for Public Review from February 2017 to April 2017. Following an internal Working Group review of recommendations, along with consideration of comments received from the Public Review period, the first iteration (Version 1.0) of the NINDS SRC CDEs was completed in June 2017. The recommendations include Core and Supplemental – Highly Recommended CDEs for cognitive data elements and symptom checklists, as well as other outcomes and endpoints (e.g., vestibular, oculomotor, balance, anxiety, depression) and sample case report forms (e.g., injury reporting, demographics, concussion history) for domains typically included in clinical research studies. The NINDS SRC CDEs and supporting documents are publicly available on the NINDS CDE website <https://www.commondataelements.ninds.nih.gov/>. Widespread use of CDEs by researchers and

---



clinicians will facilitate consistent SRC clinical research and trial design, data sharing, and metadata retrospective analysis.

**Keywords:** Traumatic Brain Injury; Assessment tools; other

---

## INTRODUCTION

In 2006, the National Institute of Neurological Disorders and Stroke (NINDS) initiated the development of Common Data Elements (CDEs) to assist NINDS-funded investigators studying various neurological diseases in collecting clinical and research data in a standard and consistent format. The overall goals of the NINDS CDE Project are to: 1) disseminate standards for the collection of data from participants enrolled in studies of neurological diseases, 2) create easily accessible tools for investigators to collect study data, 3) encourage focused and simplified data collection to reduce burden on investigators and practice-based clinicians to facilitate their participation in clinical research, and 4) improve data quality while controlling cost by providing uniform data descriptions and tools across NINDS-funded clinical studies.<sup>1</sup> The traumatic brain injury (TBI) CDE initiative began in 2008 with support from the NINDS in cooperation with representatives from other federal agencies funding TBI-related research (i.e., Department of Veterans Affairs [VA], the National Institute of Disability, Independent Living, and Rehabilitation Research [NIDILRR] of the Department of Education, the Defense Centers of Excellence [DCoE] for Psychological Health and Traumatic Brain Injury of the Department of Defense [DoD], and the Defense and Veterans Brain Injury Center [DVBIC] of the DoD). Expert panel members addressed four types of data collection: 1) acute injury and demographic data, 2) biospecimens, 3) neuroimaging, and 4) outcome measurements. The original (Version 1.0) recommendations for each of these areas in TBI and psychological health were published in November 2010 in a special issue devoted to the TBI CDEs,<sup>2-10</sup> and additional recommendations for pediatric populations were published in 2012.<sup>11-14</sup>

In response to user experience, and acknowledging the limitations of the initial version of the TBI CDEs, the TBI CDE workgroups were restructured to better address more circumscribed

---

ranges of acuity and severity and additional research foci. New workgroups were established to tailor the original recommendations for 1) epidemiological studies, 2) acute hospitalization studies, 3) rehabilitation studies, and 4) mild TBI/concussion. Recommendations from these efforts were published in Version 2.0 of the TBI CDEs in 2013<sup>15</sup> and are publicly available.<sup>16</sup> Although many TBI CDE outcome data elements and variables from Version 1.0 were retained in Version 2.0, additional measures were added to specifically address common research questions specific to mild TBI and concussion. Additionally, a preliminary effort was made to incorporate a limited set of elements relevant to studies of sport-related concussion (SRC) and mild TBI within military populations. However, despite these adjustments, the detailed and systematic consideration of CDEs for SRC *per se* was a recognized weakness, particularly considering the large number of funding proposals, published manuscripts, and active projects in this particular area of TBI research.

SRC represents a subset of mild TBI, which occurs during athletic competition or practice.<sup>17</sup> These injuries are often observed and evaluated at the point of injury by sports medicine professionals (e.g., athletic trainers, physiotherapists, and physicians), but may not be evaluated until later post-injury time points by primary care, neurological, neuropsychological, neurosurgical, pediatric, emergency department or specialty clinic healthcare professionals. SRCs may be complicated by a number of modifying or risk factors including prior concussion as reflected by its high incidence among athletes relative to the general population.<sup>17</sup> Research involving SRC includes initial identification of acute injury, injury biomechanics, assessment of involved domains across all phases of injury (i.e., acute, subacute, chronic), recovery monitoring, and clinical trials of the effectiveness of interventions to reduce morbidity and recovery time. Research participants in SRC studies typically range in age from childhood through at least

---

middle adulthood, but the residual effects of SRC in children and older individuals are also of interest. With expanding research activity in each of these areas of SRC and populations, NINDS recognized the need to develop appropriate CDEs to harmonize data collection across studies, with a particular emphasis on federally-funded projects, to enable comparison of results across studies from this burgeoning area of investigation. This paper describes the process wherein NINDS recruited worldwide experts representing diverse research and clinical backgrounds in SRC to serve on committees that evaluated and recommended candidate CDEs for specific post-injury time points.

## **METHODS**

The multi-disciplinary panel used to identify SRC CDEs was created using current and former SRC grantees from domestic and international governmental funding agencies, participant lists from international SRC guideline development, and lead personnel in SRC related organizations. A principal consideration was to include a diverse knowledge across academic backgrounds, sport, participant age, clinical expertise, and research methodology. During the planning of this project, two working groups were proposed with a recommended minimum of 8 persons per working group. We assumed an approximate 50% acceptance rate to participate and developed an initial list of 35 invitees, including experts in both adult and pediatric SRC, from diverse training and expertise backgrounds that included athletic training, kinesiology, neurosurgery, neurology, neuroradiology, physical therapy, physical medicine and rehabilitation, psychiatry, and general pediatrics.

To establish the SRC CDEs, the injury spectrum was ultimately divided into three subgroups based on injury chronicity: 1) Acute, 2) Subacute, and 3) Persistent/ Chronic. Acute

SRC CDEs were identified based on typical clinical or research evaluations that would occur from the time of injury until 72 hours post-injury. This timeframe was implemented to include delayed reporting and at least one clinic exam in most instances. Subacute SRC CDEs were identified as assessments that would occur between 72 hours and 3 months post-injury. This time period was used to focus more on clinical and laboratory measures typically used following an initial acute or on-field evaluation. Persistent/ Chronic CDEs focused on common injury-related variables and data elements of interest that would occur during a post-injury interval of three or more months. This timeframe specifically incorporated CDEs to address longer-term sequelae and accommodate studies with a developmental focus or studies that addressed potential long-term SRC-related neurodegenerative change.

The NINDS Program Directors selected chairpersons for each Working Group to lead discussions and coordinate specific tasks. The Working Group included members with expertise in both adult and pediatric populations. Members of each Working Group began by evaluating existing NINDS mild TBI/concussion CDEs. The initial screening was done independently by the group members prior to organized conference calls, with call time dedicated to achieving consensus on specific items where *a priori* consensus did not exist. Following the review of the previously available CDEs, each member of the Working Group was asked for suggestions related to other tools/instruments based on his or her knowledge of the SRC literature and professional experience. Deliberations of each panel led to inclusion/exclusion and subsequent ranking of the candidate data elements for a specific context of use (e.g., to assess cognition during the first 72 hours post-concussion in adolescents) based on the evidence for the measure's utility in SRC populations, accessibility, psychometric characteristics (e.g., validity, reliability),

---

ease of administration, and burden on the injured athlete. The following sections report the recommendations of the three Working Groups.

Following the identification of all potential CDEs, the individual data elements were categorized into one of four categories of priority based on their evidenced-based support in the SRC literature and psychometric properties, a stratification consistent with the convention of other CDEs: Core, Supplemental – Highly Recommended, Supplemental, or Exploratory.<sup>18</sup> A description of each category is provided in Table 1.

Working Group members attempted to streamline the recommended data elements to those with the broadest applicability and greatest utility in the SRC field *per se*. In other instances, new domains and data elements were suggested, reviewed and recommended to capture additional areas of interest in this field, based on Working Group members' professional expertise and knowledge of the SRC literature. The Working Groups' recommendations reflected the position that when there was no recommended measure to address a given domain or construct, investigators would be encouraged to select additional data elements that best suited the research focus of their studies.

Following the process outlined above, all identified CDEs were made available for public viewing and comment for a three-month period between February and April 2017. The public was informed via email to investigators and listservs as well as through national meetings where the public review period was advertised to clinical research investigators. The public review packet consisted of all the materials that were to be posted on the website, including summary tables of recommendations, template case report forms and recommended instruments for measuring various outcomes and endpoints. Following the public review period, the SRC Working Groups reviewed a compilation of suggestions and edits received from outside

---

reviewers which consisted of clinical and research experts in the field, patient advocates, and other stakeholders. These revisions were addressed with responses sent to public reviewers as necessary. Further review and revision of CDEs is encouraged on the NINDS CDE website via the feedback links on each page. On June 1, 2017, Version 1.0 of the SRC CDE recommendations were posted on the NINDS CDE website on June 1, 2017.<sup>19</sup>

## RESULTS

Of the initial 35 invitees, 32 to participate, providing a diverse representation of knowledge and skills across disciplines and research methodology, including both pediatrics and adults. CDEs specific to each of the three post-injury temporal periods were identified following the process outlined above. Table 2 summarizes the Core (i.e., may be required) and Supplemental – Highly Recommended (i.e., strongly recommended) symptom and clinical outcome data elements. These data elements cover domains including neuromotor functioning, neuropsychological functioning, and post concussive/TBI-related symptoms. However, depending on the focus of the study, additional Supplemental and Exploratory outcome data elements may be selected (please refer to the comprehensive table of CDEs for SRC on the NINDS website for measures in the Supplemental and Exploratory categories). Additional information on individual data elements within each category can be located on the NINDS CDE website. Furthermore, depending on the post-injury time point of interest, the data elements below may also be recommended as Supplemental or Exploratory.

Cognitive assessments (i.e., Automated Neuropsychological Assessment Metrics [ANAM], Axon Sports Computerized Cognitive Assessment Tool [CCAT], CNS Vital Signs, or

---

Immediate Post-Concussion Assessment and Cognitive Testing [ImPACT] in Table 2) were identified as a Core CDE by all sub-groups, but researchers should be cognizant that only one cognitive assessment is needed as a Core CDE in study implementation. In addition, we note that despite the standardization and primary use of computerized tools in the acute and subacute post-injury intervals, there may be situations where the administration of these measures is also useful in the chronic post-injury interval. An example may include the use of these measures in longitudinal assessment (for direct comparison with this data collected at an earlier time interval). However, we acknowledge that there may also be circumstances or research designs where these measures are not as useful in the chronic interval.

Similar to the cognitive assessments, only one Core Post-concussive/mild TBI Related Symptoms assessment need be implemented, some of which are bundled with the cognitive assessments, but may be administered independently. For example, the Post-Concussion Symptom Scale (PCSS) is included with the ImPACT tool, but it can also be administered separately as a paper and pencil test.

Note that the SRC *Core* and *Supplemental – Highly Recommended* CDEs generally have broad applicability across different post-injury intervals. However, specific elements were classified differently (i.e., Supplemental – Highly recommended, Supplemental, and Exploratory) by the three Working Groups, as the target constructs were more, or less applicable to particular post-injury intervals. For example, data elements assessing concussion-related disorientation were deemed more important in the acute phase as opposed to the chronic post-injury interval. Additionally, there were elements whose applicability depended upon the age range of the study population (e.g., younger children versus collegiate athletes versus older retired professional athletes), the study setting (e.g., brief acute sideline assessment versus

---



clinical or laboratory assessment that allows access to specialized equipment, longer evaluation, etc.) and the research question (e.g., effects of acute concussion versus long-term effects of repetitive injury). The Working Group members also acknowledged there may be preferred data elements for situations requiring longitudinal (repeated) evaluation versus a single assessment due to the existence of alternate forms to mitigate practice effects. Finally, there may be injury-related data elements that are more, or less applicable in different types of sport and populations.

In addition to outcome and objective CDEs, there is a set of Core demographic variables which should be collected in all neurological disease research studies to characterize the sample from which data are collected. These data are obtained by self-report, from a parent or legal guardian when minors are enrolled, or from another reliable source. Case report forms (CRFs) are available on the website<sup>1</sup> for these and other Supplemental (not Core or Supplemental – Highly Recommended) SRC-specific demographic, socioeconomic status, general health history (including personal medical history, participant and family psychological history, concussion history, migraine history and substance use), injury report, return to sports, clinical examination, vital signs, medications, imaging, and treatment variables.

Lastly, the SRC injury assessment data elements include CRF templates for reporting injury (see Injury Report CRF), and medical intervention (see Treatments Interventions NCAA Concussion Treatment CRF), prior concussion history (see Concussion History CRF including loss of consciousness/duration of loss of consciousness, post-traumatic amnesia, post-concussive symptoms and mechanism of injury variables), and return to sports elements such as rehabilitation status (see Return to Play CRF). Other specific CRFs for associated conditions of interest in SRC, such as migraine history, are also available (see Migraine History and Personal

---

Medical History CRFs), as well as CRFs to record the provision of treatments common in SRC (see Injury Report CRF; e.g., cognitive rest, physical exertion therapy, vestibular/oculomotor therapies, vision therapies, medications). In addition, data elements for imaging variables were included with assessments of cavum septum pellucidum and white matter hyperintensities in addition to other CDEs used in more severe TBI (see Imaging CRF). Although these features may be considered as benign and/or incidental, recent interest in these findings prompted inclusion to more accurately determine their base rate and relation to outcome in athletes with SRC. These template CRFs can serve as the foundation for documenting participant characteristics, participant and family history, injury reports, assessments and examinations, and interventions.

## **DISCUSSION**

In view of the high incidence of SRC reported in the literature and the expanding research in this type of TBI, it is timely to implement CDEs into clinical research, similar to other types of TBI.<sup>20-22</sup> This manuscript outlines the NINDS SRC CDEs for use in observational research and clinical trials. Specifically, the paper highlights Core and Supplemental – Highly Recommended CDEs across three distinct SRC temporal categories that represent domains including cognitive function, post-concussive symptoms, neuromotor function, mood/anxiety, vestibular and oculo motor function, and quality of life. These SRC CDEs and previous CDEs developed by NINDS represent the standard by which outcome data are to be collected to ensure data quality using consistent definitions and uniform capture methodologies. CDEs are designed to facilitate comparison of results across studies by harmonizing SRC characterization,

---

demographic characteristics, and clinical outcome data elements. While not mandatory in all instances, use of CDEs is strongly encouraged to merge data from multiple sources and many CDEs are currently being used by the Federal Interagency Traumatic Brain Injury Research (FITBIR) informatics system.<sup>23</sup> The FITBIR platform allows data from multiple studies to be integrated and re-analyzed with greater statistical power than any single study can provide.

Investigators should be mindful of the CDEs identified herein with similarities to other injuries along the TBI spectrum. Many of the SRC CDEs were derived from existing TBI CDEs, while others were unique and specific to SRC research during specific data collection time points (i.e., Acute, Subacute, Persistent/Chronic). At a minimum, the Core SRC variables should be collected whenever feasible, with strong consideration of the Supplemental – Highly Recommended CDEs. The Supplemental – Highly Recommended CDEs, however, in addition to those identified as Supplemental and Exploratory, should not be used in isolation of other study-specific variables (i.e., variables not currently identified as a CDE) developed by the investigative team. Indeed, study specific variables are necessary to facilitate the cutting-edge research necessary to keep the field moving forward and develop new CDEs that reflect our evolving knowledge of SRC. To that end, the CDEs listed here represent the first iteration of data elements to be used in SRC research. As studies are completed and the science evolves, it is projected that CDEs will change accordingly. Experience, increased evidence, and new data elements will inform the revision process, but the current version offers standardization across investigations, as opposed to the current colloquial nature of data collection.

### *Limitations and Remaining Gaps*

---

Several important issues confronted the Working Groups during their review and selection of CDEs for SRC. First, categorization by the Working Group of candidate data elements into the Core, Supplemental – Highly Recommended, Supplemental, and Exploratory categories of outcome data elements was challenging due to the paucity of literature examining the psychometric properties of many of the data elements when used to specifically assess SRC. Second, members of the Working Group acknowledged that some of the CDEs may require specialized equipment or expertise and may not be feasible to implement in certain settings.<sup>17</sup> In addition, the temporal classifications of Acute, Subacute, and Persistent/Chronic may not reflect all age categories.<sup>24</sup> Third, although it was acknowledged that military personnel may sustain SRC as part of their training or during, before, or after deployment, Working Group members elected to exclude data elements that were specific to combat or blast exposure, or concussions sustained as part of military training. We suggest that investigators studying military populations consider additional data elements appropriate for military personnel listed in the V2.0 CDEs for mild TBI/concussion. Finally, it is important to acknowledge the unmet needs/unanswered questions identified via the SRC CDE process. Some of the current CDEs have unknown psychometrics and sensitivity to change in SRC; and CDEs surrounding head impact biomechanics, fluid biomarkers, and imaging warrant further attention for application in future research on SRC. In addition, while the CDEs identified here will apply to the majority of sports, there may be instances to which they do not apply.

To address some of these concerns and the ever-evolving nature of the field, an annual Oversight Committee will be formed starting in 2018 to review all recommendations for updates. This Oversight Committee will be comprised of 8-10 members selected from the current SRC Working Group in addition to outside members that will provide a fresh perspective on the

---

current CDE recommendations. New members may include athletes, patient advocates, industry, and additional SRC experts. The Oversight Committee recommendations may be posted for public comment before being finalized and posted to the NINDS CDE website.

## CONCLUSIONS

The NINDS SRC CDE Working Group's recommendations are the initial step in an evolving process. In this first iteration, we provide CDEs for SRC that can help bridge current inconsistencies in research and facilitate data sharing, and combined dataset analyses. However, we recognize the need for further investigation of the psychometric properties of several CDEs, especially in areas in which there are limited published data such as in children and youth sports, older adult athletes, and SRC in female athletes. Long term or longitudinal data on the late chronic effects of SRC are also presently limited, thus future updates of the CDEs will be necessary as additional data is collected. Future CDEs may also address outcome data elements for specific interventions, which involve new technologies or novel application of existing technologies. Despite these limitations, application of the Working Group's recommendations will facilitate harmonization of methods **across federal and non-federally funded** studies, enable comparison of their results and secondary analysis of their data when accessed by other investigators through FITBIR.

---

## **ACKNOWLEDGEMENTS**

The funding source for this project is the U.S Army Medical Research and Materiel Command's Combat Casualty Care Research Program and NIH contracts HHSN271201700064C and HHSN271201200034C. The views expressed here are those of the authors and do not represent those of the National Institutes of Health (NIH), the National Institute of Neurological Disorders and Stroke (NINDS) or the US Government. The development of the NINDS SRC CDEs was made possible thanks to the great investment of time and effort of Working Group members and the members of the NINDS CDE Project team participating from 2016 to present. In addition, we are grateful for the input provided during the public review period. This publication is also in memoriam of Dr. Ruth Brenner of the Acute Subgroup. Dr. Brenner was an integral part of the SRC CDE development. Her expertise and passion for pediatric public health will be remembered. The authors would also like to thank the SRC Working Group Members:

### Acute Subgroup

Chair: Steven P. Broglio, PhD, ATC University of Michigan, Ann Arbor, Michigan  
Ruth Brenner, MD, MPH, National Institute of Child Health and Human Development,  
Bethesda, Maryland

Gordon Fuller, MPH, PhD, University of Sheffield, Sheffield, United Kingdom

Isabelle Gagnon, PT, PhD, Montreal Children's Hospital, McGill University Health Center,  
Montreal, Quebec, Canada

Michael McCrea, PhD, Medical College of Wisconsin, Milwaukee, Wisconsin

Lara McKenzie, PhD, MA, The Research Institute at Nationwide Children's Hospital, Columbus,  
Ohio

Margot Putukian, MD, Princeton University, Princeton, New Jersey

Stefano Signoretti, MD, PhD, San Camillo-Forlanini Hospital, Roma, Italy

Robert Tamburro, MD, MSc, Eunice Kennedy Shriver National Institute of Child Health and  
Human Development, Bethesda, Maryland

Roberto Vagnozzi, MD, PhD, University of Rome, Roma, Italy

Roger Zemek, MD, Children's Hospital of Eastern Ontario Research Institute, Ottawa, Ontario,  
Canada

### Subacute Subgroup

Chair: Anthony P. Kontos, PhD, University of Pittsburgh, Pittsburgh, Pennsylvania

Alison Cernich, PhD, National Institute of Child Health and Human Development, Bethesda,  
Maryland

Nina Feddermann-Demont, MD, University Hospital Zurich, University of Zurich & Swiss  
Concussion Center, Zurich, Switzerland

Gerard A. Gioia, PhD, Children's National Health System, Washington, District of Columbia

John J. Leddy, MD, SUNY Jacobs School of Medicine and Biomedical Sciences, University at  
Buffalo, Buffalo, New York

Harvey Levin, PhD, Baylor College of Medicine and the Michael E. DeBakey VA Medical  
Center, Houston, Texas

Andrew R. Mayer, PhD, The Mind Research Network, University of New Mexico, Albuquerque,  
New Mexico

---

Thomas W. McAllister, MD, Indiana University School of Medicine, Indianapolis, Indiana  
Stacy J. Suskauer, MD, Kennedy Krieger Institute, Johns Hopkins University School of  
Medicine Baltimore, Maryland  
Keith O. Yeates, PhD, University of Calgary, Calgary, Alberta, Canada

Persistent/Chronic Subgroup

Co-Chair: Kathryn Schneider, PT, PhD, University of Calgary, Calgary, Alberta, Canada  
Co-Chair: Elisabeth A. Wilde, PhD, Baylor College of Medicine and the Michael E. DeBakey  
VA Medical Center, Houston, Texas, and University of Utah School of Medicine, Salt  
Lake City, Utah  
Robert C. Cantu, MD, Concussion Center at Emerson Hospital, Concord, Massachusetts  
Sureyya Dikmen, PhD, University of Washington, Seattle, Washington  
Christopher Giza, MD, UCLA Brain Injury Research Center, UCLA Steve Tisch BrainSPORT  
Program, Neurosurgery & Pediatrics, Los Angeles, California  
LaVon Greer, Federal Interagency Traumatic Brain Injury Research (FITBIR), Bethesda,  
Maryland, (AdHoc Member)  
Grace S. Griesbach, PhD, Centre for Neuro Skills, Encino, California  
Barry Jordan, MD, MPH, Burke Rehabilitation Hospital, White Plains, New York  
Michael L. Lipton, MD, PhD, Albert Einstein College of Medicine and Montefiore Medical  
Center, Bronx, New York  
Mary Ellen Michel, PhD, National Center for Medical Rehabilitation (NCMRR), Bethesda,  
Maryland, (Retired)  
Michael Turner, MD, The International Concussion and Head Injury Research Foundation,  
London, United Kingdom

NINDS/NIH

Patrick S.F. Bellgowan, PhD, National Institute of Neurological Disorders and Stroke (NINDS)  
Bethesda, Maryland  
Claudia Moy, PhD, National Institute of Neurological Disorders and Stroke (NINDS) Bethesda,  
Maryland  
M. Carolina Mendoza-Puccini, MD, National Institute of Neurological Disorders and Stroke  
(NINDS) Bethesda, Maryland

NINDS CDE Team

Sherita Ala'i, MS, The Emmes Corporation, Rockville, Maryland  
Joy Esterlitz, MS, The Emmes Corporation, Rockville, Maryland  
Katelyn Gay, BS, The Emmes Corporation, Rockville, Maryland  
Kristen Joseph, MA, The Emmes Corporation, Rockville, Maryland

---

## **AUTHOR DISCLOSURE STATEMENT**

Dr. Kontos receives research support in the form of research grants from GE-NFL, EIMindA, Ltd, and Abbott Labs, outside the submitted work. Dr. Wilde receives research support in the form of grants from Brainscope, Inc., outside the submitted work. Dr. Cantu serves as a Senior Advisor to the NFL Head Neck & Spine Committee, as VP and Chair for the Scientific Advisory Committee of the National Operating Committee on Standards for Athletic Equipment, and Co-Founder, Medical Director for the Concussion Legacy Foundation. Dr. Cantu receives royalties from the Houghton Mifflin Harcourt and is a Legal Expert Opinion for the NCAA, NHL, etc., outside the submitted work. Dr. Gioia receives personal fees from Behavior Rating Inventory of Executive Function (BRIEF) as a test author, outside the submitted work. Dr. Giza received research support in the form of research grants from NINDS, NCAA, U.S. Department of Defense, philanthropic support, unrestricted funds and research grants from University of California, Los Angeles (UCLA) Steve Tisch BrainSPORT; Easton Labs for Brain Injury, and UCLA BIRC, and a research grant from Neural Analytics (NINDS SBIR grant), during the conduct of the study; and received research support in the form of research grants from Avanir, and other forms of support as a consultant for Neural Analytics 2015-2016 and NFL-Neuro Care Program, NHLPA, NHL, MLS, outside the submitted work. He further reports receiving book royalties from Blackwell Publishing, outside the submitted work. In an effort for full transparency, Dr. Giza elects to disclose all potential COIs. Dr. Tamburro receives research support in the form of grants from the U.S. FDA Office of Orphan Product Development Program, non-financial support from Ony, and royalties from Springer Publishing, outside the submitted work. Dr. Yeates receives research support in the form of grants from the Canadian Institutes of Health Research, the National Institutes of Health, and book royalties from Guilford Press and Cambridge University Press, outside the submitted work. Dr. Broglio, Dr. Levin, Dr. Schneider, Dr. Feddermann-Demont, Dr. Fuller, Dr. Gagnon, Dr. Griesbach, Dr. Leddy, Dr. Lipton, Dr. Mayer, Dr. McAllister, Dr. McCrea, Dr. McKenzie, Dr. Putukian, Dr. Signoretti, Dr. Suskauer, Dr. Turner, Dr. Zemek, Dr. Ms. Ala'i, Ms. Esterlitz, Ms. Gay, Dr. Bellgowan, and Ms. Joseph have no conflicts of interest to disclose.

---



## REFERENCES

1. National Institute of Neurological Disorders and Stroke. NINDS Common Data Elements Bethesda, MD: National Institutes of Health; 2017 [cited 2017 12 December]. Available from: <https://www.commondataelements.ninds.nih.gov/#page=Default>.
  2. Thurmond VA, Hicks R, Gleason T, Miller AC, Szufliuta N, Orman J, Schwab K. (2010). Advancing integrated research in psychological health and traumatic brain injury: common data elements. Arch Phys Med Rehabil 91, 1633-1636.
  3. Duhaime AC, Gean AD, Haacke EM, Hicks R, Wintermark M, Mukherjee P, Brody D, Latour L, Riedy G; Common Data Elements Neuroimaging Working Group Members, Pediatric Working Group Members. (2010). Common data elements in radiologic imaging of traumatic brain injury. Arch Phys Med Rehabil 91, 1661-1666.
  4. Maas AI, Harrison-Felix CL, Menon D, Adelson PD, Balkin T, Bullock R, Engel DC, Gordon W, Orman JL, Lew HL, Robertson C, Temkin N, Valadka A, Verfaellie M, Wainwright M, Wright DW, Schwab K. (2010). Common data elements for traumatic brain injury: recommendations from the interagency working group on demographics and clinical assessment. Arch Phys Med Rehabil 91, 1641-1649.
  5. Manley GT, Diaz-Arrastia R, Brophy M, Engel D, Goodman C, Gwinn K, Veenstra TD, Ling G, Ottens AK, Tortella F, Hayes RL. (2010). Common data elements for traumatic brain injury: recommendations from the biospecimens and biomarkers working group. Arch Phys Med Rehabil 91, 1667-1672.
  6. Haacke EM, Duhaime AC, Gean AD, Riedy G, Wintermark M, Mukherjee P, Brody DL, DeGraba T, Duncan TD, Elovic E, Hurley R, Latour L, Smirniotopoulos JG, Smith DH. (2010). Common data elements in radiologic imaging of traumatic brain injury. J Magn Reson Imaging 32, 516-543.
-

7. Wilde EA, Whiteneck GG, Bogner J, Bushnik T, Cifu DX, Dikmen S, French L, Giacino JT, Hart T, Malec JF, Millis SR, Novack TA, Sherer M, Tulsy DS, Vanderploeg RD, von Steinbuechel N. (2010). Recommendations for the use of common outcome measures in traumatic brain injury research. *Arch Phys Med Rehabil* 91, 1650-1660.e17.
  8. Whyte J, Vasterling J, Manley GT. (2010). Common data elements for research on traumatic brain injury and psychological health: current status and future development. *Arch Phys Med Rehabil* 91, 1692-1696.
  9. Duhaime AC, Holshouser B, Hunter JV, Tong K. (2012). Common data elements for neuroimaging of traumatic brain injury: pediatric considerations. *J Neurotrauma* 29, 629-633.
  10. Maas AI, Harrison-Felix CL, Menon D, Adelson PD, Balkin T, Bullock R, Engel DC, Gordon W, Langlois-Orman J, Lew HL, Robertson C, Temkin N, Valadka A, Verfaellie M, Wainwright M, Wright DW, Schwab K. (2011). Standardizing data collection in traumatic brain injury. *J Neurotrauma* 28, 177-187.
  11. Adelson PD, Pineda J, Bell MJ, Abend NS, Berger RP, Giza CC, Hotz G, Wainwright MS; Pediatric TBI Demographics and Clinical Assessment Working Group. (2012). Common data elements for pediatric traumatic brain injury: recommendations from the working group on demographics and clinical assessment. *J Neurotrauma* 29, 639-653.
  12. Berger RP, Beers SR, Papa L, Bell M; Pediatric TBI CDE Biospecimens and Biomarkers Workgroup. (2012). Common data elements for pediatric traumatic brain injury: recommendations from the biospecimens and biomarkers workgroup. *J Neurotrauma* 29, 672-677.
  13. McCauley SR, Wilde EA, Anderson VA, Bedell G, Beers SR, Campbell TF, Chapman SB, Ewing-Cobbs L, Gerring JP, Gioia GA, Levin HS, Michaud LJ, Prasad MR, Swaine BR, Turkstra LS, Wade SL, Yeates KO; Pediatric TBI Outcomes Workgroup. (2012). Recommendations for the use of common outcome measures in pediatric traumatic brain injury research. *J Neurotrauma* 29, 678-705.
-

14. Miller AC, Odenkirchen J, Duhaime AC, Hicks R. (2012). Common data elements for research on traumatic brain injury: pediatric considerations. *J Neurotrauma* 29, 634-638.
  15. Hicks R, Giacino J, Harrison-Felix C, Manley G, Valadka A, Wilde EA. (2013). Progress in developing common data elements for traumatic brain injury research: version two--the end of the beginning. *J Neurotrauma* 30, 1852-1861.
  16. National Institute of Neurological Disorders and Stroke. Traumatic Brain Injury Common Data Elements Bethesda, MD: National Institutes of Health; 2017 [cited 2017 12 December]. Available from: [www.commondataelements.ninds.nih.gov/TBI.aspx#tab=Data\\_Standards](http://www.commondataelements.ninds.nih.gov/TBI.aspx#tab=Data_Standards).
  17. McCrory P, Meeuwisse W, Dvořák J, Aubry M, Bailes J, Broglio S, Cantu RC, Cassidy D, Echemendia RJ, Castellani RJ, Davis GA, Ellenbogen R, Emery C, Engebretsen L, Feddermann-Demont N, Giza CC, Guskiewicz KM, Herring S, Iverson GL, Johnston KM, Kissick J, Kutcher J, Leddy JJ, Maddocks D, Makdissi M, Manley GT, McCrea M, Meehan WP, Nagahiro S, Patricios J, Putukian M, Schneider KJ, Sills A, Tator CH, Turner M, Vos PE. (2017). Consensus statement on concussion in sport-the 5(th) international conference on concussion in sport held in Berlin, October 2016. *Br J Sports Med* 51, 838-847.
  18. National Institute of Neurological Disorders and Stroke. Glossary - NINDS Common Data Elements Bethesda, MD: National Institutes of Health; 2017 [cited 2017 12 December]. Available from: <https://www.commondataelements.ninds.nih.gov/Glossary.aspx>.
  19. National Institute of Neurological Disorders and Stroke. Sports-Related Concussion Common Data Elements Bethesda, MD: National Institutes of Health; 2017 [cited 2017 12 December]. Available from: [https://www.commondataelements.ninds.nih.gov/SRC.aspx#tab=Data\\_Standards](https://www.commondataelements.ninds.nih.gov/SRC.aspx#tab=Data_Standards).
  20. Bakhos LL, Lockhart GR, Myers R, Linakis JG. (2010). Emergency department visits for concussion in young child athletes. *Pediatrics* 126, e550-556.
-

21. Bryan MA, Rowhani-Rahbar A, Comstock RD, Rivara F; Seattle Sports Concussion Research Collaborative. (2016). Sports- and Recreation-Related Concussions in US Youth. *Pediatrics* 138, pii: e20154635.
  22. Langlois JA, Rutland-Brown W, Wald MM. (2006). The epidemiology and impact of traumatic brain injury: a brief overview. *J Head Trauma Rehabil* 21, 375-378.
  23. National Institutes of Health, US Army Medical Research and Materiel Command Combat Casualty Care Research Program, National Institutes of Health Center for Information Technology, National Institute of Neurological Disorders and Stroke. Federal Interagency Traumatic Brain Injury Research Informatics System: National Institutes of Health; 2017 [cited 2017 12 December]. Available from: <https://fitbir.nih.gov/>.
  24. Davis GA, Anderson V, Babl FE, Gioia GA, Giza CC, Meehan W, Moser RS, Purcell L, Schatz P, Schneider KJ, Takagi M, Yeates KO, Zemek R. (2017). What is the difference in concussion management in children as compared with adults? A systematic review. *Br J Sports Med* 51, 949-957.
-