

This is a repository copy of *UK nationals who received their medical degrees* abroad:selection into, and subsequent performance in postgraduate training- a national data linkage study.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/id/eprint/132022/

Version: Accepted Version

Article:

Tiffin, Paul Alexander orcid.org/0000-0003-1770-5034, Orr, James, Paton, Lewis William orcid.org/0000-0002-3328-5634 et al. (2 more authors) (2018) UK nationals who received their medical degrees abroad:selection into, and subsequent performance in postgraduate training- a national data linkage study. BMJ Open. e023060. ISSN: 2044-6055

https://doi.org/10.1136/bmjopen-2018-023060

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



BMJ Open

UK nationals who received their medical degrees abroad: selection into, and subsequent performance in postgraduate training- a national data linkage study

Journal:	BMJ Open
Manuscript ID	bmjopen-2018-023060.R1
Article Type:	Research
Date Submitted by the Author:	08-May-2018
Complete List of Authors:	Tiffin, Paul; University of York, Health Sciences Orr, James; Manchester University NHS Foundation Trust, Emergency Department Paton, Lewis; University of York, Health Sciences Smith, Daniel; General Medical Council, Education and Standards Norcini, John; FAIMER
Primary Subject Heading :	Medical education and training
Secondary Subject Heading:	Health policy, Health services research, Medical education and training
Keywords:	international medical graduates, medical regulation, medical selection

SCHOLARONE™ Manuscripts

UK nationals who received their medical degrees abroad: selection into, and subsequent performance in postgraduate training- a national data linkage study

Paul A Tiffin, James Orr, Lewis W. Paton, Daniel Smith, & John J. Norcini

[short title: "UK nationals who are overseas medical graduates: postgraduate selection and performance"]

Author Details

PAT (corresponding author): Reader in Psychometric Epidemiology and NIHR Career Development Fellow, Health Sciences, University of York, YO10 5DD, UK. Tel 0044 +1904 321117, email; paul.tiffin@york.ac.uk

JO: Trust Grade Doctor, Emergency Department, Wythenshawe Hospital, Manchester University NHS Foundation Trust, Southmoor Road, Manchester, UK, M23 9LT, email; jo670@york.ac.uk

LWP: Research Fellow, Health Sciences, University of York, YO10 5DD, UK. Email; lewis.paton@york.ac.uk

DS: Education Data Development Manager, the General Medical Council, 350 Euston Road, London, NW1 3JN, UK. Email; daniel.smith@gmc-uk.org

JJN: President and Chief Executive Officer, Foundation for the Advancement of International Medical Education Research, 3624 Market Street, Philadelphia, Pennsylvania 19104, USA. Tel: 00 1215 823 2170, email; JNorcini@FAIMER.org

Abstract

Objectives

To compare the likelihood of success at selection into specialty training for doctors who were UK nationals but obtained their primary medical qualification (PMQ) from outside the UK ('UK overseas graduates') with other graduate groups based on their nationality and where they gain their PMQ. We also compared subsequent educational performance during postgraduate training between the graduate groups.

Design

Observational study linking UK medical specialty recruitment data with postgraduate educational performance (Annual Review of Competence Progression (ARCP) ratings).

Setting

Doctors recruited into national programmes of postgraduate specialist training in the UK from 2012 to 2016.

Participants

34,755 UK based trainee doctors recruited into national specialty training programmes with at least one subsequent ARCP outcome reported during the study period, including 1,108 UK overseas graduates.

Main outcome measures

Odds of being deemed appointable at specialty selection and subsequent odds of obtaining a less versus more satisfactory category of ARCP outcome.

Results

UK overseas graduates were more likely to be deemed appointable compared to non-EU medical graduates who were not UK citizens (OR 1.29, 1.16 to 1.42), though less so than UK (OR 0.25, 0.23 to 0.27) or European graduates (OR 0.66, 0.58 to 0.75). However, UK overseas graduates were subsequently more likely to receive a less satisfactory outcome at ARCP than other graduate groups. Adjusting for age, sex, experience and the economic disparity between country of nationality and place of qualification reduced intergroup differences.

Conclusions

The failure of recruitment patterns to mirror the ARCP data raises issues regarding consistency in selection and the deaneries' subsequent annual reviews. Excessive weight is possibly given to interview performance at specialty recruitment. Regulators and selectors should continue to develop robust processes for selection and assessment of doctors in training. Further support could be considered for UK overseas graduates returning to practice in the UK.

Keywords: International medical graduates, medical regulation, medical selection

Strengths and limitations of this study

- The quantity, representativeness and completeness of the data available, consisting
 of 34.755 UK based trainee doctors.
- The observational nature of the study meant we could not control for the effects of unmeasured variables not captured in the dataset.
- The use of Annual Review of Competence Progression (ARCP) as an outcome allowed comparisons to be made both across and within specialties.
- Some restriction of range may be present, since ARCP outcomes were only observed for those who entered specialty training.

Introduction

The medical workforce is globalised, with international movement of doctors.(1) The UK is one of the largest net importers of doctors with around 33% of doctors registered with the medical regulator, the General Medical Council (GMC) having graduated from outside of the UK.(2) The situation is different for doctors in training, where in 2015 85% have a UK Primary Medical Qualification.(3) Some specialties in the UK are particularly dependent on doctors who obtained their primary medical qualification abroad in order to fill training posts. Such specialties include general practice and the psychiatric specialties.(4) The reliance on overseas doctors in the UK is likely to continue. Indeed, the recent pledge by the Health Secretary for England, Jeremy Hunt, to provide 1,500 extra medical school places per year, starting in 2018 will not provide additional applicants for basic speciality ('ST1 level') training programmes until 2025. This is based on a five year undergraduate medical degree and two subsequent postgraduate years of 'foundation' clinical training.(5) The effect of 'Brexit' (the

UK leaving the EU) is also likely to have an impact on the number of non-UK European doctors working in the British National Health Service (NHS).

Previous research in the UK regarding international medical graduates has focussed on identifying differences in performance on postgraduate exams and ARCPs when compared to doctors with UK primary medical qualifications.(6-8) Such studies have identified a number of demographic and educational factors associated with later postgraduate academic performance. For example, international medical graduates who obtained higher scores on the Professional and Linguistic Assessments Board (PLAB) exams and the English fluency test (IELTS), used to obtain registration with the GMC, have educational outcomes closer to UK medical graduates.(7, 9, 10)Differential attainment has also been observed in postgraduate medical examinations in North America.(11) There are a variety of views about the underlying reasons for these differences.(12)

Approximately 3-4% of all UK doctors in training (see results section) are UK citizens who obtained their primary medical qualification outside of the UK - referred to here as 'UK overseas graduates'. This includes those who obtained their medical degrees from both countries within and without the European Economic Area (EEA). At present virtually nothing is known about this group of doctors. However, a previous study reported some interesting differences in performance on the PLAB exams between UK overseas graduates and non-UK citizens who qualified outside of the EU (referred to here as 'international medical graduates'). Compared to the international medical graduates, the UK overseas graduates were observed, on average, to have more attempts and lower scores on part 1 of the PLAB exam (the written component). In addition they had reduced performance on the knowledgebased component of the Membership of the Royal College of General Practitioners exam (MRCGP) relative to the international medical graduates. Interestingly no significant difference in scores on the clinical component on the MRCGP was observed between the two groups.(7) A North-American study reported that US citizens with non-US primary medical qualifications perform less well in US medical licensing exams (USMLE) and are less likely to be board certified specialists compared to other groups of doctors. (13) Of more concern was the observation that the patients of doctors who are American citizens with non-US primary medical qualifications had poorer clinical outcomes than those treated both by non-US international and US medical graduates (14) Thus, it is possible that differential educational attainment may translate, in some cases, to poorer clinical care.

For a doctor to practise in the UK they must fulfil the requirements of the 1983 Medical Act. (15) For international medical graduates this often involves evidencing their clinical competence by passing both parts of the PLAB test, though other routes to registration are

available, especially for more experienced practitioners. The first part of the PLAB evaluates medical knowledge using multiple choice questions. Part 2 of the PLAB is an evaluation of practical clinical skills using a series of objective structured clinical examination stations. To be eligible to sit the PLAB test doctors must have an acceptable medical degree. (15) Until 2014 for those from countries outside of the EEA, where English was not an official language, evidence of English proficiency must have been provided. Since 2014 this applies to all countries, including EEA countries too, that are not on the GMC's 'first and native' English language list. (16) However, UK citizens who obtained their primary medical qualification outside of the EEA would generally have to pass the PLAB test in order to demonstrate clinical competency prior to obtaining a license to practice. Paradoxically this is not the case with citizens of other EEA countries who qualified from a non-European institution, as long as they have practiced medicine within the EEA for at least three years. In this latter case an exemption from sitting the PLAB test may be granted to the doctor via their "enforceable Community right" which is conferred via their European Union (EU) citizenship. Nevertheless those seeking to register must provide robust evidence of their competence, and as no entitlement to registration exists under this route, failure to do so will result in refusal. This situation may change following the UK's exit from the EU.(17)

Obtaining a licence to practise does not guarantee employment. In particular doctors registering to practise via the PLAB route will often be seeking to obtain a place on a specialty training programme, which is the most usual pathway to both general practice and senior hospital medical positions. In the UK these are usually divided into core training and higher specialist training. It is usual for doctors to complete their core specialist training before applying for a higher specialist training post, though some training programmes, such as General Practice, Paediatrics and Obstetrics and Gynaecology are 'run through' and do not have such a break. The time spent at each stage will vary depending on the specialism. Postgraduate examinations, linked to the relevant Royal College, must be passed at varying stages in order to progress and eventually obtain a certificate of completion of training (CCT). This CCT permits a doctor to be placed on the GMC Specialist or GP Register. In the UK recruitment into specialty training programmes is now largely organised around a nationalised system, though some local 'standalone' posts may still exist, particularly if they are short-term posts intended to cover unplanned vacancies (e.g. 'Locum Appointed for Training Posts'- LAT). Applications to specialist training programmes use the online Oriel system. Online application forms and evidence of qualifications are submitted and selectors then generate short-listing scores based on the job criteria. Applicants to some core-training posts and for general practice, may also have to complete additional tests such as those found in the Multi-Specialty Recruitment Assessment (MSRA)(18). Applicants successful at

any initial stages will be invited to attend further face-to-face assessments and interviews at national selection centres.(19) It is currently unknown, other than for GP selection (20), whether the probability of a doctor's success at specialty recruitment predicts, as ideally it should, subsequent educational performance in postgraduate medical training.

Previous research has identified a number of demographic factors that are associated with performance in postgraduate medical training.(8, 21, 22) From a patient perspective the causes of any disparities in performance between medical graduate groups are not likely to be as important as the very fact they exist. However, attempting to control for the influence of such variables in studies of inter-group differences may be useful in clarifying the underlying relationships with the outcomes of interest. For instance, gender has been associated with performance in postgraduate medical examinations.(21) Increasing age tends to be associated inversely with performance both in postgraduate education (6, 22) and practice.(23, 24) In contrast clinical experience tends to improve performance in both.(6, 25) However, there is something of an interaction between age and experience in that, increasing age tends to offset the benefits of experience when determining clinical outcomes.(23, 26)

Qualitative research findings have suggested that linguistic and cultural factors may, at least partly, mediate these differential attainment rates between home and overseas medical graduates.(27, 28) In UK citizens who graduate from abroad these language and cultural factors may be assumed to be less prominent than in non-UK overseas graduates. However, preparedness for practice has been highlighted as an issue even with UK medical graduates.(29) It may be that those who experience their undergraduate training in another country may be less well prepared to work in the UK Health Services.(30) This may be reflected in educational performance. In particular it is possible that those training in a very different socioeconomic context may be the most disadvantaged in this respect. Specifically the nature of clinical practice may be shaped by the healthcare resources in a country.

The reasons for UK citizens applying to study medicine outside their home country are likely to be varied but at present unknown. However, in the US roughly half of all Americans who study medicine outside of the States previously or concurrently applied to US medical schools.(31) Similarly a major motivation for UK citizens applying abroad may be that they consider themselves unlikely to obtain a place to study medicine at a British university. It is possible that family links, tuition costs and other sociocultural influences may encourage study outside of the UK.

Data are routinely collated by the GMC on demographics and educational performance of doctors registered to practise in the UK. Thus, the aims of our study were:

- To compare the likelihood of being deemed appointable to a national medical postgraduate training programme for UK citizens who obtain their medical degrees overseas, compared to other graduate groups.
- To evaluate whether subsequent differential attainment in postgraduate training was observed for such UK citizens who graduated abroad, compared to other groups of medical graduates.
- To compare any patterns observed, as above, in order to assess the effectiveness of selection into postgraduate training, in relation to a doctor's nationality and place of qualification.

Thus, our findings would have implications for both international medical regulators and employers.

Methods

Our aim was to compare the chances of success at specialty training selection between UK overseas graduates and the other graduate groups, both before and after controlling for the effects of potential confounding factors, such as age, sex, and duration of UK based experience. We then compared the subsequent Annual Review of Competence Progression (ARCP) outcomes across groups. We then evaluated the extent to which the probability of success, in relation to other medical graduate groups, at selection was mirrored by subsequent ratings of performance in postgraduate training. The ARCP process involves a regular review of the progress of a UK doctor in training by an educational panel. This panel considers the evidence presented in the doctor's portfolio, which includes anonymised cases, reflections and feedback from a supervisor, colleagues and workplace based assessments. It does not usually involve a face-to-face meeting unless issues arise that require clarification or a less than satisfactory outcome is likely to result.(32)

Data sources and preparation

Data on the outcomes of recruitment to specialty training for the UK between 2012 and 2016 were obtained via an extract from the Oriel database (33) supplied to the GMC. The recruitment process was concerned with appointing doctors to training programmes at Coretraining (CT) and up to and including Specialty Training (ST) level 4 (i.e. to the earlier years a training programme, the length of which is determined by the specialty). The flow of data

through the study is depicted in Figure 1. Oriel recruitment data were potentially available for 52, 894 doctors of whom 34, 755 were linked to the subsequent ARCP dataset (see below). The two potential outcome variables available from the Oriel recruitment database were 'deemed appointable' and 'post offered'. In order to reduce the impact of local competition on the results the 'deemed appointable' variable was used as the outcome measure for the recruitment data modelling. Data were also available on interview performance and shortlisting ratings, which were standardised as z scores (mean 0, sd of 1) within each year and specialty. Note that in GP recruitment, an applicant can receive an offer without interview if they score above a certain threshold on the Multi-Specialty Recruitment Assessment.(18) In these cases, the interview score was treated as missing. In this sample, interview score was missing for 5,198 applications for GP specialty training (17.63%).

INSERT FIGURE 1 ABOUT HERE

Data relating to performance in training were potentially available for 90, 240 doctors in specialist training with 344, 492 competency-based ARCP outcomes recorded (see below and Figure 1), who were in national postgraduate training schemes between August 2009 and August 2016. We also noted that there were 838 doctors (2.4%) who only had ARCP outcomes that were awarded in relation to short term 'Locum appointment for training' (LAT) or 'Fixed term specialty training appointment' (FTSTA) posts. The data were analysed within a 'Safe Haven' environment.(34) The ARCP data are collected annually by the GMC, the collection notices are published on the GMC website.(35)

Record of in-training assessment scores were recoded to the equivalent ARCP outcome codes. Only ARCP 'competency-based' outcomes indicating training progress were included (e.g. 'out of programme' experience was excluded). The remaining outcomes were then collapsed onto a four point ordinal scale:

- 1='satisfactory progression'/'training programme completed' (ARCP outcomes '1' or
 '6', respectively)
- 2='additional evidence requested' (ARCP outcome '5')
- 3='targeted training required [no extended time]' (ARCP outcome '2')
- 4='extended training time required/left programme') (ARCP outcomes '3' or '4', respectively)

This was an approach previously shown to be valid.(6) The dataset also contained a variable, recorded by the deaneries, to indicate whether a specific ARCP outcome was associated with a failure to pass a postgraduate examination (i.e. those required by the UK Royal Colleges as part of specialist training). When ARCP outcomes were treated as dichotomous we classified any outcome other than a '1' ('satisfactory progress') or a '6' ('training programme completed') as "less than satisfactory". Note that this included outcome '5' which the ARCP 'Gold Guide' does not classify as 'unsatisfactory'.(32) Training deanery, specialty and medical training grade, all matched to individual ARCP records, were obtained from deaneries via the GMC.

For the sample the nationality and the name and country of the medical school where the primary medical qualification was obtained were derived from the GMC List of Registered Medical Practitioners (LRMP). According to the GMC dual nationality was recorded in 2115 (2.4%) of the sample. Where dual nationality occurred only the first nationality provided by the GMC was used. The country of origin was deleted by the GMC only in four instances prior to release as a safeguard against identifying the individual doctors.

Graduate status was categorised predominantly, though not exclusively, according to GMC regulatory policy; i.e. whether the doctor would have been expected to have passed the PLAB test in order to provide evidence of clinical competence and obtain a licence to practise. Thus, for analytic purposes the sample was grouped as follows:

- 1. UK medical graduates (UKGs) irrespective of country of nationality.
- 2. Graduates who were nationals of countries from the EEA (with the exception of the UK), irrespective of country of qualification.
- 3. International medical graduates (IMGs) who were non-EEA nationals, irrespective of place of graduation (excepting the UK)
- 4. *UK overseas graduates (UK OGs)* UK nationals who graduated from an institution outside of the UK (either EEA or non-EEA).

The graduate group classification is further described in Table 1.

INSERT TABLE 1 ABOUT HERE

Note that in the above classification that within the group of UK overseas graduates there were those that would have been likely to sit the PLAB exams (i.e. those who graduated

outside of the EEA) and those that were not (i.e. those graduating from universities within the EEA). For this reason a sub-analysis of this group was conducted (see Results). It should also be noted that group 2 (EEAGs) was defined by nationality rather than place of qualification. This was because citizens of the EEA do not tend to obtain a license via the PLAB route if they have worked clinically in a European country for three years or more. In our sample 155 out of 1225 EEA nationals (12.65%) had obtained their primary medical qualification from outwith the EEA.

Dichotomised ethnicity data (White/Non-white) was available from the GMC annual national training survey.(36) However, ethnicity was used for descriptive purposes only and not utilised in the modelling. This was because ethnic status served as a proxy for graduate group membership (e.g. only 15% of the UK overseas graduates reported themselves as of White ethnicity). Thus, ethnicity was, in effect, confounded by graduate group allocation. Sex, year of birth and date of first UK medical registration was also obtained from the list of registered medical practitioners. For the recruitment data analyses the duration of experience in UK medical practice was calculated from the years of birth and application. For analyses relating to ARCP, the duration of experience in UK medical practice was calculated from the year of birth and date of ARCP.

Specialties were classified predominantly according to the Royal College they were affiliated to, as in our previous study.(6) We wished to understand whether training in a relatively less well-resourced undergraduate medical environment mattered or whether the degree of dissonance between the country of nationality and country of qualification was relevant. Consequently we derived a metric of the economic status of the country of nationality and qualification, and the difference between these two for each doctor. This was done by linking the gross domestic product (GDP) per capita in US dollars, according to the 2008 World Bank data (37) to the name of the associated countries in the sample. The discrepancy between these values was also calculated as both a relative and absolute difference.

Patient and public involvement

Patients were not involved in this study.

Analyses

For the recruitment outcomes multi-level logistic regressions were used to estimate predictive models for the binary outcomes. Application events were treated as repeat measurements nested within doctors, with the intercept of the model allowed to vary randomly across each applicant.

Likewise ARCPs were treated as repeat measurements nested within doctors. Thus, multilevel ordinal logistic regression analyses were used to estimate the odds of obtaining a less versus a more satisfactory ARCP outcome. The intercept of the model was allowed to vary randomly across each doctor in training. No clustering effects (as indicated by the intraclass correlation) for deanery were observed and thus no control for this was required. For the prediction of subsequent training performance analyses were conducted both with and without ARCP outcomes associated with postgraduate exam failure. This was in order to evaluate the impact of the examination performance on the ARCP outcomes in each graduate group and across the main medical specialties.

For both sets of analyses the baseline category of graduate group was swapped to evaluate all combinations of comparison. As part of the modelling process all combinations of interactions between the predictor variables were evaluated. Only interaction terms that were statistically significant (at the p<0.05 level) and substantively meaningful were included in the final models. Multivariable model building proceeded in a forward stepwise manner with a p value of <0.05 from univariable analysis being the criterion for entry. The predictor variables used in the multivariable model building, including the available potentially confounding variables, were: age, UK experience, ethnicity, sex, selection standardised shortlisting scores and standardised interview scores.

Analyses by specialty group were conducted and the results from three of these reported as exemplars: *general practice*, *psychiatry* and *surgery*. General practice and psychiatry were selected as they had relatively high proportions of UK overseas graduates working in them. Moreover, relatively high differential performance at both ARCP and postgraduate membership exams between UK and international graduates have been reported.(6-8) The results for the surgical specialties are also presented as, traditionally, entry to the training schemes are more competitive than most other medical fields.(38)

Missing data were relatively uncommon (see Figure 1), other than for shortlisting score and interview score. As such, we repeated the above analyses using multiply imputed data using chained equations, creating 20 imputed dataset, as implemented in STATA 14. This portion of the analysis can be thought of as a sensitivity analyses for these two selection variables. Specifically, if the results between the imputed and non-imputed datasets vary then this would be evidence that the absent values are 'missing not at random' (i.e. the missing values are neither associated with the observed data nor due to chance). Thus, the results in relation to any affected variables must be interpreted more cautiously.

Results

Descriptive statistics

As can be seen from Figure 1, there were relatively few missing data in the final sample of doctors. For example, country of nationality and/or qualification was unavailable in only 301 (0.8%) of the doctors in this final sample. The exceptions to this are the shortlisting score, which was missing in 45.9% of cases, and interview score, unavailable for 30.2% of the final sample.

Table 2 shows the demographic characteristics of the doctors in the final sample (where both recruitment and ARCP outcomes were available) in relation to the recruitment outcomes. As can be seen from Table 2, UK overseas graduates were more likely than UK graduates to be male and report non-White ethnicity. It can also be seen that, on average, UK overseas graduates had slightly lower standardised short-listing scores but somewhat higher mean interview scores than non-UK international medical graduates. UK overseas graduates were, on average, approximately five years older than UK graduates at specialty application with around a year of extra UK clinical experience at the time of the first recorded ARCP. It can also be seen from Table 2 that, on average, international medical graduates applied for more specialty posts than UK overseas graduates during the study period, though were less often deemed appointable by the selection panel. The background characteristics and overall ARCP outcomes for the four groups of medical graduates are shown in Table 3. As can be seen, compared to other graduate groups, UK overseas graduates were more likely to receive a 'less than satisfactory' outcome at ARCP which was more likely to be associated with a failure to pass a postgraduate exam.

INSERT TABLE 2 ABOUT HERE

INSERT TABLE 3 ABOUT HERE

Table 4 depicts a breakdown of the composition of doctors in training in each specialty according to graduate group. Overall 1108 (3.19%) of the doctors in our sample were UK overseas graduates. As can be seen, those disciplines where competition for training places

is less competitive (38) tend to have the highest proportion of UK overseas graduates, such as psychiatry (145/2183, 6.6%).

INSERT TABLE 4 ABOUT HERE

Modelling outcomes from specialty selection

The results from the univariable analyses are depicted in Table 5 and Figure 2. In order to further reduce the impact of competition effects (i.e. less highly achieving candidates applying for the least competitive specialties) we also repeated the specialty-based analyses with the three exemplars (*psychiatry*, *surgery* and *general practice*). Results by specialty are shown in Figure 3. As can be seen from the results in the left hand column of Table 5 and also Figure 2, UK overseas graduates were less likely than UK graduates or EEA nationals to be deemed appointable at specialty selection. However, they were more likely than international medical graduates who were not UK nationals to be deemed appointable (OR 1.29, 1.16 to 1.42). Also apparent in Table 5 is that females, younger and more experienced doctors were more likely to be successful at recruitment. Those who were nationals or qualified from wealthier countries were more also more likely to be deemed appointable. Disparities between a country of qualification and nationality's income, in either direction, were associated with a reduced odds of being deemed appointable, with the odds being roughly reduced by 25% for every difference of \$10,000 per capita.

INSERT TABLE 5 ABOUT HERE

INSERT FIGURE 2 ABOUT HERE

INSERT FIGURE 3 ABOUT HERE

The results from the multivariable analyses, predicting outcome at specialty recruitment are also contained in Table 5, in the right-hand column. Results adjusted for various predictor variables are also shown in Figure 2. One interaction term that was statistically significant at

the p<0.05 level and conceptually justifiable was included in the modelling. This was the term representing the interaction between age and experience. This term, when exponentiated as an odds ratio, was less than one. This highlights that the advantage of increasing experience at interview was offset by more advanced age. The pattern in the multivariable results observed was generally similar to the univariable results. As can also be seen from Figure 2, as expected, progressively controlling for background variables, shortlisting scores and interview performance reduces the disparities in odds of being deemed appointable between the UK medical graduates and non-UK graduate groups. However, it is notable from the results shown in Table 4 that the difference in the odds between a UK overseas graduate and a non-UK international medical graduate increased after controlling for other predictor variables. Another noteworthy observation is that once the odds are conditioned on the relative interview scores the shortlisting scores become non-significant to the probability of being deemed appointable.

Modelling ARCP outcomes

In total there were data relating to 99,293 ARCP outcomes relating to 34,755 doctors in specialist training in the final dataset. As can be seen from the flow of data depicted in Figure 1 there were relatively few missing data. Statistical significance, in the present case, should be assumed to be at the p<0.001 level, unless otherwise stated.

In terms of univariable analyses, graduate group was associated with an increased odds of receiving a less satisfactory ARCP outcome at review, with UK overseas graduates showing the largest difference with UK medical graduates as the comparison category (Figure 4). This pattern was replicated across the three specialties selected as exemplars (Figure 5). We also noted no significant difference in the odds of a less satisfactory ARCP outcome between UK overseas graduates who are generally expected to sit the PLAB test (n=812) and those who had qualified from a medical school within the EEA (n=793, OR 1.16, 0.91 to 1.47, p=0.24); the latter sub-group (n=294) being exempt from the test.

Both increasing age and UK experience at ARCP were associated with higher odds of a less satisfactory outcome, as was male sex. In the case of age and experience, the odds of a poorer versus better outcome increased by approximately 5% per year. Likewise, the odds of males having a less, rather than more, satisfactory outcomes, were about 43% higher than those for females doctors (Table 6).

Both the GDP of the country of nationality and that of the place of qualification had roughly equal influences on ARCP outcomes: for every \$10 000 extra per capita the GDP of the

country the odds of a less satisfactory (versus more satisfactory) outcome dropped by approximately 20%. However, the most potent predictor in this regard was the absolute difference in GDP between country of nationality and place of qualification. This indicated that the odds of a less satisfactory (versus more satisfactory) outcome increased by approximately 22% for every \$10 000 per capita difference between the two countries, regardless of the direction of the disparity.

Once ARCP outcomes associated with postgraduate exam failure were excluded from the analyses the effect sizes of the predictors diminished to varying degrees though remained statistically significant in all cases (Table 6 - right hand column and Figure 4). This indicated that some of the association between ARCP outcomes and graduate status and the other predictors were mediated by differential Royal College exam pass rates.

The influence of background variables was controlled for in the multivariable analyses. We observed that the differences in ARCP outcomes between the UK medical graduates and those who held non-UK primary medical qualifications diminished to some extent (Figure 4). Moreover when the impact of differential postgraduate exam pass rates were also adjusted for (by excluding the relevant ARCP outcomes) the inter-group differences further reduced, disappearing entirely for UK overseas graduates versus home medical graduates. We also noted that (in contrast to the univariable results), once the influence of age was controlled for, UK-based experience predicted the probability of more, rather than less, satisfactory ARCP outcomes. The results are also depicted in Table 7.

The picture when analyses were conducted for each specialty group was similar (Figure 5). As can be seen, even after adjusting only for the influence of background variables there were no differences remaining in the odds of a more satisfactory ARCP outcome between UK overseas and home graduates in the surgical trainees. Likewise, no statistically significant differences remained after excluding ARCPs associated with exam failure in psychiatry and general practice (Figure 5). It is worth noting that all the other predictors in the model, including an interaction term for age and experience remained statistically significant and independent predictors of ARCP outcome (Table 7).

INSERT FIGURE 4 ABOUT HERE

INSERT FIGURE 5 ABOUT HERE

INSERT TABLE 6 ABOUT HERE

INSERT TABLE 7 ABOUT HERE

Results from the imputed datasets

When re-running the multivariable analysis predicting 'appointability' at specialty recruitment on the imputed data, unlike the analysis on the non-imputed dataset (Table 5), both shortlisting score (OR 1.05, 1.03 to 1.08) and interview score (OR 3.13, 3.03 to 3.23) are significant independent predictors.

In contrast, the analyses for ARCP outcome show negligible difference whether being performed on the non-imputed data or the imputed data.

Discussion

In this study, the first to focus on UK overseas graduates, we observed that this group of doctors were more likely to be deemed appointable at specialty training recruitment than non-UK international medical graduates, though less so than other graduate groups. Marked disparities in ARCP outcomes between this group of doctors and other graduate types were also noted. The patterns observed in the selection data were not precisely replicated, with a 're-ordering' of UK and non-UK overseas medical graduates. In the present case the dissonance between the selection and ARCP results could be largely, if not wholly, explained by the differential interview performances between UK and non-UK international medical graduates. This finding is consistent with a previous report into selection and subsequent educational achievement in those recruited to UK general practice training-performance on selection measures were noted to be less strongly predictive of subsequent scores at the MRCGP exam in international, compared to home graduates.(20)

The magnitude of intergroup differences in ARCP outcomes reduced after controlling for the influence of age, UK experience and absolute economic differences between the country of nationality and qualification. We also observed a significant interaction between age and (UK-based) clinical experience, in line with previous findings.(23) In addition the inter-group differences further diminished after excluding ARCP outcomes associated with exam failure, and indeed vanished for UK overseas graduates versus home graduates following these adjustments. This pattern was generally seen across the medical specialties.

Comparison with other studies and possible interpretations

Our observation that the disparities in the odds of entering specialist training in the UK recruitment data were not precisely mirrored by ARCP outcomes was consistent with data from North America on selection to medical specialties. US international medical graduates tend to have higher odds of being placed in a residency programme than their non-US counterpart (39) despite subsequent reduced specialty certification rates for North American citizens who trained outside of the country.(40)

Likewise our findings in relation to postgraduate educational performance were in keeping with those from previous studies of postgraduate education performance in international medical graduates training in the UK.(10) Specifically our observations concurred with those reported by McManus and Wakeford who reported lower scores on the PLAB part 1 (written component) and Applied Knowledge Test (AKT) of the MRCGP exam.(7) However, in the latter study only a subset of UK international medical graduates (i.e. those who registered via the PLAB system) were included. We noted that the magnitude of inter-group differences was less marked in the more competitive disciplines. Over time, increasing competition ratios may drive up educational performance and so reduce any disparities between medical graduate groups.

By comparing the raw and adjusted odds ratios we obtain some indications of factors that may underlie the observed differences in ARCP outcomes. Certainly age, UK experience and the interaction between these two variables play a role. Moreover, it appeared that it was the absolute, rather than relative difference, between the economic status of country of nationality and qualification which had the larger influence on ARCP outcomes. This observation leads to the inference that there was something different about those individuals who studied medicine in a setting economically, and probably culturally different to their home country. It is also interesting to observe that controlling for the influence of the background predictors and postgraduate exam pass rates reduced the difference in ARCP outcomes between UK overseas and home graduates to a somewhat greater degree than those between the latter group and non-UK international medical graduates (see Fig. 4). It is thus likely that some of the remaining, unexplained gap in ARCP performance between these latter two groups is accounted for by, perhaps subtle, linguistic and sociocultural factors, previously referred to as the 'dark variance' of differential attainment.(41)

It also seemed that many of the 'less than satisfactory' ARCP outcomes (as defined by the authors) were disproportionately associated with exam failure in UK international medical graduates. Thus, removing these reviews from the analyses diminished the observed intergroup differences. This raises questions about both the reliability of each assessment, as well as the constructs that they purport to measure. At present the reliability of the ARCP is unknown, though the process has recently been subject to a qualitative review.(42) In contrast there is some existing evidence of acceptable reliability for the Royal College postgraduate examinations.(43, 44) Moreover, where psychometrically investigated, no evidence of racial bias was detected (45) though, at least for the MRCGP CSA, more subtle sociocultural forms of bias cannot be ruled out.(8, 27) It could also be assumed that ARCP panels consider a range of factors in addition to clinical knowledge and skills, though do not usually involve a face-to-face interview.(32) These attributes may include perceived professionalism, ability to team work and administrative efficiency. Regarding the contrast between ARCP and the recruitment into specialty training results- it could be argued that the latter process gives some additional scope for bias (both conscious and unconscious). For example, there is evidence that face-to-face interviewers sometimes base decisions on misleading cues. (46) Although there are structured elements to the selection process it can be assumed that 'softer' abilities, such as presentational skills will partly determine the outcome.(47) Thus, non-UK candidates, and especially those for whom English is not their first language, may be disproportionately disadvantaged, compared to the ARCP process. This possibility is supported by our observation that UK overseas graduates received, on average, higher interview scores at selection than non-UK international medical graduates. It was noteworthy that once performance at interview was controlled for in the modelling the graduate groups restacked into an order that was more consistent with that observed for ARCP performance. This raises the issue about whether excessive weight is given to interview performance within the specialty selection process. Such 'overweighting' might lead to situations where a candidate destined for satisfactory performance in postgraduate training is passed over in favour of one who outperforms them at interview but is less likely to make satisfactory future progress. It should be recognised that both in the UK and elsewhere postgraduate medical selectors are working to increase the standardisation and structure of their processes.(48) In particular, the introduction of Situational Judgement Tests (SJTs) as a component of selection into UK general practice training may effectively evaluate some of the non-academic qualities of candidates.(49) Such assessments are usually used at an early stage screening processes which leaves scope for candidates to diverge in performance at later stages of selection. Thus these observations raise the question of whether ARCP and selection processes should become more like the postgraduate exams or vice versa? Perhaps ideally postgraduate examinations should test a wider range of qualities important to real world practice, including the ability to demonstrate culturally-appropriate professionalism and team-working. Likewise the ARCP process has been recently qualitatively reviewed ⁴¹ and at the time of writing there are plans to review it in order to improve its reliability, acceptability and validity.(50)

Strengths and potential limitations

The primary strength of this study is the quantity, representativeness and completeness of the data available. This leads to the power to detect inter-group differences, even in subgroup analyses. The use of ARCP as an outcome allowed comparisons to be made both across and within specialties. We were also able to adjust for the impact of differential pass rates at postgraduate exams. Unlike in some previous studies, country of both nationality and place of qualification were available, allowing a more granular analysis, including by GDP. However, it should be noted that we only had access to the nationality of the doctor at the point of registration with the GMC. Thus, we were unable to differentiate between doctors who were designated UK citizens at birth and those who obtained this status subsequently.

The major limitation in this case was the observational nature of the study. Thus, we could not control for the effects of unmeasured variables not captured in the dataset. Nevertheless, by controlling for the effects of the predictor variables we had access to, as well as by excluding ARCPs associated with postgraduate exam failure, we were able to obliterate the observed differences in overall performance between the UK overseas and home graduates. Naturally these results do not give rise to causal explanations for the differences. However, they do guide the focus of further investigation into the factors underlying these disparities, for example, differential pass rates at the Royal College membership examinations. We also noted a small percentage (2.4%) of doctors who only had ARCP outcomes recorded in relation to short-term training posts (e.g. LATs). The posts held by this small group of doctors may have not been typical of training posts in general. However, when we excluded these medical trainees from the analyses no meaningful impact on the results was noted. Moreover, in practice, such short-term training appointments are sometimes awarded to doctors who then subsequently obtain a place on a substantive training programme. Thus, it did not appear practicable to differentiate between such temporary posts and longer term training programmes in the analyses.

It should be noted that, in this study, ARCP outcome '5' ('further information required') was used as an intermediate outcome category when conducting our modelling. In practice a request for further information may, occasionally, be due to the failure of a supervisor, or

other third-party, to supply documentation and may be due to the actions of the trainee themselves. However, in line with our previous findings and exploration of the use of ARCP's as an educational outcome, it was felt that use of the 'outcome 5' in this way was justified.

(6)

When comparing the results from the analysis of ARCP outcomes to the recruitment processes it must be borne in mind that some level of 'filtration' has already occurred by the time doctors enter postgraduate training. That is to say that the range of the data has been restricted in that ARCP outcomes were only observed for those doctors successfully entering specialty training. Thus, the degree of disparity between the different graduate groups may have been underestimated. In particular those who obtained their primary medical qualification outside of the UK may be especially likely to be in non-training medical posts and not included in the present sample. Moreover, at least for the more competitive specialties, in accordance with EU employment law, those who were not nationals from the European Economic Area may not have been shortlisted if there were deemed sufficient numbers of applicants from Europe. In addition we only had access to date of registration with the GMC and could not estimate years of practice outside of the UK. However, it may be that practice in a comparable healthcare setting may be more important in predicting educational and clinical performance than experience per se. A further limitation was that ARCP were not directly linked to the programmes interviewed for. This was because the structure of the data were complicated and the doctors sometimes changed speciality, or were undergoing 'dual' training in more than one specialty.

Some caution must be exercised when interpreting the interview scores as predictors of recruitment outcomes. The decision to deem a candidate 'appointable' is almost wholly based, at that stage of selection, on the interview ratings, and thus there is a tautological element to this aspect of the analysis Nevertheless it was informative to compare the standardised interview scores between the graduate groups. This permitted us to identify the source of the advantage that the UK overseas graduates had over the non-UK citizens who had graduated from outside of the EEA at selection.

Both shortlisting score and interview score displayed extensive missingess, and the analysis relating to selection into specialty training on the imputed dataset produced somewhat differing results than those for the non-imputed data. The reduction in odds ratio observed for the interview score in the imputed data set is not an unexpected result – only an application which proceeded to interview will have an associated interview score. Thus, there is likely to be some 'restriction of range' present. The shortlisting score was missing in nearly half of all cases, and the change in significance for shortlisting score in the

multivariable model suggest that these data were not missing at random. It is possible that the missing data was at least partly due to differences in deanery returning practices. As the imputed analysis displayed somewhat different results, some caution must be exercised when interpreting the results specifically relating to appointability at specialty recruitment and the shortlisting scores.

These findings raise important questions that could be answered by both further quantitative and qualitative studies. If the data could be made available further research could be conducted to understand the differences in royal college examination performance across the four graduate groups that the ARCP results presented here suggest exist. The reasons why UK citizens study abroad may be varied; ideally one could identify whether the such individuals had applied to medical school in the UK unsuccessfully or attended a UK medical school but left at some point. For these cases, it may be possible to obtain data from their application to UK medical school in the UK, for example aptitude test scores, as a measure of their educational performance prior to completing their degree.

Conclusions

We observed a significant effect for NHS experience. This implies that in order to enhance the postgraduate educational performance of doctors who graduate from overseas additional training opportunities could be effective. In particular, previous research has highlighted the challenges that overseas doctors experience when transitioning to the UK NHS. It may be that UK citizens who have undergone their undergraduate training in other settings are not readily identified as potentially benefitting from additional support. This would be because culturally and linguistically they would not be expected to stand out from home medical graduates and less likely to experience cultural dissonance. As such policy could highlight this group as one that could be targeted for addition support with transitioning. Additionally, not all doctors entering UK training from oversees have completed their foundation training, these doctors require a supervisor (sometimes from abroad) to verify that they have achieved foundation competencies (the Alternative Certificate of Foundation Competence). At present it is unclear what proportion of non-UK graduates this relates to and whether they are disadvantaged in any way.

While conducting this study we noted some inconsistencies in the current UK regulatory policy. For example, European citizens who study outside of the EEA are not expected to sit the PLAB (if having practised in the EEA for at least three years) whilst UK citizens in a similar situation generally would undergo the assessments. In addition, those UK overseas graduates who would usually be expected to demonstrate their competency via the PLAB

system did not have significantly better ARCP outcomes than those who did not. Most PLAB candidates eventually pass both parts so the impact of the exam on future ARCP performance in this subgroup may not be substantial.(51) However, previous research has shown that PLAB scores do predict both ARCP and postgraduate exam performance in international medical graduates.(6, 7) Once the UK leaves the EU there is a potential opportunity for changes to medical regulation. For example, 'Brexit' could potentially allow for the introduction of a national licensing exam that will be taken by all doctors wishing to practice in the UK regardless of nationality or place of qualification, subject to any exemptions that are agreed. The GMC has been consulting on plans to introduce such a test in the form of the UK 'Medical Licensing Assessment'.(52) It is important to point out that in other parts of the world the introduction of such licensing exams do not, in themselves, ensure equivalence in subsequent performance between differing medical graduate groups. (11) Nevertheless it would hopefully help ensure minimum standards of competence and a greater degree of fairness in the regulatory system.

Those UK nationals who choose to study medicine abroad before returning to the NHS are unlikely to be a homogenous group. Thus further research should focus on understanding the qualitative characteristics of this category of doctor. Importantly we do not know whether, as in the US, this group of nationals who qualified overseas have inferior patient outcomes compared to other categories of medical practitioner.(14) Certainly the observations alluded to by McManus and Wakeford (7), that UK overseas graduates performed more poorly on the knowledge but not the clinical component of the MRCGP, are intriguing. Indeed they may imply, at least for UK overseas graduates who sit the PLAB, that it may be mainly performance on knowledge, rather than skills-based assessments that are at least driving the differential attainment between this latter and other medical graduate groups. Thus, for these reasons research examining actual UK-based clinical practice into differing graduate groups is urgently required.

The present study, in the context of previous work in this area, suggests that the regulations governing the right to practise medicine in a particular country should not be determined by either nationality or place of qualification. Rather they should be based on a reliable and equitable evaluation of clinical ability and other personal qualities essential to the practice of medicine in that specific national context. The introduction of a licensing exam into the UK would provide an opportunity to implement such policy. The impact of such a licensing exam should be carefully evaluated as at present it is unclear whether such a universal assessment is likely to translate into improved safety and quality of patient care.(53)

Abbreviations

ARCP; Annual Review of Competence Progression: CSA; Clinical Skills Assessment: EEA; European Economic Area: EU; European Union: GDP; Gross Domestic Product (in US Dollars): GMC; General Medical Council: LAT; Locum appointment for training: MRCGP; Membership of the Royal College of General Practitioners: MSRA; Multi-Specialty Recruitment Assessment: PLAB; Professional and Linguistic Assessment Board: SJT; Situational Judgement Test.

Declarations

Ethical approval: Not required. The study relied on the analysis of de-identified routinely collected data analysed within a 'safe haven' environment. This was confirmed in writing by the chair of the University of York Department of Health Sciences Ethics Committee.

Consent for publication: Not applicable.

Data sharing statement: The data and associated STATA syntax used to manage and analyse the data are archived and may be made available from the GMC on request within a safe haven environment on an individual basis should a sufficient justification be provided. No additional individual data available.

Competing interests: The time that DS spent working on this project was funded as part of his role at the General Medical Council (GMC). However, the views expressed in this article do not necessarily reflect those of the GMC. PAT has previously received research funding, via a competitive tendering processes, as lead and co-applicant from the GMC, Health Education England and the Department of Health for England.

Funding: PAT is supported in his research by the National Institute for Healthcare Research (NIHR) via a Career Development Fellowship. This paper represents independent research part-funded by the National Institute for Health Research (NIHR). The views expressed are those of the authors and not necessarily those of the NHS, the NIHR or the Department of Health. The time that DS spent working on this project was funded as part of his role at the General Medical Council (GMC). However, the views expressed in this article do not necessarily reflect those of the GMC.

Authors' contributions: PAT led on conception, design, statistical analysis and interpretation of data and is the guarantor of the paper. JO contributed to the cleaning, management and analysis of the data and drafting the article. LWP conducted analyses and

produced the data visualisations of the results as well as contributing to drafting and critically appraising the article. DS was involved in cleaning and managing the data as well as drafting, revising the article and critically appraising the content. JJN was involved in providing supervision and advice in relation to the analyses as well as contributing to drafting and critically appraising the article. All authors (PAT, JO, LWP, DS and JJN) have approved the final version of the article submitted.

Acknowledgements: The authors are grateful to GMC colleagues who commented on the paper: Richard Amison, Ben Griffith, Neil Jinks, Andy Knapton, Nicola While and Kirsty White. The views expressed are those of the authors and not the GMC.

References

- 1. Clark PF, Stewart JB, Clark DA. The globalization of the labour market for health-care professionals. International Labour Review. 2006;145(1-1):37-64.
- 2. General Medical Council. The state of medical education and practice in the UK 2016 [Electronic]. London: General Medical Council. 2016. [cited 17 November 2017] Available from: http://www.gmc-uk.org/SOMEP 2016 Full Report Lo Res.pdf 68139324.pdf.
- General Medical Council. Chapter two: Our data on medical students and doctors in training in the UK [Internet]. 2016 [cited 23 November 2017]. Available from: https://www.gmc-uk.org/SoMEP 2016 Chapter two.pdf 68136455.pdf.
- 4. General Medical Council. The state of medical education and practice in the UK 2015 [Electronic]. London: General Medical Council. 2015. [cited 17 November 2017] Available from: http://www.gmc-uk.org/SOMEP 2015.pdf 63501874.pdf.
- 5. McManus C. Hunt promises 25% more medical students in 2018. BMJ. 2016;355:i5480.
- 6. Tiffin PA, Illing J, Kasim AS, McLachlan JC. Annual Review of Competence Progression (ARCP) performance of doctors who passed Professional and Linguistic Assessments Board (PLAB) tests compared with UK medical graduates: national data linkage study. BMJ. 2014;348:g2622.

- 7. McManus IC, Wakeford R. PLAB and UK graduates' performance on MRCP(UK) and MRCGP examinations: data linkage study. BMJ. 2014;348:g2621.
- 8. Esmail A, Roberts C. Academic performance of ethnic minority candidates and discrimination in the MRCGP examinations between 2010 and 2012: analysis of data. BMJ. 2013;347:f5662.
- 9. Tiffin PA, Illing J, Webster LAD, McLachlan JC. The validity of the Professional and Linguistic Assessments Board (PLAB) exam: Research report. London: General Medical Council; 2013. [cited 18 November 2017] Available from https://www.gmc-uk.org/Report on PLAB Validity FINAL 2014. pdf 57909935.pdf
- 10. Regan De Bere S, Nunn S, Nasser M. Understanding differential attainment across medical training pathways: A rapid review of the literature. Plymouth University: Plymouth University; 2015. [cited 18 November 2017] Available from https://www.gmc-uk.org/GMC Understanding Differential Attainment.pdf 63533431.pdf
- 11. MacLellan AM, Brailovsky C, Rainsberry P, Bowmer I, Desrochers M. Examination outcomes for international medical graduates pursuing or completing family medicine residency training in Quebec. Canadian Family Physician Medecin de Famille Canadien. 2010;56(9):912-8.
- 12. Woolf K, Rich A, Viney R, Needleman S, Griffin A. Perceived causes of differential attainment in UK postgraduate medical training: a national qualitative study. BMJ Open. 2016;6(11).
- 13. Norcini JJ, Boulet JR, Opalek A, Dauphinee WD. The relationship between licensing examination performance and the outcomes of care by international medical school graduates. Academic Medicine: Journal of the Association of American Medical Colleges. 2014;89(8):1157-62.
- 14. Norcini JJ, Boulet JR, Dauphinee WD, Opalek A, Krantz ID, Anderson ST. Evaluating the quality of care provided by graduates of international medical schools. Health Affairs. 2010;29(8):1461-8.

- 15. Medical Act 1983 [cited 23 November 2017] Available from: http://www.gmc-uk.org/about/legislation/medical_act.asp.
- 16. General Medical Council. Our required IELTS scores are changing on 18 June 2014 [Internet]. 2014 [cited 23 November 2017] Available from: http://www.gmc-uk.org/doctors/registration news/23882.asp.
- 17. General Medical Council. Applying for registration as an International Medical Graduate [Internet]. 2017 [cited 23 November 2017] Available from: http://www.gmc-uk.org/doctors/before_you_apply/imgs.asp.
- 18. The Multi-Specialty Recruitment Assestment- Applicant Guidance [Internet]. [cited 23 November 2017] Available from: https://gprecruitment.hee.nhs.uk/Recruitment/Applicant-Guidance/MSRA.
- 19. Recruitment to Speciality Training- Applicant Guide 2017 [Internet]. [cited 13 September 2017]. Available from: https://specialtytraining.hee.nhs.uk/.
- 20. General Medical Council. Exploring the Relationship between General Practice Selection Scores and MRCGP Examination Performance [Electronic]. 2015 [cited 23 November 2017] Available from: https://www.gmc-uk.org/about/research/28334.asp.
- 21. Cuddy MM, Swanson DB, Clauser BE. A multilevel analysis of examinee gender and USMLE step 1 performance. Academic Medicine: Journal of the Association of American Medical Colleges. 2008;83(10 Suppl):S58-62.
- 22. Pyne Y, Ben-Shlomo Y. Older doctors and progression through specialty training in the UK: a cohort analysis of General Medical Council data. BMJ Open. 2015;5(2).
- 23. Norcini JJ, Boulet JR, Opalek A, Dauphinee WD. Patients of doctors further from medical school graduation have poorer outcomes. Medical Education. 2017;51(5):480-9.
- 24. Tsugawa Y, Newhouse JP, Zaslavsky AM, Blumenthal DM, Jena AB. Physician age and outcomes in elderly patients in hospital in the US: observational study. BMJ. 2017;357.
- 25. Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. The New England Journal of Medicine. 2003;349(22):2117-27.

- 26. Duclos A, Peix J-L, Colin C, Kraimps J-L, Menegaux F, Pattou F, et al. Influence of experience on performance of individual surgeons in thyroid surgery: prospective cross sectional multicentre study. BMJ. 2012;344.
- 27. Roberts C, Atkins S, Hawthorne K. Performance features in clinical skills assessment: Linguistic and cultural factors in the Membership of the Royal College of General Practitioners examination. London: King's College London; 2014.
- 28. Johannessen KA, Hagen TP. Individual and hospital-specific factors influencing medical graduates' time to medical specialization. Social Science & Medicine (1982). 2013;97:170-5.
- 29. Monrouxe LV, Grundy L, Mann M, John Z, Panagoulas E, Bullock A, et al. How prepared are UK medical graduates for practice? A rapid review of the literature 2009–2014. BMJ Open. 2017;7(1).
- 30. Slowther A, Lewando Hundt GA, Purkis J, Taylor R. Experiences of non-UK-qualified doctors working within the UK regulatory framework: a qualitative study. Journal of the Royal Society of Medicine. 2012;105(4):157-65.
- 31. Jolly P, Garrison G, Boulet JR, Levitan T, Cooper RA. Three pathways to a physician career: applicants to U.S. MD and DO schools and U.S. Citizen applicants to international medical schools. Academic Medicine: Journal of the Association of American Medical Colleges. 2008;83(12):1125-31.
- 32. COPMed. The Gold Guide [Electronic]. London: The Conference of Postgraduate Medical Deans of the United Kingdom; 2016. [cited 18 November 2017] Available from: https://www.copmed.org.uk/publications/the-gold-guide.
- 33. Oriel: the UK wide portal for recruitment to postgraduate medical, dental, public health, healthcare science and pharmacy training programmes. 2017 [cited 30th October 2017]. Available from: https://www.oriel.nhs.uk/web.
- 34. The Health Informatics Centre at Dundee [cited 23 November 2017]. Available from: https://www.dundee.ac.uk/hic/.

- 35. General Medical Council. Collection of ARCP and RITA outcomes awarded in 2015/2016 Briefing Note 1. London: General Medical Council; 2016.
- 36. General Medical Council. National Training Surveys [Electronic]. 2016 [cited 23 November 2017]. Available from: http://www.gmc-uk.org/education/surveys.asp.
- 37. The World Bank. National Gross Domestic Products (GDPs) [Electronic]. 2017 [cited 23 November 2017] Available from: http://data.worldbank.org/indicator/NY.GDP.MKTP.CD.
- 38. Health Education England. Competition ratios [Electronic]. 2017 [cited 30th October 2017]. Available from: https://specialtytraining.hee.nhs.uk/Competition-Ratios.
- 39. The Match National Resident Matching Program. Charting Outcomes in the Match for International Medical Graduates [Electronic]. 2016 [cited 23 November 2017]. Available from http://www.nrmp.org/wp-content/uploads/2016/09/Charting-Outcomes-IMGs-2016.pdf.
- 40. Norcini JJ, Boulet JR, Whelan GP, McKinley DW. Specialty board certification among
 U.S. citizen and non-U.S. citizen graduates of international medical schools. Academic
 Medicine: Journal of the Association of American Medical Colleges. 2005;80(10 Suppl):S42-5.
- 41. McManus I, Dewberry C, Nicholson S, Dowell JS, Woolf K, Potts HW. Construct-level predictive validity of educational attainment and intellectual aptitude tests in medical student selection: meta-regression of six UK longitudinal studies. BMC Medicine. 2013;11(1):243.
- 42. Viney R, Rich A, Needleman S, Griffin A, Woolf K. The validity of the Annual Review of Competence Progression: a qualitative interview study of the perceptions of junior doctors and their trainers. Journal of the Royal Society of Medicine. 2017;110(3):110-7.
- 43. McManus IC, Mooney-Somers J, Dacre JE, Vale JA, on behalf of the MPIEB, the FoRCoPMCO. Reliability of the MRCP(UK) Part I Examination, 1984–2001. Medical Education. 2003;37(7):609-11.
- 44. Oyebode F, Furlong E. MRCPsych examinations: cumulative results 1997–2002. Psychiatric Bulletin. 2007;31(2):61-4.

- 45. McManus IC, Elder AT, Dacre J. Investigating possible ethnicity and sex bias in clinical examiners: an analysis of data from the MRCP(UK) PACES and nPACES examinations. BMC Medical Education. 2013;13(1):103.
- 46. McDaniel MA, Whetzel DL, Schmidt FL, Maurer SD. The validity of employment interviews: A comprehensive review and meta-analysis. Journal of Applied Psychology. 1994;79(4):599-616.
- 47. Green M. Shining through at a specialty training interview. 2011. Available from: http://careers.bmj.com/careers/advice/Shining through at a specialty training interview.
- 48. Roberts C, Togno JM. Selection into specialist training programs: an approach from general practice. The Medical Journal of Australia. 2011;194(2):93-5.
- 49. Patterson F, Baron H, Carr V, Plint S, Lane P. Evaluation of three short-listing methodologies for selection into postgraduate training in general practice. Medical Education. 2009;43(1):50-7.
- 50. Rimmer A. Making junior doctors' lives easier. 2017 Available from: http://careers.bmj.com/careers/advice/Making junior doctors%E2%80%99 lives easier.
- 51. Tiffin PA, Paton LW, Mwandigha LM, McLachlan JC, Illing J. Predicting fitness to practise events in international medical graduates who registered as UK doctors via the Professional and Linguistic Assessments Board (PLAB) system: a national cohort study. BMC Medicine. 2017;15(1):66.
- 52. General Medical Council. Medical Licensing Assessment [Electronic]. [cited 23 November 2017]. Available from: http://www.gmc-uk.org/education/29000.asp.
- 53. Archer J, Lynn N, Coombes L, Roberts M, Gale T, Price T, et al. The impact of large scale licensing examinations in highly developed countries: a systematic review. BMC Medical Education. 2016;16:212.

Tables

Group name	Region where PMQ	Nationality
	obtained	
UK medical graduates (UKGs)	UK	All
EEA graduates (EEAGs)	EEA	All – except for UK nationals
International Medical Graduates (IMGs)	Outside of EEA and UK	All – except for UK nationals
UK overseas graduates (UK OGs)	Outside of UK (EEA or non- EEA country)	UK national

Table 1. Classification of medical graduate groups for purposes of study.

Group	Male (%)	Non-white ethnicity (%)	Mean shortlisting z score (sd)	Mean interview z score (sd)	Mean no. of jobs applied to during the study period (SD)	Mean no. deemed appointabl e (sd)	Mean no. offered (sd)
1. UKGs	12008/28 293 (42%)	9235/28249 (33%)	0.31 (0.84)	0.27 (0.91)	1.97 (1.41)	1.36 (0.87)	1.25 (0.74)
2. EEAGs	535/1225 (44%)	191/1209 (16%)	-0.17 (1.06)	-0.24 (0.93)	2.49 (2.13)	1.17 (1.00)	0.96 (0.80)
3. IMGs	2120/382 8 (55%)	3597/3766 (96%)	-0.46 (0.91)	-0.45 (0.90)	3.08 (2.66)	1.01 (0.98)	0.80 (0.73)
4. UK OGs	652/1108 (59%)	925/1093 (85%)	-0.45 (0.90)	-0.42 (0.92)	2.94 (2.49)	1.11 (0.91)	0.92 (0.71)

Table 2. Background and specialty recruitment characteristics of the doctors in the sample by graduate group. Recruitment data values for the study period August 2009-2016.

Group	Mean age at 1 st ARCP (SD)	Mean UK experience at 1 st ARCP (SD)	Mean number of ARCPs (SD)	Proportion 'unsatisfactory' (i.e. not outcome 1 or 6)	Proportion of ARCPs associated with postgraduate exam failure (%)
1. UKGs	29.00 (3.31)	2.62 (1.30)	3.29 (2.04)	19511/80361 (24.28%)	3213/80361 (4.00%)
2. EEAGs	31.85 (4.55)	3.54 (2.06)	3.22 (2.04)	1093/3341 (32.71%)	347/3341 (10.39%)
3. IMGs	34.68 (4.66)	4.14 (2.08)	3.70 (2.38)	3902/11404 (34.22%)	1086/11404 (9.52%)
4. UK OGs	34.38 (5.60)	3.82 (2.10)	3.49 (2.15)	1167/3174 (36.77%)	348/3174 (10.96%)

Table 3. Summary of the background and Annual Review of Competence Progression (ARCP) descriptive statistics for the doctors in the study sample.

Specialty group	UK medical graduates (%)	EEA nationals (%)	IMGs (%)	UK overseas graduates (%)
Anaesthetics	2918 (91.53%)	61 (1.91%)	149 (4.67%)	37 (1.16%)
Medicine	6329 (79.18%)	336 (4.20%)	1040 (13.01%)	233 (2.92%)
Psychiatry	1289 (61.82%)	143 (6.86%)	489 (23.45%)	136 (6.52%)
Surgery	3394 (82.82%)	173 (4.22%)	357 (8.71%)	131 (3.20%)
EM and ACCS	1070 (80.21%)	47 (3.52%)	162 (12.14%)	46 (3.45%)
GP	9353 (83.45%)	219 (1.95%)	1126 (10.05%)	409 (3.65%)
Obs & Gynae	822 (78.36%)	51 (4.86%)	132 (12.58%)	36 (3.43%)
Occ Medicine	6 (50.00%)	1 (8.33%)	3 (25.00%)	0 (0.00%)
Ophthalmology	341 (82.37%)	26 (6.28%)	29 (7.00%)	10 (2.42%)
Paediatrics	1557 (81.82%)	105 (5.52%)	192 (10.09%)	37 (1.94%)
Lab based	309 (75.55%)	23 (5.62%)	64 (15.65%)	11 (2.69%)
Public Health	123 (91.79%)	3 (2.24%)	1 (0.75%)	1 (0.75%)
Radiology	688 (83.29%)	36 (4.36%)	78 (9.44%)	20 (2.42%)
All specialties	28199(81.41%)	1224 (3.52%)	3822 (11.01%)	1108 (3.19%)

Table 4. Number of doctors in the sample (percentage of total) in specialty training by graduate group and specialty

Predictor	Univariable Models	Multivariable Model
	Odds Ratio (95% CI)	Odds Ratio (95% CI)
UK overseas graduates vs UKG	0.25 (0.23 to 0.27)	0.65 (0.56 to 0.77)
UK overseas graduates vs EEAG	0.66 (0.58 to 0.75)	0. 65 (0.53 to 0.81)
UK overseas graduates vs IMG	1.29 (1.16 to 1.42)	1.05 (0.89 to 1.23)*
Male sex	0.70 (0.68 to 0.73)	-
Shortlisting score (z score)	1.74 (1.69 to 1.80)	-
Interview score (z score)	8.41 (8.10 to 8.73)	6.78 (6.47 to 7.10)
Age at selection	0.93 (0.93 to 0.94)	-
UK experience (years) at selection	1.50 (1.47 to 1.52)	1.17 (1.08 to 1.27)
Experience/age interaction		0.99 (0.99 to <1.00) [†]
GDP of Country of nationality (\$10k per person)	1.52 (1.50 to 1.55)	-
GDP of Country of qualification (\$10k per person)	1.63 (1.60 to 1.65)	-
Difference in GDP countries (\$10k per person)	0.87 (0.85 to 0.89)	0
Absolute difference in GDP (\$10k per person)	0.74 (0.73 to 0.76)	

Table 5. Results from univariable and multivariable multi-level logistic regressions predicting the odds of being deemed appointable at specialty training recruitment.

^{*}p>0.5

[†] p=0.01

Predictor	Including exam failures	Excluding exam failures	
	Odds Ratio (95% CI)	Odds Ratio (95% CI)	
UK overseas graduates vs UKG	2.36 (2.12 to 2.62)	1.77 (1.59 to 1.96)	
UK overseas graduates vs EEAG	1.29 (1.12 to 1.48)	1.30 (1.13 to 1.50)	
UK overseas graduates vs IMG	1.20 (1.07 to 1.35)	1.14 (1.02 to 1.28) [‡]	
Male sex	1.43 (1.38 to 1.49)	1.37 (1.32 to 1.43)	
Age at ARCP	1.05 (1.05 to 1.05)	1.03 (1.03 to 1.04)	
UK experience (years) at ARCP	1.04 (1.03 to 1.05)	1.02 (1.02 to 1.03)	
GDP of Country of nationality	0.83 (0.82 to 0.84)	0.88 (0.87 to 0.90)	
(\$10k per person)	0.00 (0.02 to 0.01)	0.00 (0.01 to 0.00)	
GDP of Country of qualification	0.80 (0.79 to 0.82)	0.87 (0.85 to 0.88)	
(\$10k per person)	0.00 (0.70 to 0.02)	0.07 (0.03 to 0.00)	
Difference in GDP countries	1.06 (1.03 to 1.09)	1.03 (>1.00 to 1.05)§	
(\$10k per person)	1100 (1100)	1100 (1100 to 1100)	
Absolute difference in GDP	1.22 (1.19 to 1.25)	1.15 (1.12 to 1.18)	
(\$10k per person)	1.22 (1.13 to 1.23)	1.10 (1.12 to 1.10)	
Mean shortlisting score (z score)	0.63 (0.61 to 0.64)	0.76 (0.74 to 0.78)	
Mean interview score (z score)	0.61 (0.59 to 0.62)	0.71 (0.69 to 0.72)	

Table 6. Results from a series of univariable multilevel ordinal logistic regression analyses predicting the odds of 'less' vs 'more' satisfactory ARCP outcomes for the sample of doctors (N=34,755). In the right hand column the results from analyses where ARCP outcomes associated with postgraduate exam failure were excluded are shown.

[‡] p=0.02


[§] p=0.04

Predictor	Including exam failures	Excluding exam failures
	Odds Ratio (95% CI)	Odds Ratio (95% CI)
UK overseas graduates vs UKG	1.08 (0.92 to 1.26)**	1.05 (0.90 to 1.22) [!]
UK overseas graduates vs EEAG	0.96 (0.79 to 1.16) [!]	1.04 (0.86 to 1.26)!
UK overseas graduates vs IMG	1.03 (0.88 to 1.21) [!]	1.03 (0.88 to 1.21) [!]
Male sex	1.28 (1.22 to 1.34)	1.29 (1.23 to 1.35)
Age at ARCP	1.02 (1.01 to 1.03) ^{††}	>1.00 (0.99 to 1.01) [!]
UK experience (years) at ARCP	0.84 (0.79 to 0.90)	0.83 (0.78 to 0.88)
Age/Experience interaction	>1.00 (>1.00 to 1.01)	>1.00 (>1.00 to >1.00)
Absolute difference in GDP (\$10k per person)	1.06 (1.02 to 1.10) ^{‡‡}	1.05 (1.01 to 1.09)
Mean shortlisting score (z score)	0.72 (0.69 to 0.74)	0.84 (0.81 to 0.86)
Mean interview score (z score)	0.67 (0.65 to 0.69)	0.74 (0.72 to 0.77)


Table 7. Results from two multivariable multilevel ordinal logistic regression analyses predicting the odds of 'less' vs 'more' satisfactory ARCP outcomes for the sample of doctors (N=34,755). In the right hand column the results from analyses where ARCP outcomes associated with postgraduate exam failure were excluded are shown.

p=0.3 p=0.002 ^{‡‡} p=0.001

[!] p>0.5



Flow of data through the study.




Results from univariable and multivariable analyses for an individual being deemed appointable' for each graduate group in comparison to UK graduates.

101x73mm (300 x 300 DPI)


100 July 100





Results by specialty for UK overseas graduates being deemed 'appointable' vs. UK graduates.


101x73mm (300 x 300 DPI)



Univariable and multivariable ARCP results for all specialties for each graduate group in comparison to UK graduates.

101x73mm (300 x 300 DPI)

140m



Univariable and multivariable odds ratios for receiving a less satisfactory vs. a more satisfactory ARCP outcome. The results are shown only for UK overseas graduates vs. UK graduates, by specialty.

101x73mm (300 x 300 DPI)



STROBE Statement—Checklist of items that should be included in reports of cross-sectional studies

Section/Topic	Item #	Recommendation	Reported on page #
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	Page 1
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	Pages 2-3
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	Pages 3-7
Objectives	3	State specific objectives, including any prespecified hypotheses	Page 7
Methods			
Study design	4	Present key elements of study design early in the paper	Page 7
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	Pages 7-8
Participants	6	(a) Give the eligibility criteria, and the sources and methods of selection of participants	Pages 7-10
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	Pages 7-10
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	Pages 7-10
Bias	9	Describe any efforts to address potential sources of bias	Page 10
Study size	10	Explain how the study size was arrived at	Pages 7-8 and Figure
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	Pages 8-10 and Table 1
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	Pages 10-11
		(b) Describe any methods used to examine subgroups and interactions	Pages 10-11
		(c) Explain how missing data were addressed	Page 11
		(d) If applicable, describe analytical methods taking account of sampling strategy	N/A
		(e) Describe any sensitivity analyses	N/A

Results			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	Figure 1
		(b) Give reasons for non-participation at each stage	Figure 1
		(c) Consider use of a flow diagram	Figure 1
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	Tables 2-4
		(b) Indicate number of participants with missing data for each variable of interest	Figure 1
Outcome data	15*	Report numbers of outcome events or summary measures	Tables 2-3
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence	Tables 5-7 and
		interval). Make clear which confounders were adjusted for and why they were included	Figures 2-5
		(b) Report category boundaries when continuous variables were categorized	N/A
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	N/A
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	Page 13
Discussion			
Key results	18	Summarise key results with reference to study objectives	Pages 15-16
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and	Pages 18-19
		magnitude of any potential bias	
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from	Pages 19-21
		similar studies, and other relevant evidence	
Generalisability	21	Discuss the generalisability (external validity) of the study results	Pages 17-18, pages
			20-21
Other information			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on	Page 22
		which the present article is based	

^{*}Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.