



UNIVERSITY OF LEEDS

This is a repository copy of *VLC Systems with CGHs*.

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/138746/>

Version: Accepted Version

Proceedings Paper:

Younus, S, Al-Hameed, AA, Hussein, A et al. (2 more authors) (2019) VLC Systems with CGHs. In: 2019 21st International Conference on Transparent Optical Networks (ICTON). 2019 21st International Conference on Transparent Optical Networks (ICTON), 09-13 Jul 2019, Angers, France. IEEE . ISBN 978-1-7281-2779-8

<https://doi.org/10.1109/ICTON.2019.8840317>

© 2019 IEEE. This is an author produced version of a paper published in 21st International Conference on Transparent Optical Networks (ICTON). Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. Uploaded in accordance with the publisher's selfarchiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

VLC Systems with CGHs

Safwan Hafeedh Younus¹, Aubida A. Al-Hameed¹, Ahmed Taha Hussein¹, Mohammed T. Alresheedi² and Jaafar M. H. Elmirghani¹

¹School of Electronic and Electrical Engineering, University of Leeds, Leeds, LS2 9JT, UK

²Department of Electrical Engineering, King Saud University, Riyadh, Saudi Arabia

E-mail: {elshy@leeds.ac.uk, elaawj@leeds.ac.uk, asdfatah@yahoo.com, malresheedi@ksu.edu.sa, elshy@leeds.ac.uk, j.m.h.elmirghani@leeds.ac.uk}

ABSTRACT: The achievable data rate in indoor wireless systems that employ visible light communication (VLC) can be limited by multipath propagation. Here, we use computer generated holograms (CGHs) in VLC system design to improve the achievable system data rate. The CGHs are utilized to produce a fixed broad beam from the light source, selecting the light source that offers the best performance. The CGHs direct this beam to a specific zone on the room's communication floor where the receiver is located. This reduces the effect of diffuse reflections. Consequently, decreasing the intersymbol interference (ISI) and enabling the VLC indoor channel to support higher data rates. We consider two settings to examine our propose VLC system and consider lighting constraints. We evaluate the performance in idealistic and realistic room setting in a diffuse environment with up to second order reflections and also under mobility. The results show that using the CGHs enhances the 3dB bandwidth of the VLC channel and improves the received optical power.

Keywords: Computer-generated holograms, inter-symbol-interference, 3-dB channel bandwidth, optical power.

1. INTRODUCTION

One of the main challenges that face VLC systems, is situations where the line-of-sight (LOS) component is absent, which leads to severe impact on the VLC system performance. Furthermore, because of multi-path propagation in indoor VLC systems, inter-symbol interference (ISI) can be experienced, which limits the VLC system's achievable data rate. The former is a limitation in VLC systems, and is attributed to the channel properties [1], [2], where the absence of the line-of-sight (LOS) link increases the path loss [3]-[6] and consequently degrades the performance of optical wireless systems in general and VLC systems in particular which rely on LOS.

In this paper, we propose a fixed CGHs concept used to generate a single fixed wide beam, which reduces the complexity of the VLC system, decrease the impact of ISI and boosts the received optical power in indoor VLC systems. CGHs have been widely investigated in indoor VLC systems [7]-[12]. Two VLC systems were proposed based on the CGHs in [10]: a static CGHs-VLC system and an adaptive CGHs-VLC system where the CGHs was utilized to generate 100 fixed narrow beams in the static CGHs-VLC system and 8 steered beams in the adaptive CGHs-VLC system. However, these VLC systems were complex as many beams are generated by the CGHs and the exact position of the receiver has to be identified for proper operation. The CGH is utilized to orient 30% of the total output optical power from the best light source and focus this power on a small surface of 2 m × 2 m. Each light source (transmitter) is followed by a CGH, but, the data is sent through one chosen light source, which is the best light source that offers high optical power and low ISI. We designed our proposed communication system while considering acceptable lighting level in the environments and the impact of multipath propagation. Additionally, the proposed systems are examined in two different rooms under user mobility [13], [14] and using on-off-keying (OOK) modulation.

The paper is structured as follows. The VLC system model is given in Section 2. The design of the CGH is developed in Section 3. The evaluation of the proposed VLC systems and the results are outlined in Section 4. Section 5 gives the conclusions.

2. VLC SYSTEM MODEL

To characterize the indoor VLC channel, two room scenarios are considered an idealistic room and a realistic room, which are denoted as room A and room B, respectively, as shown in Figs. 1 (a) and (b). Both rooms have areas of 8 m × 4 m (length × width) and heights of 3 m. Experimental measurements have shown that light rays reflect from plaster walls roughly in a form of the Lambertian beam [11]. Thus, reflective surfaces (walls, ceiling and floor) of room A and room B were assumed to reflect the optical signal in the form of a Lambertian pattern with 0.8 reflection coefficient for the ceiling and walls and 0.3 reflection coefficient for the floor [12]. In this paper, we took into account reflections up to the second order. This is because higher order reflections (third order reflections and beyond) have a small impact on the indoor VLC system performance [15]. Here, to model reflections, a ray-tracing algorithm is used in which the walls, ceiling and floor of the rooms were split into small surface elements. Each surface element is square-shaped and has an area d_A with a reflection coefficient ρ . In addition, these surface elements are considered as Lambertian reflectors with $n = 1$, where n is the Lambertian emission order. Although, higher accuracy can be achieved when the size of the surface elements is reduced, this

leads to exponential rise in the computation time. Therefore, to keep computations within a reasonable time, in the first order reflections, a reflective element size of $5\text{ cm} \times 5\text{ cm}$ was selected while a size of $20\text{ cm} \times 20\text{ cm}$ was selected for surface elements in the second order reflections [16], [17]. Room B is considered as an office environment which contains furniture, chairs, a door, windows, bookshelves and mini cubicle partitions (see Fig. 1 (b)). The reflection coefficients of the windows and the door were set to zero. Moreover, two walls of room B ($y = 8\text{ m}$ and $x = 4\text{ m}$) contains bookstands and filling cabinets (see Fig. 1 (b)) and have reflection coefficients of 0.4 [18]-[20]. In addition, the furniture inside the realistic room was given a reflection coefficient similar to that of the floor (0.3).




Fig 1: Room configurations (a) an idealistic environment (room A

In this work, we considered laser diodes (LDs) as sources of lighting and as transmitters instead of light emitting diodes (LEDs). LDs offer many benefits over LEDs such as higher modulation speed, much brighter emissions compared to LEDs and higher output powers, which lead to high lumen output [21], [22]. In addition, LD illumination (four colours LD; RYGB) can be designed to comply with human eye hazards regulations [23]. As such, we assumed the same parameters of the RYGB LDs in [23]. To guarantee a suitable level of illumination inside the proposed rooms following the ISO and European illumination framework [24], eight light sources are fitted on the room's ceiling (see Fig. 1 (a)). Each one of these luminaires contains nine RYGB LDs (3×3) with a 2 cm separation. It is worth noting that the transmitted data modulated the four colours of the RYGB LDs and all RYGB LDs in the same light source carry the same data.

A wide field of view (FOV, $\text{FOV} = 40^\circ$) detector with a photosensitive area of 0.5 mm^2 is proposed as a receiver front-end in this work. The wide-FOV receiver is the basic receiver configuration broadly studied, for example in [11], [25], [26]. The receiver height was 1 m, on the "communication floor" (see Fig. 1 (a)).

3. CGHS for INDOOR VLC SYSTEMS

To attain an acceptable lighting level in the room, a number of spatially separated light sources are fitted in the room's ceiling. This produces ISI mainly due to the many strong LOS optical rays that arrive at receiver at different times. Therefore, in this work, the data is sent through only one light source. This light source is the one that provides the highest signal to noise ratio (SNR) at the optical receiver. But, this decreases the optical power received by the optical receiver. Therefore, we used the fixed CGHS to direct a portion of the total optical power of the best light source and focused it on a small surface area of the communication floor. Given the impact of diffuse reflections on the VLC system's performance, using the CGH reduces the impact of multipath propagation at higher data rates.

3.1 Select the Best Light Source Algorithm.

To reduce the effect of the LOS components from multiple light units that reach the optical receiver dispersed in time, one light source is utilized for data communication. A "select the best light source" (SBLs) algorithm is utilized following these steps:

1. Each light source is identified by an ID, and this ID is given by the controller.
2. The controller turns on the light sources one by one, which prevents interference between the light sources.
3. The optical receiver obtains the SNR of each light source.
4. The optical receiver notifies the controller of the associated SNR of each light source by transmitting a feedback signal at low data rate. This feedback signal is assumed to be an infrared (IR) signal. We considered the design of IR uplinks in [27].

5. The controller chooses the light source that offers the best performance (i.e., the light source that has the highest SNR) to transmit the data and deactivates data communications for the other light sources.

In some receiver locations, more than one light source can offer the same SNR, and this is related to the room's symmetry. The controller selects one light source and discards the other(s). It is worth observing that there is no need to find the optical receiver location while using the SBL algorithm.

3.2 Design of the CGH for Indoor VLC Systems.

The CGHs have the ability to generate spots with any phase distribution and prescribed amplitude. The CGHs complex transmittance is used to compute the CGHs, which is given as [18]:

$$H(u, v) = A(u, v)e^{j\Phi(u, v)} \quad (1)$$

where $A(u, v)$, $\Phi(u, v)$ and (u, v) denote the hologram amplitude distribution, the hologram phase distribution and the coordinates of the hologram in the frequency domain, respectively. The phase and the amplitude of the incoming wave-front can be modulated by the CGHs. Here, we used the CGHs to focus a specific amount of the best light source total optical power onto a small surface area of the communication floor. To compute the beam distribution, diffraction theory is utilized [28] to determine the phase of each pixel to get the wanted far-field pattern. While the hologram is in the frequency domain, the observed far-field pattern is in the spatial domain. Hence, there are two domains, the frequency domain (the hologram domain) and the spatial domain (the far-field pattern domain), and a Fourier transform connects these two domains as [29]:

$$h(x, y) = \iint H(u, v) e^{-j2\pi(ux+vy)} dx dy. \quad (2)$$

The hologram consists of an array ($M \times N$) of rectangular cells. The size of each cell is $R \times S$ and the value of the complex transmittance is H_{kl} : $-M/2 \leq k \leq M/2$ and $-N/2 \leq l \leq N/2$ [18]. The diffraction pattern of the hologram is written as [29]:

$$h(x, y) = RS \operatorname{sinc}(R_x, S_y) \sum_{k=-\frac{M}{2}}^{\frac{M}{2}-1} \sum_{l=-\frac{N}{2}}^{\frac{N}{2}-1} H_{kl} e^{j2\pi(Rxk+Sy l)} \quad (3)$$

A cost function (CF) is used to describe the difference between the actual output pattern and the desired far-field pattern. In the design of the CGHs, we used a simulated annealing algorithm for optimizing the CGHs. In this algorithm, the CGHs phase is gradually altered to get the wanted far-field pattern [30]. The pattern distribution in the far-field is $f(x, y) = |f(x, y)| e^{j\Phi(x, y)}$. The target of the CGHs design is to get the distribution of the CGHs $g(v, u)$ that generates a reconstruction $g(x, y)$ close to the desired distribution $f(x, y)$. The CF is the mean square error of the difference between the normalized wanted object energy $f''(x, y)$ and the scaled reconstruction energy of the k^{th} iteration $g''(x, y)$ and it is written as [8]:

$$CF_k = \sqrt{\sum_{i=1}^M \sum_{j=1}^N (|f''(x, y)|^2 - |g''(x, y)|^2)^2} \quad (4)$$

3.3 Effect of the CGH on the Lighting Level.

Light engines in VLC systems produce very broad beams. In our case, beams with semi-angle of 70° were produced to meet the illumination requirements. These broad beams reduce the amount of power collected by the receiver, especially if only one light engine is used for communication as we propose here to reduce the ISI. Therefore, our CGHs direct part of the VLC light engine output power (30% in this work, optimized) towards the communication floor thus increasing the power collected by the optical receiver while maintaining illumination at levels acceptable by the standards. Fixed CGHs were utilized in this work, where the CGHs produce a single wide fixed beam, (without steering to the receiver). Thus, the beam's size must be chosen to cover all the optical receiver possible locations on the room's communication floor, and the amount of power directed, must not cause the lighting level to be in violation of the acceptable limits. Although generating a small size beam leads to high received optical power, this reduces the CGHs coverage area, which restricts user mobility. In contrast, a large size beam increases the CGHs coverage area; but, this offers low received optical power. Hence, a beam with an optimal size must be generated for the required coverage and mobility levels. Because of the light sources distributed on the room's ceiling, the room's communication floor was split into eight $2 \text{ m} \times 2 \text{ m}$ surface areas (see Fig. 2 (a)). In addition, the generated beam size is chosen to be $2 \text{ m} \times 2 \text{ m}$. Choosing the closest light unit to the optical receiver leads to coverage of all possible locations in the room's communication floor. To determine the amount of optical power that should be generated by the CGHs from the best light source without violating the acceptable lighting levels in the room, we examined different amounts of optical power that may be directed from the best light source by the CGHs such as 20%, 30% and 40%. These values were examined while taking

into account that the best light source may be the one positioned at one of the room's corners (we considered the light source that was located at 1 m, 1 m, 1 m as the best light source) since the minimum lighting happens at the room's corners. The results revealed that up to 30% of the total optical power from the best light source can be directed to the $2\text{ m} \times 2\text{ m}$ surface area while keeping the lighting at the level established by the standard (i.e. 300 lx [24]). Fig. 2 (b) illustrates the lighting level distribution on the room's communication floor. As seen, before generating the beam, the lowest value of lighting was 338 lx, which met the standards requirements (i.e. more than 300 lx). The lowest illumination levels while using 20%, 30% and 40% of the total optical power of the best light source at the corner of the room were 314 lx, 302 lx and 286 lx, respectively. So, we selected 30% of the total optical power from the light source to keep the level of the lighting at an appropriate value.




Fig. 2: (a) size of the beam generated by the CGHs and (b) the distribution of illumination on the communication floor.

4 RESULTS

Our proposed VLC system's performance is examined in two rooms: room A (the idealistic room) and room B (the realistic room). We utilized a simulation tool similar to that in [31], [32]. In this simulation tool, the impulse responses were determined, and consequently, the optical path loss (PL), delay spread (D) and 3dB bandwidth of the channel were evaluated. The VLC systems were examined while the optical receiver moved along the x -axis and y -axis in steps of 1 m. Because of the symmetry of room A, we obtained the results on the y -axis and along $x = 1\text{ m}$ and $x = 2\text{ m}$ whereas the results were calculated along the y -axis and on $x = 1\text{ m}$, $x = 2\text{ m}$ and $x = 3\text{ m}$ for room B. For comparison purposes, we report the results of our proposed system without and with CGHs, and for both systems, one transmitter was used to send the data.

4.1 Results in the Empty Room (room A)

The delay spread of the indoor VLC system without using the CGH and using the CGH is shown in Fig. 3. The results were calculated while the optical receiver moved at $x = 1\text{ m}$ and $x = 2\text{ m}$ along the y -axis in room A. The results show that using the CGH for the indoor VLC system leads to reduced delay spread and consequently reduced ISI at higher data rates. As shown in Fig. 3, the maximum delay spread value was 0.27 ns for the VLC system without the CGH whereas it was 0.09 ns for the VLC system that uses the CGH. The improvement is due to the 30% of the total optical power of the best transmitter directed to the $2\text{ m} \times 2\text{ m}$ surface area. This increases the received optical power associated with the LOS components and decreases the effect of diffuse reflections from the surface reflectors of the room.




Fig. 3: Delay spread of the mobile user without and with the CGH in room A along $x = 1\text{ m}$ and $x = 2\text{ m}$.

Table I shows the 3dB bandwidth of the indoor VLC channel without the CGHs and with the CGHs while the mobile user moved along the y -axis at $x = 1\text{ m}$ and $x = 2\text{ m}$ in room A. As can be seen, using the CGHs in the VLC system leads to increase in the 3dB bandwidth compared to the VLC system without the CGHs. The

minimum 3 dB bandwidth of the VLC channel without the CGHs was 1.21 GHz. In contrast, the lowest 3dB channel bandwidth of the VLC system with the CGHs was 2.2 GHz. Thus, with a bandwidth equal to 0.7 times the data rate (for OOK modulation) [33], the highest data rate that is supported by the VLC system without and with the CGHs is 1.73 Gb/s and 3.15 Gb/s, respectively.

TABLE I
3dB CHANNEL BANDWIDTH WITHOUT AND WITH CGH ALONG THE Y-AXIS AND AT X = 1 m AND X = 2 m.

3 dB channel bandwidth (GHz)					
Receiver locations (m)	without CGH	with CGH	Receiver locations (m)	without CGH	with CGH
1, 1, 1	1.25	2.86	2, 1, 1	1.38	2.98
1, 2, 1	1.75	2.89	2, 2, 1	1.21	2.2
1, 3, 1	2.1	3.1	2, 3, 1	2.3	3.17
1, 4, 1	1.9	3.03	2, 4, 1	1.67	2.6
1, 5, 1	2.1	3.1	2, 5, 1	2.3	3.17
1, 6, 1	1.75	2.89	2, 6, 1	1.21	2.2
1, 7, 1	1.25	2.86	2, 7, 1	1.38	2.98

4.2 Effect of Shadowing and Signal Blockage on the Proposed System

To study the influence of obstacles on our proposed VLC system, the analysis was carried out in room B. In room B, we took into account the influence of signal blockage attributed to mini cubicles, door, windows, furniture, multipath propagation and user mobility (see Fig. 1 (b)). Because of the asymmetry of room B, results were calculated while the mobile user moved along the y -axis on the lines $x = 1$ m, $x = 2$ m and $x = 3$ m.

Fig. 4 shows the received optical power gain due to the use of CGHs when the mobile receiver moved along the y -axis and at $x = 1$ m, $x = 2$ m, and $x = 3$ m in steps of 1 m in room B. This gain is expressed as:

$$\text{Power gain (dB)} = Pr_{CGH}(\text{dB}) - Pr(\text{dB}) \quad (5)$$

where $Pr_{CGH}(\text{dB})$ is the received optical power using CGH and $Pr(\text{dB})$ is the received optical power without the CGH. It can be seen that due to the use of the CGH, the minimum gain in optical received power was equal to 3 dB, 2.2 dB and 2.8 dB along the $x = 1$ m, $x = 2$ m and $x = 3$ m, respectively. Thus, by using the CGH, the quality of the connection improves without increasing the transmitted power.




Fig. 4: Received optical power gain when the mobile user was walking along the y -axis and at $x = 1$ m, $x = 2$ m and $x = 3$ m in room B.

5 CONCLUSIONS

An indoor VLC system that utilizes CGHs was proposed in this work. This VLC system was designed to overcome one of the main impairments in indoor VLC systems, namely ISI caused by multipath dispersion. The CGH was utilized to direct a single fixed beam from the best light source to a surface area of $2 \text{ m} \times 2 \text{ m}$, which improved the 3-dB bandwidth of the indoor VLC channel and increased the received optical power. We considered the acceptable lighting levels and the impact of our approach on lighting levels. Thus, we optimized the amount of optical power delivered by the CGHs, which was 30% of the total power of the best light source in our room setup. In addition, we proposed a “select the best light source” algorithm in which the best light source was assigned to the optical receiver without needing to know the receiver location, which simplifies the design of the VLC system. We evaluated the performance of our proposed system in two different room settings in the presence of multipath propagations and mobility. Our proposed system decreased the delay spread of the traditional VLC systems (VLC systems that do not use CGHs) and improved the 3dB channel bandwidth, which helps support higher data rates.

REFERENCES

- 1- H. Elgala, R. Mesleh, and H. Haas, "Indoor optical wireless communication: potential and state-of-the-art," *Communications Magazine, IEEE*, vol. 49, pp. 56-62, 2011.
- 2- S. H. Younus and J. M. Elmirghani, "WDM for high-speed indoor visible light communication system," *19th International Conference on Transparent Optical Networks (ICTON)*, 2017, pp. 1-6.
- 3- M. T. Alresheedi and J. M. Elmirghani, "10 Gb/s indoor optical wireless systems employing beam delay, power, and angle adaptation methods with imaging detection," *Journal of Lightwave Technology, IEEE*, vol. 30, pp. 1843-1856, 2012.
- 4- Al-Ghamdi, A. and Elmirghani, J.M.H., "Optimisation of a PFDR antenna in a fully diffuse OW system influenced by background noise and multipath propagation," *IEEE Transactions on Communication*, vol. 51, No. 12, pp. 2103-2114, 2003.
- 5- Alsaadi, F.E. and Elmirghani, J.M.H., "Adaptive mobile line strip multibeam MC-CDMA optical wireless system employing imaging detection in a real indoor environment," *IEEE Journal on Selected Areas in Communications*, vol. 27, No. 9, pp. 1663-1675, 2009.
- 6- F. E. Alsaadi and J. M. Elmirghani, "Performance evaluation of 2.5 Gbit/s and 5 Gbit/s optical wireless systems employing a two dimensional adaptive beam clustering method and imaging diversity detection," *IEEE Journal on Selected Areas in Communications*, vol. 27, pp. 1507-1519, 2009.
- 7- M. T. Alresheedi and J. M. Elmirghani, "Performance evaluation of 5 Gbit/s and 10 Gbit/s mobile optical wireless systems employing beam angle and power adaptation with diversity receivers," *IEEE Journal on Selected Areas in Communications*, vol. 29, pp. 1328-1340, 2011.
- 8- A. T. Hussein, M. T. Alresheedi, and J. M. Elmirghani, "20 Gbps Mobile Indoor Visible Light Communication System Employing Beam Steering and Computer Generated Holograms," *Journal of Lightwave Technology*, vol. 33, no. 24, PP. 5242-5260, 2015.
- 9- A. T. Hussein, M. T. Alresheedi, and J. M. Elmirghani, "Fast and efficient adaptation techniques for visible light communication systems," *Journal of Optical Communications and Networking*, vol. 8, pp. 382-397, 2016.
- 10- S. H. Younus, A. T. Hussein, M. Thamer Alresheedi, and J. M. Elmirghani, "CGH for Indoor Visible Light Communication System," *IEEE Access*, vol. 5, pp. 24988-25004, 2017.
- 11- F. R. Gfeller and U. Bapst, "Wireless in-house data communication via diffuse infrared radiation," *Proceedings of the IEEE*, vol. 67, pp. 1474-1486, 1979.
- 12- Al-Ghamdi, A. and Elmirghani, J.M.H., "Performance evaluation of a triangular pyramidal fly-eye diversity detector for optical wireless communications," *IEEE Communications Magazine*, vol. 41, No. 3, pp. 80-86, 2003.
- 13- Alsaadi, F.E. and Elmirghani, J.M.H., "Mobile Multi-gigabit Indoor Optical Wireless Systems Employing Multibeam Power Adaptation and Imaging Diversity Receivers," *IEEE/OSA Journal of Optical Communications and Networking*, vol. 3, No. 1, pp. 27-39, 2011.
- 14- Alsaadi, F.E., Esfahani, M.N. and Elmirghani, J.M.H., "Adaptive mobile optical wireless systems employing a beam clustering method, diversity detection and relay nodes," *IEEE Transactions on Communications*, vol. 58, No. 3, pp. 869-879, 2010.
- 15- A. T. Hussein and J. M. H. Elmirghani, "10 Gbps mobile visible light communication system employing angle diversity, imaging receivers, and relay nodes," *Optical Communications and Networking, IEEE/OSA Journal of*, vol. 7, pp. 718-735, 2015.
- 16- F. E. Alsaadi, M. A. Alhartomi, and J. M. Elmirghani, "Fast and efficient adaptation algorithms for multi-gigabit wireless infrared systems," *Journal of Lightwave Technology*, vol. 31, pp. 3735-3751, 2013.
- 17- S. H. Younus, A. A. Al-Hameed, A. T. Hussein, M. T. Alresheedi, and J. M. J. I. A. Elmirghani, "Parallel Data Transmission in Indoor Visible Light Communication Systems," vol. 7, pp. 1126-1138, 2019.
- 18- M. T. Alresheedi and J. M. Elmirghani, "Hologram Selection in Realistic Indoor Optical Wireless Systems With Angle Diversity Receivers," *Journal of Optical Communications and Networking*, vol. 7, pp. 797-813, 2015.
- 19- A. Al-Hameed, A. T. Hussein, M. T. Alresheedi, S. H. Younus, and J. M. Elmirghani, "Transmitters Mapping of Visible Light Communication System," in *19th International Conference on Transparent Optical Networks (ICTON 2017)*, 2017.
- 20- S. H. Younus, A. A. Al-Hameed, A. T. Hussein, M. T. Alresheedi, and J. M. J. I. A. Elmirghani, "WDM for Multi-user Indoor VLC Systems with SCM," *IET Communication*, Submitted, 2019.
- 21- F. Zafar, M. Bakaul, and R. Parthiban, "Laser-Diode-Based Visible Light Communication: Toward Gigabit Class Communication," *IEEE Communications Magazine*, vol. 55, pp. 144-151, 2017.
- 22- Koninklijke Philips Electronics N.V., "Eye-safe laser-based lighting," U.S. Patent US20110116520 A1, May 19, 2011.
- 23- A. Neumann, J. J. Wierer, W. Davis, Y. Ohno, S. R. Brueck, and J. Y. Tsao, "Four-color laser white illuminant demonstrating high color-rendering quality," *Optics express*, vol. 19, pp. A982-A990, 2011.
- 24- "European standard EN 12464-1: Lighting of indoor work places," [online] Available: http://www.etaplighting.com/upoadedFiles/Downloadable_documentation/documentatie/EN12464_E_OK.pdf. Last access on 01/02/2015.
- 25- T. Komine and M. Nakagawa, "Fundamental analysis for visible-light communication system using LED lights," *Consumer Electronics, IEEE Transactions on*, vol. 50, pp. 100-107, 2004.
- 26- J. M. Kahn and J. R. Barry, "Wireless infrared communications," *Proceedings of the IEEE*, vol. 85, pp. 265-298, 1997.
- 27- Mohammed T. Alresheedi, Ahmed Taha Hussein, Jaafar M.H. Elmirghani, "Uplink Design in VLC Systems with IR Sources and Beam Steering," *IET Communications*, vol. 11, no. 3, pp. 311-317, 2017.

- 28- S. Jovkova and M. Kavehard, "Multispot diffusing configuration for wireless infrared access," *Communications, IEEE Transactions on*, vol. 48, pp. 970-978, 2000.
- 29- M. A. Seldowitz, J. P. Allebach, and D. W. Sweeney, "Synthesis of digital holograms by direct binary search," *Applied Optics*, vol. 26, pp. 2788-2798, 1987.
- 30- P. Carnevali, L. Coletti, and S. Patarnello, "Image processing by simulated annealing," *IBM Journal of Research and Development*, vol. 29, pp. 569-579, 1985.
- 31- J. R. Barry, J. M. Kahn, W. J. Krause, E. Lee, and D. G. Messerschmitt, "Simulation of multipath impulse response for indoor wireless optical channels," *Selected Areas in Communications, IEEE Journal on*, vol. 11, pp. 367-379, 1993.
- 32- K. L. Sterckx, J. M. Elmirghani, and R. A. Cryan, "Pyramidal fly-eye detection antenna for optical wireless systems," *Digest IEE Colloq. on Optical Wireless Communications*, Digest No. 1999, pp. 5/1-5/6, London, June 1999.
- 33- S. D. Personick, "Receiver design for digital fiber optic communication systems, I," *Bell system technical journal*, vol. 52, pp. 843-874, 1973.