



This is a repository copy of *A 2000 yr paleoearthquake record along the Conway segment of the Hope fault : implications for patterns of earthquake occurrence in northern South Island and southern North Island, New Zealand.*

White Rose Research Online URL for this paper:
<https://eprints.whiterose.ac.uk/151459/>

Version: Supplemental Material

Article:

Hatem, A.E., Dolan, J.F., Zinke, R.W. et al. (3 more authors) (2019) A 2000 yr paleoearthquake record along the Conway segment of the Hope fault : implications for patterns of earthquake occurrence in northern South Island and southern North Island, New Zealand. *Bulletin of the Seismological Society of America*, 109 (6). pp. 2216-2239. ISSN 0037-1106

<https://doi.org/10.1785/0120180313>

© 2019 Seismological Society of America. This is an author-produced version of a paper subsequently published in *Bulletin of the Seismological Society of America*. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.


Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>


(b)



(a)



(b)



(c)

