



UNIVERSITY OF LEEDS

This is a repository copy of *Ecological quality and conservation status of inland waters*.

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/152962/>

Version: Accepted Version

Article:

Miranda, R, Hermoso, V and Hassall, C orcid.org/0000-0002-3510-0728 (2019) Ecological quality and conservation status of inland waters. *Inland Waters*, 9 (3). pp. 275-277. ISSN 2044-2041

<https://doi.org/10.1080/20442041.2019.1645548>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Summary editorial: Ecological Quality and Conservation Status of Inland Waters

Rafael Miranda,^{a*} Virgilio Hermoso,^b and Christopher Hassall^c

^aUniversity of Navarra, School of Sciences, Department of Environmental Biology, Pamplona, Spain; ^bCentre Tecnològic Forestal de Catalunya, Crta. Sant Llorenç de Morunys, Km 2 25280, Solsona, Lleida, Spain; ^cSchool of Biology, Faculty of Biological Sciences, University of Leeds, Leeds, UK.

* corresponding author: Rafael Miranda rmiranda@unav.es

Abstract

Assessment of freshwater ecosystems is crucial to measure their ecological status, and to provide primary information for their conservation. This editorial introduces a special section of Inland Waters regarding the study of ecological monitoring and biodiversity conservation of inland waters. Papers in this special section of Inland Waters are briefly described and a synthesis of the topic is provided, with the aim to offer a summary of contents and an overview of the subject matter.

Freshwater ecosystems are among the most valuable resources on earth and harbour a rich biological diversity (Collen et al. 2014). The relevance of the biodiversity they hold and the services that they provide contrasts with the small spatial extent of these ecosystems, which cover less than 1% of the surface of the world (Gleick 1998). It is estimated that freshwater ecosystems provide suitable habitat for at least 126,000 species, after taking into account that this biodiversity is only partly surveyed (Balian et al. 2008, Schmidt-Kloiber et al. 2019).

At the same time, freshwater ecosystems may well be the most endangered of any in the world (Veríssimo et al. 2018, Reid et al. 2019). The decline experienced by freshwater biodiversity is much greater in inland waters than in the most terrestrial ecosystems. This is related to the complexity and fragility of freshwater ecosystems and the huge pressures that they are facing; including habitat alteration, invasive species, pollution, overfishing, and climate change (Barret et al. 2018).

The need to assess conservation status and ecological health of these systems is the first step to improve management. The distribution of freshwater biodiversity depends on environmental features and general ecological status. Environmental variables and biotic interactions (competition, predation, etc.) show temporal and spatial variation and define the structure and composition of the communities present in an aquatic ecosystem. The ecological status of inland waters reflects the structural quality and function.

Currently, many indicators allow us to evaluate this ecological status of freshwater ecosystems. Conservation of freshwater ecosystems poses a major challenge to our society. Monitoring and improvement of the ecological health of freshwater ecosystems is crucial for the integration of sustainable development and nature conservation.

To address this challenge, the Biodiversity Data Analytics and Environmental Quality group (BEQ) of the Department of Environmental Biology of the University of Navarra organized a

Conference on Ecological Quality and Conservation Status of Inland Waters. The Conference was held 28-29 September 2017 at the School of Sciences, University of Navarra, in Pamplona, Spain. The purpose of the meeting was to gather a group of specialists interested in the study and conservation of inland waters. Encouraging debate and knowledge exchange is essential to find solutions to the current problems concerning freshwater ecosystems.

The conference was organized by a local organization and comprised scientific program speakers, which included, in alphabetical order, Lluís Benejam, Elías D Dana, Ana Filipa Filipe, David Galicia, Christopher Hassall, Virgilio Hermoso, Stephanie Januchowski-Hartley, Luis Lassaletta, César Pérez Martín, Alfredo Ollero, Javier Oscoz, Ibon Tobes, Pedro Tomás and Iván Vedia, whose efforts contributed greatly towards the outcome of this special section of Inland Waters. A major sponsor for this conference was the Research Plan of the University of Navarra (2014-15, PIUNA). Further support was kindly provided by the Administrative Office of the School of Sciences.

This editorial introduces a special section of Inland Waters of chosen communications from the conference. The scientific committee selected eight papers related to the study of ecological monitoring and biodiversity conservation of inland waters to produce this special section. In this context, two groups of articles were considered. The first group relates to the development of ecological indicators, including a new ecological indicator (García-Chicote et al. 2019), two new specific indices (Rodeles et al. 2019, Soria et al. 2019), and a methodological analysis of known indicators (Sòria-Perpinyà et al. 2019).

García-Chicote et al (2019) propose the use of zooplankton as a new indicator taxon to estimate ecological quality of reservoirs around Mediterranean rivers. According to their study, selected zooplankton species are good indicators of mesotrophic, eutrophic, and hypertrophic states of reservoirs. In the same way, Soria et al. (2019) propose a new index based on phytoplankton, comparing it to other indexes based on the concentration of chlorophyll *a* and physicochemical parameters. The new index permits the evaluation of the ecological status of reservoirs according to the European Water Framework Directive (Directive 2000/60/EC). Related to these two papers, a third study compares the chlorophyll *a* in several reservoirs to test whether differences in concentrations obtained from different methods influence the results of several ecological indices. Results show that the two methods do not affect the indices (Sòria-Perpinyà et al. 2019).

A very different index was developed by Rodeles et al. (2019), related to connectivity of rivers. These authors create a new index to estimate river connectivity, and fragmentation by dams, considering habitat accessibility and suitability for breeding of a particular fish species.

A second group of articles brings together four papers where ecological monitoring and analysis permit the authors to propose local and international management and conservation measures. Two articles explore local ecological studies, one focused on ecology of phytoplankton blooms in United Kingdom canals, with the aim of helping to control harmful algal blooms (Kelly and Hassall 2018), and the other analyses the effects of agricultural activity and land use on streams of Andean Choco in Ecuador (Morabowen et al. 2019). Both studies highlight severe human impacts and suggest management practices to avoid unwanted effects on biodiversity.

Two final papers in this Special Section, by Filipe et al. (2019) and Gozlan et al. (2019), review the ecological assessment and status of freshwater ecosystems at geographic continental level. Filipe et al. (2019) review the European Water Framework Directive (Directive 2000/60/EC)

and the current status of European freshwaters, considering major challenges and threats for biodiversity. The authors propose recommendations in the context of European Water Directives to improve monitoring and assessment of inland waters. The final paper by Gozlan et al. (2019) provides a critical assessment of issues facing decision-makers regarding freshwater biodiversity and ecosystems, as part of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) report on Europe and Central Asia. The results of the review suggest that little progress has been made regarding the achievement of targets proposed in Europe and Central Asia. The aim of the targets is to attain the principal goals of the Strategic Plan for Biodiversity 2011-2020 (Convention on Biological Diversity 2010).

Collectively, the papers in this Special Section include research topics regarding indicators of ecological quality; connectivity of rivers and threats to biodiversity; research, conservation and management of freshwater species; and related issues about planning, regulation and legislation of inland waters. These studies highlight threats and challenges facing freshwater ecosystems and their biological diversity, and demonstrate the urgent need to increase research into freshwater diversity, in order to develop new indicators, improve ecological status of rivers, as well as assess this complex biodiversity (Collen et al. 2014).

The Guest Editors thank the authors for submitting high quality manuscripts to this Special Section. We acknowledge the contribution of the reviewers who have participated in the review process, and provided helpful comments and suggestions to the authors on improving their manuscripts. We specially thank Professor John R Jones, currently Editor Emeritus and previous Editor-in-Chief of *Inland Waters*, and Professor David Hamilton, current Editor-in-Chief, for their advice and strong support during the process of putting together this Special Section. We also hope that the readers will enjoy reading the papers included in this Special Section.

References

Balian EV, Segers H, Lévêque C, Martens K. 2008. The Freshwater Animal Diversity Assessment: an overview of the results. *Hydrobiologia*. 595:627–637.

Barrett M, Belward A, Bladen S, Breeze T, Burgess N, Butchart S, Clewlow H, Cornell S, Cottam A, Croft S, de Carlo G, et al. 2018. *Living Planet Report - 2018: Aiming Higher*. Gland (Switzerland): World Wildlife Foundation.

Collen B, Whitton F, Dyer EE, Baillie JEM, Cumberlidge N, Darwall WRT, Pollock CM, Richman NI, Soulsby A-M, Böhm M. 2014. Global patterns of freshwater species diversity, threat and endemism. *Glob Ecol Biogeogr*. 23:40–51.

[CBD] Convention on Biological Diversity. 2010. UNEP/CBD/COP/DEC/X/2 The Strategic Plan for Biodiversity. 2011–2020 and the Aichi Biodiversity Targets. Nagoya, Japan. Accessed July 18, 2019. <https://www.cbd.int/sp/>.

[EU] European Union. 2000. Directive 2000/60/EC of October 23, 2000, of the European parliament and of the council establishing a framework for community action in the field of water policy. *Official J Eur Community*. L327:1–72.

- Filipe AF, Feio MJ, Garcia-Raventós A, Ramião JP, Pace G, Martins FMS, Magalhães MF. 2019. The European Water Framework Directive facing current challenges: recommendations for a more efficient biological assessment of inland surface waters. *Inland Waters*. 9:95–103.
- García-Chicote J, Armengol X, Rojo C. 2019. Zooplankton species as indicators of trophic state in reservoirs from Mediterranean river basins. *Inland Waters*. 9:113–123.
- Gleick PH. 1998. The human right to water. *Water Policy*. 1:487–503.
- Gozlan RE, Karimov BK, Zadereev E, Kuznetsova D, Brucet S. 2019. Status, trends, and future dynamics of freshwater ecosystems in Europe and Central Asia. *Inland Waters*. 9:78–94.
- Kelly LA, Hassall C. 2018. The spatial ecology of phytoplankton blooms in UK Canals. *Inland Waters*. 8:422–433.
- Morabowen A, Crespo-Pérez V, Ríos-Touma B. 2019. Effects of agricultural landscapes and land uses in highly biodiverse tropical streams of the Ecuadorian Choco. *Inland Waters*. DOI: 10.1080/20442041.2018.1527597
- Reid AJ, Carlson AK, Creed IF, Eliason EJ, Gell PA, Johnson PTJ, Kidd KA, MacCormack TJ, Olden JD, Ormerod SJ, Smol JP, Taylor WW, Tockner K, Vermaire JC, Dudgeon D, Cooke SJ. 2019. Emerging threats and persistent conservation challenges for freshwater biodiversity. *Biol Rev*. 94:849–873.
- Rodeles AA, Leunda PM, Elso J, Ardaiz J, Galicia D, Miranda R. 2019. Consideration of habitat quality in a river connectivity index for anadromous fishes. *Inland Waters*. DOI: 10.1080/20442041.2018.1544817
- Schmidt-Kloiber A, Bremerich V, De Wever A, Jähnig SC, Martens K, Strackbein J, Tockner K, Hering D. 2019. The Freshwater Information Platform: a global online network providing data, tools and resources for science and policy support. *Hydrobiologia*. 838:1–11.
- Soria JM, Montagud D, Sòria-Perpinyà X, Sendra MD, Vicente E. 2019. Phytoplankton Reservoir Trophic Index (PRTI): a new tool for ecological quality studies. *Inland Waters*. DOI: 10.1080/20442041.2018.1494984
- Sòria-Perpinyà X, Sancho-Tello V, Rodríguez MJ, Durán C, Soria JM, Vicente E. 2019. Influence of chlorophyll a quantification methods in ecological quality indices. *Inland Waters*. 9:104–112.
- Veríssimo A, Gante HF, Santos CD, Cheoo G, Oliveira JM, Cereja R, Ribeiro F (2018) Distribution and demography of the critically endangered Lisbon arched-mouth nase, *Iberochondrostoma olisiponense*. *FISHMED*. 2018.002:13p.