

This is a repository copy of UK national cohort of anal cancer treated with intensity-modulated radiotherapy: One-year oncological and patient-reported outcomes.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/157392/

Version: Supplemental Material

Article:

Gilbert, A, Drinkwater, K, McParland, L et al. (7 more authors) (2020) UK national cohort of anal cancer treated with intensity-modulated radiotherapy: One-year oncological and patient-reported outcomes. European Journal of Cancer, 128. pp. 7-16. ISSN 0959-8049

https://doi.org/10.1016/j.ejca.2019.12.022

© 2020, Elsevier Ltd. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/.

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Supplementary data




Figure 1: Flowchart clarifying data included in publication

CORMAC Core Outcome Set outcomes by Early and Advanced risk groups




Figure 2: Overall QOL and function by Early vs Advanced cancer grouping




Figure 3: Cancer symptoms by Early vs Advanced cancer grouping




Figure 4: Bowel Symptoms by Early vs Advanced cancer grouping




Figure 5: Sexual symptoms by Early vs Advanced cancer grouping




Figure 6: Libido by Early vs Advanced cancer grouping