



UNIVERSITY OF LEEDS

This is a repository copy of *Informative scene decomposition for crowd analysis, comparison and simulation guidance*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/160067/>

Version: Supplemental Material

Article:

He, F, Xiang, Y, Zhao, X et al. (1 more author) (2020) Informative scene decomposition for crowd analysis, comparison and simulation guidance. *ACM Transactions on Graphics*, 39 (4). 50. ISSN 0730-0301

<https://doi.org/10.1145/3386569.3392407>

Accepted in SIGGRAPH 2020. © 2020 ACM. This is the author's version of the work. It is posted here for your personal use. Not for redistribution. The definitive Version of Record was published in *ACM Transactions on Graphics*,
<https://doi.org/10.1145/3386569.3392407>.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

‘Informative Scene Decomposition for Crowd Analysis, Comparison and Simulation Guidance’ Supplementary Materials

FEIXIANG HE, University of Leeds, United Kingdom
YUANHANG XIANG, Xi’an Jiaotong University, China
XI ZHAO*, Xi’an Jiaotong University, China
HE WANG[†], University of Leeds, United Kingdom

ACM Reference Format:

Feixiang He, Yuanhang Xiang, Xi Zhao, and He Wang. 2020. ‘Informative Scene Decomposition for Crowd Analysis, Comparison and Simulation Guidance’ Supplementary Materials. *ACM Trans. Graph.* 39, 4, Article 1 (July 2020), 8 pages. <https://doi.org/10.1145/3386569.3392407>

1 VISUALIZATION RESULTS ON REAL-WORLD DATASETS

We show a more complete visualization of Forum (Fig. 1), CarPark (Fig. 2) and TrainStation (Fig. 3) data sets.

2 ANOMALY TRAJECTORIES

We show representative anomaly trajectories in Forum (Fig. 4a) and CarPark (Fig. 4b).

3 VISUALIZATION RESULTS ON SIMULATED DATASETS

We show a more complete visualization of 4 simulations on Forum and TrainStation in Fig.5-8 and Fig.9-12.

*Corresponding author

†Corresponding author

Authors’ addresses: Feixiang He, University of Leeds, School of Computing, United Kingdom, fxhe1992@gmail.com; Yuanhang Xiang, Xi’an Jiaotong University, School of Computer Science and Technology, China, xiangyuanhang@icloud.com; Xi Zhao, Xi’an Jiaotong University, School of Computer Science and Technology, China, zhaoxi.jade@gmail.com; He Wang, University of Leeds, School of Computing, United Kingdom, realcrane@gmail.com.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2020 Association for Computing Machinery.

0730-0301/2020/7-ART1 \$15.00

<https://doi.org/10.1145/3386569.3392407>




Fig. 1. Results on Forum. Top 25 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 2. Results on CarPark. Top 13 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 3. Results on TrainStation. Top 14 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 4. (a) Representative anomaly trajectories in Forum;(b) Representative anomaly trajectories in CarPark.




Fig. 5. Results on SDR. Top 32 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 6. Results on SDRT. Top 29 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 7. Results on SDRTS. Top 30 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 8. Results on our guidance dataset. Top 9 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 9. Results on SDR. Top 13 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 10. Results on SDRT. Top 15 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 11. Results on SDRTS. Top 15 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.




Fig. 12. Results on our guidance dataset. Top 9 modes are showed. For each row, the last two images are time and speed profiles of the space modes in this row.