



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/160257/>

Version: Published Version

Article:

Hill, H., Howarth, E., Walsh, T. et al. (2020) The impact of changing provider remuneration on clinical activity and quality of care: evaluation of a pilot NHS contract in Northern Ireland. *Community Dentistry and Oral Epidemiology*, 48 (5). pp. 395-401. ISSN: 0301-5661

<https://doi.org/10.1111/cdoe.12544>

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



The impact of changing provider remuneration on clinical activity and quality of care: Evaluation of a pilot NHS contract in Northern Ireland

Harry Hill¹ | Elizabeth Howarth² | Tanya Walsh³ | Martin Tickle³ |
Stephen Birch^{4,5} | Paul Brocklehurst⁶

¹School of Health and Related Research, University of Sheffield, Sheffield, UK

²Centre for Biostatistics, University of Manchester, Manchester, UK

³School of Dentistry, University of Manchester, Manchester, UK

⁴Health Services Research & Primary Care, University of Manchester, Manchester, UK

⁵Centre for Business and Economics of Health, University of Queensland, Australia

⁶School of Health Sciences, Bangor University, Bangor, UK

Correspondence

Harry Hill, School of Health and Related Research, University of Sheffield, Sheffield, UK.

Email: Harry.Hill@sheffield.ac.uk

Funding information

This study was funded by HS&DR 14/19/12.

Abstract

Objectives: A pilot NHS dental contract was introduced in Northern Ireland between 2015 and 2016, which involved changing the method for paying general dental practitioners working in the NHS from fee-for-service (FFS) to capitation-based payments, providing an opportunity for a robust evaluation. We investigated the impact of a change in payment methods on clinical activity and the quality of care provided.

Design: A difference-in-difference (DiD) evaluation was applied to clinical activity data from pilot NHS dental practices in Northern Ireland compared to matched control NHS practices and applied to a questionnaire survey of patient-rated outcomes of health outcomes and care quality. We estimated the impact on access to care, treatment activity levels, practice finances and patient-rated outcomes of care of a change from FFS to a capitation-based system for 1 year, as well as the impact of a reversion back to FFS at the end of the pilot period.

Results: The monthly number of registered patients in the pilot practices increased more than the control practices during the capitation period, by 1.5 registrations per 1000 registered patients. The monthly reductions in the volumes of all treatments in the pilot practices during the capitation period were much larger than the control practices, with 175 fewer treatment items. All measures rapidly returned to baseline levels following reversion from capitation back to FFS. NHS income per month increased in pilot practices, by £5920 per month (calculated on FFS item cost basis) more than controls in the capitation period. The analysis of patient questionnaires suggest found that patients notice differences only in waiting times, skill-mix and number of radiographs, but not on other measures of healthcare process and quality.

Conclusion: General dental practitioners working in the NHS respond rapidly and consistently to changes in provider payment methods. A move from FFS to a capitation-based system had little impact on access to care, but did produce large reductions in clinical activity and patient charge income. Patients noticed little change in the service they received. This shows that changes in remuneration contracts have

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2020 The Authors. *Community Dentistry and Oral Epidemiology* published by John Wiley & Sons Ltd

the potential to meet policy goals, such as meeting the expectations of patients within a predictable cost envelope. However, it is unlikely that all policy goals can be met simply by changing payment methods. Therefore, work is also needed to identify and evaluate interventions that can complement changes in remuneration to achieve desirable outcomes.

KEYWORDS

access, economics, program evaluation, quality of care, workforce

1 | INTRODUCTION

Over the last 20 years, the National Health Service (NHS) dental services in the United Kingdom (UK) have faced significant criticism, largely about improving access to care, but also relating to their responsiveness to changing population needs over time, concerns about the quality of care provided, affordability of the service and persistent oral health inequalities.^{1,2} Since the Steele review of 2009, policymakers across the UK have acknowledged the need to reform NHS dental contracts with providers to address these concerns.³

The research literature suggests that NHS practices respond very quickly to changes made to the NHS dental contract, to ensure the viability of their practices. For example, changes to the NHS dental contract in England, in 2006, saw an immediate drop in the types of clinical activity that reduced profit margins for practices and an increase in clinical activity in areas where profit margins could be improved.^{4,5} A 2013 systematic review on the effects of different methods of remuneration on the behaviour of primary care dentists concluded that financial incentives may influence the clinical activity provided, but a clear understanding of the relationship between a change in remuneration and the impact it has on activity and population health was lacking.⁶ A 2011 systematic review also found there is insufficient evidence to determine the effect of financial incentives on the quality of health care provided.⁷

In 2013, a change in the payment system for Primary Care Dentists (PCD) was considered by policymakers in Northern Ireland; one that meant GPs would be paid based on the principles of capitation rather than the existing fee-for-service (FFS) system. The main reasons behind this initiative were to contain costs, promote prevention of disease, secure access to care and improve the quality of care provided to NHS dental patients across the province. The Department of Health, Social Services and Public Safety in Northern Ireland in conjunction with the Northern Ireland Health and Social Care Board (NIHSCB) made a commitment to pilot a new NHS dental contract between 2015 and 2016 and work collaboratively with academics to undertake a rigorous evaluation of the impact of the pilot. Dental practices in the pilot group were to switch from FFS to capitation-based payments (from August 2015) and then back to FFS after 12 months. The aim of this research was to evaluate the impact of a change in the system of provider payment on the


productivity, quality of care and health outcomes of NHS dental services in Northern Ireland.

2 | METHODS

A difference-in-difference (DiD) design was employed, which compares changes over time in the two groups (pilot and control NHS practices), with data from each group being recorded over two time periods.⁸ Figure 1 is a diagrammatical representation of the design. This approach measures any change in activity levels by first calculating the difference between the first and second time periods and then subtracting the average gain (or difference) in the control group of practices from the average gain (or difference) in the pilot practices. We applied DiD designs to analyse all combinations of the three time periods: Baseline FFS (August 2014 to August 2015) to capitation (August 2015 to August 2016); capitation to reversion FFS (August 2016 to August 2017); and baseline FFS to reversion FFS.

Pilot practices were selected using a two-stage process overseen by the NIHSCB. An invitation to participate in the pilot was sent to all NHS practices in Northern Ireland. Practices that submitted an Expression of Interest were then reviewed by the NIHSCB panel, using criteria to ensure the final practices selected exhibited a range of characteristics other than provider payment mechanism that could influence the level of clinical activity (practice size, urban vs nonurban and extent of NHS commitment). The total number of practices selected was influenced by system affordability; the NIHSCB had a fixed budget for the pilot and had to ensure it could accommodate the possible fall in patient charge revenue (PCR) associated with any reduction in service volume. PCR is the co-payment contribution made by NHS patients to their care and for fee-paying adults, and this equates to approximately 80% of the total NHS fee received by the dental practice. For exempt NHS patients (children, those on low income and pregnant and nursing mothers), the total NHS fee is paid by the NIHSCB. The payment package for PCDs working under the pilot NHS contract was based on the total payments received under the previous year's FFS contract, and this total was divided into twelve equal payments for the pilot period. The number of practices that were included in the pilot NHS contract was fixed by the NIHSCB on the basis of potential loss in patient charge revenue (PCR), which the

FIGURE 1 The DiD design used in the study



Board under-wrote. This resulted in 11 practices being chosen to take part in the NHS pilot dental contract.

Control NHS practices were selected from all remaining practices in Northern Ireland using a two-stage process. Initially, stratified random sampling was used to identify potential control practices using the following strata: practice list size, proportion of children in the practices registered population, proportion of adult patients exempt from NHS patient charges in the practice and geographic location. This initial process identified 45 potential control practices, 15 of which could not be used because of data inconsistencies, leaving 30 potential control practices. The final stage of selecting control practices involved matching the 11 pilot practices to control practices using a propensity score approach, which identified 18 matched control NHS practices (remained on the existing FFS system throughout the evaluation). Further details of this matching process are provided in the Appendix S1, as is a summary of the practice characteristics of the two groups at baseline including the number of registered patients and the types of patients (eg proportion patients exempt from fee-paying).

Data were collected longitudinally at a patient level in both pilot and control practices by the Business Services Organisation (BSO), which had not been possible in other NHS dental contract reform pilot studies at the time of the study. In addition to using a DiD design with the pilot and control NHS practices, we also analysed activity data at the individual PCD level. The analyses assessed changes in provider behaviour for the average number of 'Practice Principals (PP)' in each NHS practice and the average number of 'other' PCDs with an NHS contract. In Northern Ireland, PPs own the equity in their NHS dental practice and receive the full NHS payment from the NIHSCB. They then distribute this payment to other 'nonequity' owning PCDs, called Associate Dentists (ADs) according to their relative volume of clinical activity. The NIHSCB, not the intervention practices, agreed to carry the anticipated financial risk for any fall in activity and consequential fall in PCR. The total number of practices

selected was influenced by affordability; the NIHSCB had a fixed budget for the pilot and had to ensure it could accommodate the anticipated fall in patient charge revenue due to a fall in volume of treatment.

All pilot and control practices were required to submit payment claim forms to the BSO, which enabled identification of all NHS treatments provided during each phase of the study. The impact of the change in remuneration was assessed across three broad domains of outcome measure: access to care, treatment activity levels and finance in both the pilot and control NHS practices. Access to care was measured by different categories of patient registration, as a proportion of the total number of NHS patients on the practice list. One of the access measures is the number of lapsed patients, which is when a patient is no longer registered at the practice due to them not receiving any treatment from a dentist over a 2-year period. Treatment activity levels captured the relative complexity of the different treatments provided under the NHS over the pilot period, for example direct restorations (fillings) and extractions, preventive care, for example examinations and fissure sealants. Finance was measured by assessing any changes to the total NHS income and PCR. These outcome measures were expressed relative to the practice list size (per 1000 patient registrations), to give each practice an equal weight in determining the comparison of group averages (such as changes between study periods within and between control and pilot practices). This was deemed appropriate, given the different sizes of the practices in both the pilot and control groups.

Analyses were performed at the practice level with clustered standard errors to adjust for estimates of the correlation over time. We applied Sidak and Bonferroni corrections to the DiD estimates, to counteract the problem of multiple comparison.⁹ The assumptions underlying a DiD approach, such as comparability of groups over time, should always be carefully scrutinized and can lead to erroneous conclusions if care is not exercised. To do this, a robustness analysis was performed using an interrupted time series (ITS)

approach of selected activity outcomes, by fitting a linear model for each outcome over time grouped by practice.¹⁰ The ITS analyses and the graphical depiction of the DiD results are presented in full in the Appendix S1.

The research team used a patient questionnaire to capture any changes in patient-reported oral health knowledge, attitudes and behaviour as well as patient-rated oral health outcomes and quality of care. It is presented in the Appendix S1. The questionnaire was iteratively developed, with public and patient involvement (PPI) in two focus groups ($n = 7$ and $n = 8$). Questionnaires ($n = 3000$) were distributed to eligible (registered) NHS patients in each study phase (baseline FFS, capitation period and reversion to FFS), subdivided across the pilot and control groups and further subdivided into three domains used to stratify the sample: exemption from NHS charges (ie a proxy for socioeconomic status), gender and age. DiD models were estimated using individual patient responses to the questionnaire to evaluate whether there was change over time in the response to the questionnaire, between registered patients in control and pilot practices.

The study was approved by the University of Manchester Research Ethics Committee (15236 10th June 2015), and the questionnaire element received approval from the Local Research Ethics Committee (Office for Research Ethics Committees Northern Ireland 15/NI/0167 5th August 2015). After these approvals, the patient questionnaires were sent out and the team retrieved retrospective activity data from the BSO for August 2014 to August 2015. The team continued to receive activity data to the end of the final phase of the study (August 2017), and patient questionnaires were sent out during 2016 and 2017.

3 | RESULTS

The results for each domain of outcome measure (access to care, treatment activity levels and finance) are expressed per month per 1000 registered patients. Figures are found in the Appendix S1 and additional tables that summarize the outcomes prior to the DiD analysis.

Table 1 shows the access outcomes results. The difference between pilot and control NHS practices in the number of registered patients increased during the capitation period, but by only 1.5 registrations per month, and reduced in the reversion period by 6.8 new registrations per month. However, the composition of the NHS practice lists had changed; the difference between pilot and control practices in the number of new patients and the number of patients leaving the practice list increased in reversion period.

Table 2 shows treatment activity levels outcome results. All measures of clinical activity, bar one (mean number of treatments with a cost of £280 or more, eg applying crowns, dentures or bridges), saw a larger reduction in the pilot group of practices than controls as the practices moved from being paid FFS to capitation. However, there was no evidence of a long-term effect from the pilot, because the reduction in all of these treatments in the capitation period was offset by an increase in activity during the reversion period.

Table 3 shows financial outcome results. The difference between pilot and control practices in NHS income per month changed between study periods calculated on FFS basis, which is not their capitation practice income but their income from the NHS if their activities observed under capitation had been paid on a FFS basis. The difference increased by £5920 per month in the capitation period compared to baseline FFS and decreased by £5248 in the reversion period. This was caused by a reduction of activity in the pilot practices in the capitation period from the level in baseline FFS. There was no evidence of a long-term effect from the pilot, because there was no difference between pilot and control practices in NHS income per month in the FFS reversion period than at baseline.

No differences were seen in the results between 'matched' practices (with propensity scores) and 'unmatched' practices. This suggests the findings were not influenced by the choice of the matching process. The ITS analyses were consistent with the DiD results; the estimated effects are in the same direction as those found under DiD (see Appendix S1 for details). The same direction of changes between study periods to the above analysis was seen at the ADs and PPs level (see Appendix S1 for details).

In total, 1215 patients in pilot practices responded (347 in the baseline period, 316 in the intervention period and 552 in the

TABLE 1 Overview of the DiD access outcome results

Access outcomes ^a	Baseline FFS to capitation		Capitation to reversion FFS		Baseline FFS to reversion FFS	
	DiD coefficient ^b	P-value	DiD coefficient ^c	P-value	DiD coefficient ^d	P-value
Registered patients	1.45	<.01	-1.35	<.01	0.13	.82
Re-registrations	6.00	.35	-3.30	.57	2.94	.49
New patients	-0.94	.52	6.82	<.01	5.66	<.01
Lapsed and returned	-27.10	<.01	-7.82	<.01	-33.68	<.01
Lost to the practice	1.96	.81	13.44	.01	15.63	0.02

^aOutcomes are expressed in levels (per 1000 registered patients).

^bThe coefficient is mean difference in outcome between groups (pilot and control practices) in the capitation phase compared to FFS.

^cThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to capitation.

^dThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to Baseline FFS.

TABLE 2 Overview of the DiD treatment activity level results

Treatment activity outcomes ^a	Baseline FFS to capitation		Capitation to reversion FFS		Baseline FFS to reversion FFS	
	DiD coefficient ^b	P-value	DiD coefficient ^c	P-value	DiD coefficient ^d	P-value
Fissure sealants	-9.34	.01	10.38	<.01	1.03	.68
2-visit period	-3.81	.01	3.45	.02	-0.41	.78
Root canal treatments	-2.65	<.01	2.37	<.01	-0.26	.81
Treatments plans	-34.33	<.01	28.70	<.01	-5.71	.53
Treatment items	-174.78	<0.01	173.89	<0.01	-0.99	0.98

^aOutcomes are expressed in levels (per 1000 registered patients).

^bThe coefficient is mean difference in outcome between groups (pilot and control practices) in the capitation phase compared to FFS.

^cThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to capitation.

^dThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to Baseline FFS.

TABLE 3 Overview of the DiD financial outcome results

Financial outcomes ^a	Baseline FFS to capitation		Capitation to reversion FFS		Baseline FFS to reversion FFS	
	DiD coefficient ^b	P-value	DiD coefficient ^c	P-value	DiD coefficient ^d	P-value
Proportion patient fee contribution	1.45	<.01	-1.35	<.01	0.13	.91
NHS dental practice income	-£5920	<.01	£5248	<.01	-£673	.60
Patient contribution	-£2403	<.01	£2028	<.01	-£374	.41

^aOutcomes are expressed in levels (per 1000 registered patients).

^bThe coefficient is mean difference in outcome between groups (pilot and control practices) in the capitation phase compared to FFS.

^cThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to capitation.

^dThe coefficient is mean difference in outcome between groups (pilot and control practices) in the reversion FFS phase compared to Baseline FFS.

reversion period) and 1187 patients in control practices responded (313 in baseline, 348 in the intervention period and 526 in the reversion period): an overall response rate of 26.7%. Only three items on the questionnaire showed a difference between the pilot practices and their matched controls: Responses to 'How long did you have to wait for your NHS routine check-up?' for patients in pilot practices increased more than control practices; 'Yes' to having had a radiograph taken at their last check-up decreased more for patients in pilot practices than those in control practices; 'Yes' to having been treated by a Dental Hygienist at their last check-up increased more for patients in pilot practices than control practices. The remaining 27 questions used in the questionnaire showed no difference in patients' perceptions of 'quality' of care provided, oral health knowledge, attitudes and behaviour or oral health outcomes.

4 | DISCUSSION

The analyses showed significant and rapid changes in the patterns of care provided by NHS dental practices in the pilot group, following the introduction of capitation-based payments, compared to the control group that remained on FFS payments. All measures of clinical activity reduced significantly, except for the number of costly treatments over £280. This produced an average reduction in patient charge revenue of £2403 per practice per month. NHS

income per month increased in pilot practices by £5920 per month (calculated on FFS item cost basis) more than controls in the capitation period. The number of registered patients in the pilot practices increased more than control practices during the capitation period by 1.5 registrations per 1000 registered patients, and therefore, the practices avoided falling below the tolerance level for registrations (of 5%) in the capitation period that incurs a financial penalty. The reductions in the volumes of all treatments in the pilot practices during the capitation period were more than in the control practices. All measures rapidly returned to baseline levels following reversion from capitation back to FFS. The analysis of patient questionnaires suggests that patients reported differences in waiting times, skill-mix and number of radiographs.

The findings show a drive to expand the pilot practice register to ensure the practice population remained over the capitation contract threshold, and frontload treatments provided under FFS prior to capitation by finding entirely new patients to treat in the baseline period and getting lapsed patients to return to the practice list. There was a large drop in returning patients (34 patients per month) in the pilot practices in the capitation phase, which could be explained by those practices prioritizing the recruitment of patients whose registration had lapsed during the baseline period. This explanation is consistent with the finding of an increase in the overall number of registrations in pilot practices by 4.38 (Table S3) per month in advance of the change to the capitation period, most likely

due to the remuneration incentives in the pilot contract. It suggests that pilot practices may have been re-registering patients who have not had treatment at the practice for 2 years (and as a consequence their registration lapsed) during the baseline period, thereby freeing-up dentists' time in the capitation period because these patients would have been treated under FFS for any dental needs prior to, instead of during, capitation. The 'freeing-up time' behaviour is also suggested from the treatment outcomes findings, as there was a decrease in activity delivered in pilot practices during the capitation payment phase.

The main limitations of this study were (a) the active NHS pilot period was only 1 year, which may have limited the scope for meaningful change to occur, and (b) the number of pilot practices was restricted to 11, due to the budget for the NHS pilot evaluation. (c) The scope of the study did not include consideration of any changes in practices' incomes from private practice during the capitation period, (d) It was necessary to design our own health outcomes and quality of care measure, due to the paucity of validated approaches to assessing quality of dental care in the literature,¹¹⁻¹³ and therefore, the instrument was not validated. Further, there is no way of knowing if patients' perceptions and expectations of care, which we measure on the questionnaire, match what is clinically appropriate. For example, whether a radiograph is taken or not depends on whether it was actually necessary, which we could not observe. (e) There was some self-selection in the sample due to the requirement of practices to submit an expression of interest, although this is true of any study requiring informed consent to participate. Ideally, the project would have randomized practices into intervention and control groups, but this was not possible as the DHSSPS decided it would be barrier to recruitment.

A strength of this study is that it was pragmatic in that a 'real world' service was being provided to patients as the evaluation progressed, so the outcomes observed could be expected if the intervention was rolled out nationally. This study overcomes many of the serious methodological limitations that have restricted the completeness and generalizability of the evidence in order to understand how changing remuneration systems affected patient care. These specific weaknesses were outlined in a review of reviews primarily focused on primary medical care that included 4 reviews and collectively included 32 studies.¹⁴ First, the authors of the review could find no studies evaluating patient outcomes and none reporting on any adverse or unexpected outcomes. This study reported patient-rated outcome measures and patient-rated experience measures, although independent clinically assessed outcomes were not measured because, in the case of dental caries, this would have required a much longer follow up time and explicit consent from patients of the practices involved. The authors could also find no reviews of studies that systematically examined variable doses of financial intervention. This study addresses this weakness by comparing FFS with capitation, two interventions at opposite ends of the spectrum of possible remuneration systems.

The findings from this study reinforce the evidence from the literature that GDPs respond markedly and quickly to changes in

how they are remunerated in terms of both the volume of care provided and how they provide care.⁴⁻⁶ It is not surprising that a change in patient perceived quality was not evident (except for three questionnaire items), given that the 2006 change in contract in England also resulted in large reductions in specific treatments (eg root fillings, crowns and bridgework) and an increase in the number of extractions, without any perceptible increase in service users' concerns.^{4,5} The most robust findings we report concern the impact of the intervention on activity of dentists. Whilst policymakers have a keen interest on securing access and controlling costs, the findings we report on health outcomes are more limited. Care must be exercised in concluding that a reduction in treatment is necessarily a bad thing, in fact it could have greater longer term oral health benefits for patients as a consequence of fewer and less complicated restorative treatments with finite lifetimes being provided. Long-term comparison of different remuneration systems ideally within a randomized control trial design with independent clinical assessment would improve our understanding of the impact of different financial incentives on patient's oral health. However, this would be very expensive and difficult to recruit both practices and participants. Our understanding of the impact of different methods of remuneration on quality of care is also hampered by our lack of conceptual understanding of quality within the context of dentistry and responsive, well-validated measures of quality.¹¹⁻¹³

5 | CONCLUSION

Overall, the move to a capitation-based payment system from FFS suppressed clinical activity, including prevention. Equally, PCDs returning to an FFS remuneration system from capitation resumed activity levels to that seen in the baseline period. It is likely that a permanent change to capitation would lead to immediate changes like those found in the pilot, but that in the long term that behaviour in terms of access and activity would fall somewhere between FFS and capitation levels recorded in the pilot in response to pressures resulting from patients' ongoing needs and expectations. However, changing the way dentists are paid on its own is unlikely to achieve all policy goals and therefore research is required to develop and test supplementary interventions that can work in a complementary way alongside a remuneration system to achieve desired policy outcomes.

ACKNOWLEDGEMENTS

The authors thank all of the key stakeholders in the DHSSPS, including Dr Simon Reid (Chief Dental Officer) and Mr Bryan Dooley, and all the project leads in the NIHSCB. We also thank Donald Burden for chairing the Steering Group, Seamus Killough for representing the British Dental Association and Paul Schofield from the PCC (at the early stage of the project). Paul McAlister was a key member from the BSO, who collated and provided the clinical activity data.

AUTHOR CONTRIBUTIONS

Stephen Birch, Martin Tickle and Paul Brocklehurst provided oversight for the analysis and contributed towards the writing of the paper. Tanya Walsh oversaw the interrupted time series (ITS) approach, and Elizabeth Howarth undertook the ITS analysis. Both contributed towards the writing of the paper. Harry Hill undertook the analysis of the activity and questionnaire data and contributed towards the writing of the paper.

ORCID

Harry Hill  <https://orcid.org/0000-0002-0908-5595>

Martin Tickle  <https://orcid.org/0000-0001-5348-5441>

REFERENCES

1. Pitts N. NHS dentistry: options for change in context – a personal overview of a landmark document and what it could mean for the future of dental services. *Br Dent J.* 2003;195:631-635.
2. Department of Health (DH). *Modernising NHS Dentistry - Implementing the NHS Plan.* London, UK: DH; 2000.
3. Steele J. *NHS Dental Services in England.* London, UK: Department of Health; 2009.
4. McDonald R, Cheraghi-Sohi S, Sanders C, Tickle M. Changes to financial incentives in English dentistry 2006–2009: a qualitative study. *Community Dent Oral.* 2012;40(5):468-473.
5. Tickle M, McDonald R, Franklin J, Aggarwal VR, Milsom K, Reeves D. Paying for the wrong kind of performance? Financial incentives and behaviour changes in National Health Service dentistry 1992–2009. *Community Dent Oral.* 2011;39(5):465-473.
6. Brocklehurst P, Price J, Glenny A, et al. The effect of different methods of remuneration on the behaviour of primary care GDPs. *Cochrane Db Syst Rev* 2013; (11): CD009853.
7. Scott A, Sivey P, Ait Ouakrim D, et al. The effect of financial incentives on the quality of health care provided by primary care physicians. *Cochrane Db Syst Rev.* 2011;(9): CD008451.

8. Dimick J, Ryan A. Methods for evaluating changes in health care policy: the difference-in-differences approach. *JAMA.* 2014;312(22):2401-2402.
9. Simes R. An improved Bonferroni procedure for multiple tests of significance. *Biometrika.* 1986;73(3):751-754.
10. Penfold R, Zhang F. Use of interrupted time series analysis in evaluating health care quality improvements. *Acad Pediatr.* 2013;13(6):S38-S44.
11. Byrne M, Tickle M, Glenny A, Campbell S, Goodwin T, O'Malley L. A systematic review of quality measures used in primary care dentistry. *Int Dent J.* 2019;69(4):252-264.
12. Campbell S, Tickle M. What is quality primary dental care? *Br Dent J.* 2013;215:135-139.
13. Tickle M, Campbell S. How do we measure quality in primary dental care? *Br Dent J.* 2013;215:183-187.
14. Flodgren G, Eccles MP, Shepperd S, Scott A, Parmelli E, Beyer FR. An overview of reviews evaluating the effectiveness of financial incentives in changing healthcare professional behaviours and patient outcomes. *Cochrane Db Syst Rev.* 2011;(7): CD009255.

SUPPORTING INFORMATION

Additional supporting information may be found online in the Supporting Information section.

How to cite this article: Hill H, Howarth E, Walsh T, Tickle M, Birch S, Brocklehurst P. The impact of changing provider remuneration on clinical activity and quality of care: Evaluation of a pilot NHS contract in Northern Ireland. *Community Dent Oral Epidemiol.* 2020;00:1–7. <https://doi.org/10.1111/cdoe.12544>