



UNIVERSITY OF LEEDS

This is a repository copy of *The latitudinal diversity gradient of tetrapods across the Permo-Triassic mass extinction and recovery interval*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/161099/>

Version: Supplemental Material

---

**Article:**

Allen, BJ [orcid.org/0000-0003-0282-6407](https://orcid.org/0000-0003-0282-6407), Wignall, PB [orcid.org/0000-0003-0074-9129](https://orcid.org/0000-0003-0074-9129), Hill, DJ [orcid.org/0000-0001-5492-3925](https://orcid.org/0000-0001-5492-3925) et al. (2 more authors) (2020) The latitudinal diversity gradient of tetrapods across the Permo-Triassic mass extinction and recovery interval. *Proceedings of the Royal Society B: Biological Sciences*, 287 (1929). 20201125. ISSN 0962-8452

<https://doi.org/10.1098/rspb.2020.1125>

---

© 2020 The Author(s). Published by the Royal Society. All rights reserved. This is an author produced version of an article published in *Proceedings of the Royal Society B: Biological Sciences*. Uploaded in accordance with the publisher's self-archiving policy.

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>





