UNIVERSITY of York

This is a repository copy of Intervenciones para reducir el impacto de la práctica dual en el sector público de salud.

White Rose Research Online URL for this paper: <u>https://eprints.whiterose.ac.uk/164305/</u>

Version: Published Version

Article:

González, Cristián and Cuadrado, Cristóbal orcid.org/0000-0002-0174-5958 (2019) Intervenciones para reducir el impacto de la práctica dual en el sector público de salud. Medwave. e7644. ISSN 0717-6384

https://doi.org/10.5867/medwave.2019.05.7643

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Living FRIendly Summaries of the Body of Evidence using Epistemonikos (FRISBEE)

Interventions to reduce the impact of dual practice in the public health sector

Cristián González^{a,b}, Cristóbal Cuadrado^{a,b,*}

^a Escuela de Salud Pública, Universidad de Chile, Santiago, Chile ^b Proyecto Epistemonikos, Santiago, Chile

*Corresponding author ccuadrado@uchile.cl

Citation González C, Cuadrado C. Interventions to reduce the impact of dual practice in the public health sector. *Medwave* 2019;19(5):e7643

Doi 10.5867/medwave.2019.05.7643

Submission date 13/12/2018 Acceptance date 8/4/2019 Publication date XX/6/2019

Origin This article is a product of the Evidence Synthesis Project of Epistemonikos Fundation, in collaboration with Medwave for its publication

> **Type of review** Non-blinded peer review by members of the methodological team of Epistemonikos Evidence Synthesis Project

Potential conflicts of interest The authors do not have relevant interests to declare.

Key words dual practice, public policies, Epistemonikos, GRADE.

Abstract

Introduction

Dual practice (i.e. workers who work in the public and private sector) has an impact on health services in terms of quality and costs. However, the effectiveness of regulatory policies has not been proven.

Methods

We searched in Epistemonikos, the largest database of systematic reviews in health, which is maintained by screening multiple information sources, including MEDLINE, EMBASE, Cochrane, among others. We extracted data from the systematic reviews, reanalyzed data of primary studies, conducted a meta-analysis and generated a summary of findings table using the GRADE approach.

Results and conclusions

We identified three systematic reviews that included 23 primary studies overall, of which all correspond to observational studies. We concluded it is not clear whether the interventions to reduce the negative consequences of dual practice in the health system are effective because the certainty of the available evidence is very low.

Problem

Dual practice is a common phenomenon in mixed health systems with the participation of public and private actors. The definition most frequently used is 'to carry out more than one job'¹. In low- and middle-income countries, it has negative effects on the public sector, leading to a deficit of human resources, low salaries and poor working conditions secondary to the growth of the private sector ¹.

Although the impact of these practices depends on the context of each country, the negative effects on the public system seem to prevail. This translates, for example, into conflicts of interest where professionals provide suboptimal care, in terms of quality or timeliness, in order to transfer them to the private system¹. Likewise, dual practice would cause difficulties for the public sector to retain the necessary human resources to satisfy the demand of the population². Despite the observation of the potential negative

effects of dual practice on health systems, there is still controversy about the effectiveness of regulatory alternatives to avoid these consequences.

Key messages

• It is not clear whether interventions to reduce the negative consequences of dual practices in the health system are effective because the certainty of the available evidence is very low.

What is the evidence. See evidence matrix in Epistemonikos later	We found three systematic reviews ^{1,3,4} that included 23 primary studies ⁵⁻²⁸ of which, all correspond to observa- tional studies.
What types of patients were included*	The 23 studies were carried out in countries from differ- ent income levels, analyzing physicians or heterogeneous groups that included all types of health professionals.
	Eight studies were conducted in high-income coun- tries ^{5,6,13,16-18,20,24} , seven studies in low- and middle-in- come countries ^{7,10-12,15,25,26} and three studies in countries in both categories ^{8,9,14} .
	Seventeen studies focused exclusively on physicians ⁵⁻ ^{11,13,14,16,17,19,20,24-27} and three in any health profes- sional ^{12,18,15} .
What types of inter- ventions were in- cluded*	All the studies evaluated the effect on the public sector of regulatory policies at a national level. Three studies evaluated the total prohibition of dual practices ^{7,10,13} , five financial restrictions ^{5,6,17,22,25} , three restrictions on licenses of professional practice ^{11,12,17} and six total liberalization (absence of regulation) ^{9,15,24,19,20,26} .
What types of out- comes were measured	The outcomes, as grouped by the systematic reviews, were the following: migration of professionals to the pri- vate sector, quality of care and migration of patients to the private sector.

About the body of evidence for this question

* The information about primary studies is extracted from the systematic reviews identified, unless otherwise specified.

Summary of Findings

The information on the effects of regulation of dual practices in the public system is based on 21 of the 23 studies identified $^{5-15,17,18,20-27}$, since two studies did not report any of the outcomes of interest 16,19 . Twelve studies reported migration of professionals to the private system $^{6-14,17,22,24}$, fourteen reported quality of care $^{5,6,9-15,18,20,22,24,27}$ and nine migration of patients to the private system 9,11,12,15,17,18,20,24,26 .

None of the identified reviews managed to extract the data in a way that could be incorporated into a meta-analysis, so the information presented below corresponds to a narrative synthesis of the information obtained from the reviews.

The summary of findings is as follows:

• It is not clear whether interventions to reduce the negative consequences of dual practices in the health system reduces migration of professionals, because the certainty of the available evidence is very low.

Methods

We searched in Epistemonikos, the largest database of systematic reviews in health, which is maintained by screening multiple information sources, including MED-EMBASE, Cochrane, LINE, among others, to identify systematic reviews and their included primary studies. We extracted data from the identified reviews and reanalyzed data from primary studies included in those reviews. With this information, we generated a structured summary denominated FRISBEE (Friendly Summary of Body of Evidence using Epistemonikos) using a pre-established format, which includes key messages, a summary of the body of evidence (presented as an evidence matrix in Epistemonikos), metaanalysis of the total of studies when it is possible, a summary of findings table following the GRADE approach and a table of other considerations for decision-making.

- It is not clear whether interventions to reduce the negative consequences of dual practices in the health system improve the quality of care, because the certainty of the available evidence is very low.
- It is not clear whether interventions to reduce the negative consequences of dual practices in the health system reduce patient migration, because the certainty of the available evidence is very low.

ulation of dual practices. Effect e countries, the migration of professionals to the private	Certainty of the evi- dence (GRADE) ⊕○○○ ^{1,2}		
e countries, the migration of professionals to the private	dence (GRADE)		
e i i	$\bigoplus \bigcirc \bigcirc \bigcirc 1,2$		
sector increased ²⁴ .	Very low		
reported negative effects on the quality of care ^{15,20,24} and one did not report effects ²⁶ .			
· 1			
GRADE: Degrees of evidence from the GRADE Working Group (see below).			
	reported negative effects on the quality of care ^{15,20,24} and one did not report effects ²⁶ . low- and middle- income countries, reported an increase vatient migration to the private system ^{9,15,24,26} .		

Prohibition of dual health practices.			
Population Intervention Comparison	Doctors Prohibition of dual practices No prohibition or less regulation (characteristics not reported clearly in the studies)		
Outcome	Effect	Certainty of the evi- dence (GRADE)	
Migration of professionals	One study reported an increase in the migration of professionals in high-income countries ¹⁷ and another an increase in low-income countries ⁷ .		
Quality of care	One study reported negative effects on the quality of care in low-in- come countries ⁷ and one a positive effect in high-income countries ¹³ .		
Migration of patients	One study reported an increase in high-income countries ¹⁷ .		
GRADE: Degrees of evidence from the GRADE Working Group (see below).			
¹ Since all the evidence comes from observational studies, the certainty of the initial evidence is low ² We downgraded the certainty of the evidence in one level ford risk of bias in the data provided.			



Regulation of dual practices.			
Population Intervention Comparison	Doctors from high- and middle-income countries Financial regulation No regulation or less regulation (not reported clearly in the studies)		
Outcome	Effect	Certainty of the evidence (GRADE)	
Migration of professionals	Two studies reported an increase in the migration of professionals in high-income countries ^{6,22} and another two an increase in low-income countries ^{8,14} .		
Quality of care	Five studies reported positive effects on the quality of care in high-in- come countries ^{5,6,14,17,22} . One study reported negative effects in low- middle income countries ¹⁴ .		
Migration of patients	No study reported information.		
GRADE: Degrees of evidence from the GRADE Working Group (see below). ¹ Since all the evidence comes from observational studies, the certainty of the initial evidence is low ² We downgraded the certainty of the evidence in one level ford risk of bias in the data provided.			

About the certainty of the evidence GRADE)*

$\oplus \oplus \oplus \oplus$

High: This research provides a very good indication of the likely effect. The likelihood that the effect will be substantially different† is low.

$\oplus \oplus \oplus \bigcirc$

Moderate: This research provides a good indication of the likely effect. The likelihood that the effect will be substantially different[†] is moderate.

$\oplus \oplus \bigcirc \bigcirc$

Low: This research provides some indication of the likely effect. However, the likelihood that it will be substantially different† is high.

$\oplus OOO$

Very low: This research does not provide a reliable indication of the likely effect. The likelihood that the effect will be substantially different[†] is very high.

* This concept is also called 'quality of the evidence' or 'confidence in effect estimates'.

† Substantially different = a large enough difference that it might affect a decision

Other considerations for decision-making

To whom this evidence does and does not apply

The identified evidence comes from countries of different income levels and organization of their health system. Therefore, these results may be applicable to different realities of health systems.

The conclusions apply essentially to the regulation of dual practices in physicians, given that the information in the group of health workers or other subgroups of professionals is very scarce. However, it is not clear that there are a priori reasons to assume a different behavior of non-medical workers in the regulation of dual practices. Therefore, in the absence of direct evidence, it is reasonable to use the available evidence to inform decisions about these regulations.

About the outcomes included in this summary

The selected outcomes are those considered critical for the decision making, according to the opinion of the authors of this summary.

In general, the selected outcomes coincide with those used in the main systematic reviews analyzed. The lack of report of measurements related to the costs for the health system and for the patients must be highlighted.

Balance between benefits and risks, and certainty of the evidence

The absence of regulation of dual practices in low- and middle-income countries could reduce the quality of care of the public system and increase the migration of professionals to the private system, although the certainty of the available evidence is very low.

It is not possible to make an adequate balance between benefits and risks of the regulation of dual practices, due to the associated uncertainty.

A common limitation in the reviews found is the absence of an adequate description of the comparator adopted when reporting the effects of the intervention.



Resource considerations

Dual practice has a negative effect on health systems, but it is generally poorly recognized as a problem, which generates a low level of regulation by countries².

It is not possible to make an adequate balance between costs and benefits of the potential regulations due to the existing uncertainty.

What would patients and their doctors think about this intervention

Most physicians and health professionals are inclined against the regulation of dual practices, especially in low- and middle-income countries where the remuneration gap between the public and private systems is greater¹.

Although most countries do not have regulation of dual practices due to the difficulties of implementation, especially in low- and middle-income countries, international organizations such as the World Health Organization recommend addressing these practices and their possible regulatory alternatives, in order to implement optimal human resources' health policies guarantee sufficient coverage².

Differences between this summary and other sources

Within the systematic reviews analyzed, the need to address the dual practices in the countries is mentioned as a common element, but it is necessary to have more and better studies regarding the effect of the interventions for their regulation.

On the other hand, in a publication of 2016², it is considered as a relevant factor to achieve the Sustainable Development Goals (SDG) of the World Health Organization and achieve universal coverage, including protection against financial risks and access to basic quality health services. This would be particularly necessary in low- and middle-income countries, which are more affected by the problem. It is important to recognize the challenges of implementation for these countries in contexts where institutions might lack the strength to incorporate effective regulations.

This publication also points out to the lack of evidence regarding the effectiveness of the regulatory mechanisms, which is consistent with the conclusions of the systematic reviews analyzed.


Could this evidence change in the future?

The probability that future evidence changes the conclusions of this summary is high, due to the uncertainty that the existing evidence provides.

No ongoing studies or reviews were identified in PROSPERO or in the International Clinical Trials Registry Platform (ICTRP) of the World Health Organization.



How we conducted this summary



An evidence matrix is a table that compares systematic reviews that answer the same question.

Rows represent systematic reviews, and columns show primary studies. The boxes in green correspond to studies included in the respective revisions. The system automatically detects new systematic reviews including any of the primary studies in the matrix, which will be added if they actually answer the same question.

Follow the link to access the **interactive version**: <u>Regulation of dual practice</u> in the health sector.

Referencias

- Kiwanuka, SN, Kinengyere, AA, Rutebemberwa, E, Nalwadda, C, Ssengooba, F, Olico-Okui, Pariyo, GW. Dual practice regulatory mechanisms in the health sector: A systematic review of approaches and implementation. London: EPPI-Centre, Social Science Research Unit, Institute of Education, University of London. 2011.
- 2. McPake B,Russo G, Hipgrave D, Hort K, Campbell J. Implications of dual practice for universal health coverage. Bulletin of the World Health Organization 2016;94:142-146. | CrossRef |
- 3. Socha KZ, Bech M. Physician dual practice: a review of literature. Health Policy. 2011 Sep;102(1):1-7. | CrossRef | PubMed |
- Moghri J, Rashidian A, Arab M, Akbari Sari A. Implications of Dual Practice among Health Workers: A Systematic Review. Iran J Public Health. 2017 Feb;46(2):153-164. | PubMed | PMC |
- 5. González P. Should physicians' dual practice be limited? An incentive approach. Health Econ. 2004 Jun;13(6):505-24. | PubMed |
- 6. Humphrey C, Russell J. Motivation and values of hospital consultants in south-east England who work in the national health service and do private practice. Soc Sci Med. 2004 Sep;59(6):1241-50. | PubMed |
- Oliveira MD, Pinto CG. Health care reform in Portugal: an evaluation of the NHS experience. Health Econ. 2005 Sep;14(Suppl 1):S203-20.
 PubMed |
- García-Prado A, González P. Policy and regulatory responses to dual practice in the health sector. Health Policy. 2007 Dec;84(2-3):142-52.
 PubMed |
- Jan S, Bian Y, Jumpa M, Meng Q, Nyazema N, Prakongsai P, Mills A. Dual job holding by public sector health professionals in highly resource-constrained settings: problem or solution? Bull World Health Organ. 2005 Oct;83(10):771-6. | PubMed | PMC |
- Eggleston K, Bir A. Physician dual practice. Health Policy. 2006 Oct;78(2-3):157-66. | PubMed |

Notes

The upper portion of the matrix of evidence will display a warning of "new evidence" if new systematic reviews are published after the publication of this summary. Even though the project considers the periodical update of these summaries, users are invited to comment in *Medwave* or to contact the authors through email if they find new evidence and the summary should be updated earlier.

After creating an account in Epistemonikos, users will be able to save the matrixes and to receive automated notifications any time new evidence potentially relevant for the question appears.

This article is part of the Epistemonikos Evidence Synthesis project. It is elaborated with a pre-established methodology, following rigorous methodological standards and internal peer review process. Each of these articles corresponds to a summary, denominated FRISBEE (Friendly Summary of Body of Evidence using Epistemonikos), whose main objective is to synthesize the body of evidence for a specific question, with a friendly format to clinical professionals. Its main resources are based on the evidence matrix of Epistemonikos and analysis of results using GRADE methodology. Further details of the methods for developing this FRISBEE are described here (http://dx.doi.org/10.5867/medwave.2014.06.5997)

Epistemonikos foundation is a non-for-profit organization aiming to bring information closer to health decision-makers with technology. Its main development is Epistemonikos database

www.epistemonikos.org.

- 11. Ferrinho P, Van Lerberghe W, Fronteira I, Hipólito F, Biscaia A. Dual practice in the health sector: review of the evidence. Hum Resour Health. 2004 Oct 27;2(1):14. | PubMed | PMC |
- 12. Jumpa M, Jan S, Mills A. The role of regulation in influencing incomegenerating activities among public sector doctors in Peru. Hum Resour Health. 2007 Feb 26;5:5. | PubMed | PMC |
- Mossialos E, Allin S, Davaki K. Analysing the Greek health system: a tale of fragmentation and inertia. Health Econ. 2005 Sep;14(Suppl 1):S151-68. | PubMed |
- García-Prado A, González P. Whom do physicians work for? An analysis of dual practice in the health sector. J Health Polit Policy Law. 2011 Apr;36(2):265-94. | CrossRef | PubMed |
- Gruen R, Anwar R, Begum T, Killingsworth JR, Normand C. Dual job holding practitioners in Bangladesh: an exploration. Soc Sci Med. 2002 Jan;54(2):267-79. | PubMed |
- De Pietro C. Private medical services in the Italian public hospitals: the case for improving HRM. Health Policy. 2006 Aug 22;78(1):56-69. | PubMed |
- 17. González P, Macho-Stadler I. A theoretical approach to dual practice regulations in the health sector. J Health Econ. 2013 Jan;32(1):66-87.
 | CrossRef | PubMed |

MEDave

- Biglaiser, Gary, Albert Ma, Ching-to. Moonlighting: public service and private practice. The RAND Journal of Economics. 2007;38(4):1113-1133.
- Sæther, Erik Magnus. A Discrete Choice Analysis of Norwegian Physicians' Labor Supply and Sector Choice. Oslo University, Health Economics Research Programme. 2009.
- 20. Ensor T, Duran-Moreno A. Corruption as a challenge in effective regulation in the health sector. Regulating entrepreneurial behaviour in European health care systems. Open University Press. 2002;106-24.
- 21. Bian Y, Sun Q, Jan S, Yu J, Meng Q. Dual practice by public health providers in Shandong and Sichuan Province, China. London: Health Economics and Financing Programme, London School of Hygiene and Tropical Medicine. 2003.
- Prakongsai P, Chindawatana W, Tantivess S, Mugem S, Tangcharoensathien V. Dual practice among public medical doctors in Thailand. Dual practice among public medical doctors in Thailand. 2003.

- 23. Amirault T. Characteristics of multiple jobholders. Monthly Labor Review. 1997;120:9-15.
- 24. Chue Pholeng. Incentives to Dual Practice New Institutional Economic analysis of Canada's mixed public-private health sector. Econ Theses. 2007.
- 25. Akbari Sari A, Babashahy S, Ghanati E, Naderi M, Tabatabaei Lotfi SM, Olyaee Manesh A, et al. Implementing the full-time practice in Iran health system; perceptions of the medical university chancellors on its challenges, consequences and effective solutions. 2013.
- 26. Jiwei Q. (2010). Financing health in China: Theory & institutions. National university of Singapore.
- 27. Berman P, Cuizon D. (2004). Multiple public-private jobholding of health care providers in developing countries. Issues Paper–Private Sector, London: DFID Health Systems Resource Centre.

Correspondence to Escuela de Salud Pública Universidad de Chile Avda. Independencia 939 Independencia Santiago Chile



Esta obra de Medwave está bajo una licencia Creative Commons Atribución-No Comercial 3.0 Unported. Esta licencia permite el uso, distribución y reproducción del artículo en cualquier medio, siempre y cuando se otorgue el crédito correspondiente al autor del artículo y al medio en que se publica, en este caso, Medwave.