



UNIVERSITY OF LEEDS

This is a repository copy of *Reliability and Change in Erosion Measurements by High-Resolution peripheral Quantitative Computed Tomography in a Longitudinal Dataset of Rheumatoid Arthritis Patients*.

White Rose Research Online URL for this paper:
<https://eprints.whiterose.ac.uk/165893/>

Version: Accepted Version

Article:

Finzel, S, Manske, SL, Barnabe, C et al. (10 more authors) (2020) Reliability and Change in Erosion Measurements by High-Resolution peripheral Quantitative Computed Tomography in a Longitudinal Dataset of Rheumatoid Arthritis Patients. *The Journal of Rheumatology*. jrheum.191391. jrheum.191391-jrheum.191391. ISSN 0315-162X

<https://doi.org/10.3899/jrheum.191391>

© 2020 The Journal of Rheumatology. This is an author produced version of an article published in *The Journal of Rheumatology*. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Table 3. Mean values \pm SD of numbers and dimensions of erosions of all baseline and follow-up measurements and corresponding p-values

	Baseline	12 months	P-value
Number of erosions	0.73 \pm 0.67	1.02 \pm 0.90	0.0001
Width axial (mm)	1.31 \pm 1.56	1.79 \pm 1.55	0.0001
Depth axial (mm)	0.87 \pm 1.06	1.25 \pm 1.19	0.0001
Width perpendicular (mm)	1.07 \pm 1.14	1.69 \pm 1.45	0.0001
Depth perpendicular (mm)	0.88 \pm 1.07	1.20 \pm 1.15	0.001

Table 3: Mean values \pm SD of dimensions and number of pathological cortical breaks of all baseline and follow-up measurements in all 736 surfaces examined and corresponding p-values are shown. All 285 pairs of baseline – follow up measures from all readers were considered. mm = millimeters. perp = perpendicular.