



UNIVERSITY OF LEEDS

This is a repository copy of *Objective Bayesianism and the Abductivist Response to Scepticism*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/166648/>

Version: Accepted Version

Article:

Bradley, D (2021) Objective Bayesianism and the Abductivist Response to Scepticism. *Episteme*. ISSN 1742-3600

<https://doi.org/10.1017/epi.2020.54>

This is protected by copyright. All rights reserved. This article has been accepted for publication in a revised form in *Episteme*. This version is free to view and download for private research and study only. Not for re-distribution, re-sale or use in derivative works.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Objective Bayesianism and the Abductivist Response to Scepticism

1. Introduction

An important line of response to scepticism appeals to the best explanation (abductivism). But anti-sceptics have not engaged much with work on explanation in the philosophy of science. I plan to investigate whether plausible assumptions about best explanations really do favour anti-scepticism. I will argue that there are ways of constructing sceptical hypotheses in which the assumptions do favour anti-scepticism, but the size of the support for anti-scepticism is small, so the overall verdict is mixed.

I start by reviewing the options for the abductivist, identifying the most promising option as that of using rationality constraints on priors in a Bayesian framework. These constraints lead to the Bounded Asymmetry and Numerousness Arguments (Huemer 2009) which I will argue can both provide support for anti-sceptical hypotheses. But when it comes to the quantitative question of *how much* support they provide, I will argue that they do not provide strong support.

To be clear about the dialectic, my goal is not to refute scepticism; my goal is to connect arguments based on simplicity and explanation with Bayesianism, and apply the result to the traditional sceptical challenge.

Section 2 explains the background and makes explicit some assumptions, section 3 explains the Bounded Asymmetry Argument, section 4 explains the Numerousness Argument, section 5 connects the arguments to Reichenbach's cubical world thought experiment and section 6 concludes.

2. Background

Consider two hypotheses:

Real World Hypothesis (RWH)

My precise total evidence is generated by an external world which is roughly as it appears to be.

Scepticism

My precise total evidence is generated by something other than an external world which is roughly as it appears to be.

Notice that RWH and *Scepticism* are indexical hypotheses. They state how things are with us, not how things are objectively. I think this is the right way to set up the debate – we are primarily concerned with our own position. But my main arguments concern non-indexical hypotheses, so I'll later address how they affect the probabilities of indexical hypotheses.

Do we have justification to believe RWH? One important line of anti-sceptical argument is that RWH is the best explanation of our evidence. Call this *abductivism*:

Abductivism

RWH is the best explanation of my precise total evidence.

Abductivism can be traced to John Locke¹ (1690/1975, bk. iv, ch. xi), with more recent advocates including Bertrand Russell (1912; 1927; 1948), C. D. Broad (1925), A. J. Ayer (1956), Michael Slote (1970), J. L. Mackie (1976), Frank Jackson (1977), James Cornman (1980), Alan Goldman (1988), William Lycan (1988), Paul Moser (1989), Jonathan Vogel (1990; 2005), and Laurence Bonjour (1998; 1999; 2003).

To develop this line of argument, we have to face two questions: what is an explanation? And what makes an explanation good, better, or best?

We need not dwell too long on the first question. Following Hempel and Oppenheim (1948 p.135), we can take an explanation to be an answer to a why question. And we can take the question

¹ See Mackie (1976, ch. 2) and Cornman (1975, ch. 7) for abductivist interpretations of Locke's arguments.

to be ‘why do I have this precise total evidence?’. It is plausible that RWH answers that question, as RWH entails that I have this precise total evidence – but so does Scepticism, and the challenge is to explain why RWH is a *better* explanation.²

The philosophical controversy centres on the second question – what makes an explanation good? Here we can draw on the philosophy of science literature, which separates two factors contributing to the goodness of an explanation – how well the hypothesis predicts the data (empirical virtues) and the intrinsic qualities (theoretical virtues) of the hypothesis, such as simplicity.³ Einstein makes clear the contrast:

The first point of view...is concerned with...confirmation...by the available empirical facts [evidence]. The second point of view is not concerned with the relation of the material of observation but with the premises of the theory itself, with what may briefly be characterized as the ‘naturalness’ or ‘logical simplicity’ of the premises... The second point of view may briefly be characterized as concerning itself with the ‘inner perfection’ of a theory, whereas the first point of view refers to the ‘external confirmation’. (Einstein ‘Autobiographical Notes’, in Schilpp 1949 p. 21-22)

The first factor / point of view won’t help us because both RWH and Scepticism have been designed to entail the evidence.⁴

² See Neta (2004) and Beebe (2009) for discussion of other questions.

³ Beware: Some use ‘theoretical virtues’ to include how well the theory fits the data (Mackonis (2013) McMullin (2014) Keas (2018)).

⁴ Thus we set aside arguments based on our evidence, most saliently the Likelihood Argument (Huemer 2016), and also those who hold that agents in the real world have different evidence from those in sceptical scenarios e.g. disjunctivists.

Let's move on to the second factor: theoretical virtues. Popular candidates for theoretical virtues include coherence, scope, abstraction, generality, unification and simplicity.⁵ The abductivist's appeal to a best explanation therefore seems to be a place-holder for a long list of purported virtues, and has little content unless we have some substantive grip on what these virtues amount to. It has proven difficult to justify any of these virtues, but, without getting bogged down in the details, I think the abductivist's best hope is to appeal to *a priori* inductive probabilities⁶ which assign higher priors to simpler hypotheses.⁷

My aim in this paper is to grant such priors and investigate whether anti-scepticism follows. (I remain neutral on other routes to RWH.) In particular, I will assume:

1. A Bayesian epistemology according to which agents
 - i) have beliefs which can be represented by probabilities and
 - ii) update those beliefs by conditionalizing when evidence is acquired (Hajek 2012).
2. There are rationality constraints on priors i.e. rationality requires that agents' prior credences fit particular constraints.
3. The rational constraints involve weak Principles of Indifference, which assign roughly equal probability to possibilities (where we have no reason to favour one possibility over another).

Let me say a little to motivate the second and third assumptions. Rational constraints on priors have historically been contentious, but it has not been sufficiently appreciated that they are needed in

⁵ Kuhn (1977) is the classic source. See Salmon (1990) for the connection to Bayesianism. See Keas (2018) for the bewildering number of theoretical virtues that are now posited.

⁶ See Keynes (1921) and Carnap (1950).

⁷ See Bonjour (1985; 1998; 2003), Goldman (1988), Fumerton (1995 p.218) Beebe (2009) and Hasan (2017). At the end of his comprehensive discussion, Beebe (2009 p.632) concludes:

'If...abductivists can succeed in explaining how we can have a priori justified beliefs in necessary truths about probabilistic relations between propositions, they might stand a chance of offering a successful reply to radical skepticism.'

order for there to be rationality constraints on posteriors.⁸ Someone with crazy priors can, given arbitrary evidence, end up with crazy posteriors. And then, as Russell wrote:

“...the lunatic who believes that he is a poached egg is to be condemned solely on the ground that he is in a minority¹⁷ (p.646 Russell 1946).

So for those who deny that there are rationality constraints, the hypothesis that there is no external world will be the least of their concerns.

If there are principles for the rational distribution of priors then the only serious contenders are based on Principles of Indifference which assign roughly equal probability to possibilities (where we have no reason to favour one possibility over another). I think the core intuition is based on arbitrariness: it would be unacceptably *arbitrary* to assign one hypothesis a higher probability than another without a good reason for doing so.

The high watermark of the research project of identifying and defending Principles of Indifference was Carnap’s (e.g 1950, 1971) later work, in which he tried to defend a universal systematic set of principles. This project was widely regarded to have failed. Perhaps he aimed too high, but we should not throw out the baby with the bathwater. We can identify principles that apply in some cases without holding that they apply in all cases. And we might be guided by principles even if we are unable to formulate them.⁹ At any rate Principles of Indifference remain a topic of lively debate. For recent defences see White (2010), Pettigrew (2016) and Hawthorne, Landes, Wallmann & Williamson (2017). For criticisms see Rinard (2014), Smith (2015) and Pettigrew (2017). For applications of Principles of Indifference see Elga (2004), Huemer (2009), Weisberg (2009), Williamson (2010) and Climenhaga (2020).

⁸ See Huemer (2009b section 4.5, 2016 section 5.3)

⁹ See Arpaly (2002).

I will not defend the specific principles used by the Numerousness Argument and the Bounded Asymmetry Argument in any detail because my aim is not to defend the arguments. I am asking: can plausible constraints on priors be used to answer the sceptic? My point, which bears repeating, is to grant the abductivist these assumptions and investigate whether RWH follows. For it is not obvious that the assumptions will favour RWH rather than Scepticism.¹⁰

My verdict will be mixed. Specifically, there will be qualitative but little quantitative support for RWH. That is, RWH emerges as more likely than competitors, but the degree of preference for RWH is very low, and seems to be insufficient for the goals of anti-sceptics.

A different, methodological point is worth making explicit. A number of philosophers have argued that simplicity considerations are relevant to science but not to philosophy (see Thomasson 2007 p. 151, Bennett 2009, Huemer 2009, Shalkowski 2010, Kriegel 2013, French 2014, Willard 2014, Saatsi *forthcoming*). I hope to show how simplicity considerations *can* be used in philosophy.¹¹

Terminology: I will sometimes find it convenient to talk about *reasons* to believe. But my aim is purely to make claims about rational a priori probabilities. So an ‘a priori reason to believe’ means ‘a consideration that increases one’s prior above what it might have been if that consideration had not been taken into account’. Relatedly, I will not be making any claims about ‘belief’ in the colloquial sense of ‘full belief’. So ‘a reason to believe’ is not necessarily a strong reason, and ‘justification to

¹⁰ For example, di Bella (ms1) uses a related argument to those below to argue that we should have much higher credence in complex hypotheses than simple ones. A full discussion would be distracting, but one claim di Bella makes that I would reject is: ‘*Epistemic Modesty** Unless we have...an overwhelmingly strong argument that proposition q is true, we should be less than 99.99999% confident that q is true’ p.8. Let q be the proposition that the world does not consist in its entirety of a one legged giant. A priori, and in the absence of any arguments, I think we should be more than 99.99999% confident that q is true.

On the other hand, di Bella (ms2) offers a probabilistic proof of an external world, but using assumptions very different from my own, including controversial assumptions about infinities.

Relatedly, Roche (2018) shows that simpler theories need not have a relatively high prior. The alternative he suggests is that we embrace Bayesian epistemology, and find a place in Bayesianism for the explanatory virtues. He notes that his proposal is not new, but is underdeveloped at this point. I agree – this is the approach I have attempted to develop.

An alternative version of explanationism is criticized by Roche and Sober (2013). They argue that: If O confirms H, then getting the further evidence that H explains O is irrelevant to H. This presupposes that the proposition that H explains O can be ‘further evidence’. But on my account, the goodness of an explanation depends only on the prior of H and the confirmation provided by H (i.e. $P(E|H)$). There is no room for ‘further evidence’ that H explains O.

¹¹ I offer a similar strategy in Bradley (2018), focussing on philosophy of mind.

believe' is not necessarily 'full justification', or 'justification to fully believe'. The expressions simply point to a consideration which increases the prior.

3. Bounded Asymmetry

3.1 Background

The Bounded Asymmetry argument starts from the fact that the complexity of theories is unbounded in one direction only.¹² Huemer (2009) writes:

for any given phenomenon, there is a simplest theory (allowing ties for simplest), but no most complex theory of the phenomenon: however complex a theory is, it is always possible to devise a more complicated one. This is most easily seen if we take a theory's complexity to be measured by the number of entities that it posits: one cannot posit fewer than zero entities, but for any number n , one could posit more than n entities. Similar points hold for other measures of complexity, such as the number of parameters in an equation. p.219

Now note that the total probability across all possible hypotheses must sum to 1. It follows that theories must get diminishing probability as their complexity increases.

What probabilistic principles deliver this conclusion? We need some kind of principle of non-arbitrariness regarding complexity. (We allow arbitrariness regarding, say, the alphabetical order of the hypotheses, but not regarding their complexity.) If we did allow arbitrariness regarding complexity, then we might allow local peaks – for example, with moderately complex theories being most probable (see fig. 2). Disallowing arbitrariness regarding complexity, the only place we can put a

¹² The classic source is Jeffreys (1961).

peak is at the start, with the simplest theory. The result is diminishing probability as complexity increases (fig. 1):




Fig. 1




Fig. 2

Granting the rationality of such distributions, does anything follow regarding RWH?

3.2. Layered Scepticism

Is there any bounded asymmetry in the debate about scepticism? Yes – the trick is to generate layered sceptical hypothesis.

Terminology: Call an apparent reality a ‘universe’. For example, when a (non-simulated) mad scientist creates an apparent reality for a brain-in-vat, we’ll say he creates a universe. The mad scientist is in a different universe to that of the brain-in-vat. For comic-book fans, think of usages of ‘Marvel universe’ and the ‘DC universe’. The mad scientist is in the real universe and the brain-in-vat is in a simulated universe. The brain-in-vat and the mad scientist are in the same *possible world*.

Suppose that someone in the real universe builds a simulation universe containing deceived agents. These deceived agents are the first layer of simulation. Now we can suppose that these deceived agents live in such a rich artificial reality that *they too* construct computers and build their own simulations. The agents in these simulations live in the second layer of simulation. It is clear that we can multiply this hierarchy indefinitely.

This hierarchy can be extended to other sceptical scenarios. Start with the dreaming hypothesis. A hierarchy is created by allowing dreams within dreams (a scenario familiar from the film

Inception). A priori there is no limit to the number of embedded dreams there might be. Next, what about the brain-in-a-vat scenario. It is possible that the mad scientist's reality is itself a simulated reality, constructed by a mad scientist one layer up. What about Descartes' scenario, in which you are being deceived by an evil demon? Again, the demon might be living in a reality constructed by a superior demon one layer up. Our demon might be deceived by an even more powerful demon, and so on. And we can mix up these scenarios, to create even more possibilities e.g. a demon creates a simulated world for a mad scientist who builds a brain in a vat. There is no limit to such hierarchies.¹³

This suggests that the traditional dichotomy between sceptical and non-sceptical possibilities is too simple. It is true that the best situation is to not be deceived. But the alternatives are not on a par. If we are deceived, it is better to be in a simulation constructed by someone non-deceived than to be in a simulation constructed by someone who is deceived. Otherwise we have error layered upon error.

Let's now focus on the hierarchy of hypotheses over which we need to distribute priors. Suppose the actual world is roughly as ours appears to be, and there is never sufficient computing power to construct realistic simulations. With no simulations, this world has Complexity Level 1. Now suppose there is one scientist, across all space and time, who manages to create a realistic simulation. This world has Complexity Level 2. Next, suppose that in this one simulation, the sims are clever enough to create their own realistic simulation. This world has Complexity Level 3. The pattern should be clear. Each new level in the hierarchy adds a level of complexity. For simplicity, assume that the only deceived agents are in the simulations, so given Complexity Level 1, no agents are deceived.

¹³ Are there sceptical scenarios which do not allow such a hierarchy? A Boltzmann brain is a self-aware entity that arises due to random fluctuations out of a state of thermodynamic equilibrium. The sceptical scenario is that you are a Boltzmann brain. Someone might object that Boltzmann brains present a challenge to infinite hierarchies.

But even they can produce layered non-veridicality. After all, just as a brain might spontaneously appear, a lab containing a brain-in-vat-with-mad-scientist might spontaneously appear. The mad scientist mistakenly thinks he is a scientist in a lab somewhere in a normal world, and the brain-in-vat is doubly mistaken. If the brain-in-vat were to learn the truth, it would have to deal with the double-whammy of first learning that it is a brain-in-a-vat, and then learning that the vat and mad scientist have been created by a random fluctuation of a state of thermodynamic equilibrium. And of course there is no end to the complexity of the entity generated by a random fluctuation.

(Notice that if two different scientists in the real universe manage to create their own simulation, the Complexity Level remains 2. What matters is the hierarchy, not the number of simulations at the same level.) Thus we have a sequence of (non-indexical) hypotheses:

- Complexity level 1
- Complexity level 2
- Complexity level 3
- etc.

How should we assign prior probabilities? The possible layers have the asymmetrical structure we saw above. Thus, the only non-arbitrary way to assign priors is to assign higher priors to hypotheses saying there are fewer layers. The result is that the hypothesis that there is only one universe gets a relatively high prior.




Fig. 3

And this non-indexical hypothesis entails the indexical hypothesis that I am perceiving an external world which is roughly as it appears to be.¹⁴ So we end up with a relatively high prior for RWH. The argument provides a reason to favour RWH over any *specific* simulation hypothesis. And on the

¹⁴ Here we invoke the assumption that the only deceived agents are in the simulations.

question of how far down the possibly endless layers of deception we might be, we have a reason to favour those in which we are less deceived rather than more deceived.

But although there is some support for RWH (qualitative), the degree of support (quantitative) is small. The probability of the *disjunction* of all simulated possibilities will be higher than the probability of RWH. Furthermore, the assumption that the space of possible hypotheses is infinite seems to suggest that the difference between the probabilities of the first and second hypotheses is infinitesimal, and the second hypothesis is still a sceptical hypothesis. So to achieve quantitatively significant support for RWH, the Boundary Asymmetry Argument would need to be bolstered by other arguments.

A couple of complications are worth mentioning before moving on. First, Bostrom (2003) has used related considerations to argue *against* RWH. He argued that there are likely to be many more simulated agents than non-simulated agents (as we can expect lots of simulations to be run), and that it is correspondingly more likely that *I* am a simulated agent. Bostrom's argument can be reconstructed as:

1. I live in a possible world with lots of simulated agents
2. If I live in a possible world with lots of simulated agents, then I am probably a simulated agent.
3. Therefore I am probably a simulated agent

The Bounded Asymmetry argument reduces the prior of (1). So someone who is convinced of (2) should still assign a lower probability to being in a simulation once they have taken into account the Bounded Asymmetry Argument. The anti-sceptical power of the Bounded Asymmetry Argument remains.

Second, suppose we drop the assumption that the only deceived agents are in the simulations. Then the hypothesis that there is only one universe does not *entail* the indexical hypothesis RWH. But

it still confirms it.¹⁵ As *all* agents in simulations are deceived, positing a simulated universe adds to the number of deceived agents (without adding to the number of non-deceived agents, we can assume), and so increases the probability that I am deceived.

4. Numerousness Argument

4.1 Background

Let's set aside the Boundary Asymmetry Argument. Specifically, suppose that instead of the increasingly complex theories getting a diminishing probability, they all get roughly the same probability. The Numerousness Argument says that there are more versions of profligate theories than versions of parsimonious theories, so the same prior probability must be shared around more theories in the profligate groups than around the parsimonious groups. So each profligate theory ends up with a lower prior.

For example, if the world has an equal probability of being parsimonious or profligate (1/2), and there are three versions of the parsimonious theory and five versions of the profligate theory, then each version of the profligate theory ends up with a lower probability (of 1/10 rather than 1/6):¹⁶

Parsimonious (1/2)

First parsimonious theory (1/6)
Second parsimonious theory (1/6)
Third parsimonious theory (1/6)

Profligate (1/2)

First profligate theory (1/10)
Second profligate theory (1/10)
Third profligate theory (1/10)
Fourth profligate theory (1/10)
Fifth profligate theory (1/10)

Huemer writes:

¹⁵ The degree of confirmation might go down, further weakening the strength of the Bounded Asymmetry Argument.

¹⁶ This example is based on Huemer (2009)

There is some reason for thinking that ontologically complex theories are in fact more numerous than ontologically simple theories. The positing of new entities generally allows multiple theories concerning the nature of those entities; consequently, the more entities one posits, the more theories one can construct about those entities. 2009 p.220-1

What probabilistic principles deliver this conclusion? We need to divide groups of hypotheses into families according to their complexity, and assign each family approximately the same probability. This assumption seems plausible to me independently of a desire to avoid scepticism. It can be thought of as a weakened Principle of Indifference. We do not need the probabilities assigned to the families to be equal, we just need them to be 'not wildly different' (Huemer 2009 p.230). Again, my aim is not to defend this principle, but to investigate whether it supports RWH.

4.2 Numerous Scepticisms

Given Complexity Level 1 there is only one universe; according to all other hypotheses there is more than one universe. There are many ways these extra universes might be, and so many more possibilities which need to be assigned some prior given scepticism.¹⁷

Let's go through an example. Take some feature that a universe may or may not have – say, that Newton's laws hold. According to Complexity Level 1 there is only one universe, so only two possibilities – either Newton's laws do hold or they don't. But now add an extra universe - Complexity Level 2. Then there is a further fact about whether Newton's laws hold in that extra universe, so there are four possibilities in total.

¹⁷ Vogel (1990, 2005) argues that the RWH explains facts about space that are not explained by sceptical hypotheses. This could be understood as a version of the Numerousness Argument, but a detailed discussion of Vogel's argument would require a separate paper. See Gifford (2013) and McCain (2016) for discussion of Vogel's argument.

Complexity Level 1 (1/2)

Newton's laws hold (1/4)
Newton's laws don't hold (1/4)

Complexity Level 2 (1/2)

Newton's laws hold in both universes (1/8)
Newton's laws hold only in first universe (1/8)
Newton's laws hold only in second universe (1/8)
Newton's laws hold in neither universe (1/8)

Thus each possibility given Complexity Level 1 is assigned a lower prior than each possibility given Complexity Level 2.

And in fact the possibilities multiply in other ways. For example, we haven't yet taken into account the numerous ways in which one universe can be embedded in another. One degree of freedom is whether there is a deliberate deceiver. In the demon and brain-in-vat scenarios there is an agent who is being deliberately deceptive; in the dreaming and Boltzmann brain scenarios there is not. Another degree of freedom concerns the true nature of the apparent universe. In a computer simulation it is computer code; in a dream it is the result of random electrical firings in our brains (we can suppose).

The reason for all these extra degrees of freedom is the same – sceptical hypotheses posit the apparent universe *and more besides*. And the consequences of this proliferation of sceptical possibilities is the same – each possibility requires using up a fixed allocation of probabilities, and so *each sceptical possibility ends up with a relatively low probability*. The hypothesis that there is only one universe therefore gets a relatively high probability. This non-indexical hypothesis entails the indexical hypothesis that I am perceiving an external world which is roughly as it appears to be, *so we end up with a relatively high prior for RWH*.¹⁸

Again, the anti-sceptical power of this argument is modest. It does not shift the overall probabilities of each Complexity Level. Instead, each Complexity Level 1 possibility gets a higher prior than each Complexity Level 2 possibility. And each Complexity Level 2 possibility gets a higher prior than each Complexity Level 3 possibility, and so on.

Both the complications faced by the Boundary Asymmetry Argument are also faced by the Numerousness Argument, and can be dealt with in the same way. First, the Numerousness Argument reduces the probability that (1) I live in a possible world with lots of simulated agents (compared to an alternative prior distribution where each specific hypothesis gets the same prior). So anti-sceptical power of the Bounded Asymmetry Argument remains even if we accept Bostrom's argument for (2).

Second, suppose we drop the assumption that the only deceived agents are in the simulations. Then, as above, the hypothesis that there is only one universe does not *entail* the indexical hypothesis RWH, but it still confirms it.¹⁹ As *all* agents in simulations are deceived, positing a simulated universe adds to the number of deceived agents (without adding to the number of non-deceived agents, we can assume), and so increases the probability that I am deceived.

What is the relation between the Boundary Asymmetry Argument and Numerousness Argument? They are compatible. The former concerns the probability of any given Complexity Level,

¹⁸ Again, we invoke here the assumption that the only deceived agents are in the simulations.

¹⁹ Again, the degree of confirmation might go down.

and the latter concerns the probability of specific versions on a given Complexity Level. Both can be applied here, increasing the overall anti-sceptical result.

This completes the main arguments of the paper. Many related arguments can be found in the literature and I want to engage with one of the most similar – Reichenbach's classic argument for the external world. I will argue that the Bounded Asymmetry Argument and Numerousness Argument vindicate Reichenbach's judgments, and can explain why we prefer to posit common causes than to posit independent causes

5. Reichenbach's Cube and the Common Cause

Compare Reichenbach's (1938) argument for external world realism, given at the height of logical positivism:

We imagine a world in which the whole of mankind is imprisoned in a huge cube, the walls of which are made of sheets of white cloth, translucent as the screen of a cinema but not permeable by direct light rays. Outside this cube there live birds, the shadows of which are projected on the ceiling of the cube by the sun rays; on account of the translucent character of this screen, the shadow-figures of the birds can be seen by the men within the cube. The birds themselves cannot be seen, and their singing cannot be heard. To introduce the second set of shadow-figures on the vertical plane, we imagine a system of mirrors outside the cube which a friendly ghost has constructed in such a way that a second system of light rays running horizontally projects shadow-figures of the birds on one of the vertical walls of the cube (p.115)




Fig. 2.—A cubical world where only the shadows of external things are visible.

What might justify the belief that there are objects outside the cube, and not just dark patches on the screen? The belief might be justified by Reichenbach's (1956 p.158-9) Principle of the Common Cause, the underlying idea of which is that 'simultaneous correlated events must have prior common causes' (Arntzenius 2010). The simultaneous correlated events would be the movement of dark patches on the wall and the ceiling; the prior common cause would be a bird outside the cube.

But this just pushes the question back – why should we believe that correlated events must have prior common causes? Indeed, the claim that correlated events *must* have common causes is false - bread prices in Britain and sea levels in Venice have been correlated for centuries (both have been rising), however, there is presumably no common cause (Sober 1987).

Instead, I suggest we *prefer* hypotheses according to which correlated events have common causes. The Bounded Asymmetry Argument and Numerousness Argument can explain why we tend to prefer to posit common causes than to posit independent causes.

To keep things simple, assume that we have one instance of a shadow appearing on the wall and the ceiling at the same time. Compare two competing theories:²⁰

²⁰ Admittedly there needs to be a source of light, which counts as an entity outside the cube. But let's ignore this, as it can be held fixed across H1 and H2.

H1: There is exactly one entity outside the cube

H2: There are exactly two entities outside the cube

Start with the Bounded Asymmetry Argument. Living inside the cube, what are our priors regarding how many entities there are outside the cube? There could be any number from 0 to infinity. We can therefore straightforwardly apply the Bounded Asymmetry Argument to get the result that there is more likely to be one entity than two, so H1 has a higher prior than H2, thus explaining our preference for H1, the common cause. (Of course, if we get evidence against H1, then credence in H1 will sharply fall – but we have no such evidence in the case described, so the a priori preference for H1 will have the knock-on effect of a preference for H1 in the posterior.)

Let's move on to the Numerousness Argument. Assume first that the shadow on the ceiling has the *same cause* as the shadow on the wall. Then there are questions to be answered concerning the nature of this cause. Is it a living creature or an automaton? If living, is it an agent whose behaviour can be explained by beliefs and desires or closer to a plant responding to stimuli? Various possibilities are open.

If, on the other hand, the shadows on the wall and ceiling have *independent causes* then we have many more open possibilities. There are the many possibilities about the nature of the first entity – plus the many possibilities about the nature of the second entity. Here are the possibilities given only the question of whether the entity is living:

Common cause (1/2)

Entity is living (1/4)
Entity is not living (1/4)

Two independent causes (1/2)

Entity 1 is living (1/8)
Entity 1 is not living (1/8)
Entity 2 is living (1/8)
Entity 2 is not living (1/8)

So a priori we have reason to prefer possibilities with common causes, as this reduces the number of possibilities left open, and so increases their probability. Thus the Numerousness Argument also contributes to explaining our preference for common causes.

Notice what this doesn't rely on – it doesn't rely on the correlation between the two shadows being especially *unlikely*. And we are wise to avoid relying on this – after all, any precise path of the two shadows is highly unlikely. For the two shadows to take paths that are correlated is no less likely than for them to take any other specific paths. (Compare: Lottery numbers of '123456' are as likely as any other six numbers.)

Then why use an example in which the shadows' movements are correlated? Because if they weren't then there could be no straightforward cause of both. If one shadow moved in a circle and one in a straight line then a single bird could not cause both of them, ruling out the common cause possibility. (Or rather, a single bird could not cause both of them without some very complicated causal mechanism explaining the differing appearances – and if we posited a complicated causal mechanism then there would be numerous ways to implement it, and we would face a new version of the Numerousness and Bounded Asymmetry Arguments.)

6. Conclusion

There is a long and distinguished history of attempts to answer scepticism by appeal to simplicity, or to the best explanation. But these attempts have rarely connected up with the dominant approach to modelling beliefs and justification - Bayesianism. I have investigated whether plausible constraints on Bayesian priors lead to a favouring of the real world hypothesis over non-sceptical hypotheses. I have argued that constraints on Bayesian priors can provide a foundation for responses to scepticism, but the probabilistic gains remain modest, with scepticism remaining a serious alternative.

References

- Arntzenius, F, "Reichenbach's Common Cause Principle", *The Stanford Encyclopedia of Philosophy* (Fall 2010 Edition), Edward N. Zalta (ed.), URL = <https://plato.stanford.edu/archives/fall2010/entries/physics-Rpcc/>
- Arpaly, N. (2002). *Unprincipled Virtue: An Inquiry Into Moral Agency*. Oxford University Press.
- Ayer, A. J. 1956. *The Problem of Knowledge*. London: Macmillan.
- Beebe J. [The Abductivist Reply to Skepticism](#). 2009 - *Philosophy and Phenomenological Research* 79 (3):605-636.
- BonJour, Laurence. 1985. *The Structure of Empirical Knowledge*. Cambridge, MA: Harvard University Press.
- . 1998. *In Defense of Pure Reason*. Cambridge: Cambridge University Press.
- . 1999. "Foundationalism and the External World." *Philosophical Perspectives* 13: 229–249.
- . 2002. *Epistemology: Classic Problems and Contemporary Responses*. Lanham, MD: Rowman & Littlefield.
- . 2003. "A Version of Internalist Foundationalism." In BonJour and Sosa (2003), pp. 3–96.
- Bostrom, Nick (2003). Are we living in a computer simulation? *Philosophical Quarterly* 53 (211):243–255.
- Broad, C. D. 1924. "Critical and Speculative Philosophy." In J. H. Muirhead (ed.), *Contemporary British Philosophy: Personal Statements*. London: George Allen & Unwin, pp. 77–100.
- . 1925. *The Mind and Its Place in Nature*. London: Routledge & Kegan Paul.
- Climenhaga, N. [The structure of epistemic probabilities](#) *Philosophical Studies* 77 (11) (2020)
- Cohen 2002 'Basic Knowledge and the Problem of Easy Knowledge' *Philosophy and Phenomenological Research*, LXV, 2, pp. 309-329
- Cohen, Stewart (2005). Why Basic Knowledge is Easy Knowledge. *Philosophy and Phenomenological Research* 70 (2):417 - 430.

- Boyd, R. (1981) 'Scientific Realism and Naturalistic Epistemology', in P.D.Asquith and T.Nickles (eds) PSA 1980, Vol. 2, East Lansing, MI: Philosophy of Science Association.
- Boyd, R. (1984) 'The Current Status of the Realism Debate', in J.Leplin (ed.) *Scientific Realism*, Berkeley: University of California Press.
- Carnap, Rudolf. 1950. *The Logical Foundations of Probability*. Chicago: University of Chicago Press
- Carnap, R. & Jeffrey, R. (eds.) (1971). *Studies in Inductive Logic and Probability*. University of California Press.
- Climenhaga, N. 2018 Intuitions Are Used as Evidence in Philosophy. *Mind* 127 (505):69-104.
- Cornman, James W. 1975. *Perception, Common Sense, and Science*. New Haven, CT: Yale University Press.
- di Bella (ms1; draft of February 1, 2016) ["The World Is \(Almost Surely\) a Strange Place"](#)
- di Bella (ms2; draft of April 19, 2017) ["Probabilistic Proof of an External World"](#)
- Elga, Adam (2004). Defeating dr. evil with self-locating belief. *Philosophy and Phenomenological Research* 69 (2):383–396.
- Enoch, D., & Schechter, J. (2008). How Are Basic Belief-Forming Methods Justified?. *Philosophy and Phenomenological Research*, 76(3), 547-579.
- Gifford, Matthew B. (2013). Skepticism and elegance: problems for the abductivist reply to Cartesian skepticism. *Philosophical Studies* 164 (3):685-704.
- Goldman, A., 1988. *Empirical Knowledge*, Berkeley CA: University of California Press.
- Hasan, Ali (2017). In Defense of Rationalism about Abductive Inference. In Ted Poston & Kevin McCain (eds.), *Best Explanations: New Essays on Inference to the Best Explanation*. Oxford University Press.
- Harman, G., 1965. "The Inference to the Best Explanation," *Philosophical Review*, 74: 88–95.
- Hawthorne, James ; Landes, Jürgen ; Wallmann, Christian & Williamson, Jon (2017). The Principal Principle Implies the Principle of Indifference. *British Journal for the Philosophy of Science* 68 (1):axv030.

- Huemer, M. 2000 [Direct realism and the brain-in-a-vat argument](#) *Philosophical and Phenomenological Research*, 397-413
- Huemer M. 2009 [When is parsimony a virtue?](#) *The Philosophical Quarterly* 59 (235), 216-236
- Huemer M. 2016 [Serious theories and skeptical theories: Why you are probably not a brain in a vat](#) *Philosophical Studies* 173 (4), 1031-1052
- Huemer, M. (2017). There Is No Pure Empirical Reasoning. *Philosophy and Phenomenological Research* 95 (3):592-613.
- Jackson, Frank. 1977. Perception: A Representative Theory. Cambridge: Cambridge University Press.
- Jeffreys (1961) *Theory of Probability* 3rd edn Oxford: Clarendon Press
- Keas, M. N. (2018). Systematizing the Theoretical Virtues. *Synthese* 195 (6), 2761-93.
- Kuhn (1977). Objectivity, Value Judgment, and Theory Choice. In *The Essential Tension*. University of Chicago Press 320--39
- Kyburg, H.E. (1961). *Probability and the Logic of Rational Belief*, Middletown, CT: Wesleyan University Press.
- Laudan, Larry (1987). Progress or Rationality? The Prospects for Normative Naturalism. *American Philosophical Quarterly* 24 (1):19 - 31.
- Lipton, P., 1991. *Inference to the Best Explanation*, London: Routledge.
- Lycan, William G. 1988. Judgement and Justification. Cambridge: Cambridge University Press.
- Mackie, J. L. 1976. *Problems from Locke*. Oxford: Oxford University Press.
- Mackonis, A. (2013). Inference to the best explanation, coherence and other explanatory virtues. *Synthese* 190 (6), 975–995.
- McCain, Kevin (2016). Skepticism and Elegance. *International Journal for the Study of Skepticism* 6 (1):30-43.
- McMullin, E. (2014). The virtues of a good theory. In M. Curd & S. Psillos (Eds.), *The Routledge companion to philosophy of science* (pp. 561–571). New York: Routledge.
- Moser, P., 1989. *Knowledge and Evidence*, Cambridge: Cambridge University Press.

- Parfit, D. (2011). *On what matters: volume one* (Vol. 1). Oxford University Press.
- Pettigrew, Richard G. (2016). Accuracy, Risk, and the Principle of Indifference. *Philosophy and Phenomenological Research* 92 (1):35-59.
- Poston, T., 2014. *Reason and Explanation*, Basingstoke: Palgrave Macmillan.
- Poston, T. and McCain, K. (2019) "Dispelling the Disjunction Objection to Explanatory Inference." *Philosophers' Imprint*
- Pryor, James (2000). The skeptic and the dogmatist. *Noûs* 34 (4):517–549.
- Psillos, Stathis (1999). *Scientific Realism: How Science Tracks Truth*. Routledge.
- Reichenbach, H. (1938). Experience and prediction - an analysis of the foundations and structure of knowledge. Chicago: University of Chicago Press. (Reissued 2006 by University of Notre Dame Press)
- Reichenbach, H., 1956, *The Direction of Time*, Berkeley, University of Los Angeles Press.
- Rinard, Susanna (2013). Why Philosophy Can Overturn Common Sense. In Tamar Szabo Gendler & John Hawthorne (eds.), *Oxford Studies in Epistemology Volume 4*. Oxford University Press. pp. 185.
- Rinard, Susanna (2014). The Principle of Indifference and Imprecise Probability. *Thought: A Journal of Philosophy* 3 (2):110-114.
- Roche W. 2018 [The Perils of Parsimony](#). *Journal of Philosophy* 115 (9):485-505.
- Roche, W. and Sober, E., 2013. "Explanatoriness is Evidentially Irrelevant, or Inference to the Best Explanation Meets Bayesian Confirmation Theory," *Analysis*, 73: 659–668
- Russell, B., 1912. *The Problems of Philosophy*, Oxford: Oxford University Press.
- Salmon, W. (1970) 'Bayes's Theorem and the History of Science', in R.Stuewer (ed.) *Historical and Philosophical Perspectives of Science*, Minnesota Studies in the Philosophy of Science, Vol. 5, Minneapolis: University of Minnesota Press.
- Salmon, W. (1985) 'Empiricism: The Key Question', in N.Rescher (ed.) *The Heritage of Logical Positivism*, Lanham: University Press of America.

- Salmon, W. (1990) 'Rationality and Objectivity in Science, or Tom Kuhn Meets Tom Bayes', in C.W.Savage (ed.) *Scientific Theories*, Minnesota Studies in the Philosophy of Science, Vol. 14, Minneapolis: University of Minnesota Press.
- Salmon, W. 2012 'The Philosophy of Hans Reichenbach' in *Hans Reichenbach: Logical Empiricist* edited by M.H. Salmon
- Schilpp, P. A. (1949). *Albert Einstein: Philosopher-Scientist*, Library of Living Philosophers. *Evanston, Illinois*.
- Schupbach, J., 2014. "Is the Bad Lot Objection Just Misguided?" *Erkenntnis*, 79: 55–64.
- Smith, Martin (2015). Evidential Incomparability and the Principle of Indifference. *Erkenntnis* 80 (3):605-616.
- Sober, Elliott (1987). Parsimony, likelihood, and the principle of the common cause. *Philosophy of Science* 54 (3):465-469.
- Taylor, Samuel (2015). Is justification easy or impossible? Getting acquainted with a middle road. *Synthese* 192 (9):2987-3009.
- Tucker, C. (Ed.). (2013). *Seemings and justification: New essays on dogmatism and phenomenal conservatism*. Oxford: Oxford University Press
- Van Cleve, James (1979). Foundationalism, epistemic principles, and the cartesian circle. *Philosophical Review* 88 (1):55-91.
- van Fraassen 1989. *Laws and Symmetry*, Oxford: Oxford University Press.
- Vogel, J. (1990). Cartesian skepticism and inference to the best explanation. *The Journal of Philosophy*, 87, 658–666.
- Vogel, J. (2000) 'Reliabilism Levelled' *The Journal of Philosophy* 97:11. pp. 602-623,
- Vogel, J. (2005). Can skepticism be refuted? In M. Steup & E. Sosa (Eds.), *Contemporary debates in epistemology* (pp. 72–84). Malden, MA: Blackwell.
- Vogel, J. (2009). Internalist responses to skepticism. In J. Greco (Ed.), *The Oxford handbook of skepticism*. Oxford: Oxford University Press.

- Vogel, J. (2005). "The Refutation of Skepticism," in M. Steup and E. Sosa (eds.), *Contemporary Debates in Epistemology*, Oxford: Blackwell Publishing, pp. 72–84.
- Vogel, J. (ms). Explanation, truth, and the external world.
- Weisberg, J. (2009). Locating IBE in the Bayesian framework. *Synthese*, 167, 125–144.
- White, Roger. 2005. "Explanation as a Guide to Induction." *Philosophers' Imprint* 5 (2): 1–29
- White, Roger. (2006). Problems for dogmatism. *Philosophical Studies*, 131(3), 525-557.
- White, R. (2010). Evidential symmetry and mushy credence. In T. S. Gendler and J. Hawthorne (Eds.), *Oxford Studies in Epistemology, Volume 3*, pp. 161–186. Oxford: Oxford University Press.
- Williamson, J. (2010). In defence of objective Bayesianism. Oxford: Oxford University Press.
- Wright 2004 'On epistemic entitlement: Warrant for nothing (and foundations for free?)' *Aristotelian Society Supplementary* LXXVIII 167-212.