



UNIVERSITY OF LEEDS

This is a repository copy of *Climate change adaptation in the Sahel*.

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/169214/>

Version: Accepted Version

Article:

Epule, TE, Ford, JD orcid.org/0000-0002-2066-3456, Lwasa, S et al. (1 more author) (2017) Climate change adaptation in the Sahel. *Environmental Science & Policy*, 75. pp. 121-137. ISSN 1462-9011

<https://doi.org/10.1016/j.envsci.2017.05.018>

© 2017, Elsevier Ltd. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

1 **Climate change adaptation in the Sahel**

2

3 **Terence Epule Epule^{1*}, James. D Ford¹, Shuaib Lwasa², Laurent Lepage³**

4

5 ¹ Department of Geography, McGill University, 805 Sherbrooke St. West., Burnside Hall 416,

6 Montreal, Quebec, Canada H3A 0B9; terence.epule@mail.mcgill.ca

7

² Department of Geography Makerere University P.O. Box 7062 Kampala, Uganda

8

³ Université du Québec à Montréal, Institut des Sciences De L'environnement, Case postale

9

8888, succursale Centre-ville Montréal (Québec), Canada, H3C 3P8

10

* Correspondence: terence.epule@mail.mcgill.ca; Tel.: +01-438-887-4528

11

12 **Abstract**

13 Climate change adaptation now occupies central stage on the agenda of most environmental

14 initiatives in Africa. Our current understanding on the state of adaptation is limited, however, both

15 globally and in Africa in particular. This study examines the status of adaptation in the Sahel by

16 reviewing the primary peer review literature that reports climate change adaptation actions. Based

17 on an analysis of 70 peer review papers that document 414 discrete adaptations, we create a

18 snapshot of adaptations developed between 1975 and 2015. The results show that Kenya has the

19 highest number of reported adaptation actions (75 or 18.1%). The percentages indicate that the

20 adaptive capacity of the entire study area is generally low for all the countries being that the highest

21 country-level percentage is recorded in Kenya (18%). Regionally, West Africa has more

22 adaptation actions (261 or 63%) when compared to other regions of the Sahel. Regional level

23 percentages suggest a higher level of adaptation at the regional level being that the percentage falls

24 within the high scale range. The most commonly used adaptation actions reported are income

25 diversification and water harnessing respectively. When categorized, technically related
26 adaptation actions dominate the adaptation charts. The decade 2008-2016 recorded the highest
27 number of adaptations (65.2 %). Adaptation actions are also reported to be triggered by climatic
28 and non-climatic drivers which both record high frequencies but the climatic drivers (98%) of
29 adaptation are slightly dominant relative to the non-climatic drivers (95%).

30 **Keywords:** Climate change; Adaptation; West Africa; Sahel; Income diversification; Technical
31 adaptation

32 **1. Introduction**

33 The Sahel region of Africa is currently experiencing climate change (Giannini et al. 2003, 2005,
34 2008; Reynolds et al. 2007; Lu and Delworth 2005; Mertz et al. 2009; Epule et al. 2013a). Over
35 the past three decades temperatures in the Sahel have increased by between 0.2-2.0° C (IPCC
36 2007) while rainfall has declined from the southern to the northern limits of the Sahel; for example,
37 a rainfall decline gradient of between 250-300 mm is recorded between the southern and northern
38 limits of the Sahel. Precisely, at the 17° latitude north (the northern boundary of the Sahel), less
39 than 200 mm of rainfall is recorded annually while towards the south at the 15° latitude north
40 (southern boundary of the Sahel), more rainfall of about 450-500 mm of rainfall is recorded
41 annually (Nicholson 1995; Wang et al. 2005; Zeng 2003). The impacts of rising temperature and
42 rainfall variations in the Sahel are significant and include: i) increasing tree mortality or dieback,
43 with declines in tree density and species richness across sites in the Sahel such as Mauritania,
44 Chad, Mali, Burkina Faso, Senegal and Niger recorded in the last half of the 20th century
45 (Gonzalez et al. 2012); ii) enhanced stress on food systems, with about 50% of the 60 million
46 people living in the Sahel believed to be facing food insecurity linked to climate change (Clover
47 2010, Verpoorten et al. 2013), with the region likely projected to potentially experience about 250

48 million tons of food deficits by 2020 (Nyariki and Wiggins 1997; Battisti and Naylor 2009; Sissoko
49 et al. 2011); iii) enhanced occurrence of malaria and diarrheal diseases, (UNAID 2002; Costello
50 et al. 2009; Watts et al. 2015); and iv) with more frequent water shortages also documented (Rohr
51 et al. 2011). These impacts, in turn, are believed to have increased the number of environmental
52 refugees in the Sahel (Myers 2001, 2002; Myers and Kent 2001; Epule et al. 2015). Climate change
53 may also present opportunities, including increasing food production through better water
54 management, irrigation, rainwater harvesting (Giannini et al. 2008), and potential increased crop
55 productivity due to increased aerial fertilization by carbon dioxide (Prince et al. 1998).

56 Adaptation is essential to reduce the damages and take advantage of new opportunities in-light of
57 the rapid climate change already occurring and expected future impacts (Ford et al. 2007; Verchot
58 et al. 2007; Mertz et al. 2009; Ford and Pearce 2010; Pearce et al. 2011; Lesnikowski et al. 2013;
59 Berrang-Ford et al. 2014; Ford et al. 2014; Lesnikowski et al. 2016). Stakeholders on Sahel
60 environment and climate change (governments, indigenous people, farmers, non-governmental
61 organizations, donor organizations, the African Development Bank, the World Bank, and United
62 Nations Environment Program etc.) have not been passive in the face of the climate stresses that
63 affect this region. Their response to the climate stresses has been through several policies,
64 programs, and adaptations. Examples of such actions at the global scale include the United Nations
65 Reductions of Emissions from Deforestation and Forest Degradations (REDD+) which provides
66 financial incentives to farmers in the Sahel for planting trees (Epule et al. 2014; UNREDD+ 2015),
67 and adaptation funding programs established under the United Nations Framework Convention on
68 Climate Change (UNFCCC) (United Nations 2015) and at the regional level, the African
69 Development Bank (AFDB) is now masterminding the African Climate Change Fund which has
70 as objective to increase access of African countries to international climate finance (African

71 Climate Change Fund 2016). In spite of the increasing importance of climate change adaptations
72 and related stresses, it is unclear which shocks and adaptation actions have gained prominence
73 over time and in which parts of the Sahel? This compromises our ability to identify and
74 characterize key gaps in the adaptation response, examine how adaptations taking place compare
75 to the risks posed by climate change, and monitor future developments.


76 This paper responds to this gap in understanding, and identifies and characterizes the state of
77 climate change adaptation in the Sahel, documenting how adaptation as a response to climate
78 change has evolved over time and explore to role of climatic and non-climatic drivers in triggering
79 adaptation actions. We use reporting on adaptation in the peer reviewed literature as a proxy of
80 adaptation, underscoring that our work provides a general and baseline overview of adaptation in
81 the region. The work contributes to an important gap in the literature, with most studies examining
82 the state of adaptation focusing on developed nations (e.g. Ford et al. 2011; Austin et al 2015;
83 Lesnikowski et al. 2016), or focused on other regions of Africa (e.g. Lwasa, 2015; Tucker et al.,
84 2015). This study is particularly timely because, to our knowledge, no studies focusing on the
85 Sahel develop a holistic baseline on the status of adaptation across all Sahel countries and sub
86 regions, with research primary focusing on particular nations or regions with in nations. Moreover,
87 the Sahel remains a region of recurrent climate change stressors (droughts, floods and winds)
88 (Agnew and Chappell, 1999; Mamadou et al. 2015; Karam et al. 2008) that calls for adaptation
89 actions to enhance resilience, further underpinning the need for studies to document and examine
90 the current state of action on adaptation.

91 **2. The Sahel**

92 The Sahel represents the semiarid strip of land located between the tropical rainforest in the south
93 and the arid north of Africa and covers an area of about $3.053 \times 10^3 \text{ km}^2$ and has about 60 million

94 inhabitants (Anyamba and Tucker 2005). The area is located between latitude 10° and 20° north
95 and stretches some 5000 km from northern Senegal in the west, through southern Mauritania,
96 central Mali, northern Burkina Faso, south-western Niger, northern Nigeria, central Chad, north
97 of Cameroon, Central African Republic, central Sudan and southern Sudan, northern Eritrea,
98 extreme north of Ethiopia, to Somalia in the east and to the south east of the Sahel into Kenya (Fig
99 1). The extreme south of Algeria that is also part of the northern Sahel is not included in this study
100 because of insufficient data and the fact that it is found out of the west-east gradient used in this
101 study. The vegetation type is dominated by open Acacia shrubs and grassland, with the region
102 representing a transition between the desert and the more humid savannah to the south. The word
103 Sahel is derived from an Arabic word meaning the “edge” or “fringe” or “shore” (Nicholson 1995;
104 Lu and Delworth 2005 2005). In terms of rainfall, the Sahel experiences declines with increase in
105 latitude. At the southern border of the Sahel, about 450-500 mm of rainfall are recorded yearly
106 while towards higher latitudes less than 200 mm of rainfall are recorded yearly (Zeng 2003; Wang
107 et al. 2005). Between 1930 and 1965 and 1966 and 2000, the Sahel recorded about 100 mm of
108 rainfall per year (Maranz 2009). The rainfall pattern in the Sahel is tied to the migration of the
109 Inter-tropical Convergence Zone (ITCZ) (Sinclair and Fryxell 1985; Zeng 2003).

110 The Sahel was selected for this systematic review because, to our knowledge, no detailed review
111 on the status of climate change adaptation in the Sahel has been carried out before. In addition, the
112 region has a growing population that is exerting pressure on environmental resources such as food
113 and water resources which are increasingly becoming less and less accessible in the Sahel. This is
114 seen as the Sahel ecosystem is one of the most fragile on the African continent facing recurrent
115 droughts, declining precipitation, acute food insecurity, HIV-AIDS inter alia.



116

117 **Fig.1.** Location of the various countries in the Sahel.

118

119 **3. Methods**120 *3.1 Systematic adaptation tracking approach*

121 The systematic review approach had long been established in the health sciences but neglected in
 122 climate sciences. This approach is a summary and assessment of the state of knowledge on a given
 123 topic or research question structured to rigorously summarize existing knowledge. Systematic
 124 reviews are different from traditional literature reviews in a number of ways (Ford and Pearce

125 2010; Berrang-Ford et al., 2015). Firstly, the review is based on clearly formulated questions,
126 secondly, the approach specifies systematic and explicit methods and criteria to select relevant
127 research, furthermore, the approach includes full reporting of search terms and the criteria for
128 inclusion and exclusion of articles. The latter contrast with literature reviews common in climate
129 change research which typically do not provide details on the review procedure used (e.g. the
130 search engines, articles included, and excluded and the search terms used). In the absence of such
131 details, it is difficult to replicate, validate interpretation and assess completeness. Lastly, the
132 systematic approach easily subjects the collected data to the use of qualitative and quantitative
133 analysis of trends, meta-analysis and percentages revealed by the literature.

134 This current study is based on data collected from English peer review scientific literature
135 documenting climate change adaptation actions between 1975 and 2015, drawing upon established
136 systematic literature review approaches used in environmental change research (Berrang-Ford et
137 al. 2015). While we note the limitations of only using English peer reviewed literature and
138 underscore our work as developing a general outline of adaptation in the region, such literature has
139 nevertheless been used in other adaptation tracking studies and has established quality control
140 mechanisms (Ford et al. 2011; McLeman 2011; Ford et al. 2014; McLeman et al. 2014; Berrang-
141 Ford et al. 2015; Lopez-i-Gelats et al. 2016).

142 We sought to capture papers that document intentional adaptation actions, where adaptation is
143 defined based on the IPCC's AR4 definition of planned adaptation as the "result of deliberate
144 policy decisions based on awareness that conditions have changed or are about to change and that
145 action is required to return to, maintain or achieve a desired state" (IPCC 2007; Araos et al. 2015,
146 2016). Inclusion and exclusion criteria for selecting relevant articles in the peer reviewed literature
147 are listed in Table 1.

148 **Table 1:** Summary of inclusion and exclusion criteria used in the systematic review

Inclusion criteria	Exclusion criteria
1. <i>Based only on primary peer review literature</i>	1. <i>All grey literature</i>
2. <i>Papers published between 1975 and 2015</i>	2. <i>All papers published before 1975</i>
3. <i>Papers published in English</i>	3. <i>Papers in all other languages</i>
4. <i>Papers dwelling on real or concrete adaptations</i>	4. <i>Recommendations, forecasts, theoretical and conceptual</i>
5. <i>Dwelling on the Sahel</i>	5. <i>Dwelling on other parts of Africa</i>
6. <i>Technical, indigenous, & socio-economic adaptations</i>	6. <i>Adaptive capacity, sensitivity, exposure and paleo-adaptations</i>

149

150 Articles were acquired through the following search engines: Scientific Citation Index (SCI)
 151 database, ISI Web of Science and Google Scholar. These search engines have been used in other
 152 studies cataloguing adaptation actions, and captures the main search engines typically used in
 153 literature reviews. We used the following search terms: *global climate change adaptation, climate*
 154 *change adaptation in Africa, climate change adaptations/coping actions in the Sahel and searches*
 155 *based on the specific country names.*

156 In the case of climate change adaptation, a total of 317 possibly relevant publications were selected
 157 from the initial search. However, duplicates were deleted after importing the articles into EndNote
 158 and a total of 250 papers were retained. A visual inspection of the titles of the remaining articles
 159 resulted in removal of more irrelevant papers. The abstracts of the remaining 111 papers were read
 160 in relation to the inclusion criteria. From this, 81 papers were retained for full review and during
 161 the full review process, 11 papers that were found not to meet the inclusion criteria were deleted.
 162 Seventy articles were retained for full analysis.

163 We also conducted ‘ground truthing’ whereby we focused on three Sahel nations and searched for
 164 relevant grey literature profiling adaptation actions, and did a more detailed search of the peer
 165 reviewed literature to see if we were missing any relevant studies. Ground truthing was performed


166 in google scholar, SCI database and ISI web of science on the following countries: Mali (West
167 African Sahel), Chad (central African Sahel) and Ethiopia (East African Sahel). The search terms
168 used included: *climate change adaptation/coping in Mali or Chad or Ethiopia*. This process
169 resulted in no new relevant peer reviewed studies for all the three sites and between 3 to 5 not-peer
170 reviewed grey literature reports mostly on blogs per country.

171 3.2 Data analysis

172 All the discrete climate change adaptation actions were sub-categorized according to a coding
173 system based on the following adaptation tracking framework sub-categories or questions: What
174 is (are) the: *Name of lead author? Year of publication? Title of publication? Name of journal?*
175 *Lead author's affiliation (academic, government, NGO, Intergovernmental, civil society and*
176 *unknown)? Lead author's country of affiliation? Climate change adaptation action(s) presented?*
177 *Location of the climate change adaptation intervention? Year of occurrence of the climate change*
178 *adaptation? Decade between 1975 and 2015 with the highest number of adaptation actions? Role*
179 *of climatic vs non-climatic drivers of adaptation actions?* (See supplementary materials S2). The
180 coding scheme is similar to procedures used by (Labbe et al. 2017; Lesnikowski et al. 2013;
181 Berrang-Ford et al. 2014; Austin et al. 2015; Ford et al. 2015; Araos et al. 2015, 2016). Multiple
182 adaptations from the same publication were also considered, coded and included in this study. It
183 is for this reason that the 70 articles resulted in 414 discrete climate change adaptation actions. The
184 quantitative and qualitative data obtained were aggregated and analyzed to identify general trends.
185 Once these data were obtained, descriptive statistics (frequencies and percentages) were used to
186 establish a pool of studies and their reported adaptation actions that track the status of climate
187 change adaptations in the Sahel between 1975 and 2015 while figures and tables were drawn in
188 excel. All computations were done in SPSS version 22 while Arc Map 10 was used to

189 cartographically represent the study sites. To further process the information obtained from the
190 systematic adaptation tracking process, the percentages were evaluated on an adaptation scale
191 ranging from low to high as follows: 0 to 25 % represents a low; 26 to 55 % represents a moderate;
192 56 to 100 % represents a high. It is important to note that the 414 adaptation actions recorded are
193 not applicable to the climatic and non-climatic components of this study which were based on
194 multiple responses as several studies reported more than one climatic and non-climatic driver of
195 adaptation.

196 Furthermore, all the 414 adaptation actions were analyzed and grouped into four broad categories
197 (Fig 7). The categorization process involved a process in which adaptation actions with similar
198 characteristics were grouped into categories. These include: i) the technically related adaptations
199 which are defined as adaptation actions anchored on technology or science. These are often used
200 by communities but often have their origins from the scientific community and external
201 stakeholders. They include inter alia: climate monitoring, climate forecasting, soil conservation,
202 water harnessing, use of high yielding drought tolerant varieties and changes in planting dates (Fig.
203 2). ii) The indigenous problem solving adaptations which are defined as adaptation actions
204 emanating from the local communities themselves and anchored on indigenous knowledge.
205 Examples here include, preservation and storage, migration, fallowing, destocking and dietary
206 changes (Fig. 2). iii) Socially related adaptation actions are defined as adaptations that have social
207 underpinnings or social safety nets and includes examples such as help from kin, spirituality or
208 prayers, investing in kids' education and giving up kids (Fig. 2). while iv) economically related
209 adaptation actions are adaptation actions anchored on economic and financial safety nets that are
210 used to adapt to climate change. Examples here include remittances, access to credits, savings and
211 sale of cattle for grain (Fig. 2).



212

213

Fig 2. The four categories of climate change adaptation actions in the Sahel.

214

215

216 4. Results

217 4.1 In what regions and countries are adaptations occurring the most?

218 A total of 414 adaptation actions were reported in 70 peer review journal articles (See


219 Supplementary Materials 2). An analysis of the articles shows that in the Sahel and based on the

220 available peer review literature, Kenya recorded the highest number of adaptations based on

221 frequency and percentage (n = 75, 18.1%) between 1975 and 2015, followed closely by Senegal

222 (n = 65, 15.7%) (Fig 3). While these countries dominate the region in terms of frequencies and
223 percentages, they however, have percentages belonging to the low range scale. Overall it can be
224 said the level of adaptation is low as judged from the frequencies and percentages.

225 From a regional perspective, West African Sahel recorded the highest frequency and percentage
226 (n = 261 or 63%). The second is East Africa with a total of (n =127 or 30.6%) frequency and
227 percentage respectively (Fig 4). Again, it can be said that when the adaptation actions are high, the
228 adaptive capacity is also higher. As such, West Africa has a higher adaptive capacity than the other
229 regions and its percentage of 63% falls within the 56 to 100 scale range which represents a high
230 level of adaptation within the Sahel. East Africa had a percentage of 30.6% which falls within the
231 26 to 55 scale range which also means the region is moderately adapted to climate change.




232

233

234

Fig 3. Number of adaptation options and calculated percentage reported in the peer review literature published between 1975 and 2015 for various Sahel countries.



235

236 **Fig 4.** Number of adaptation options and calculated percentage reported in the peer review
 237 literature published between 1975 and 2015 for various regions of the Sahel.

238

239 *4.2 Which are the most commonly used specific adaptations actions in the Sahel*


240 Income diversification related adaptation actions were most frequently documented (n = 53,

241 12.8%), followed by water harnessing (n = 48, 11.5%), soil conservation (n = 27, 6.5%), farm

242 inputs (n = 26, 6.2%) and planting high yielding varieties (n = 23, 5.5%) (Fig 5, Table 2 & Table

243 S1). It can be gathered that emphasis is placed on alternative employment actions or on providing

244 water management options that can counter the effects of recurrent water shortages in the Sahel.
 245 It is observed that Kenya and Senegal have the highest frequencies in terms of cumulative number
 246 of adaptation actions (Appendix 1), however, when you consider what obtains in all the Sahelian
 247 countries running up from Kenya in the bottom to Senegal in the top, income diversification stands
 248 out as the most frequently used adaptation action.



249
 250 **Fig 5.** Composite distribution of categorised number of adaptations options reported in the peer
 251 review literature published between 1975 and 2015 for various countries of the Sahel.

252 **Table 2:** Examples of five most used adaptation actions in the Sahel

Adaptation options	References
Income diversification actions	
<i>Off farm employment</i>	<i>Fleuret 1986; Mertz et al. 2009; Elmqvist and Olsson 2006; Morand et al. 2012</i>
<i>Working for development projects</i>	<i>Nielsen and Reenberg 2010; Moretime 2010</i>
<i>Small-scale commerce</i>	<i>Nielsen and Reenberg 2010</i>
<i>Non-farm income</i>	<i>Mertz et al. 2011; Readon et al. 1988; Burham and Ma 2016</i>
<i>Selling of personal belongings</i>	<i>Schaer 2014; Brockhaus et al. 2013; Opondo 2013</i>
<i>Supplemental occupation</i>	<i>Epule et al. 2016; Opiyo et al. 2015</i>
<i>Hunting</i>	<i>Mosberg and Eriksen 2015</i>
Water Harnessing	
<i>Rain water harvesting</i>	<i>Bryan et al. 2009; Zampaligre et al. 2014; Barbier et al. 2009</i>
<i>Irrigation</i>	<i>Bryan et al. 2009; Deressa et al. 2009; Fleuret 1986 Rockstrom 2003; Douxchamps et al. 2016; Burham and Ma 2016</i>
<i>Water management</i>	<i>2016</i>
<i>Boreholes</i>	<i>Mbow et al. 2008</i>
<i>Construction of dams and drainage systems</i>	<i>Magistro and Lo 2001</i>
<i>Use of water pumps</i>	<i>Schaer 2014</i>
<i>Use of green and blue water</i>	<i>Recha et al. 2016</i>
Soil conservation	
<i>Mulching</i>	<i>Burham and Ma 2016</i>
<i>Change in tillage and rotation</i>	<i>Bryan et al. 2009</i>
<i>Half-moon and stone dykes</i>	<i>Zampaligre et al. 2014</i>
<i>Planting shade trees</i>	<i>Burham and Ma 2016; Deressa et al. 2009; Bryan et al. 2009</i>
<i>Fallowing</i>	<i>Gebrehiwot and Van der Veen 2013; Nyong et al. 2007</i>
<i>Soil erosion control/stabilization dunes</i>	<i>Okoye 1998; Brockhaus et al. 2013; Burham and Ma 2016</i>
Farm inputs	
<i>Manure</i>	<i>Mertz et al. 2009; Marenya and Barrett 2007; Wood et al. 2014</i>
<i>Fertilizers</i>	<i>Mertz et al. 2009; Mertz et al. 2011; Croppenstedt et al. 2003</i>
<i>Inorganic fertilizers</i>	<i>Marenya and Barrett 2007; Wubeneh and Sander 2006</i>
<i>Adoption of compost</i>	<i>Somda et al. 2002</i>
<i>Organic fertilizers</i>	<i>Epule et al. 2016</i>

High yielding crops and animals

<i>High yielding crop varieties</i>	<i>Bryan et al. 2009; Deressa et al. 2009; Fleuret 1986</i>
<i>Improved varieties of potatoes</i>	<i>Thuo et al. 2011; Burham and Ma 2016; Abebe et al. 2013</i>
<i>Improved varieties of sorghum</i>	<i>Adesina and Baidu-Forson 1995</i>
<i>Improved varieties of maize</i>	<i>De Groot et al. 2013</i>
<i>High biomass variety of maize</i>	<i>De Groot et al. 2013</i>
<i>Improved animal husbandry</i>	<i>Zander et al. 2013</i>


253

254 *4.3 Which are the most commonly used broad adaptation categories in the Sahel?*

255 To verify the general direction of adaptation actions within the Sahel, broad categories of
 256 adaptation actions were categorized. In this study, four key categories were identified and all the
 257 adaptation actions fall into one of these categories. The first category is captioned: i) technically
 258 related adaptation actions; the next is captioned: ii) indigenous problem solving adaptation actions.
 259 We also carved out: iii) socially related adaptation actions and iv) economics related adaptation
 260 actions (Fig 5).

261 In terms of frequencies, the technically related adaptation actions recorded the highest of (n = 206
 262 or 49%) (Table 3 & Table S2) while the others in order of importance and their frequencies were
 263 as follows: Indigenous problem solving adaptations (n = 173, 41.7%) (Table 3 & Table S3),
 264 socially related adaptation actions (n = 21, 5%) (Table 3 & Table S4) and economics related
 265 adaptation actions (n = 14, 3.3%) (Table 3 & Table S5). To further support these, it can be
 266 observed that though the technically related adaptation actions have the highest rates of usage, a
 267 country like Kenya which has the highest number of total adaptations tilts away from the general
 268 direction as the indigenous problem solving adaptation actions had a higher frequency of (n = 39,
 269 9.4%); the same applies to Senegal in which indigenous problem solving adaptation actions had a
 270 frequency of (n = 34, 8.2%). However, when we add up all the frequencies for the latter category,
 271 it still does not outbid the former (Fig 5). From a regional perspective, the West African Sahel

272 does not only have a higher number of adaptation actions but also records the highest tallies for all
 273 the categories with technically based adaptation actions at the fore (n = 133, 32.1%). East Africa
 274 is next with technically based adaptation actions at the fore (n = 64, 15.4%) as well. It can therefore
 275 be argued that, as said before, just as most of the adaptation actions have been recorded in West
 276 Africa, categorized technically based adaptation actions are also consistent with this conclusion as
 277 they seem to be highest in West African Sahel (Fig 6).



278


279 **Fig 6.** Composite distribution of categorised number of adaptations options reported in the peer
 280 review literature published between 1975 and 2015 for various regions of the Sahel.

281 **Table 3:** Examples of the four categories of adaptation actions


Adaptation categories	References
Technically related adaptation options	
<i>Water Harnessing</i>	<i>Zampaligre et al. 2014; Barbier et al. 2009; Recha et al. 2016</i>
<i>Soil conservation</i>	<i>Burham and Ma 2016; Deressa et al. 2009; Bryan et al. 2009</i>
<i>Climate monitoring</i>	<i>Boyd et al. 2013; Huq et al. 2004; Reenberg 1994</i>
<i>Early harvesting</i>	<i>Tambo and Abdoulaye 2013; Burham and Ma 2016; Deressa et al. 2009</i>
<i>Mixed farming</i>	<i>Moretimore and Adams 2001</i>
Indigenous problem solving adaptation options	
<i>Income diversification</i>	<i>Schaer 2014; Brockhaus et al. 2013; Opondo 2013</i>
<i>Migration/relocation</i>	<i>Zampaligre et al. 2014; Scheffran et al. 2012; Burham and Ma 2016</i>
<i>Farm inputs</i>	<i>Marenya and Barrett 2007; Wubeneh and Sander 2006</i>
<i>Pasture management</i>	<i>Brockhaus et al. 2013; Burham and Ma 2016; Mertz et al. 2009</i>
<i>Buying food/gov't relief</i>	<i>Epule et al. 2016; Oluoko-Odingo 2011</i>
Socially related problem solving options	
<i>Help from kin/social organizations</i>	<i>Mortimore 2010; Epule et al. 2016; Oluoko-Odingo 2011; Fleuret 1986</i>
<i>Spiritual/prayers/religion</i>	<i>Fleuret 1986; Mertz et al. 2011; Burham and Ma 2016</i>
<i>Partnership between local people and development project</i>	<i>Nielsen et al. 2012</i>
<i>Creating local committees for natural resources management</i>	<i>Brockhaus et al. 2013</i>
<i>Investing in education of kids</i>	<i>Opondo 2013</i>
Economics related adaptation options	
<i>Market gardening</i>	<i>Mertz et al. 2011; Mertz et al. 2009; Nielsen and Reenberg 2010</i>
<i>Savings</i>	<i>Schaer 2014</i>
<i>Selling of personal belongings</i>	<i>Schaer 2014</i>
<i>Access to credits</i>	<i>Ebi et al. 2011</i>
<i>Remittances</i>	<i>Fleuret 1986</i>

283 *4.4 Which decade records the highest number of adaptation actions and what are the main drivers*
284 *of adaptation in the Sahel?*

285 During the decade 2008-2016 the highest number of adaptation actions of (n = 270, 65.2%) were
286 recorded in the primary peer review literature in the Sahel. The other decades recorded adaptation
287 actions as follows: 1997- 2007: (n = 58, 14%); 1986-1996: (n = 29, 7%); 1975-1985: (n = 57,
288 13.7%). If we add up these frequencies, we obtain 414 which is consistent with the total number
289 of adaptations reported in this study (Fig 7a). The overwhelming observation here is that there has
290 been a systematic increase in the number of adaptation actions reported over time. In terms of
291 drivers, most of the studies tilted towards climatic drivers as the fundamental triggers behind
292 adaptations; this category recorded (n = 406, 98%) while non-climatic drivers recorded (n = 395,
293 95%). These frequencies when combined are more than 414 because some studies reported both
294 climatic and non-climatic adaptations (Fig 7b). Even though the climatic drivers seem to dominate,
295 there is an increasing attribution of the problem to non-climatic drivers as in an increase in the
296 number of studies that attribute the response efforts to non-climate drivers. Examples of climatic
297 drivers of adaptation cited are: rainfall decline, rainfall increase, temperature increase, temperature
298 decline, sea surface temperature increase, trade winds, El Niño, increase solar radiation,
299 atmospheric circulation and the prevalence of winds like the equatorial westerlies. Some examples
300 of non-climatic drivers of adaptation cited include: land use change, agriculture, population
301 growth, settlements, poor urban planning, pastoralism and cattle rearing, over exploitation of
302 resources, grazing of animals, deforestation and land degradation, wild fires, insects, economic
303 fluctuations and socio-political.



304




305

306

307 **Fig 7.** (a): Number of adaptation options reported in the peer review literature published between
 308 1975 and 2016 in the Sahel. (b): Number of climatic and non-climatic drivers of adaptation
 309 efforts in the Sahel. Total frequencies more than 414 because some publications report more both
 310 climatic and non-climatic drivers.

311 Some adaptation actions have gained importance over time. Income diversification which is the
312 most used discrete adaptation option recorded its highest usage of 21 during the decade 2008-
313 2016; it also recorded 18 during the decade 1985-1996. Water harnessing related options were
314 most important during the decade 1985-1996 during which they recorded a frequency of 27; during
315 the decade 2008-2016, it recorded 15. Soil conservation related options recorded their highest
316 usage during the decade 1985-1996 while migration had 8 during the 2008-2016 decade. High
317 yielding varieties recorded a frequency of 13 uses during the 2008-2016 decade. Generally, during
318 the 1975-1985 decade, there were two most used adaptation actions with usage frequencies of 6
319 each, these are, *income diversification* and *migrations* while help from kin and network related
320 options were second (Fig. 8). During the decade 1985-1996 the most used adaptation actions was
321 *water harnessing* related options which recorded a frequency of 27; soil conservation was second
322 with a frequency of 19 while income diversification was third with a frequency of 18 (Fig. 8).
323 During the decade 1997-2007, *income diversification* was highest with a frequency of 8 while
324 more farm inputs came second with a frequency of 6, migration recorded a frequency of 3 (Fig.
325 8). During the decade 2008-2016, *income diversification* was the most used adaptation option with
326 a frequency of 21; water harnessing came second with a frequency of 15 while high yielding
327 varieties were third with a frequency of 13 (Fig. 8).



328

329

330

Fig 8. Composite distribution of variations in different adaptation options reported in the peer review literature published over time for various countries of the Sahel.

331 **5. Discussion**

332 Climate change adaptation is currently receiving a lot of global attention as governments, NGOs,
333 International organizations, civil society groups inter alia are now placing climate change
334 adaptation as a priority on their political and environmental agenda (Noble and Huq 2014; Ford et
335 al. 2015). In spite of the agreement that climate change adaptation is of great importance in
336 responding to climate change, a lot of divergence still exist among stakeholders with reference to
337 what really constitutes climate change adaptation (Dupuis and Biesbroek 2013; Berrang-Ford
338 2014). This study develops an understanding of the spatial variations and properties of climate
339 change adaptation in the Sahel. This approach used is similar to the action based approach used by
340 Ford et al. (2013, 2014) in reporting real climate change adaptation actions in the arctic. The
341 systematic review approach employed in this study enables comparison between regions and
342 enhances the identification of general patterns of change in climate change adaptation over time
343 (Mannke 2011; Ford et al. 2013, 2014). It is however, important to note that the patterns reported
344 by this study should be considered as proxies because many adaptation actions are under-
345 represented by the peer review literature; our work should thus be considered baseline. These
346 results are therefore simply indications of general patterns and policy formulation should be based
347 on more detailed and specific country level information. Additionally, several adaptation actions
348 in the Sahel might have taken place outside the range presented by this study (1975-2015). As a
349 result of this limitation, we consider this study as a proxy of adaptations that are currently in effect
350 in the Sahel. However, the 40 years covered by the timeframe used still goes a long way in making
351 these results valid as it provides enough time to track and consider the changes in climate.

352 The decade 1975-1985 recorded a total of (n = 57, 13.7%) of adaptation initiatives. While the
353 1985-1996 decade recorded far lesser adaptation initiatives (n = 29, 7%), it can be argued that the

354 relatively higher adaptation initiatives recorded during the 1975-1985 decade are linked to the fact
355 that this period witnessed what has been described as the most ravaging droughts in the history of
356 the Sahel (Anyamba and Tucker 2005; Maranz 2009). As such, governments and other
357 stakeholders made a lot of efforts to enhance adaptations (Zeng, 2003; Epule et al. 2013a). By
358 1985, the droughts that ravaged the Sahel had reduced and so too did the number of adaptation
359 initiatives reduce due to 'adaptation fatigue' of the previous decade. The adaptation efforts of the
360 1970s and early 1980s (water management, irrigation, planting of trees) are already yielding fruits
361 as there are increasing reports of increase rainfall and greening in the Sahel as shown by
362 normalized difference vegetation index (NDVI) (Anyamba and Eastman 1996; Eklundh and
363 Olsson 2003; Giannini et al. 2008, Nielson and Reenberg 2010; Nielson et al. 2012). However,
364 Prince et al. (1998) argue that the increase greening could be as a result of the increase aerial
365 fertilization effect of carbon dioxide. In general, the subsequent decades witnessed an increase in
366 the number of adaptation initiatives over time from (n = 58, 14%) during the decade 1997-2007 to
367 (n = 270, 65.2%) during the decade 2008-2016. It may be a difficult task trying to argue that the
368 state of climate change adaptation in the Sahel can be mainly assessed from the adaptation
369 initiatives reported in the peer review literature, still, the fact that the 70 peer review papers have
370 reported only 414 adaptation initiatives supports the argument that the Sahel remains highly
371 vulnerable as adaptive capacities remain low and much more reporting through scientific research
372 needs to be carried out. This is supported by the low percentages for most of the countries of the
373 Sahel which generally are found within the low range scale of between 0-25 percent.

374 From a regional perspective, there is a variation across the Sahel as West African Sahel seems to
375 dominate the tallies in terms of recorded adaptation initiatives. However, when we consider
376 individual countries, Kenya in East African Sahel records the highest number of adaptation

377 initiatives of (n = 75, 18.1%). In a related study carried out by Ford et al. (2015), covering the
378 period 2006-2012, Kenya (n = 34) was equally reported to be at the top of countries reporting the
379 highest adaptation actions from a group of African and Asian countries. However, the fact that
380 from a regional perspective West African Sahel recorded the highest number of adaptation
381 initiatives could be linked to the fact that the region is closer to the desertification belt of the Sahel
382 and the “Great Green Wall of the Sahara and the Sahel initiative” (GGWSSI). The Pan African
383 Agency for the GGWSSI is overseeing the planting of a broad band of trees from Senegal in West
384 Africa to Djibouti in east Africa. The GGW of Africa was initially proposed in the 1980s and aims
385 at reducing desertification and droughts through the planting of trees with promising results
386 already being obtained in countries like Senegal (O’Connor and Ford, 2014).

387 Also, the result that the most commonly used adaptation option in the entire Sahel as reported in
388 the peer review literature is income diversification (n = 53, 12.8%) seems to be consistent with
389 previous studies that argues that to absorb the shocks of climate change and environmental
390 protection, many communities in Africa resort to income diversification (Le et al. 2012; Epule et
391 al. 2013b). The second most reported option is water harnessing related options (n = 48, 11.5%);
392 this is also important as the Sahel is a zone facing recurrent droughts and water stress all year
393 round and its populations tend to work towards adaptations that can absorb the water deficit shocks
394 through water management and harnessing. However, when we categorize the adaptation actions,
395 the technically related adaptation actions turn to be dominant (n = 206, 49%). This heralds the
396 argument that technically based adaptation actions that require a scientific backing are more
397 reported in the Sahel than other options. This could further be linked to the increasing importance
398 of climate stressors which have attracted many stakeholders and increased the interest of these
399 stakeholders in the region. Response from high level stakeholders from the research community

400 to technical field experts is often in the form of technically based adaptation actions such as
401 drought resistant species, rainwater harvesting and high yielding varieties. This does not, however,
402 mean that other non-technical adaptations are of little importance. For example, adaptation actions
403 grounded in indigenous knowledge or skills that communities have acquired over time as a result
404 of extensive experience still remains valid though currently given little consideration in the
405 adaptation scholarship.

406 From a policy perspective, it can be said that though this study is more of a proxy of the state of
407 adaptation, the policy formulation process is enhanced as all stakeholders might become aware of
408 the fact that diversification of livelihood and water harnessing actions are more rampant in the
409 study sites. This provides opportunities to further enhance these dominant options and to leverage
410 those that are not frequently reported. The result that technically based adaptation actions are more
411 frequently cited shows further that policies that enhance both technically based actions and other
412 less cited actions should be put in place. The overall policy implication here is that a single
413 adaptation action cannot enhance resilience completely, several actions need to be used and maybe,
414 the those that have been ignored this far need to be researched into to verify what the indigenous
415 people think about them before concrete suggestions are made.

416 Furthermore, the overwhelming majority of the studies reviewed here have shown that a majority
417 of the adaptations are driven by climate change (n = 406, 98%) while non-climatic drivers
418 contribute (n = 395, 95%). The approach of verifying the shocks to which people are reported to
419 be adapting to goes a long way to provide further information with respect to whether climate or
420 non-climatic variables tend to trigger adaptations. As such, non-climatic drivers are getting
421 increasingly important because there are often many cases when adaptations are not just taken to
422 adapt to climate change but also in response to other issues such as poverty, health, literacy,

423 financial disparities and socio-cultural disparities which can either enhance or reduce adaptive
424 capacity (Dupuis and Biesbroek 2013; Ford et al. 2015). There is currently evidence across Africa
425 and the Sahel that shows that most of the problems that Africa and the Sahel are facing ranging
426 from food insecurity, pandemics and epidemics and poverty are mainly caused by non-climatic
427 variables such as deforestation, population movements, wars and land degradation inter alia with
428 climate change only playing a reinforcing role (Giannini et al. 2003, 2005, 2008; Reynolds et al.
429 2007; Lu and Delworth 2005). With this, policy makers and all stakeholders will increasingly have
430 to leverage resources towards non-climatic drivers which for a long time have been ignored in
431 favor of climatic drivers.

432 The results presented in this study are consistent and also vary with some other similar studies in
433 terms of results and methodological perspectives. Firstly the study by Ford et al. (2015) verified
434 the status of climate change adaptation in Africa and Asia. This study is consistent with our study
435 in that it used the systematic review approach, its results show that there is an increase in the
436 number of reported adaptation actions across Africa and Ethiopia is presented as the country with
437 the highest number of adaptation initiatives. When the Sahel is compared with other vulnerable
438 regions such as the Arctic, there are more reports of adaptation actions in the Sahel. For example,
439 Ford et al. (2014), reported about 157 adaptation actions between 2003 and 2013 while this current
440 study reports 414 adaptation actions for the Sahel for the period 1975-2015. However, this should
441 be interpreted with caution as the reference period for the Sahel is longer. However, the major
442 areas of differences are that, the Ford et al. (2015) study is based on both peer review and grey
443 literature while this current study is based on peer review literature. The Ford et al study is based
444 on Africa and Asia and covers studies published from 2006 while this current study is based on
445 the Sahel and covers studies from 1975 to 2015. Another paper by Berrang-Ford et al. (2011)

446 comes close to this study because it used the systematic approach and focused on the peer review
447 literature only. The results from the latter are also consistent to ours in that they report that
448 considerable research has been done with a greater focus on intentions than ground work and that
449 non-climatic drivers are increasingly being presented as the motivations for climate change
450 adaptation. However, the latter study departs from this current study as it reviewed papers
451 submitted between 2008 and 2012 and it is more of a global perspective to climate change
452 adaptation. Lwasa (2015) also looks at climate change adaptations policy and practice across
453 Africa and Asia and in the context of deltas, based on both grey literature and peer review papers
454 published from 2006. From these papers, this current study is unique because it uses mainly peer
455 review papers published between 1975 and 2015 and dwells on the Sahel.

456 **6. Conclusion**

457 This study verifies the status of climate change adaptation in the Sahel based on peer review
458 literature. The results show that in the Sahel, Kenya is the country with the most reported cases of
459 adaptations. Regionally, West Africa cumulatively dominates the adaptation chart as it has a higher
460 frequency and percentage. The country level percentages are within the range scale called low
461 indicating that the Sahel still has much to be done in terms of climate change adaptation. The
462 adaptation reporting approach used in this paper offers a proxy or indicator approach against which
463 the status of climate change adaptations in the Sahel can be inventoried. This therefore provides a
464 baseline from which changes can be monitored over time and space. With this, various
465 stakeholders need to verify and characterize strategies and measures to reduce the effects of climate
466 change and thus provide means for assessing the effectiveness of adaptation actions. This is
467 particularly urgent as the results from this study show that at country level adaptations to climate

468 change are still at infancy as most of the countries have percentages that are described as low,
469 though regional disparities exist.

470 Being that there is still much that is unknown about climate change adaptation in Africa, moving
471 forward, there are areas of research that need to be given attention. The first is a systematic review
472 study on the entire African continent using both peer review and grey literature covering the 1970s
473 to present. This will help provide a regional picture of the state of climatic change adaptations
474 across Africa from both a country by country and a regional perspective. An understanding of
475 where most of the adaptation actions are being reported should also be perfected (whether it is in
476 the peer review or grey literature?). Secondly, a lot of attention is being focused on climate change
477 adaptation across Africa using the systematic review; the climate shocks such as winds, droughts
478 and floods that are driving adaptations need to be given attention and verified. It is still unclear
479 how these shocks are spatially and temporally distributed in the Sahel and across Africa, a major
480 knowledge gap to be filled. Furthermore, more studies that cover both actions and groundwork in
481 the context of adaptations reported in the peer review and grey literature need to be carried out.
482 This will help throw more light on the disparities between adaptation plans in the context of ground
483 work and real or concrete actions.

484 **Acknowledgements**

485
486 This work was supported by the Social Science and Humanities Research Council of Canada and
487 Canadian Institutes of Health Research Applied Public Health Chairs program.

488

489 **References**

490 Abebe, G. K., Bijman, J., Pascucci, S., Omta, O. 2013. Adoption of improved potato varieties in
491 Ethiopia: The role of agricultural knowledge and innovation system and smallholder farmers'
492 quality assessment. *Agricultural Systems*, 122, 22-32. doi:10.1016/j.agsy.2013.07.008.

- 493
- 494 Adesina, A., Baidu-Forson, J. 1995. Farmers' perceptions and adoption of new agricultural
495 technology: evidence from analysis in Burkina Faso and Guinea, West Africa. *Agricultural*
496 *Economics*, 13, 1-9.
- 497
- 498 African Climate Change Fund. 2016. Supporting African countries to access international
499 climate finance: enabling a transition towards climate resilient, low-carbon development. The
500 African Development Bank. Available online at:
501 [https://www.afdb.org/fileadmin/uploads/afdb/Documents/Project-and-](https://www.afdb.org/fileadmin/uploads/afdb/Documents/Project-and-Operations/Africa_Climate_Change_Fund_-_Supporting_Africa_countries_to_access_international_climate_finance.pdf)
502 [Operations/Africa_Climate_Change_Fund_-](https://www.afdb.org/fileadmin/uploads/afdb/Documents/Project-and-Operations/Africa_Climate_Change_Fund_-_Supporting_Africa_countries_to_access_international_climate_finance.pdf)
503 [_Supporting_Africa_countries_to_access_international_climate_finance.pdf](https://www.afdb.org/fileadmin/uploads/afdb/Documents/Project-and-Operations/Africa_Climate_Change_Fund_-_Supporting_Africa_countries_to_access_international_climate_finance.pdf).
- 504
- 505 Agnew, C.T., Chappell, A. 1999. Drought in the Sahel. *Geojournal*, 48, 299-311.
- 506
- 507 Anyamba, A., Tucker, CJ. 2005. Analysis of Sahelian Vegetation dynamics using NOAA-
508 AVHRR NDVI data from 1981-2003. *Journal of Arid Environments*, 63: 595-614.
- 509
- 510 Anyamba, A., Eastman, J. 1996. Inter-annual variability of NDVI over Africa and its relation to
511 El Niño/Southern Oscillation. *International Journal of Remote Sensing*, 17, 2533-2548.
- 512
- 513 Araos, M., Berrang-Ford, L., Ford, J., Austin, S., Biesbroek, R., Lesnikowski, A. 2016. Climate
514 change adaptation in large cities: a systematic global assessment. *Environmental Science and*
515 *Policy*, 66, 375-382.

516

517 Araos, M., Austin, S.E., Berrang-Ford, L., Ford, J. 2015. Public health adaptation to climate
518 change in large cities: a global baseline. *International Journal of Health Services*, 0(0), 1-26.
519 Doi: 10.1177/0020731415621458.

520

521 Austin, S.E., Ford, J.D., Berrang-Ford, L., Araos, M., Parker, S., Fleury, M.D. 2015. Public
522 Health Adaptation to Climate Change in Canadian Jurisdictions. *International Journal of*
523 *Environmental Research and Public Health*, 12, 691 623-651. Doi: 10.3390/ijerph120100623.

524

525 Barbier, B., Yacouba, H., Karambiri, H., Zorome, M., Some, B. (2009). Human vulnerability to
526 climate variability in the Sahel: farmers' adaptation strategies in northern Burkina Faso. *Environ*
527 *Manage*, 43(5), 790-803. Doi: 10.1007/s00267-008-9237-9.

528

529 Battisti, D., Naylor, R. 2009. Historical warnings of future food insecurity with unprecedented
530 seasonal heat. *Science*, 232, 240-244.

531

532 Berrang-Ford, L., Pearce, T., Ford, J.D. 2015. Systematic review approaches for global
533 environmental change research. *Regional Environmental Change*, 15, 755-769.

534

535 Berrang-Ford, L., Ford, J.D., Lesnikowski, A., Poutianinen, C., Barrera, M., Heymann, S.J.
536 2014. What drives national adaptation? A global assessment. *Climate Change*. Doi:
537 10.1007/s10584-014-1078-3.

538

- 539 Berrang-Ford, Ford, J.D., Paterson, J. 2011. Are we adapting to climate change: *Global*
540 *Environmental Change*, 21, 25-33. Doi: 10.1016/j.gloenvch.2010.09.012.
541
- 542 Biesbroek, G.R., Swart, R.J., Carter, T.R., Cowan, C., Henrichs, T., Mela, H., Morecroft, M.D.,
543 Rey, D. 2010. Europe adapts to climate change: Comparing National Adaptation Strategies.
544 *Global Environmental Change, Governance, Complexity and Resilience*, 20, 440-450.
545 704, Doi:10.1016/j.gloenvcha.2010.03.005.
546
- 547 Boyd, E., Cornforth, R.J., Lamb, P.J., Tarhule, A., Lele, M.S., Brouder, A. 2013. Building
548 resilience to face recurring environmental crisis in African Sahel. *Nature Climate Change*, 3,
549 631-637.
550
- 551 Brooks, N., Anderson, S., Ayers, J., Burton, I., Tellam, I. 2011. Tracking adaptation and
552 measuring development. Climate Change Working Paper No 1.
553
- 554 Brockhaus, M., Djoudi, H., Locatelli, B. 2013. Envisioning the future and learning from the past:
555 Adapting to a changing environment in northern Mali. *Environmental Science & Policy*, 25, 94-
556 106. Doi:10.1016/j.envsci.2012.08.008.
557
- 558 Bryan, E., Deressa, T., Gbetibouo, G., Ringer, C. 2009. Adaptation to climate change in Ethiopia
559 and South Africa: options and constraints. *Environmental Science and Policy*, 12, 413-426.
560

- 561 Burnham, M., Ma, Z. 2015. Linking smallholder farmer climate change adaptation decisions to
562 development. *Climate and Development*, 8(4), 289-311. Doi:10.1080/17565529.2015.1067180.
563
- 564 Burton, I. 1997. Vulnerability and adaptive response in the context of climate and climate
565 change. *Climatic Change*, 36, 185-196.
566
- 567 Clover, J. 2010. Food security in sub-Saharan Africa. *African Food Review*, 12(1), 5-15.
568 Doi:10.1080/10246029.2003.9627566.
569
- 570 Costello, A., Abbas, M., Allen, A., Ball, S., Bellamy, R., Friel, S., Grace, N., Johnson, A, Kett,
571 M., Lee, M., Levy, C., Maslin, M., McCoy, D., McGuire, B., Montgomery, H., Napier, DD.,
572 Pagel, J., Puppin de Oliveira, J.A., Redclift, N., Rees, H., Rogger, D., Scott, H., Stephenson, J.,
573 Twigg, J., Wolff, J., Patterson, C. 2009. Managing the health effects of climate change. *The*
574 *Lancet Commission*, 373, 1693-1733.
575
- 576 Croppenstedt, A. Demeke, M., Meschi, M.M. 2003. Technology adoption in the presence of
577 constraints: the case of fertilizer demand in Ethiopia. *Review of Development Economics*, 7(1),
578 58-70.
579
- 580 Deressa, T. T., Hassan, R. M., Ringler, C., Alemu, T., Yesuf, M. 2009. Determinants of farmers'
581 choice of adaptation methods to climate change in the Nile Basin of Ethiopia. *Global*
582 *Environmental Change*, 19(2), 248-255. Doi:10.1016/j.gloenvcha.2009.01.002.
583

- 584 De Groote, H., Dema, G., Sonda, G. B., Gitonga, Z. M. 2013. Maize for food and feed in East
585 Africa-The farmers' perspective. *Field Crops Research*, 153, 22-36.
586 Doi:10.1016/j.fcr.2013.04.005.
587
- 588 Douchamps, S., Van Wijk, M. T., Silvestri, S., Moussa, A. S., Quiros, C., Ndour, N. Y. B., . . .
589 Rufino, M. C. (2015). Linking agricultural adaptation strategies, food security and vulnerability:
590 evidence from West Africa. *Regional Environmental Change*, 16(5), 1305-1317. Doi:
591 10.1007/s10113-015-0838-6.
592
- 593 Dupuis, J., Biesbroek, R. 2013. Comparing apples and oranges: the dependent variable problem
594 in comparing and evaluating climate change adaptation policies *Global Environmental Change*,
595 23, 1476-87.
- 596
- 597 Ebi, K. L., Padgham, J., Doumbia, M., Kergna, A., Smith, J., Butt, T., McCarl, B. 2011.
598 Smallholders' adaptation to climate change in Mali. *Climatic Change*, 108(3), 423-436. Doi:
599 10.1007/s10584-011-0160-3.
600
- 601 Eisenack, K., Stecker, R. 2012. A framework for analyzing climate change adaptations as
602 actions. *Mitigation and Adaptation Strategies for Global Change*, 17, 243-260. Doi:
603 10.1007/s11027-011-9323-9.
604
- 605 Eklundh, L., Olsson, L. 2003. Vegetation index trends for the African Sahel 1982-1999.
606 *Geophysical Research Letters*, 30(8), 1430. Doi: 10.1029/2002GL016772.
607

608 Epule, T., Bryant, C. (2016). Small-scale farmers' indigenous agricultural adaptation options in
609 theFace of declining or stagnant crop yields in the Fako and Meme divisions of Cameroon.
610 *Agriculture*, 6(2), 22. Doi:10.3390/agriculture6020022.

611

612 Epule, T.E., Peng, C., Lepage, L. 2015. Environmental refugees in sub-Saharan Africa: a review
613 of perspectives on trends, causes, challenges and way forward. *Geojournal*, 80, 79-92. Doi:
614 10.1007/s10708-014-9528-z.

615

616 Epule, T.E., Peng, C., Lepage, L., Chen, Z. 2014. Policy options towards deforestation reduction
617 in Cameroon: an analysis based on a systematic approach. *Land Use Policy*, 36, 405-415. Doi:
618 10.1016/j.landusepol.2013.09.004.

619

620 Epule, T.E., Peng, C., Lepage, L., Chen, Z. 2013a. The causes, effects and challenges of the
621 Sahelian droughts: a critical review. *Regional Environmental Change*, 14, 145-156. Doi:
622 10.1007/s10113-013-0473-z.

623

624 Epule, T.E., Peng, C., Lepage, L., Chen, Z. 2013b. Enabling conditions for successful greening
625 of public spaces: the case of Touroua, Cameroon based on perceptions. *Small Scale Forestry*.
626 Doi: 10.1007/s1182-013-9246-2.

627

628 Elmqvist, B., Olsson, L. 2007. Livelihood diversification: continuity and change in the Sahel.
629 *GeoJournal*, 67(3), 167-180. Doi: 10.1007/s10708-007-9043-6.

630

- 631 Fleuret, A. 1986. Indigenous responses to drought in sub-Saharan Africa. *Disaster*, 10(3), 224-
632 229.
- 633
- 634 Ford, J.D., Berrang-Ford, L., Bunce, A., McKay, C., Irwin, M., Pearce, T. 2015. The status of
635 climate change adaptation in Africa and Asia. *Regional Environmental Change*, 15, 801-814.
- 636
- 637 Ford, J.D., McDowell, G., Jones, J. 2014. The state of climate change adaptation in the Arctic.
638 *Environmental Research Letters*, 9, 104005. Doi: 10.1088/1748-9326/9/10/104005.
- 639
- 640 Ford, J. D., Berrang-Ford, L., Lesnikowski, A., Barrera, M., Heymann, S. J. 2013. How to track
641 adaptation to climate change: a typology of approaches for national-level application. *Ecology
642 and Society*, 18 40.
- 643
- 644 Ford, J.D., Berrang-Ford, L., Patterson, J. 2011. A systematic review of observed climate change
645 adaptation in developed nations. *Climate Change Letters*, 106, 327-36.
- 646
- 647 Ford, J.D., Pearce, T. 2010. What we know, don't know, and need to know about climate change
648 vulnerability in the western Canadian Arctic. *Environmental Research Letters*, 5. Doi:
649 10.1088/1748-765 9326/5/1/014008.
- 650
- 651 Ford, J., Pearce, T., Smit, B., Wandel, J., Allurut, M., Shappa, K., Ittusujurat, H., Qrunnut, K.
652 2007. Reducing Vulnerability to Climate Change in the Arctic: The Case of Nunavut, Canada.
653 *Arctic*, 60,768 150-166.

- 654 Gebrehiwot, T., & van der Veen, A. 2013. Farm level adaptation to climate change: the case of
655 farmer's in the Ethiopian highlands. *Environ Manage*, 52(1), 29-44. Doi: 10.1007/s00267-013-
656 0039-3.
- 657
- 658 Giannini, A., Biasutti, M., Held, I.M., Sobel, A.H. 2008. A global perspective on African
659 climate. *Climate Change*, 90, 359-383. Doi: 10.1007/s10584-008-9396-y.
- 660
- 661 Giannini, A., Saravanan, R., Chang, P. 2005. Dynamics of the boreal summer African monsoon
662 in the NSIPP1 atmospheric model. *Climate Dynamics*, 25, 517-535. Doi: 10.1007/s00382-005-
663 0056-x.
- 664
- 665 Giannini, A., Saravanan, R., Chang, P. 2003. Oceanic forcing of Sahel Rainfall on inter-annual
666 to inter-decadal timescales. *Science*, 302, 1027-1030.
- 667
- 668 Gonzalez, P., Tucker, C.J., Sy, H. 2012. Tree density and species decline in the African Sahel
669 attributable to climate. *Journal of Arid Environments*, 78, 55-64.
670 Doi:10.1016/j.jaridenv.2011.11.001.
- 671
- 672 Huq, S., Reid, H., Konate, M., Rahman, A., Sokona, Y., Crick, F. 2004. Mainstreaming
673 adaptation to climate change in Least Developed Countries (LDCs). *Climate Policy*, 4(1), 25-43.
674 Doi:10.1080/14693062.2004.9685508.
- 675

676 IPCC. 2007. Climate change 2007: impacts, adaptations and vulnerability. Contributions of the
677 working group 2 to the fourth assessment report of the IPCC (Cambridge: Cambridge University
678 Press). p976.

679

680 Karam, D.B., Flamant, C., Knippertz, P., Reitebuch, O., Pelon, J., Chong, M. Dabas, A. 2008.
681 Dust emissions over the Sahel associated with West African monsoon intertropical discontinuity
682 region: a representative case study. *Q.J.R Meteorol. Soc.* 134, 621-634.

683

684 Labbe, J., Ford, J.D, Araos, M., Flynn, M. 2017. The government-led climate change adaptation
685 landscape in Nunavut, Canada. *Environmental Reviews*, 25, (1)1-14. Doi: 10.1139/er-2016-0032

686

687 Le, H.D., Smith, C., Herbohn, J., Harrison, S. 2012. More than just trees: assessing reforestation
688 success in tropical developing countries. *Journal of Rural Studies*, 28(1), 5-19.

689

690 Lesnikowski, A., Ford, J., Biesbroek, R., Berrang-Ford, L., Heymann, S.J. 2016. National-level
691 progress on 816 adaptation. *Nature Climate Change*, 6, 261–264. Doi: 10.1038/nclimate2863.

692

693 Lesnikowski, A.C., Ford, J.D., Berrang-Ford, L., Barrera, M., Berry, P., Henderson, J.,
694 Heymann, S.J. 2013. National-level factors affecting planned, public adaptation to health impacts
695 of climate change. *Global Environmental Change*, 23, 1153-1163.

696 Doi:10.1016/j.gloenvcha.2013.04.008.

697

- 698 Lepez-I-Gelats, F., Fraser, E.D.G., Morton, J.F., Rivera-Ferre, M.G. 2016. What drives the
699 vulnerability of pastoralist to global environmental change? A qualitative meta-analysis. *Global*
700 *Environmental Change*, 39, 258-274.
- 701
702 Lu, J., Delworth, T.L. 2005. Oceanic forcing of the late 20th century Sahel drought. *Geophysical*
703 *Research Letters*, 32:L22706. Doi: 10.1029/2005GL023316.
- 704
705 Lwasa, S. 2015. A systematic review of research on climate change adaptation policy and
706 practice in Africa and South Asia deltas. *Regional Environmental Change*, 15, 815-825. Doi:
707 10.1007/s10113-014-0715-8.
- 708
709 Mannke, F. 2011. Key themes of local adaptation to climate change: lessons from mapping
710 community-based initiatives in Africa. In: Leal Filho W (ed) *Experiences of climate change*
711 *adaptation in Africa*, Springer, New York, pp 17-32.
- 712
713
714 Mannke, F. 2010. An overview of community-based adaptation to climate change in Africa. The
715 Arkleton Trust, p 144.
- 716
717 Mamadou, I., Gautier, E., Descroix, L., Noma, I., Moussa, I.B., Maiga, O.F., Genthon, P.,
718 Amogu, O., Abdou, M.M., Vandervaere, J.P. 2015. Exorheism growth as an explanation of
719 increasing flooding in the Sahel. *Catena*, 131, 130-139.
- 720
721 Maranz, S. 2009. Tree mortality in the African Sahel indicates an anthropogenic ecosystem
722 displaced by climate change. *Journal of Biogeography*, 36, 1181-1193.

723

724 Marenya, P. P., Barrett, C. B. 2007. Household-level determinants of adoption of improved
725 natural resources management practices among smallholder farmers in western Kenya. *Food*
726 *Policy*, 32(4), 515-536. Doi:10.1016/j.foodpol.2006.10.002

727

728 Magistro, J., Medou, L. 2001. Historical and human dimensions of climate variability and water
729 resource constraint in the Senegal River valley. *Climate Research*, 19, 133-147.

730

731 Mbow, C., Mertz, O., Diouf, A., Rasmussen, K., Reenberg, A. 2008. The history of
732 environmental change and adaptation in eastern Saloum–Senegal-Driving forces and perceptions.
733 *Global and Planetary Change*, 64(3-4), 210-221. Doi:10.1016/j.gloplacha.2008.09.008.

734

735 Mertz, O., Mbow, C., Reenberg, A., Diouf, A. 2009. Farmers' perceptions of climate change and
736 agricultural adaptation strategies in rural Sahel. *Environ Manage*, 43(5), 804-816. Doi:
737 10.1007/s00267-008-9197-0.

738

739 Mertz, O., Mbow, C., Reenberg, A., Genesio, L., Lambin, E. F., D'Haen, S. . . . Sandholt, I.
740 2011. Adaptation strategies and climate vulnerability in the Sudano-Sahelian region of West
741 Africa. *Atmospheric Science Letters*, 12(1), 104-108. doi:10.1002/asl.314.

742

743 McLeman, R.A., Dupre, J., Berrang-Ford, L., Ford, J., Gajewski, K., Marchildon, G.R. 2014.
744 What we learned from the Dust Bowl: lessons in science, policy, and adaptation. *Population and*
745 *Environment*, 35, 417-440.

746

747 McLeman, R. 2011. Settlement abandonment in the context of global environmental change.

748 *Global Environmental Change*, 21, 108-120.

749

750 Morand, P., Kodio, A., Andrew, N., Sinaba, F., Lemoalle, J., Béné, C. 2012. Vulnerability and

751 adaptation of African rural populations to hydro-climate change: experience from fishing

752 communities in the Inner Niger Delta (Mali). *Climatic Change*, 115(3-4), 463-483. Doi:

753 10.1007/s10584-012-0492-7.

754

755 Mosberg, M., Eriksen, S. H. 2015. Responding to climate variability and change in dryland

756 Kenya: The role of illicit coping strategies in the politics of adaptation. *Global Environmental*

757 *Change*, 35, 545-557. Doi:10.1016/j.gloenvcha.2015.09.006.

758

759 Moretimore, M. 2010. Adapting to drought in the Sahel: lessons for climate change. *WIREs*

760 *Climate Change*, 1, 134-143.

761

762 Moretimore, M.K., Adams, W. 2001. Farmer adaptation, change and crisis in the Sahel. *Global*

763 *Environmental Change*, 11, 49-57.

764

765 Myers, N. 2001. Environmental refugees: Our latest understanding. *Philosophical Transactions*

766 *of the Royal Society B*, 356, 16.1-16.5. Doi:10.1098/rstb.2001.0953.

767

- 768 Myers, N. (2002). Environmental refugees: a growing phenomenon of the 21st century.
769 *Philosophical Transactions of the Royal Society*, 357(1420), 609-613. Doi: 10.1098/
770 2001.0953.
771
- 772 Myers, N., Kent, J. 2001. Food and hunger in Sub-Saharan Africa. *The Environmentalist*, 21(1),
773 41-69.
774
- 775 Newton, J., Paci, C.D.J., Ogden, A. 2005. Climate Change and Natural Hazards in Northern
776 Canada: Integrating Indigenous Perspectives with Government Policy. *Mitigation Adaptation*
777 *Strategies of Global Change*, 10, 541–571. Doi: 10.1007/s11027-005-0060-9.
778
- 779 Nicholson, S.E. 2001. Climatic and environmental change in Africa during the last two centuries.
780 *Climate Research*, 17, 123-144.
- 781 Nicholson, S.E. 1995. Sahel, West Africa. *Encyclopedia of Environmental Biology*, 3:261-275.
- 782 Noble, I., Huq, S. 2014 Adaptation Needs and Options (New York: Cambridge University Press)
783 chapter 14.
784
- 785 Nielsen, J. Ø., Reenberg, A. 2010. Cultural barriers to climate change adaptation: A case study
786 from Northern Burkina Faso. *Global Environmental Change*, 20(1), 142-152.
787 Doi:10.1016/j.gloenvcha.2009.10.002.
788
- 789 Nielsen, J.Ø., D'Haen, S., Reenberg, A. 2012. Adaptation to climate change as a development
790 project: A case study from Northern Burkina Faso. *Climate and Development*, 4(1), 16-25.

- 791
792
793 Nyariki, D.M., Wiggins, S. 1997. Household food insecurity in sub-Saharan Africa: lessons from
794 Kenya. *British Food Journal*, 99(7), 249-262.
795
- 796 Nyong, A., Adesina, F., Osman Elasha, B. 2007. The value of indigenous knowledge in climate
797 change mitigation and adaptation strategies in the African Sahel. *Mitigation and Adaptation*
798 *Strategies for Global Change*, 12(5), 787-797. Doi: 10.1007/s11027-007-9099-0.
799
- 800 O'Connor, Ford, J.D. 2014. Increasing the effectiveness of the "Great Green Wall" as an
801 adaptation to the effects of climate change and desertification in the Sahel. *Sustainability*, 6,
802 7142-7154. Doi: 10.3390/su6107142.
803
- 804 Okoye, C.U. 1998. Comparative analysis of factors in the adoption of traditional and
805 recommended soil erosion control practices in Nigeria. *Soil and Tillage Research*, 45, 251-263.
806
- 807 Oluoko-Odingo, A. A. 2011. Vulnerability and Adaptation to Food Insecurity and Poverty in
808 Kenya. *Annals of the Association of American Geographers*, 101(1), 1-20.
809 Doi:10.1080/00045608.2010.532739.
810
- 811 Opiyo, F., Wasonga, O., Nyangito, M., Schilling, J., Munang, R. (2015). Drought Adaptation and
812 Coping Strategies among the Turkana Pastoralists of Northern Kenya. *International Journal of*
813 *Disaster Risk Science*, 6(3), 295-309. Doi: 10.1007/s13753-015-0063-4.
814

- 815 Opondo, D, O. 2013. Erosive coping after the 2011 floods in Kenya. *International journal of*
816 *Global Warming*, 5(4), 452-466.
- 817
- 818 Pearce, T., Ford, J.D., Duerden, F., Smit, B., Andrachuk, M., Berrang-Ford, L., Smith, T. 2011.
819 Advancing adaptation planning for climate change in the Inuvialuit Settlement Region (ISR): a
820 review and critique. *Reg. Environ. Change* 11, 1-17. Doi:10.1007/s10113-010-0126-4.
- 821
- 822 Porter, J., Dessai, S., Tompkins, E.I. 2014. What do we know about UK household adaptation to
823 climate change? A systematic review. *Climate Change*, 127, 371-379.
- 824
- 825 Pouliotte, J., Smit, B., Westerhoff, L. 2009. Adaptation and development: livelihood and climate
826 change in Subarnabad, Bangladesh. *Climate and Development*, 1, 31-46.
827 Doi:10.3763/cdev.2009.0001.
- 828
- 829 Preston, B.L., Westaway, R.M., Yuen, E.J. 2011. Climate adaptation planning in practice: an
830 evaluation of adaptation plans from three developed nations. *Mitigation and Adaptation*
831 *Strategies for Global Change*, 16, 407-438. Doi: 10.1007/s11027-010-9270-x.
- 832
- 833 Prince, S.D., Brown, D., Coulston, E., Kravitz, L.L. 1998. Evidence from rain-use efficiencies
834 does not indicate extensive Sahelian desertification. *Global Change Biology*, 4, 359-374.
- 835
- 836 Reardon, T., Malton, P., Delgado, C. 1988. Coping with household-level food insecurity in
837 drought-affected areas of Burkina Faso. *World Development*, 16(9), 1065-1074.
- 838

- 839 Recha, J. W., Mati, B. M., Nyasimi, M., Kimeli, P. K., Kinyangi, J. M., Radeny, M. 2016.
840 Changing rainfall patterns and farmers' adaptation through soil water management practices in
841 semi-arid eastern Kenya. *Arid Land Research and Management*, 30(3), 229-238.
842 Doi:10.1080/15324982.2015.1091398.
843
- 844 Reenberg, A. 1994. Land-use dynamics in the Sahelian zone in eastern Niger-monitoring change
845 in cultivation strategies in drought prone areas. *Journal of Arid Environments*, 27, 179-192.
846
- 847 Reynolds, J.F., Stafford, S.D.M., Lambin, E.F., Turner, B.L., Mortimore, M., Batterbury, S.P.,
848 Downing, T.E., Dowlatabadi, H., Fernandez, R.J., Herrick, J.E., Huber-Sannwald, E., Jiang, H.,
849 Leemans, R., Lynam, T., Maestre, F.T., Ayarza, M., Walker, B. 2007. Global desertification:
850 building a science for dryland development. *Science*, 316, 847-851.
851
- 852 Rockström, J. 2003. Resilience building and water demand management for drought mitigation.
853 *Physics and Chemistry of the Earth, Parts A/B/C*, 28(20-27), 869-877.
854 Doi:10.1016/j.pce.2003.08.009.
855
- 856 Rohr, J., Dobson, A., Johnson, P.T.J., Kilpatrick, A.M., Paull, S.H., Raffel, R.R., Ruiz-Moreno,
857 D., Thomas, M.B. 2011. Frontiers in climate change-disease research. *Trends in Ecology and*
858 *Evolution*, 26(6), 270-277.
859
- 860 Schaer, C. 2015. Condemned to live with one's feet in water? *International Journal of Climate*
861 *Change Strategies and Management*, 7(4), 534-551. Doi: 10.1108/ijccsm-03-2014-0038.
862

- 863 Scheffran, J., Marmer, E., Sow, P. (2012). Migration as a contribution to resilience and
864 innovation in climate adaptation: Social networks and co-development in Northwest Africa.
865 *Applied Geography*, 33, 119-127. Doi:10.1016/j.apgeog.2011.10.002.
866
- 867 Sinclair, A.R.E., Fryxell, J.M. 1985. The Sahel of Africa: Ecology of a Disaster. *Canadian*
868 *Journal of Zoology*, 63, 987-994.
869
- 870 Sissoko, K., Keulen, H.V., Verhagen, J., Tekken, V., Battaglini, A. 2011. Agriculture,
871 livelihoods and climate change in the West African Sahel. *Regional Environmental Change*, 11,
872 S119-S125. Doi:10.1007/s10113-010-0164-y.
873
- 874 Sovacool, B.K., D'Agostino, A.L., Rawlani, A., Meenawat, H. 2012. Improving climate change
875 adaptation in least developed Asia. *Environ Science and Policy*, 21:112-125.
876 Doi:10.1016/j.envsci.2012.04. 009.
877
- 878 Somda, J., Nianogo, A.J., Nassa, S., Sanou, S. 2002. Soil fertility management and socio-
879 economic factors in crop-livestock systems in Burkina Faso: a case study of composting
880 technology. *Ecological Economics*, 43, 175-183.
881
- 882 Smithers, J., Smit, B. 1997. Human adaptation to climatic variability and change. *Global*
883 *Environmental Change*, 7 (3), 129-146.
884

885 Svendsen, M. 2008. Adaptation to Hydrological impacts of global climate change in developing
886 countries. Study Prepared for the Climate Protection Programme for Developing Countries.
887 Environment and Infrastructure Division, GTZ.

888

889 Tambo, J. A., Abdoulaye, T. 2012. Smallholder farmers' perceptions of and adaptations to
890 climate change in the Nigerian savanna. *Regional Environmental Change*, 13(2), 375-388.
891 Doi:10.1007/s10113-012-0351-0.

892

893 Thuo, M., Bravo-Ureta, B., Hathie, I., Obeng-Asiedu, P. 2011. Adoption of chemical fertilizer by
894 smallholder farmers in the peanut basin of Senegal. *African Journal of Agricultural Resource
895 Economics*, 6(1). Available online at: <http://purl.umn.edu/156960>.

896

897 United Nations (UN). 2015. Paris agreement. United Nations, New York. Available online at:
898 [http://unfccc.int/files/essential_background/convention/application/pdf/english_paris_agreement.](http://unfccc.int/files/essential_background/convention/application/pdf/english_paris_agreement.pdf)
899 pdf.

900

901 UNREDD+ 2015. Executive summary: 2015 annual report of the UN-REDD Programme Fund.

902 Available online at:

903 <http://www.unredd.net/documents.html?view=browse&customtags=172&startdate=&enddate=&>

904 [dmlang=](#)

905

906 UNAIDS. 2002. Report on the global HIV/AIDS epidemic 2002. UNAIDS, Geneva.

907

908

- 909 Verchot, L., van Noordwijk, M., Kandji, S., Tomich, T., Ong, C., Albrecht, A., Mackensen, J.,
910 Bantilan, C., Anupama, K., Palm, C. 2007. Climate change: linking adaptation and mitigation
911 through agroforestry. *Mitigation and Adaptation Strategies for Global Change*, 12, 901-918.
- 912 Verpoorten, M., Arora, A., Stoop, N., Swinnen, J. 2013. Self-reported food insecurity in Africa
913 during the food price crisis. *Food Policy*, 39, 51-63. Doi: 10.1016/j.foodpol.2012.12.006.
914
- 915 Wang, B., Ding, Q., Fu, X., Jin, K., Shukla, J., Doblas-Reyes, F. 2005. Fundamental challenge in
916 simulation and prediction of summer monsoon rainfall. *Geophysical Research Letters*, 32,
917 15711. Doi: 10.1029/2005GL022734.
918
- 919 Watts, N., Adgar, W.N., Agnolucci, P., Blackstock, J., Byass, P., Cai, W., Chaytor, S., Colbourn,
920 T., Collins, M., Cooper, A., Cox, M.P., Depledge, J., Drummond, P., Ekins, P., Galaz, V.,
921 Grace, D., Graham, H., Grubb, M., Haines, A., Hamilton, I., Hunter, A., Jiang, X., Li, M.,
922 Kelman, I., Liang, Lu., Lott, M., Lowe, R., Luo, Y., Mace, G., Maslin, M., Nilsson, M.,
923 Oreszcyn, T., Pye, S., Quinn, T., Svensdotter, M., Venevsky, S., Warmer, K., Xu, B., Yang, J.,
924 Yu, C., Zhang, Q., Gong, P., Montgomery, H., Costello, A. 2015. Health and climate change:
925 policy responses to protect public health. *The Lancet Commissions*, 386, 1861-1914.
926
- 927 Wood, S. A., Jina, A. S., Jain, M., Kristjanson, P., DeFries, R. S. 2014. Smallholder farmer
928 cropping decisions related to climate variability across multiple regions. *Global Environmental*
929 *Change*, 25, 163-172. Doi:10.1016/j.gloenvcha.2013.12.011.
930

- 931 Wubeneh, N. G., Sanders, J. H. 2006. Farm-level adoption of sorghum technologies in Tigray,
932 Ethiopia. *Agricultural Systems*, 91(1-2), 122-134. Doi:10.1016/j.agsy.2006.02.002.
933
- 934 Zampaligré, N., Dossa, L. H., Schlecht, E. 2013. Climate change and variability: perception and
935 adaptation strategies of pastoralists and agro-pastoralists across different zones of Burkina Faso.
936 *Regional Environmental Change*, 14(2), 769-783. Doi: 10.1007/s10113-013-0532-5.
937
- 938 Zander, K. K., Mwacharo, J. M., Drucker, A. G., Garnett, S. T. 2013. Constraints to effective
939 adoption of innovative livestock production technologies in the Rift Valley (Kenya). *Journal of*
940 *Arid Environments*, 96, 9-18. Doi:10.1016/j.jaridenv.2013.03.017.
941
- 942 Zeng, N. 2003. Drought in the Sahel. *Science*, 302:999-1000.