



This is a repository copy of *Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition)*..

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/171641/>

Version: Supplemental Material

---

**Article:**

Klionsky, DJ, Abdel-Aziz, AK, Abdelfatah, S et al. (2926 more authors) (2021) Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). *Autophagy*, 17 (1). pp. 1-382. ISSN: 1554-8627

<https://doi.org/10.1080/15548627.2020.1797280>

---

This is an Accepted Manuscript of an article published by Taylor & Francis in *Autophagy* on 8 Feb 2021, available online:

<http://www.tandfonline.com/10.1080/15548627.2020.1797280>.

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.


**Takedown**


If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.






[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>



Figure 1























Figure 9








Figure 10









Figure 13





**A****B**

Figure 15








Figure 16









Figure 19









Figure 20




A


ATG5



LC3




SQSTM1




B


Stage I




Stage II



Stage III



Stage IV






Figure 23






Figure 24





Figure 25







Figure 27




Figure 28





Figure 29






Figure 31






Figure 32








Figure 33



























A



B

