

Sustaining interventions in care homes initiated by quality improvement projects: a qualitative study

Reena Devi , ^{1,2} Graham P Martin , ³ Jaydip Banerjee , ⁴ John RF Gladman , ^{5,6,7,8} Tom Dening , ⁵ Atena Barat , ⁹ Adam Lee Gordon , ^{5,8}

▶ Additional supplemental material is published online only. To view, please visit the journal online (http://dx.doi. org/10.1136/bmjqs-2021-014345).

For numbered affiliations see end of article

Correspondence to

Dr Reena Devi, School of Healthcare, University of Leeds, Leeds LS2 9JT, West Yorkshire, UK; r.devi@leeds.ac.uk

Received 9 October 2021 Accepted 2 February 2022

Check for updates

© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

To cite: Devi R, Martin GP, Banerjee J, et al. BMJ Qual Saf Epub ahead of print: [please include Day Month Year]. doi:10.1136/ bmjqs-2021-014345

ABSTRACT

Introduction Inadequate and varied quality of care in care homes has led to a proliferation of quality improvement (QI) projects. This study examined the sustainability of interventions initiated by such projects. **Method** This qualitative study explored the sustainability of seven interventions initiated by three QI projects between 2016 and 2018 in UK care homes and explored the perceived influences to the sustainability of interventions. QI projects were followed up in 2019. Staff leading QI projects (n=9) and care home (n=21, from 13 care homes) and healthcare (n=2) staff took part in semi-structured interviews. Interventions were classified as sustained if the intervention was continued at the point of the study. Thematic analysis of interview data was performed, drawing on the Consolidated Framework for Sustainability (CFS), a 40-construct model of sustainability of interventions.

Results Three interventions were sustained and four interventions were not. Seven themes described perceptions around what influenced sustainability: monitoring outcomes and regular check-in; access to replacement intervention materials; staff willingness to dedicate time and effort towards interventions; continuity of staff and thorough handover/inductions in place for new staff; ongoing communication and awareness raising; perceived effectiveness; and addressing care home priorities. All study themes fell within 18 of the 40 CFS constructs.

Discussion Our findings resonate with the CFS and are also consistent with implementation theories, suggesting sustainability is best addressed during implementation rather than treated as a separate process which follows implementation. Commissioning and funding QI projects should address these considerations early on, during implementation.

INTRODUCTION

Quality improvement (QI) involves multiple interactions between individuals and systems to develop, implement and embed change. Once improvements are achieved, a further challenge is sustaining that change. A review in 2012 noted

Key messages

What is already known on this topic?

Sustaining improvements to care is a challenge. The Consolidated Framework for Sustainability (CFS) describes factors that influence sustainability; generalisability of the CFS to care homes is not yet clear.

What this paper adds?

► Interventions initiated in care homes by quality improvement projects are not always sustained, and 18 (out of 40) CFS constructs influenced sustainability in care home settings.

How might this study affect research, practice or policy?

Influences on sustainability are consistent with influences on implementation, and so those commissioning, funding and leading quality improvement projects should address sustainability during intervention implementation.

that the sustainability evidence base was underdeveloped.² Subsequently, Moore et al³ proposed a comprehensive definition of sustainability: 'after a defined period of time, a programme, clinical intervention and/or implementation strategies continue to be delivered and/or individual behaviour change (ie, clinician, patient) is maintained; the programme and individual behaviour change may evolve or adapt while continuing to produce benefits for individuals/systems'. In addition, Lennox et al⁴ developed the Consolidated Framework for Sustainability (CFS), comprising





Original research

40 constructs that influence the sustainability of interventions in healthcare settings.

Care homes are institutions providing 24-hour support to those no longer able to manage in their own homes.⁵ Internationally, different terms are used including nursing homes, residential homes or aged care facilities. The needs of care home residents are complex and require input from multiple professionals working across various organisations.⁶ Improving quality of care in long-term care homes is important because of increasing numbers of older people living with frailty and dependency^{7 8} and the variable quality of existing services. In the UK, care homes are usually run by private and third-sector organisations. They are seen as social care institutions, receiving healthcare input peripatetically from the National Health Service (NHS). Care homes are smaller, less well-resourced and less well-staffed than healthcare settings such as hospitals, and in the UK there are inconsistencies in education and training for care home staff.¹⁰

Relatively few studies on the sustainability of interventions in care homes have been conducted. 11-13 Studies to date have not yet reported on the sustainability of interventions implemented in care homes, and the influences on sustainability in this sector are uncertain. The CFS model, developed in healthcare, may offer a useful framework for understanding sustainability in care homes, but this is untested. This study followed recent QI projects in UK care homes and examined the sustainability of interventions, according to the concepts in Moore et al's definition of sustainability (intervention continuation, adaptation and perceived benefits). The perceived influences to sustainability were also explored and compared with the CFS⁴ to assess its transferability to care home settings.

METHOD

Study design

A qualitative approach using semi-structured interviews was employed. The full study protocol is reported elsewhere. ¹⁴ Standards for Reporting Qualitative Research guidelines ¹⁵ were followed.

Study setting

We examined seven interventions initiated by three QI projects in care homes in England between 2016 and 2018. The Proactive Healthcare of Older People in Care Homes (PEACH)¹⁶ project involved four multidisciplinary NHS and care home staff teams in Nottinghamshire, and two interventions were followed-up: multidisciplinary reviews of at-risk residents and a dietician-led nutritional support programme. The Enhanced Health in Care Homes Vanguard (EHCH)¹⁷ was a national project: our study followed up the Nottingham site which covered 52 care homes and included two interventions—the 'Red Bag' scheme in which key information about residents

accompanies them when transferred to hospital and a telemedicine service. The Safer Care Homes¹⁸ project involved nine care homes in Salford and included three interventions: personalising mobility aids ('Pimp My Zimmer'), pressure sensor mats in fall prevention and additional lighting to aid safe toileting ('Luminous Loos'). The seven interventions are summarised using the Template for Intervention Description and Replication (TIDieR) template¹⁹ in table 1. Each QI project is also summarised and presented in online supplemental tables 1-3.

Participant recruitment and data collection

Data collection took place in 2019, 16–20 months after the PEACH project finished, 17–21 months after the Safer Care homes finished and 15–19 months after the EHCH project finished. The timing of the data collection depended on the timing of the funding and organisation of the study.

Using purposive and snowball sampling, we recruited staff who led the QI projects using contacts named in published reports. Health and care staff with experience of delivering one or more interventions in each QI project were then identified via project staff. Staff were invited to take part via email. Thirty-two participants were recruited; 9 were project staff, 21 were care home staff (recruited from 13 care homes) and 2 were NHS staff. Table 2 illustrates the split of project staff recruited across the three QI projects, the number of care homes where interventions were used and the number of frontline staff participants commenting on each intervention. Eight (out of the 13) care homes represented in the sample initiated more than one intervention, and 13 (out of the 23) frontline staff participants had experience of more than one intervention.

All interviews were carried out face-to-face. Twentyfour were one-to-one interviews and four included two interviewees; interviews lasted between 17–123 minutes. Two interview guides were used to inform data collection, one for project staff and the other for frontline care home and NHS staff. Both interview guides started with general questions about experiences of the QI project and participants' experience of the sustainability of interventions. Questions focused on understanding what influenced sustainability, and prompting questions were used to understand more about influences of sustainability. The interview guide used with care home and NHS staff included additional questions on whether or not the interventions initiated during QI projects had been sustained. These questions were shaped using Moore et al's definition of sustainability,³ checking whether the intervention had been maintained, whether it had evolved/adapted and whether the change continued to produce benefits. Questions were phrased using appreciative inquiry principles²⁰ to minimise participants feeling a sense of guilt or responsibility if reporting interventions to have stopped and not sustained. Throughout the interviews, prompts were used

 Table 1
 Descriptions of the projects and their interventions

initiated across QI projects	Why	What (materials)	What (procedure)	Who provided	How	Where
PEACH: Multidisciplinary (MDT) review meetings for	MDT review meetings to identify and review	Triage tool developed with care home staff and used to enable care home staff to describe concerns about residents in a structured way.	Care home staff complete triage tool for residents selected at risk of deterioration. Completed triage tool was reviewed by dementia outreach and care home specialist nurse with access to NHS records. Multidisciplinary team members met at the care home to discuss resident, and the team implement care plan.	Care home staff, dementia outreach and care home nurse specialist, GP, voluntary sector representative.	Face-to-face group meeting.	
PEACH: Dietician-led nutrition support to care homes	Malnutrition and undernutrition are prevalent in care homes, cause morbidity and are treatable.	Training materials for care home staff around nutrition, diabetes, the Malnutrition Universal Screening Tool (MUST) and an information pack containing a food diary, MUST protocol and homemade recipes for fortified drinks, high calorie snacks and finger foods.	A dietitian visited care homes to build relationships with staff and identified specific training needs. Dietician, GP and care home staff carried out dietetic reviews on residents with high MUST scores (based on assessments performed by care home staff) and dietetic care plans developed.	Care home staff training, dietitian and GP.	Face-to-face meetings at homes. Care plans were made available using existing function on GP computer system.	Care home and GP practice.
EHCH: Red Bag	Shorten hospital stays using a 'Red Bag' which contained items designed to improve communication between care home staff, paramedics and hospital staff.	Each Red Bag contained key paperwork, medication and personal belongings (eg, slippers, dentures and clothes) needed when admitted to hospital.	Care home staff provided paramedic staff with the Red Bag. The Red Bag travelled with the resident to the hospital and stayed with them throughout their hospital stay.		Paramedic and hospital staff had access to key information, medications and other items needed throughout the residents' hospital stay.	Care home and hospital.
EHCH: Telemedicine	To reduce number of 999 calls and provide advice to care home staff and residents using a teleconferencing service.	Teleconferencing equipment.	Health and social care teams were linked through a single point of access, and care plans and protocols were shared with these teams.	GP in-hours services, GP extended-access services, GP out-of- hours services, NHS 111 rapid-response health and care teams and the local ambulance service.	Telemedicine technology was used to exchange decision-making information between health and social care professionals and residents.	Phone calls and video- conference.
Safer Care Homes: Pimp My Zimmer	Walking aids were personalised to help residents recognise and use their own walking aid.	Decorative materials were used to personalise each resident's walking aid.	Care home organisations purchased decorative craft materials that could suitably attach to a walking aid, and residents were involved in decorating their walking aids.	Care home staff.	Walking aids were decorated with the resident, choosing decorative material which matched their interests and preferences.	walking aid in all locations of care home.
Safer Care Homes: Floor Sensor Mat	To prevent falls through alerting care home staff to the whereabouts of residents.	Floor pressure sensor mat.	When a resident stepped onto the floor an alarm alerted care home staff to provide assistance to reduce the risk of the resident falling, particularly those residents attempting to walk without aids.	Care home staff.	The floor pressure sensor mats were placed in bedrooms and positioned next to each resident's bed.	Resident bedroom.

Continued

Table 1 Continued Interventions initiated across QI Where Why projects What (materials) What (procedure) Who provided How Safer Care Homes: Placing luminous Battery-powered lights Care home staff identified Care home staff The luminous light Resident Luminous Loos lights on toilets to placed on toilets. residents who need this stripes activated bathroom. prevent falls when intervention and put the when movement residents used the battery-powered light strips is detected in the bathroom in the in place. bathroom. dark

to explore relevant issues as they emerged. All interviews were audio-recorded and transcribed verbatim.

Researcher characteristics

NHS, National Health Service; QI, quality improvement.

Original research

The study was conducted by researchers with expertise and experience of care home and implementation science research and qualitative research. AB conducted interviews and was not known to participants; RD joined AB when interviewing four participants who were known to RD.

Data analysis

Interview transcripts were analysed using thematic analysis.²¹ One researcher (RD) coded the data (our protocol had specified double coding but resource limitations precluded this), identifying data relating to the concepts contained in Moore *et al*'s definition of sustainability (intervention continuation, adaptation and perceived benefits³). Interventions were classified as sustained if the intervention was continued at the point of the study. Data providing insight into the reasons why interventions stopped or continued were also coded: CFS constructs⁴ were used as code labels where relevant (deductive), and new code labels were created where data did not align well with the CFS (inductive).

A coding matrix (in Microsoft Excel) was used to organise coded data in which the rows were interventions, the columns were code (and subcode) labels, and pseudonymised data excerpts were inserted into the

cells of the matrix. Organising data in this way enabled the lead researcher (RD) to identify similarities, differences and recurring patterns across the seven interventions around what participants perceived to influence the sustainability of interventions. Relevant codes were grouped and themes developed. All sustainability themes were mapped against the CFS constructs to identify which constructs closely related to each theme content, while also exploring whether themes exposed insights outside of the CFS. The study team discussed successive drafts of the analysis and interpreted the findings. Study findings were reviewed and discussed by all authors to reach consensus.

RESULTS

Intervention sustainability

According to interviewees, three interventions were sustained in at least one care home (PEACH dietician-led nutrition support, EHCH Red Bag scheme and EHCH telemedicine); the other four were not. Table 3 summarises the data presented regarding interventions' sustainability against Moore *et al*'s indicators

PEACH: dietician-led nutrition support

Care home staff in three (of four) homes maintained the following activities: using high-calorie recipes, providing high-calorie snacks and fortifying foods; working with a GP to determine and obtain nutritional supplements for residents; and monitoring resident

Table 2 Participants recruited across QI projects and interventions				
QI project	Number of project staff participants	Interventions initiated during QI project (N=number of care homes represented in participant sample)*	Number of frontline staff with experience of interventions†	
PEACH	3	Multidisciplinary (MDT) review meetings for care home residents at risk of deterioration (1)	Care home staff=3 NHS staff=2	
		Dietician-led nutrition support to care homes (4)	Care home staff=6	
EHCH	3	Red Bag (11)	Care home staff=19	
		Telemedicine (2)	Care home staff=5	
Safer Care Homes	3	Pimp My Zimmer (1)	Care home staff=1	
		Floor Sensor Mat (3)	Care home staff=4	
		Luminous Loos (1)	Care home staff=1	

^{*8} care homes initiated more than one intervention.

^{†13} participants commented on more than one intervention.

NHS, National Health Service; QI, quality improvement.

Table 3 Summary of intervention sustainability

		Sustainability indicators (Moore et al 2017)					
QI project	Intervention (number of care homes represented)	Number of care homes where the intervention continued to be delivered (% of care homes where intervention has continued)	Number of care homes where the intervention had evolved/adapted	Number of care homes reporting continued benefits to intervention use			
PEACH	MDT review meetings (1)	0	0	N/A			
PEACH	Dietician-led nutrition support (4)	3 (75)	1	3			
EHCH	Red Bag (11)	6 (55)	2	5*			
EHCH	Telemedicine (2)	2 (100)	0	2†			
Safer Care Homes	Pimp My Zimmer (1)	0	0	N/A			
Safer Care Homes	Floor sensor mats (3)	0	0	N/A			
Safer Care Homes	Luminous Loos (1)	0	0	N/A			

^{*1} out of 6 care homes continuing to use the Red Bag described downsides to continued use.

weight and food intake. In one care home, nutritional support was further enhanced by introducing specially designed plates and cutlery (eg, easy-grip cutlery and plate guards to stop food falling off plates) during mealtimes. Care home staff described continuing benefits: providing nutritional support in a person-centred way and developing strategies to identify and support residents losing weight.

EHCH: Red Bag

Care home staff in 6 (of 11) care homes continued to use Red Bags in the event of an emergency admission to hospital. In two care homes, the intervention had been adapted. One care home added a 'This Is Me' sheet, providing hospital staff with more personalised information; in the second care home, a member of staff accompanied the resident to the emergency department to ensure the paramedic and hospital staff used Red Bag information. Reported benefits of continued use of the Red Bag were mixed. In some instances, the Red Bag helped care home staff to feel prepared for hospital admissions, and for residents who did not own travel bags the Red Bag offered an appropriate and dignified way of taking information and personal items to hospital. However, participants reported that the Red Bag did not consistently work well at improving communication because paramedics and hospital staff did not always use the information inside the Red Bag, and the Red Bag sometimes went missing during the hospital journey.

EHCH: telemedicine

Care home staff in two (of two) care homes continued to use the telemedicine intervention. There were no reports of further evolution or adaptation. There were mixed findings regarding whether continued use of the telemedicine intervention brought sustained benefits. Participants reported that the intervention helped to avoid emergency admissions to hospital. In a care home without nursing, it gave care workers

the opportunity to discuss issues with a clinician, helped with organising changes to prescriptions and facilitated appropriate referrals. In a care home with nursing, one participant stated that the telemedicine intervention helped provide a second opinion and reassurance during decision making, as long as the advising clinician was supportive and did not undermine the care home nurse's viewpoint. Participants described how the virtual nature of the intervention worked well for some issues (eg, wounds and rashes), but less well for more complex issues that might require face-to-face assessment. Sometimes, the telemedicine team required clinical information that care home workers could not provide. The intervention had time and workload implications, with staff experiencing long waits before connecting to an operator, followed by lengthy discussions to provide resident details and describe the health issue. When issues could not be resolved by telemedicine, this was perceived as wasted effort. Technological problems were also described.

Perceived influences on sustainability

The analysis produced seven themes: monitoring outcomes and regular check-in; intervention materials; staff workload; staff continuity; ongoing communication and awareness raising; intervention effectiveness; and care home priorities.

Monitoring outcomes and regular check-in

Participants continuing with the three interventions had established processes to help sustain the interventions. These focused on monitoring effectiveness and on opportunities to raise and discuss issues. Participants using the telemedicine intervention described that a representative from the service regularly shared progress and outcome metrics regarding service use and number of hospital admissions avoided and those continuing with nutrition support reported ongoing monitoring of each resident's weight.

^{†1} out of 2 care homes continuing to use the telemedicine intervention described both benefits and downsides to continued use. MDT, multidisciplinary; QI, quality improvement.

Original research

Someone from the Telemed service comes twice a year, she went through the graph to show how many times we'd phoned them and how many times we'd avoided emergency intervention by using that service and I saw its benefit. I think sometimes you need something, maybe pictorial in front of you to demonstrate the benefits of it. I could see oh it's actually worked, we've stopped three hospital admissions by using the service. So I think when you've got something hard... hard evidence to go on it reinforces why it's good to use it. (Care home staff 12)

Alongside monitoring effectiveness, participants also noted opportunities for staff to raise and discuss issues. Participants using the telemedicine intervention described how the service representative carried out regular connectivity checks. Participants continuing to provide nutrition support described how staff (management staff, care workers and kitchen staff) raised and discussed concerns, suggested ideas and asked questions during meetings, handovers and huddles. Project staff involved in implementing the Red Bag intervention contacted the care home regularly to check for and help find missing bags.

Meetings, we have what we call flash meetings, daily meetings, so if there's... we discuss any things, any changes, anything that we're doing through staff meetings. And flash meetings, so heads of department, so you have kitchen staff, so if there's anything for them, dietetics, if we're worried about people losing weight or anything like that, it's discussed at those meetings every day. So it keeps it to the forefront of your mind really. (Care home staff 15)

Intervention materials

Physical materials were needed for interventions to continue. A recurring insight from the Red Bag intervention was that bags were often not returned to the care home when residents were discharged. Project staff reported that because the initial project was fixed-term, with non-recurrent funding, it was not possible to replace Red Bags.

I think sometimes with the Red Bags sometimes don't come back and we have to chase them, so sometimes they get lost in the hospital or something. So that would affect using it again. (Care home staff 10)

Similarly, telemedicine intervention participants emphasised the need to keep all equipment (charger, web-cam and monitor) together and the need for strong Wi-Fi. If one component of the equipment was lost, or if Wi-Fi signal became poor, then it was impossible to continue using the intervention.

The camera could be better on it instead of something that just rests on the top. It needed to be attached so it can't be lost, it needs to be able to move but things get lost, you know what care homes are like, chargers get lost and everything. That's the only thing I would

change, glue it all together so nobody can take anything off it. (Care home staff 7)

Staff workload

Staff time and effort were also needed to sustain intervention use. Participants described the need to balance the required time and effort with the benefits to be gained and reluctance to dedicate effort to interventions perceived to lack benefits. Continuing with the Red Bag intervention created workload demands, including keeping it updated for each resident, setting up content for new residents, and reviewing and signing-off paperwork by senior staff. Staff motivation was reduced when Red Bags were lost in hospital or when hospital staff did not use the information inside the Red Bag. The telemedicine intervention was time-consuming for care home staff, but participants persevered with it because of perceived benefits (eg, avoiding emergency hospital admissions).

So to be involved means that we've got to have more staff time. So you have to balance between what are the benefits, and what can we afford, in terms of staff and time and money. (Care home staff 21)

Staff continuity

Staff continuity helped to sustain interventions; conversely, involvement of new staff or agency staff increased the risk of interventions stopping. For example, in the MDT review meeting intervention, a care home manager who had played a key role left the organisation, and the manager's replacement was simply unaware of the intervention. Similarly, participants described occasions where new staff's unfamiliarity with the Red Bag meant residents were sent to hospital without the bag. With the nutrition support intervention, low staff turnover, and thus staff continuity, meant that staff were familiar with the intervention and well acquainted with residents' individual food preferences, likes and dislikes. Although staff continuity is clearly beneficial, it cannot always be assured, so thorough staff handovers and induction training were needed for new staff.

When staff members have changed, they need to make sure things get passed to new staff. The old manager didn't pass it onto the new manager. (Project staff 8)

Ongoing communication and awareness raising

Continued input from project staff was perceived to be needed after projects completed in order to keep the interventions 'live'. This was most noteworthy in the Red Bag intervention, where continued input was needed to regularly contact hospitals to locate missing bags. Project staff also needed to maintain communication and raise awareness among other relevant staff. The intervention relied on care home staff, paramedic and hospital staff all knowing about the Red Bag. One geographical region where the project was undertaken was extensive, containing three hospitals and thus a large workforce. Raising awareness for all relevant staff across the region and organisations was challenging, requiring persistent and ongoing communication work.

With the Vanguard and the Red Bag, as soon as it gets to the hospital trust level, it's a massive trust – how shall we tell everybody about the Vanguard? I mean sorry you need to communicate to a whole trust of staff in a whole hospital. (Project staff 9)

After the project finishes people still need to talk about it and make sure it is kept 'live'. (Project staff 8)

Intervention effectiveness

Sustained interventions were perceived as beneficial (but had some downsides too). The main reason given for not continuing with the Pimp My Zimmer, Floor Sensor Mat and Luminous Loos interventions was the absence of tangible benefits. Indeed, in some cases their drawbacks were more visible than their benefits. Rather than helping residents see the toilet in the dark, Luminous Loos often caused confusion, with residents wondering why the toilet was illuminated in different colours. With the Floor Sensor Mat, care home staff reported that residents would move the sensor mat aside rather than stepping onto it. Residents with dementia often removed the Pimp My Zimmer decorations from their walking aids.

If somebody was walking into the toilet and didn't really recognise what it was, they were actually looking at the toilet because obviously it was different colours. So it was like the rim of the toilet inside would be blue, or red, so rather than sitting on the toilet they were scared of it. (Care home staff 8)

Care home priorities

Interventions that addressed priorities were perceived as more likely to be sustained. Project staff commented that if the problem being addressed was not recognised as important, care home staff were unlikely to continue using the intervention. Participants continuing to use the Red Bag described that before the intervention, care home staff identified transporting resident items and information to the hospital as an important issue. Similarly, participants continuing to provide nutrition support reported that, beforehand, residents and relatives raised nutrition and meal choice as requiring attention, and care home staff also had concerns about residents losing weight. One reason for stopping the MDT review meeting intervention was the simple presence of other more pressing issues.

It's a big priority in the care home, especially because obviously if we are monitoring them because as we know they can get secondary complications if they are starting to lose weight, if it's not monitored properly because it causes a lot of other issues as in obviously more at risk of falls, more at risk of pressure ulcers etc. (Care home staff 11)

Mapping study themes to the CFS

Table 4 lists the sustainability themes and indicates the CFS constructs related to each theme. Overall, the seven themes related to 18 CFS constructs. All contents of the themes could be mapped to at least one CFS construct.

DISCUSSION

Three of the seven interventions implemented by three QI projects were sustained 1 to 2 years after the projects completed. Seven themes outline project staff and frontline care home and NHS staff's perceptions around why interventions were sustained: monitoring outcomes and regular check-in; access to replacement intervention materials; staff willingness to dedicate time and effort towards interventions; continuity of staff and thorough handover/inductions in place for new staff; ongoing communication and awareness raising if input from a large workforce is needed; interventions perceived as effective; and interventions addressing care home priorities. The findings resonate with previous sustainability evidence generated from the care home sector, ^{11–13} and the content of these themes relate to 18 of the 40 constructs in the CFS.⁴

Implications for practice

Lennox et al⁴ assert that theoretical perspectives on sustainability tend to take one of the two positions, viewing sustainability as either a linear process following implementation or a concurrent process alongside implementation. In this study, the seven sustainability themes identified are consistent not only with constructs identified in the CFS but also with theories of implementation: for example, the Consolidated Framework for Implementation Research, 22 Quality Implementation Framework²³ and Normalisation Process Theory.²⁴ These themes describing influences on sustainability are also important influences on implementation: perceived benefits to using the intervention²⁴; fit with the goals of an organisation²⁴; staff preparedness to invest time and energy to the intervention²⁴; available resources²² ²³; feedback mechanisms²²; communications²²; and staff recruitment and maintenance.²³ For these reasons, we are inclined to infer that sustainability is best understood-and achieved—as an integral part of implementation rather than a separate process.

An implication for commissioning and funding QI projects is that plans to implement interventions (in care homes and possibly elsewhere) should include plans for their longer-term sustainability. While the fixed-term funding of QI projects cannot support long-term sustainability activity, there are care home-specific

Original research							
Table 4 Sustainability them	es and links with t	he Consolidate	ed Framewo	rk for Sustain	ability (CFS)		
Sustainability themes							
CFS constructs—bold text indicating those mapping to identified themes	Monitoring outcomes and regular check-in	Intervention materials		Staff continuity	Ongoing communication and awareness raising	Intervention effectiveness	Care home priorities
Demonstrating effectiveness	*		*			*	•
Monitoring progress over time	*	*					
Training and capacity building				*			
Evidence base for the initiative						*	
Expertise							
The problem							
Project duration							
Improvement methods							
Project type							
Belief in the initiative			*			*	
Accountability of roles and responsibilities							
Defining aims and shared vision							
Incentives							
Workload			*			*	
Complexity					*		
Job requirements							
Stakeholder participation							
Leadership and champions							
Relationships and collaboration and networks					*		
Community participation							
Staff involvement	*						
Ownership	*						*
Power							
Patient involvement							
Satisfaction							
General resources	*	*					
Funding		*					
Infrastructure							
Resource—staff			*	*			
Resource—time			*	*			
Integration with existing							*
Intervention adaptation and							
receptivity Organisational values and culture							*
Organisational readiness and capacity							
Support available							
Opposition							
Socioeconomic and political considerations							
Awareness and raising the profile				*	*		
Urgency							
Spread to other organisations					*		

^{*}Cells with links.

systems that exist to support on-going QI activity and hence support the sustainability of interventions. In the East Midlands of England, for example, a tool called the LPZ International Prevalence Measurement of Care Problems in Care Homes is an ongoing initiative which supports care homes by measuring the impact of QI in care homes.²⁵ The Nurturing Innovation in Care Homes Excellence in Leeds (NICHE-Leeds)²⁶ initiative replicates another Dutch model called The Living Lab in Ageing and Long-Term Care²⁷ and is an ongoing partnership between the care home sector and academia, and within this model researchers are well positioned to provide support when innovating in care homes.

Future research

The short-term focus on initial implementation of improvement interventions has arguably led to an essential aspect of implementation (sustainability) being overlooked. We advise that future implementation studies routinely include examination of sustainability. In this study, the sustainability themes are set out as individual and distinct; however, the themes are linked and interdependent, and future studies should examine the nature of interaction between themes. The study themes relate to multiple CFS constructs. For example, the monitoring outcomes and regular check in theme reflects participants' perception that interventions are more likely to be sustained when outcomes are monitored, and when staff have opportunities to discuss and raise issues (for instance, issues related to equipment). This theme therefore relates to the following CFS constructs: monitoring progress over time, demonstrating effectiveness, general resources, staff involvement and ownership. Other study themes also relate to these and other CFS constructs. This demonstrates that the study themes and CFS constructs are connected, interdependent and closely interact. This highlights both the complexity of sustainability and that multiple influences need to be addressed. Future studies should move this forward by examining more closely the interplay between influences and assess the combination of influences most closely associated with sustainability—this would help QI experts design effective strategies that target those influences and enhance the likelihood of sustaining interventions.

Future research might also explicitly assess other variables which might reveal other insights into other sustainability influences. Assessing organisational characteristics such as care home size (ie, bed capacity), quality rating, financial (ie, profit vs non-profit) and business model (eg, independent homes vs homes part of a larger chain) may provide insight into whether these impact on the sustainability of new interventions. For example, are interventions more likely to be sustained in larger homes part of a chain of homes as opposed to smaller independently owned homes, because chains might employ dedicated quality assurance teams who play a role in ensuring changes are sustained? Or is the opposite true? Does it become harder to sustain interventions in larger homes where there is a reliance on a larger workforce to maintain the intervention? Organisational level characteristics of this kind do not explicitly feature in the CFS and were not assessed in this study, so it is not possible to answer

these questions. We suggest future studies assess whether organisational characteristics might have explanatory value with regard to sustainability. Alongside intervention sustainability, future studies should also examine the sustainment of other broader secondary outcomes which can result from QI projects, such as sharing of best practice across individual care homes and across wider network of care homes, ²⁸ continuation of the skills and capacity built, ²⁸ staff engagement, ¹⁶ and teams developing action plans ¹⁶.

Strengths and limitations

The project staff and frontline staff delivering interventions provided insight into the operation of the interventions, but it is possible that they were unaware of or did not report matters outside their direct experience, and other influences on sustainability may have been overlooked. Our method relied on informants' recollection and perceptions. Including other data sources such as QI project evaluations, care home internal documentation/ reports, and direct observations would help to address limitations of self-report data, and through data triangulation verify staff perceptions of sustainability. Our study was conducted, for practical rather than theoretical reasons, 1 to 2 years after the original QI projects were complete: our findings may not be indicative of the influences on longer-term (5-year to 10-year) sustainability, and this might form a focus for future research. Despite these limitations, we hold that our findings are trustworthy and credible and contribute to knowledge about sustaining QI interventions in care homes.

CONCLUSION

We studied sustainability in care homes as a concept which is separate from and sequentially follows implementation. However, key components of theories of implementation also align with the influences to sustainability we identified, and thus, sustainability must be addressed alongside implementation. To improve care in the long-term and avoid wasting effort, time and resources, those funding and delivering QI projects must plan for sustainability from the start of projects and should not consider projects complete until conditions for sustainability are in place, that is, ensuring the influences on sustainability outlined in this study have been addressed. Viewing QI projects with this longer-term lens, we suggest, is critical to the longevity of impact created by QI projects in care home settings.

Author affiliations

- ¹School of Healthcare, Faculty of Medicine and Health, University of Leeds, Leeds. UK
- ²Nurturing Innovation in Care Home Excellence in Leeds (NICHE-Leeds), Leeds, IIK
- ³Department of Public Health and Primary Care, The Healthcare Improvement Studies Institute, University of Cambridge, Cambridge, UK
- ⁴Emergency Medicine, Leicester Royal Infirmary, Leicester, UK
- ⁵Faculty of Medicine and Health Sciences, University of Nottingham, Nottingham, UK
- ⁶NIHR Nottingham Biomedical Research Centre, Nottingham, UK

Original research

⁷Nottingham University Hospitals NHS Trust, Nottingham, UK ⁸NIHR Applied Research Collaboration East Midlands, Nottingham, UK ⁹Centre for Primary Care, Wolfson Institute of Population Health Sciences, Faculty of Medicine and Dentistry, Queen Mary University of London, London, UK

Twitter Reena Devi @_DrReenaDevi, Graham P Martin @graham_p_martin and Adam Lee Gordon @adamgordon1978

Contributors Conceptualisation: RD, GM, JB, JG, TD, ALG. Data analysis: RD. Data interpretation: RD, GM, JB, JG, TD, ALG. Writing-original draft: RD. Writing-review and editing: RD, GM, JB, JG, TD, AB, ALG. Guarantor: RD

Funding This study was funded by Abbeyfield Research Foundation (26). Reena Devi is a Scientific Linking Pin researcher part funded by Nurturing Innovation in Care Home Excellence in Leeds (NICHE-Leeds) initiative. GPM is based in The Healthcare Improvement Studies Institute (THIS Institute), University of Cambridge. THIS Institute is supported by the Health Foundation, an independent charity committed to bringing about better health and healthcare for people in the UK. Adam Gordon is part-funded by the NIHR East Midlands Applied Research Collaboration East Midlands (ARC-EM), The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.

Competing interests None declared.

Patient consent for publication Consent obtained directly from patient(s)

Ethics approval This study involves human participants and ethical approval for this study was provided by both the University of Nottingham, Faculty of Medicine and Health Sciences Research Ethics Committee (Ref: 19040) and the Health Research Authority and Health and Care Research Wales (IRAS project ID: 264342, REC reference: 19/HRA/3813). Participants gave informed consent to participate in the study before taking part.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work noncommercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is noncommercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iDs

Reena Devi http://orcid.org/0000-0003-2834-8597 Graham P Martin http://orcid.org/0000-0003-1979-7577 Jaydip Banerjee http://orcid.org/0000-0001-9275-4755 John RF Gladman http://orcid.org/0000-0002-8506-7786 Tom Dening http://orcid.org/0000-0003-3387-4241 Atena Barat http://orcid.org/0000-0002-7300-805X Adam Lee Gordon http://orcid.org/0000-0003-1676-9853

REFERENCES

- 1 Dixon-Woods M, McNicol S, Martin G. Ten challenges in improving quality in healthcare: lessons from the health Foundation's programme evaluations and relevant literature. BMJ Qual Saf 2012;21:876–84.
- 2 Wiltsey Stirman S, Kimberly J, Cook N, *et al*. The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research. *Implement Sci* 2012;7:1–19.
- 3 Moore JE, Mascarenhas A, Bain J, *et al.* Developing a comprehensive definition of sustainability. *Implementation Science* 2017;12:1–8.
- 4 Lennox L, Maher L, Reed J. Navigating the sustainability landscape: a systematic review of sustainability approaches in healthcare. *Implementation Science* 2018;13:1–17.
- 5 Sanford AM, Orrell M, Tolson D, *et al*. An international definition for "nursing home". *J Am Med Dir Assoc* 2015;16:181–4.
- 6 Gordon AL, Franklin M, Bradshaw L, et al. Health status of UK care home residents: a cohort study. Age Ageing 2014;43:97–103.
- 7 Barker RO, Hanratty B, Kingston A, et al. Changes in health and functioning of care home residents over two decades: what can we learn from population-based studies? Age Ageing 2021;50:921–7.
- 8 Kingston A, Comas-Herrera A, Jagger C, et al. Forecasting the care needs of the older population in England over the next 20 years: estimates from the population ageing and care simulation (PACSim) modelling study. Lancet Public Health 2018;3:e447–55.
- 9 Care Quality Commission. The state of health care and adult social care in England 2019/20, 2020. Available: https://www. cqc.org.uk/sites/default/files/20201016_stateofcare1920_ fullreport.pdf
- 10 Burger SA. Exploring education and training in relation to older people's health and social care. Oxford, UK: Dunhill Medical Trust, 2018.
- 11 Cranley LA, Hoben M, Yeung J, et al. SCOPEOUT: sustainability and spread of quality improvement activities in long-term care- a mixed methods approach. *BMC Health Serv Res* 2018;18:1–10.
- 12 Ballard C, Orrell M, Moniz-Cook E, et al. Improving mental health and reducing antipsychotic use in people with dementia in care homes: the WHELD research programme including two RCTs. Programme Grants Appl Res 2020;8:1–98.
- 13 Fossey J, Garrod L, Tolbol Froiland C, *et al*. What influences the sustainability of an effective psychosocial intervention for people with dementia living in care homes? A 9 to 12-month follow-up of the perceptions of staff in care homes involved in the WHELD randomised controlled TRAIL. *Int J Geriatr Psychiatry* 2019;34:674–82.
- 14 Barat A, Gordon AL, Gladman AL, et al. Sustaining health care innovation in care homes: the SUSTAIN-CH study protocol. East Midlands research into ageing network (EMRAN) discussion paper series. 31, 2019. https://www.nottingham.ac.uk/emran/documents/issue-31-emran-oct-2019.pdf
- 15 O'Brien BC, Harris IB, Beckman TJ, et al. Standards for reporting qualitative research: a synthesis of recommendations. Acad Med 2014;89:1245–51.
- 16 Devi R, Chadborn NH, Meyer J, et al. How quality improvement Collaboratives work to improve healthcare in care homes: a realist evaluation. Age Ageing 2021;50:1371–81.

- 17 The framework for enhanced health in care homes, 2020. NHS England and NHS improvement. Available: https://wessexahsn.org.uk/img/projects/the-framework-for-enhanced-health-in-care-homes-v2-0.pdf [Accessed February 2022].
- 18 Safer Salford care homes collaborative celebrations, 2018. Safer Salford. Available: https://safersalford.org/safer-care-homes-summit-2/ [Accessed February 2022].
- 19 Hoffmann TC, Glasziou PP, Boutron I, et al. Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. BMJ 2014;348:g1687.
- 20 Meyer J, Heath H, Holman C, *et al*. Moving from victim blaming to an appreciative inquiry: exploring quality of life in care homes. *Qual Ageing Older Adults* 2006;7:27–36.
- 21 Braun V, Clarke V. What can "thematic analysis" offer health and wellbeing researchers? Taylor & Francis, 2014.
- 22 Kirk MA, Kelley C, Yankey N, et al. A systematic review of the use of the consolidated framework for implementation research. *Implementation Science* 2015;11:1–13.
- 23 Meyers DC, Durlak JA, Wandersman A. The quality implementation framework: a synthesis of critical steps in the implementation process. *Am J Community Psychol* 2012;50:462–80.

- 24 Murray E, Treweek S, Pope C, et al. Normalisation process theory: a framework for developing, evaluating and implementing complex interventions. BMC Med 2010;8:1–11.
- 25 Gordon AL, O'Hagan B, Riley N, et al. A quality improvement collaborative focussed on safety in care homes in the East Midlands: lessons learned and possible models for scale-up. East Midlands Research into Ageing Network (EMRAN) Discussion Paper Series 2021 https://rdmc.nottingham.ac.uk/bitstream/handle/internal/9152/Issue41_EMRAN_June_2021_Gordon_A.pdf?sequence=4&isAllowed=y
- 26 Spilsbury K, Devi R, Thompson C. Nurturing innovation in care home excellence in Leeds (NICHE-Leeds), 2018. Available: https://whs.leeds.ac.uk/ [Accessed February 2022].
- 27 Verbeek H, Zwakhalen SMG, Schols JMGA, *et al*. The living lab in ageing and long-term care: a sustainable model for translational research improving quality of life, quality of care and quality of work. *J Nutr Health Aging* 2020;24:43–7.
- 28 Damery S, Flanagan S, Jones J, *et al*. The effect of providing staff training and enhanced support to care homes on care processes, safety climate and avoidable harms: evaluation of a care home quality improvement programme in England. *Int J Environ Res Public Health* 2021;18:7581.

APPENDICIES

Table 1. Description of the PEACH Quality Improvement Collaborative.

Brief name	The Proactive Healthcare of Older People in Care Homes (PEACH) collaborative.		
Why	The aim was to improve healthcare for care home residents, and Comprehensive Geriatric Assessment (CGA) was used to guide discussions.		
Where	Nottinghamshire, UK. Collaborative shared learning events were carried out at a university location, and in-between events (action periods) teams met in local care homes, and at local Clinical Commissioning Group (organisations which plan and purchase healthcare services) locations.		
Who provided	The PEACH collaborative was delivered by a team comprising a locally known clinical academic geriatrician, a nurse leader with expertise in appreciative inquiry to promote quality of life in care homes, a Health Foundation Quality Improvement Fellow, and a researcher with interest in improvement science. The overall PEACH programme was funded by The Dunhill Medical Trust (grant number FOP1/0115). The collaborative shared learning events were funded by the East Midlands Academic Health Science Network Patient Safety Collaborative (https://www.emahsn.org.uk/ourwork/patient-safety).		
Recipients	The collaborative took place across a region which has four distinct sites, and a team formed in each site. In each site the person responsible for planning and purchasing healthcare services (commonly referred to as 'commissioners' in the UK) for older people recruited a team. Teams were multidisciplinary and included general practitioners (GP), nurses, therapists, geriatricians, pharmacists, dementia specialists, care coordinator, care home workers/managers, and voluntary sector staff. Members of the public with experience of care homes were also recruited to teams. The configuration of teams varied and depended on local resource and staff availability.		
How	Face-to-face meetings.		
When and how much	18 months (September 2016 to February 2018), with four collaborative shared learning events that took place approximately every 6 months.		
What (materials and procedures)	 Collaborative shared learning events: The events included: Allocated time for teams to discuss and reflect on their local needs and priorities Allocated time for teams to brainstorm, and develop quality improvement plans Sessions for each team to present and share their project ideas, progress, and experiences of the improvement journey, describing challenges, successes, and lessons learnt around how to overcome barriers. Educational/learning sessions (described below) 		

Networking opportunities

Educational/learning sessions: the events included educational elements, with training g delivered on:

- Quality improvement techniques: setting SMART (Specific, Measurable, Achievable, Realistic, Timebound)
 objectives, and testing change ideas using a Plan Do Study Act (PDSA) approach. An educational game using 'Mr
 Potato Head' was carried out to demonstrate the PDSA, teaching teams how to set goals, test change ideas, and
 evaluate the improvement process.
- CGA, and using this approach to care for older people

Action period group meetings: during action periods (the time in-between each shared learning event) teams met at their own site locations to review progress, and progress their improvement projects.

Coaching: a Health Foundation-trained quality improvement fellow on the team (JB) provided coaching and mentoring to individual teams, both at shared learning events, and also during the action periods.

Signposting teams to relevant contacts and resources: when collaborative teams faced challenges the improvement team helped by signposting to relevant contacts, and resources.

Newsletter: provided project updates (i.e. meeting dates) and team stories describing progress with quality improvement projects. Shared through email, with approximately 3 newsletters per year.

Administrative support: the project improvement team provided the collaborative teams with administration support during action periods, for example, arranging meetings, and circulating meeting agendas/minutes.

Support with data collection: the collaborative intervention was one component of a programme of work which included work packages orientated around evaluating the activity of the QIC, collecting data around health care service use, and care home resident well-being. Collaborative teams were offered support with data collection, and quality improvement evaluation.

Shared learning events included features designed to create a safe working environment, and reduce effects of perceived hierarchy amongst teams:

- ice breaker activities to enhance relationship building.
- time was spent at the beginning asking teams to consider items to add to a list of 'ground rules', for example, (i) no question is a silly question, (ii) everyone listen when someone is speaking, (iii) mobile phones on silent.

 Team members were asked to comply with these rules throughout the events.
- all activities maintained an appreciative enquiry approach, using positive and encouraging language, e.g. asking teams to focus on what is working well and why, envisaging how things could be, and identifying how to work together to make it happen.

Tailoring

	GPs and care home staff were provided with backfill payment for their time taken to attend events as they are independent sector workers and only able to attend meetings if adequate staff cover is arranged to cover workload.
Modifications to the programme.	The original plans included carrying out conference calls as another way to meet and discuss progress with improvement work. The conference calls would take place during action periods and involve each collaborative team with the improvement team. One conference call was carried out, and not repeated as face-to-face meetings were more effective for reviewing and discussing project progress.
How well	Over the course of the project 34 (out of 44) NHS and care home staff attended at least 2 (out of 4) collaborative meetings.

Table 2. Description of the Safer Care Homes (Safer Salford) Quality Improvement Collaborative.

Brief name	Safer Care Homes. This was part of a wider programme of work called 'Safer Salford'.			
Why	The aim was to reduce medication errors, falls with harm and pressure ulcers.			
Where	Salford, UK. Collaborative shared learning events were held at a local centre for quality improvement (http://www.haelo.org.uk/about-us/), and in-between events (action periods) the collaborative met during peer exchange visits carried out at care home locations.			
Who provided	The Safer Care Homes collaborative was delivered by a local organisation called Haelo: an innovation and improvement science centre based in Salford commissioned by Salford Clinical Commissioning Group. The Safer Care Homes collaborative was delivered by a team including an executive sponsor (Safer Salford board representative), a consultageriatrician, a quality improvement lead, a programme facilitator, and a data analyst (measurement support).			
Recipients	9 care homes (mix of residential and nursing) took part and collaborative members comprised care home managers, and senior/junior carers from each participating care home.			
How	Face-to-face meetings.			
When and how much	13 months (January 2017 – January 2018) with four half day collaborative shared learning events that took place quarterly, and monthly peer exchange visits.			
What (materials and procedures)	In September 2016, a local expert panel met to set the aims of the Safer Care Homes collaborative. The panel included commissioners, general practitioners, community geriatricians, safeguarding leads, pharmacy leads and care home representation. A driver diagram was developed which set out the aims and objectives of the collaborative. Collaborative shared learning events included: Sessions for each care home to present and share their project ideas, progress, and experiences of the improvement journey, describing challenges, successes, and lessons learnt around how to overcome barriers. The improvement team presented analysed data from care homes to the whole collaborative. Allocated time for each care home to examine and reflect on data, and develop action plans. The improvement team encouraged care homes to generate and test ideas that were aimed at reducing falls, pressure ulcers, and medication errors. Educational sessions (described below) Networking opportunities Educational sessions: each event included educational elements, with training delivered on Quality improvement methodology Influence of the care home on harm reduction			

Support with quality improvement coaching, data collection and project evaluation: members of the improvement team visited care homes weekly to provide additional support with quality improvement training, and provided each home with data dashboards constructed from data submitted from the home.

Peer support and exchange visits: collaborative members visited other care homes part of the collaborative as another way to share and exchange knowledge, and experiences. This helped to develop a support net work between the care homes.

Awards and celebrating good work: at the summit event care home members were recognised for their achievements with awards. All received an award for completing the programme, with additional awards agreed by the improvement team for "most improved", "most innovative PDSA", and "best use of improvement methodology".

Tailoring

After the programme completed the improvement team adapted the model for improvement for a care home audience. This is called the "six steps to improvement" and based on the learning and feedback from participants. This is available online at: https://safersalford.org/wp-content/uploads/2018/07/6-steps-to-improvement-30.04.18.pdf.

Establishing a baseline number of falls with harm and medication errors was difficult, and for this reason the improvement team worked closely with care homes to provide support with data collection and analysis.

Initially the improvement team planned that care homes would come up with their own innovative change ideas to test, however the care homes preferred the QI team to provide ideas based on evidence. One example of a change idea used to improve rate of falls is 'pimp my zimmer', an intervention where resident walking aids are personalised and decorated to help residents recognise and use their own walking aid, and allow staff to recognise when a resident is using the incorrect walking aid (https://safersalford.org/case-study-pimp-my-zimmer/).

Modifications to the programme.

Part-way through the collaborative period, it was recognised that care homes valued time to share and learn from one another and so 'peer exchange visits' (exchange visits hosted in participating care homes) were introduced to enhance shared learning, exchange ideas, and develop support networks.

Education and training on the influence of the care home on harm reduction was introduced to help care homes see they can influence the reduction of harm, e.g. changing the belief that falls were either inevitable or caused by factors external to the homes.

	Although the focus of the collaborative was to reduce falls, pressure ulcers and medication errors, the majority of the homes focused on reducing falls during the collaborative. Focus on medication errors came later during the collaborative. This occurred after one home joined the collaborative part way through, and showed an interest in this outcome. Following this, other homes started to show interest in similar outcomes.
How well	Collaborative shared learning event attendance was not assessed.

Table 3. Description of the Enhanced Health in Care Homes Initiative

Brief name	Enhanced Health in Care Homes (EHCH)				
	The EHCH initiative had 3 aims:				
	1. Deliver high-quality personalised care within care homes				
Why	2. Provide for individuals who (temporarily or permanently) live in a care home access to the right care and the				
vviiy	right health services in the place they chose				
	3. Enable effective use of resources by reducing unnecessary conveyances to hospitals, hospital admissions, and				
	bed days whilst ensuring the best care for people living in care homes				
	Across England individual organisations and partnerships were invited to apply to be part of the EHCH initiative. Six				
Where	sites were selected across England: 1) Gateshead, 2) Airedale & Partners, 4) Nottingham City Clinical Commissioning				
	Group, 5) Connecting care Wakefield district, 6) Sutton Homes of Care, and 7) East and North Hertfordshire Clinical				
	Commissioning Group. The information provided in this table outlines the EHCH Nottingham site.				
	The Nottingham EHCH site was carried out in collaboration with the Care Home Steering Group which includes				
Who provided	Nottingham City Care Partnership, Nottingham University Hospitals, Nottinghamshire Healthcare Trust, Age UK				
	Nottingham and Nottinghamshire, Care Home Managers Forum, Nottingham City Council and University of				
	Nottingham.				
Recipients	The population covered by the Nottingham City CCG Vanguard: 52 care homes, comprising 28 residential homes and 24 nursing homes.				
Haw	Care providers work in partnership with local General Practitioners, Primary Care Networks, community healthcare				
How	providers, hospitals, social care, individuals and their families, and wider public services to deliver care in care homes.				
When and how much	The EHCH took place between September 2016 - March2018.				
	The principles of working within the EHCH model are listed below:				
What (materials	1. Personalised care: focusing individuals' needs, what matters to them (e.g. outcomes)				
and procedures)	Co-production: working in collaboration with partners, acknowledging the value of the care home sector in working alongside the NHS.				
	3. Quality: focusing on improving quality, and using clinical evidence to improve care.				

4. Leadership: strong leadership with a shared vision for better care, and recognising the cultural differences between organisations, sectors and commissioner.

Tailoring	N/A
Modifications to the programme	Not known
How well	Not known