



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/189313/>

Version: Accepted Version

---

**Article:**

Salehi, M. and Rea, B. (2022) Preoperative chest radiograph. *Heart*, 108 (15). pp. 1224-1246. ISSN: 1355-6037

<https://doi.org/10.1136/heartjnl-2022-320973>

---

© 2022 Author(s) (or their employer(s)). This is an author-produced version of a paper subsequently published in *Heart*. Reuse of this manuscript version (excluding any databases, tables, diagrams, photographs and other images or illustrative material included where a another copyright owner is identified) is permitted strictly pursuant to the terms of the Creative Commons Attribution-Non Commercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/>).

**Reuse**

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial (CC BY-NC) licence. This licence allows you to remix, tweak, and build upon this work non-commercially, and any new works must also acknowledge the authors and be non-commercial. You don't have to license any derivative works on the same terms. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.

## **Title – Preoperative chest radiograph**

**Authors:** Mahan Salehi<sup>1</sup>, Benjamin Rea<sup>1</sup>

1 – Sheffield Teaching Hospitals, Department of Radiology, Sheffield, UK

Corresponding Author:

Dr Mahan Salehi

Sheffield Teaching Hospitals

Department of Radiology


Sheffield

S5 7AU

UK

Email: [Mahan.salehi@nhs.net](mailto:Mahan.salehi@nhs.net)

A man in his 60s attended for a preoperative appointment for a cholecystectomy having recently moved to the area. He reported to be asymptomatic. He had a past medical history of hypertension and took Amlodipine and had no known allergies. A chest X-ray was performed as part of the work up (Figure 1).



What is the cause of abnormalities seen on the image?

1. Prominent pericardial fat pad
2. Bilateral healed rib fractures
3. Pneumoperitoneum
4. Aortic coarctation
5. Lung cancer

**Answer**

The correct answer is (4), as there is evidence of bilateral inferior rib notching (Supplementary Figure 1 – white chevron) as well as an absent aortic knuckle (Supplementary Figure 1 – white circle) that would be compatible with the diagnosis of an aortic coarctation. Answer (1) is therefore incorrect as the film is abnormal. Although the ribs are abnormal on both sides, there is no break in the cortex, and no sclerosis to suggest healing. Additionally, the abnormality is localised to just the inferior aspect and with a fracture you would expect morphological changes to extend across the rib.

The gas projected in the midline and left upper quadrant is the gastric bubble projected over gas in the colon and not pneumoperitoneum. When looking for free gas, normally the gas will be on both sides of midline and looking for gas above the liver is more sensitive. Finally, the increased density at the left hilum is due to normal hilar vessels, some of which are coming towards the film. Your eye is drawn to them more than normal, because of the absence of the aortic knuckle and AP window (Supplementary Figure 1 – white circle). The slight change in the concavity of the heart border is due to a prominent pericardial fat pad.

He subsequently underwent Axial CT Aortogram where at the level of T7 demonstrates a hypoplastic descending thoracic aorta with evidence of previous repair (Supplementary Figure 2 – White arrow). An oblique sagittal reformat from the same study also demonstrates an enlarged left subclavian artery (Supplementary Figure 3 – White block arrow), due to the longstanding previous stenosis within the aorta.