



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/191356/>

Version: Published Version

Article:

Shevlin, M., Redican, E., Hyland, P. et al. (2022) Perceived manageability of debt and mental health during the COVID-19 pandemic: a UK population analysis. PLoS ONE, 17 (9). e0274052. ISSN: 1932-6203

<https://doi.org/10.1371/journal.pone.0274052>

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

RESEARCH ARTICLE

Perceived manageability of debt and mental health during the COVID-19 pandemic: A UK population analysis

Mark Shevlin^{1*}, Enya Redican¹, Philip Hyland², Sarah Butter¹, Orla McBride¹, Todd K. Hartman³, Jamie Murphy¹, Frédérique Vallières⁴, Richard P. Bentall⁵

1 Department of Psychology, Ulster University, Londonderry, Northern Ireland, United Kingdom, **2** Department of Psychology, Maynooth University, Maynooth, Ireland, **3** Department of Social Statistics, University of Manchester, Manchester, England, **4** Centre for Global Health, Trinity College Dublin, Dublin, Ireland, **5** Department of Psychology, University of Sheffield, Sheffield, England

* m.shevlin@ulster.ac.uk



OPEN ACCESS

Citation: Shevlin M, Redican E, Hyland P, Butter S, McBride O, Hartman TK, et al. (2022) Perceived manageability of debt and mental health during the COVID-19 pandemic: A UK population analysis. *PLoS ONE* 17(9): e0274052. <https://doi.org/10.1371/journal.pone.0274052>

Editor: Omar Mohammad Ali Khraisat, Al-Ahliyya Amman University, JORDAN

Received: May 27, 2022

Accepted: August 21, 2022

Published: September 21, 2022

Copyright: © 2022 Shevlin et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Data Availability Statement: The Wave 6 data used in the current study is available at: <https://osf.io/qv47z/>.

Funding: The initial stages of this project were supported by start-up funds from the University of Sheffield (Department of Psychology, the Sheffield Methods Institute and the Higher Education Innovation Fund via an Impact Acceleration grant administered by the university) and by the Faculty of Life and Health Sciences at Ulster University. The research was subsequently supported by the

Abstract

Objectives

This study examined the association between perceived manageability of debt and risk of depression, anxiety, and mental health help-seeking among a nationally representative sample of adults living in the United Kingdom (UK).

Methods

Data was derived from the COVID-19 Psychological Research Consortium (C19PRC) Study Wave 6 (August/September 2021) which examined the psychological, social, and economic effects of the COVID-19 pandemic on the UK adult population. Bivariate and logistic regression analyses were conducted to determine the association between different levels of perceived debt manageability (i.e., “easily manageable”, “some problems”, “quite serious problems”, “very serious problems”, “cannot manage at all”) and mental health related outcomes.

Results

Almost a quarter of the sample (24%, $n = 494$) reported debt management problems, and debt manageability associated with higher levels of anxiety, depression, and mental health help-seeking. After adjusting for demographic variables (e.g. income, receipt of benefits), logistic regression analysis demonstrated a dose-response association between increasing levels of debt manageability problems and mental health outcomes. Specifically, adjusted odds ratios for anxiety ranged from 2.28 (‘some problems’) to 11.18 (‘very serious problems’), for depression ranged from 2.80 (‘some problems’) to 16.21 (‘cannot manage at all’), and for mental health help-seeking ranged from 1.69 (‘some problems’) to 3.18 (‘quite serious problems’, ‘very serious problems’).

ESRC under grant number ES/V004379/1 and awarded to RPB, TKH, MS, JM, and OM. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing interests: The authors have declared that no competing interests exist.

Conclusion

This study highlights that debt manageability problems represent a robust predictor of depression, anxiety, and mental-health help seeking.

Introduction

Described as the “*greatest economic shock experienced by the world economy in decades*” [1], the COVID-19 pandemic and the corresponding public health measures enacted to curb the spread of the virus have profoundly affected individual and household financial resources. While early days of the pandemic saw an increase in personal saving rates [2], the pandemic, overall, contributed to widening global wealth inequality; the lowest earners experienced greatest financial strain, job loss and temporary furlough, as well as depletion of savings and incurring debt to cover lost wages [3]. More recently, the phasing out of pandemic fiscal support, and rising inflation are expected to significantly reduce disposable income, savings, and overall standards of living [4, 5]. Consequently, it is likely that many individuals, particularly those less affluent individuals, will take on additional debt to help alleviate financial pressures in the years to come.

It is well-established that debt can have detrimental effects on mental health independent of other socioeconomic indicators such as income, education, and occupation [6–8]. Research indicates that individuals affected by debt are at greater risk of depression, anxiety, suicide, suicidal ideation, substance abuse, and psychotic disorders [8–11], while accumulation of different types of debt has been linked to increased mental health help seeking [12]. However, not all individuals with debt are susceptible to unfavorable mental health outcomes, thus, determining the dimensions of debt that are associated with greater risk of poor mental health is an important research endeavor [13]. A growing body of evidence suggests that subjective components of debt such as worry, stress, and concern about debt may be more influential in predicting mental health than objective indicators such as actual amount of debt accrued [for review see 8]. Perceived manageability of debt represents one subjective dimension of debt linked to poor mental health. For instance, in a study conducted on low-income Northern Irish households [14], the association between financial stress (indicated if an individual reported persistent debt problems, budget problems, or difficulties in managing financially) and mental health was investigated. In this study, the subjective experience of feeling stressed about debt was strongly linked to poor psychological wellbeing, while objective aspects of debt such as size, type, and number of different lenders provided no additional explanatory power. Moreover, the association between perceptions of debt manageability and depression was examined among a representative sample of UK adults from 1999 to 2005 [15]. Results revealed that roughly 1 in 10 respondents reported financial stress; moreover, this group also reported experiencing higher levels of depressive symptoms.

In this study, we examine the associations between perceived manageability of debt and mental health among a representative sample of UK adults during the COVID-19 pandemic. Aspects of mental health that we sought to investigate included depression, anxiety, and mental health help-seeking. Although research has established a link between financial strain during the pandemic and mental health [16, 17], no study (to the best of our knowledge) has examined the relationship between perceived manageability of debt and mental health during this period. Consistent with existing research indicating increased risk of mental health problems among individuals in debt [9, 10, 13, 18], we hypothesized that perceived problems in

managing debt would be associated with higher risk of meeting clinical caseness for depression and anxiety, irrespective of sociodemographic variables (such as household income band and receipt of benefits). Although no study, to the best of our knowledge, has examined the association between perceived problems in managing debt and mental health help-seeking, similar to a prior study's [12] finding that cumulative debt is linked to increased mental health seeking, it was hypothesized that perceived problems in managing debt would be associated with higher likelihood of mental health help-seeking.

Materials and methods

Participants

This study used data collected as part of Wave 6 of the COVID-19 Psychological Research Consortium (C19PRC) Study [19], which was established in March 2020 to assess the long-term psychological, social, and economic impact of the COVID-19 pandemic on the UK population [20]. Briefly, at baseline (Wave 1, 23–28 March 2020), 2,025 adults were recruited via the survey company *Qualtrics*, using stratified quota sampling methods to ensure that the sample characteristics of age, gender and household income were representative of the UK adult population [21]. Data for Wave 6 were collected between 6 August–28 September 2021. During this period *Qualtrics* conducted data collection in two stages: at Phase 1 (6 Aug–28 Sept), all participants who had previously taken part in the main strand of the C19PRC Study (at baseline or recruited during subsequent waves) were recontacted. At Phase 2 (8–28 Sept) new participants were recruited to match specific characteristics of the adults lost to panel attrition based on age, gender, and household income. This resulted in a recontacted Phase 1 sample of 1,643 (51.8% retention rate) and 415 new participants recruited at Phase 2. The combined final Wave 6 sample (N = 2,058) closely mirrored the characteristics of the baseline sample and was representative of the UK adult population aged 18 years and older, with respect to gender, age, and household income [19]. The Wave 6 data used in the current study is available at: <https://osf.io/qv47z/>. Sample characteristics are reported in [Table 1](#).

Ethical consideration. Ethical approval for the study was granted by the University of Sheffield (Ethical approval ref no. 033759). The procedures contributing to this work all comply with the ethical standards of the relevant national and institutional committees on human experimentation and with the Helsinki Declaration of 1975, as revised in 2008. For the C19PRC study, informed electronic consent was provided by all participants prior to completing the survey while participants were advised to contact the NHS website directly should they have any concerns about COVID-19 after completing the survey”.

Measures

Demographic variables. Participants were asked to report their age (years) and gender (Male, Female, Transgender, prefer not to say, Other). Education was initially measured using eight categories ultimately, recoded into a binary variable indicating if the participant had attended post-secondary education (No = 0, Yes = 1). Participants were asked to “Please choose from the following options to indicate your approximate gross (before tax is taken away) household income in 2019. Include income from partners and other family members living with you and all kinds of earnings including salaries and benefits”. Options included one of five categories: “£0–£300 per week (equals about £0–£1290 per month or £0–15,490 per year)”, “£301–£490 per week (equals about £1,291–£2,110 per month or £15,491–£25,340 per year)”, “£491–£740 per week (equals about £2,111–£3,230 per month or £25,341–£38,740 per year)”, “£741–£1,111 per week (equals about £3,231–£4,830 per month or £38,741–£57,930 per year)”, and “£1,112 or more per week (equals about £4,831 or more per month or £57,931 or more per

Table 1. Demographic characteristics of the sample.

	N	%
Gender		
Male	983	47.8%
Female	1069	51.9%
Transgender	4	0.2%
Prefer not to say/Other	2	0.0%
Age		
18–24	213	10.3%
25–34	395	19.2%
35–44	380	18.5%
45–54	422	20.5%
55–64	354	17.2%
65+	294	14.3%
Ethnicity		
White British/Irish	1805	87.7%
White non-British/Irish	65	3.2%
Indian	42	2.0%
Pakistani	26	1.3%
Chinese	20	1.0%
Other ethnic group	100	4.70%
Highest Qualification		
No Qualifications	61	3.0%
O-level / GCSE or similar	412	20.0%
A-level or similar	400	19.4%
Technical qualification	207	10.1%
Undergraduate degree	558	27.1%
Diploma	73	3.5%
Postgraduate degree	322	15.6%
Other qualifications	25	1.2%
Employment Status		
Employed full-time	925	44.9%
Employed part-time	281	13.7%
Self-employed full-time	61	3.0%
Self-employed part-time	55	2.7%
Unemployed, looking for work	83	4.0%
Unemployed, family or home	128	6.2%
Unemployed, sick or disability	122	5.9%
Government 'furlough' scheme	6	0.3%
Retired	342	16.6%
Full-time student	55	2.7%

<https://doi.org/10.1371/journal.pone.0274052.t001>

year)". Participants were also asked "Are you currently in receipt of any government benefits (not including child benefits and state pension)?" and given the response options Yes (0) and No (1).

Manageability of debt. Participants were asked "There are differences in how manageable people think their debt is. How manageable is your level of debt?" with five response options ranging from 1, 'My debt is easily manageable' to 5 'I cannot manage my debt at all'. Participants were not asked this question if they indicated in a previous question that they did not

have any debt (i.e., “Has your overall debt increased or decreased this month due to COVID-19?” and answered “I do not have any debt”). A manageability of debt variable was then created which included six categories, the lowest being “I do not have any debt.”

Major Depressive Disorder (MDD). The PHQ-9 [22] measures the nine symptoms of MDD described in the fourth edition of the Diagnostic and Statistical Manual of Mental Disorders [23]. Participants are asked to indicate how often they have been bothered by each symptom over the last two weeks on a four-point Likert scale ranging from 0 (*Not at all*) to 3 (*Nearly every day*). Possible scores range from 0–27 with higher scores reflecting higher symptomatology. The recommended and commonly used cut-off score of ≥ 10 was used to identify possible cases of DSM-IV MDD. This cut-off score has been shown to have adequate sensitivity (.85) and specificity (.89) for detecting cases of MDD [22]. The psychometric properties of the PHQ-9 scores have been widely supported [24], hence why the PHQ-9 was selected to measure PHQ-9 in the C19PRC study. The internal reliability of the scale scores in this study was $\alpha = .94$.

Generalized Anxiety Disorder (GAD). The GAD-7 [25] measures seven symptoms of GAD described in the fourth edition of the Diagnostic and Statistical Manual of Mental Disorders [23]. It asks participants to indicate how often they have been bothered by the various symptoms over the last two weeks on a four-point Likert scale that ranges from 0 (*Not at all*) to 3 (*Nearly every day*). Possible scores range from 0–21, where higher scores reflect greater symptomatology. The recommended cut-off score of ≥ 10 was used to identify possible cases of GAD as this cut-off score has been shown to have adequate sensitivity (.89) and specificity (.82) for detecting cases of GAD [25]. The psychometric properties of the GAD-7 scores have been widely supported [26], hence why the GAD-7 was employed as a measure of anxiety in the present study. The internal reliability of the scale scores in this study was $\alpha = .96$.

Mental health treatment seeking. Participants were provided with the following information: “Mental health difficulties are very common. It will help us understand our survey results if you would tell us whether you currently or have in the past received treatment (medication or talking therapies) for these kinds of difficulties.” Options were provided, of which the participants were required to tick all that apply: “(1) I have never received treatment for mental health problems, (2) I have received treatment for mental health problems in the past, (3) I am currently receiving treatment for mental health problems, (4) I am currently receiving treatment for mental health problems but it has been cancelled temporarily due to the lockdown, (5) I am currently on a waiting list to receive treatment for a mental health problem, and (6) Prefer not to answer”. A binary variable was created to represent current mental health help seeking by collapsing options 3 and 4 into a single category (Yes = 1; No = 0).

Data analysis

First, binary variables representing caseness were calculated from the PHQ-9 and GAD-7 total scores, and along with the mental health help-seeking variable, were stratified by the debt manageability variable. Second, the debt manageability variable was dummy-coded with the ‘no debt’ as the reference category. These dummy coded variables were used as predictors in logistic regression models with the binary PHQ-9, GAD-7, and mental health help-seeking variables as dependent variables. The estimates were reported as odds-ratios (OR) and 95% confidence intervals, and these indicate the predicted change in the odds of caseness for the PHQ-9, GAD-7, or mental health help-seeking for each level of the debt manageability variable compared to the ‘no debt’ category. These were the unadjusted estimates. These models were estimated again with age, gender, education, income, and being in receipt of benefits as

covariates. The adjusted ORs (AOR) from these models indicate the effects while controlling for these variables.

Results

The majority of the sample (76.0%; $n = 1564$) reported having no debt or debt that was ‘easily manageable’ (Table 2). Of the remaining participants, 16.3% ($n = 335$) reported having “some problems”, 4.4% ($n = 90$) reported having “quite serious problems”, 2.6% ($n = 54$) reported having “serious problems”, and 0.7% ($n = 15$) reported “cannot manage at all”. Higher rates of anxiety, depression, and current mental health treatment were evident among reporting more serious problems in managing their debt (i.e., “quite serious problems,” “very serious problems”, “cannot manage at all”). A reviewer asked about the association between self-reported COVID-19 infection and perceived debt manageability. The association between these variables are reported in S1 Table.

Results from the logistic regression models are reported in Table 2. Compared to those who reported no debt, those who reported any problems managing debt were significantly more likely to meet clinical caseness for anxiety ($\chi^2(5) = 232.281, p < .001$). Inspection of adjusted ORs reveals that, even after adjusting for demographic variables including income bands and receiving benefits, those participants reporting any problems managing debt were significantly more likely to meet clinical caseness for anxiety ($\chi^2(10) = 368.602, p < .001$). There was no statistically significant association between debt that was “easily manageable” and anxiety in either model. Compared to the reference group who reported no debt problems, participants reporting any problems managing debt were significantly more likely to meet clinical caseness for depression. This model was statistically significant ($\chi^2(5) = 232.281, p < .001$). Similarly, after adjusting for demographic variables including income bands and receiving benefits, participants reporting any problems managing debt were significantly more likely to meet clinical caseness for depression compared to the reference group. There was evidence of a dose-response association between problems in managing debt and likelihood of meeting caseness for anxiety, with those reporting “cannot manage at all” having the highest likelihood. This adjusted model was statistically significant ($\chi^2(10) = 437.576, p < .001$).

The unadjusted logistic regression model including debt manageability and mental health help-seeking was statistically significant ($\chi^2(5) = 87.12, p < .001$), with those reporting any problems managing debt being more likely to engage in mental health help-seeking. Similar patterns were observed after adjusting for demographic variables where those participants reporting “some problems”, “quite serious problems”, and “very serious problems” were significantly more likely to engage in mental health help-seeking than those without debt. Surprisingly, there was also no statistically significant association between reporting “cannot manage at all” and mental health help-seeking. This overall model was again statistically significant ($\chi^2(10) = 183.650, p < .001$).

Discussion

This study examined the association between perceived manageability of debt and risk of poor mental health and mental health help-seeking among a representative sample of adults from the UK during the COVID-19 pandemic. The main findings can be summarized succinctly. Firstly, more than three-fourths of the sample (i.e., 76%) reported having either no debt or debt that was “easily manageable”, while a smaller yet substantial quarter of the sample (i.e., 24%) reported problems managing their debt. Second, higher rates of anxiety, depression, and mental health help-seeking were evident among individuals reporting debt problems. Third, a strong and significant association was observed between the various levels of problems in

Table 2. Bivariate and multivariate binary logistic regression results predicting depression, anxiety and mental health help seeking.

Debt	Anxiety				Depression			Mental Health Help Seeking		
	N	N (%)	OR	aOR	N (%)	OR	aOR	N (%)	OR	aOR
Does not have debt	724 (35.2%)	87 (12.0%)	*	*	107 (14.8%)	*	*	46 (6.4%)	*	*
My debt is easily manageable	840 (40.8%)	123 (14.6%)	1.26 (.93–1.68)	1.13 (.82–1.54)	158 (18.8%)	1.34 (1.02–1.74)	1.26 (.95–1.69)	67 (8.0%)	1.27 (.86–1.88)	1.14 (.76–1.71)
I have some problems managing my debt	335 (16.3%)	114 (34.0%)	3.78 (2.74–5.19)	2.28 (1.62–3.20)	146 (43.6%)	4.45 (3.30–6.00)	2.80 (2.03–3.86)	57 (17.0%)	3.02 (2.00–4.56)	1.69 (1.09–2.61)
I have quite serious problems managing my debt	90 (4.4%)	52 (57.8%)	10.02 (6.23–16.10)	5.18 (3.11–8.61)	61 (67.8%)	12.13 (7.45–19.74)	6.56 (3.89–11.05)	28 (31.1%)	6.65 (3.89–11.38)	3.19 (1.79–5.67)
I have very serious problems managing my debt	54 (2.6%)	41 (75.9%)	23.09 (11.90–44.80)	11.18 (5.55–22.51)	41 (75.9%)	18.19 (9.43–35.07)	8.97 (4.45–18.03)	19 (35.2%)	8.00 (4.24–15.07)	3.18 (1.60–6.33)
I cannot manage my debt at all	15 (.7%)	8 (53.3%)	8.37 (2.96–23.64)	5.23 (1.70–16.08)	12 (80.0%)	23.07 (6.40–83.10)	16.22 (4.17–62.99)	3 (20.0%)	3.68 (1.00–13.51)	1.81 (.46–7.08)

Note: aOR = adjusted odds ratio, adjusted for age (years), gender, education, 2019 household income band, receipt of benefits.

* Reference category for regression analysis

<https://doi.org/10.1371/journal.pone.0274052.t002>

managing debt and risk of anxiety, depression, and mental health help-seeking even after accounting for other potentially influential socioeconomic indicators such as income bands and being in receipt of government benefits. And fourth, there was evidence of a dose-response association between severity of perceived debt manageability and risk of poor mental health. This is important given that dose-response is widely accepted as a factor to consider when judging whether an effect is causal [27].

Consistent with prior research, indicating debt to be a salient risk factor for depression and anxiety [e.g., 9, 10, 13, 18], our findings highlight how clinical depression and anxiety are common among individuals with problems in managing their debt than those not struggling to control their debt. These strong associations remained even after accounting for income and receiving government benefits, supporting prior research indicating debt to be an important risk factor for poor mental health in its own right [e.g., 6, 7, 28]. It was interesting that the likelihood of having clinically significant anxiety symptoms was lower for those reporting “cannot manage at all” compared to “very serious problems”, and that there was no statistically significant association between “cannot manage at all” and mental health help-seeking. This may be attributable to the fewer number of participants in this group reducing power to detect any present effects. Alternatively, the higher prevalence of depression within this subgroup may explain the lower risk of anxiety. Research has shown how shame, guilt, and a sense of personal responsibility are typical emotions experienced by individuals affected by debt [29], and commonly observed features of depression [30]. Therefore, it may be that when an individual perceives their debt as reaching the point of being completely unmanageable that this is likely to be when these feelings of shame, guilt, and personal responsibility are most pervasive. Alternatively, when an individual’s worst-case scenario has already occurred (i.e., debt has become totally uncontrollable), they may be more likely to concede defeat and succumb to their financial reality. Consequently, at this stage, core symptoms of anxiety such as worries about the future [31] may be less relevant than for those reporting “very serious problems” where the threat of more serious debt manageability problems may heighten anxiety. Similarly, the lack of association between uncontrollable debt and mental health help-seeking may indicate that such individuals have better mental health than those individuals where the prospect of more severe debt manageability problems looms. Future research may benefit from investigating factors which explain the relationship between different levels of perceived debt manageability and depression, anxiety, and mental health help-seeking.

Extending previous research investigating the effects of long-term debt on mental health support seeking [12], the findings from the current study illustrate a dose-response association between concerns about debt manageability and mental health support seeking. Determining whether similar associations between debt manageability and mental health help-seeking across other countries is a necessary endeavor. This is especially relevant given that in the UK, the National Health Service (NHS) provides free access to general practitioners, medical prescriptions, and talking therapies, and thus mental health services may be more accessible for individuals affected by debt problems. However, in other countries, such services must be paid for privately. For instance, in the United States, individuals with health insurance are significantly more likely to receive mental health treatment than those without [32]. Given that ability to afford health insurance is largely dependent on an individual’s financial wellbeing, it is likely that those affected by debt are less likely to have the opportunity to engage in mental health help-seeking.

The magnitude of effects of the different levels of debt manageability on mental health outcomes in the current study are substantially greater than prior studies utilizing objective measures such as a study investigating the association between debt and common mental disorders (CMD) where debt was inferred if participants had indicated being in arrears with any utilities,

housing-related debts, or shopping-related debts [11]. In this study [11], it was found that after adjusting for demographics, those who reported any debt were over two times more likely to experience a depressive episode (OR = 2.36) and almost three times more likely to experience generalized anxiety disorder (OR = 2.51). Similarly, in a longitudinal investigation of the association between debt and CMD (12), it was found that after adjusting for socio-demographic and socio-economic factors, those with any debt at time point one were almost twice as likely to have a CMD (OR = 1.76), and those reporting three or more debts were almost four times more likely to report a CMD (OR = 3.59). Thus, findings from the current study align with the growing consensus that subjective characteristics of debt often have greater explanatory power than objective characteristics [8, 14, 33, 34]. There are numerous potential explanations for why manageability of debt serves as a powerful predictor of mental health difficulties in the current study. Conservation of resources theory [COR; 35, 36] postulates that psychological stress arises when an individual's resources, including financial, are threatened, exhausted, or unable to be replenished. If an individual perceives their debt as being beyond their financial means, it is likely that this will trigger a perpetuating cycle of debt-related stress where inability to service debts as per the agreed schedule may result in higher interest rates and ultimately, the prospect of debt collection [37]. This may not always be the case for objective measures of debt such as whether an individual is in arrears, which research has shown to increase risk of depression and anxiety only when the cumulative total exceeds £2000 [15]. In addition, the investigation of subjective perceptions of debt may facilitate the acquisition of knowledge not provided by objective measures such as the total amount of debt [14]. Indeed, enquiring about perceived manageability of debt provides important insights into an individual's sense of control and capacity to cope with their debt, aspects that are difficult to isolate with objective measures. Third, the socioeconomic context of the current study may also explain the magnitude of the effects observed in the current study. Specifically, there is a growing evidence base documenting the pervasive effects of financial concerns stemming from the COVID-19 pandemic on mental health [16, 38–41]. Whether the unique socioeconomic circumstances of the COVID-19 pandemic contributed to problems with debt manageability and consequent risk of poor mental health is a matter which warrants further investigation.

Notable strengths of this study include the use of a large representative survey ensuring strong generalizability of findings, as well as the examination of perceptions of manageability of debt during the COVID-19 pandemic. It also used a directly worded measure of perceived debt manageability, rather than using the number of debts [7] or asking about stress related to debts [34]. However, this study also has some limitations. First, although the C19PRC study is a longitudinal investigation of the psychological, social, and economic impact of the COVID-19 pandemic, the data utilized in the current study was cross-sectional and thus, inferences regarding causality are prohibited. Thus, it is not possible to ascertain whether concerns regarding debt manageability preceded mental health difficulties and mental health help seeking or vice versa. Research evidence pertaining to the relationship between debt and risk of poor mental health has been heterogenous, with some studies finding evidence for the social causation hypothesis (i.e., economic adversity increases risk for poor mental health) and others for the social drift hypothesis (i.e., poor mental health increases susceptibility to economic adversity) [42]. For instance, a recent study [9] found that the risk of debt accumulation is greater among individuals who have previously suffered from mental health difficulties, while another [43] found that existing mental health difficulties at one time-point did not increase risk of debt at subsequent time points. Moreover, research has shown how those with poorer pre-pandemic mental health were more likely to encounter economic disruptions (i.e., usual economic activity, job loss, loss of income, changes to working hours) due to the pandemic [44]. Therefore, it may be that pre-existing mental health conditions prior to the pandemic

coupled with the financial implications of the pandemic may have resulted in the substantial effect sizes observed in the association between perceptions of debt manageability on mental health outcomes in the current study. However, again, the cross-sectional analyses of the current study precluded causal inferences regarding the potential influence of the COVID-19 pandemic. Finally, we recognize that COVID-19 could increase debt manageability problems (due to loss of income etc.), but also that manageability of debt could predict the likelihood of contracting COVID-19 given the well-established socioeconomic gradient in COVID-19 [e.g., 45]. As demonstrated in Supplementary Materials, having been infected with COVID-19 was associated with 'some' and 'serious' problems managing debt. Future research may benefit from exploring the association between COVID-19 infection status and debt manageability problems, particularly with regard to direction of causality.

In conclusion, this study demonstrates perceptions of debt manageability to be a robust risk factor for mental health (i.e., depression, anxiety, and mental health help-seeking), even after accounting for other important socioeconomic indicators such as income and being in receipt of government benefits. Our findings underscore the importance of considering debt as a socioeconomic factor that poses a significant threat to mental wellbeing and emphasizes the necessity of policy interventions aimed at mitigating the harmful effects of debt on mental health, especially as individuals recover from the economic downturn triggered by the COVID-19 pandemic. Co-ordination between health services and debt management agencies is essential in ensuring that those suffering from the mental health effects of debt are best supported [46], while community-based interventions can also be beneficial in some instances in promoting better mental health outcomes for those struggling financially [47]. This study also demonstrates how continuation of economic supports will be helpful in shielding those at most at risk financially from negative outcomes due to the global pandemic. Protection against housing insecurity, allocation of grants to assist those who acquired debt during the pandemic and to support those struggling to pay their daily costs of living, and the investment and restructuring of the social safety nets are some of the key strategies recommended to help those suffering from debt because of the pandemic [48].

Supporting information

S1 Table. Cross tabulation of COVID-19 infection and debt manageability.
(DOCX)

Author Contributions

Conceptualization: Mark Shevlin.

Formal analysis: Mark Shevlin.

Funding acquisition: Mark Shevlin, Orla McBride, Todd K. Hartman, Jamie Murphy, Richard P. Bentall.

Methodology: Mark Shevlin.

Supervision: Mark Shevlin.

Writing – original draft: Enya Redican.

Writing – review & editing: Mark Shevlin, Enya Redican, Philip Hyland, Sarah Butter, Orla McBride, Todd K. Hartman, Jamie Murphy, Frédérique Vallières, Richard P. Bentall.

References

1. Aktar M, Alam M, Al-Amin A. Global economic crisis, energy use, CO2 emissions, and policy roadmap amid COVID-19. *Sustainable Production and Consumption*. 2021; 26:776.
2. Weller C. Wealth Inequality On The Rise During Pandemic [Internet]. *Forbes*. 2021. <https://www.forbes.com/sites/christianweller/2021/12/22/wealth-rises-at-all-income-levels-but-faster-at-the-top/?sh=a30eb3665249>
3. Inequality in the time of COVID-19 [Internet]. International Monetary Fund. 2021. <https://www.imf.org/external/pubs/ft/fandd/2021/06/inequality-and-covid-19%20ferreira.htm#:~:text=The%20severe%20impact%20of%20the,extreme%3A%20the%20wealth%20of%20billionaires>.
4. Office for Budget Responsibility. Economic and fiscal outlook—March 2022. 2022. <https://obr.uk/efo/economic-and-fiscal-outlook-march-2022/>
5. The World Bank. (2022). Global Economic Prospects (pp. 1–11). <https://openknowledge.worldbank.org/bitstream/handle/10986/36519/9781464817601.pdf>
6. Drentea P, Reynolds JR. Neither a borrower nor a lender be: The relative importance of debt and SES for mental health among older adults. *Journal of Aging and Health*. 2012 Jun; 24(4):673–95. <https://doi.org/10.1177/0898264311431304> PMID: 22330730
7. Jenkins R, Bhugra D, Bebbington P, Brugha T, Farrell M, Coid J, et al. Debt, income and mental disorder in the general population. *Psychological Medicine*. 2008 Oct; 38(10):1485–93. <https://doi.org/10.1017/S0033291707002516> PMID: 18184442
8. Richardson T, Elliott P, Roberts R. The relationship between personal unsecured debt and mental and physical health: a systematic review and meta-analysis. *Clinical Psychology Review*. 2013 Dec 1; 33(8):1148–62. <https://doi.org/10.1016/j.cpr.2013.08.009> PMID: 24121465
9. Dackehag M, Ellegård LM, Gerdtham UG, Nilsson T. Debt and mental health: new insights about the relationship and the importance of the measure of mental health. *European Journal of Public Health*. 2019 Jun 1; 29(3):488–93. <https://doi.org/10.1093/eurpub/ckz002> PMID: 30715315
10. Marshall GL, Kahana E, Gallo WT, Stansbury KL, Thielke S. The price of mental well-being in later life: the role of financial hardship and debt. *Aging & Mental Health*. 2021 Jul 3; 25(7):1338–44.
11. Meltzer H, Bebbington P, Brugha T, Jenkins R, McManus S, Dennis MS. Personal debt and suicidal ideation. *Psychological Medicine*. 2011 Apr; 41(4):771–8. <https://doi.org/10.1017/S0033291710001261> PMID: 20550757
12. Gunasinghe C, Gazard B, Aschan L, MacCrimmon S, Hotopf M, Hatch SL. Debt, common mental disorders and mental health service use. *Journal of Mental Health*. 2018 Nov 2; 27(6):520–8. <https://doi.org/10.1080/09638237.2018.1487541> PMID: 30417711
13. Hojman DA, Miranda Á, Ruiz-Tagle J. Debt trajectories and mental health. *Social Science & Medicine*. 2016 Oct 1; 167:54–62. <https://doi.org/10.1016/j.socscimed.2016.08.027> PMID: 27598550
14. French D, McKillop D. The impact of debt and financial stress on health in Northern Irish households. *Journal of European Social Policy*. 2017 Dec; 27(5):458–73.
15. Bridges S, Disney R. Debt and depression. *Journal of health economics*. 2010 May 1; 29(3):388–403. <https://doi.org/10.1016/j.jhealeco.2010.02.003> PMID: 20338649
16. Dawel A, Shou Y, Smithson M, Cherbuin N, Banfield M, Calear AL, et al. The effect of COVID-19 on mental health and wellbeing in a representative sample of Australian adults. *Frontiers in psychiatry*. 2020: 1026.
17. Wong LP, Alias H, Md Fuzi AA, Omar IS, Mohamad Nor A, Tan MP, et al. Escalating progression of mental health disorders during the COVID-19 pandemic: Evidence from a nationwide survey. *PloS one*. 2021 Mar 25; 16(3):e0248916. <https://doi.org/10.1371/journal.pone.0248916> PMID: 33765039
18. Sun AR, Houle JN. Trajectories of unsecured debt across the life course and mental health at midlife. *Society and mental health*. 2020 Mar; 10(1):61–79. <https://doi.org/10.1177/2156869318816742> PMID: 32742740
19. McBride O, Butter S, Martinez AP, Shevlin M, Murphy J, Hartman TK, et al. An 18-month follow-up of the Covid-19 Psychological Research Consortium (C19PRC) Study panel: survey design and fieldwork procedures for Wave 6. 2022.
20. McBride O, Butter S, Hartman TK, Murphy J, Hyland P, Shevlin M, et al. Sharing data to better understand one of the world's most significant shared experiences: data resource profile of the longitudinal COVID-19 psychological research consortium (C19PRC) study. *International Journal of Population Data Science*. 2020; 5(4). <https://doi.org/10.23889/ijpds.v5i4.1704> PMID: 35310464
21. McBride O, Murphy J, Shevlin M, Gibson-Miller J, Hartman TK, Hyland P, et al. Monitoring the psychological, social, and economic impact of the COVID-19 pandemic in the population: Context, design and conduct of the longitudinal COVID-19 psychological research consortium (C19PRC) study. *International*

- Journal of Methods in Psychiatric Research. 2021 Mar; 30(1):e1861. <https://doi.org/10.1002/mpr.1861> PMID: [33166018](https://pubmed.ncbi.nlm.nih.gov/33166018/)
22. Kroenke K, Spitzer RL, Williams JB. The PHQ-9: validity of a brief depression severity measure. *Journal of General Internal Medicine*. 2001 Sep; 16(9):606–13. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x> PMID: [11556941](https://pubmed.ncbi.nlm.nih.gov/11556941/)
 23. American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). American Psychiatric Publishing, Inc.
 24. Manea L., Gilbody S. and McMillan D., 2012. Optimal cut-off score for diagnosing depression with the Patient Health Questionnaire (PHQ-9): a meta-analysis. *Cmaj*, 184(3), pp.E191–E196. <https://doi.org/10.1503/cmaj.110829> PMID: [22184363](https://pubmed.ncbi.nlm.nih.gov/22184363/)
 25. Spitzer RL, Kroenke K, Williams JB, Löwe B. A brief measure for assessing generalized anxiety disorder: the GAD-7. *Archives of Internal Medicine*. 2006 May 22; 166(10):1092–7. <https://doi.org/10.1001/archinte.166.10.1092> PMID: [16717171](https://pubmed.ncbi.nlm.nih.gov/16717171/)
 26. Hinz A., Klein A. M., Brähler E., Glaesmer H., Luck T., Riedel-Heller S. G., et al. (2017). Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. *Journal of Affective Disorders*, 210, 338–344. <https://doi.org/10.1016/j.jad.2016.12.012> PMID: [28088111](https://pubmed.ncbi.nlm.nih.gov/28088111/)
 27. Hill S. The environment and disease: association or causation?. *Observational Studies*. 1969; 6(2):1–9.
 28. Walsemann KM, Gee GC, Gentile D. Sick of our loans: Student borrowing and the mental health of young adults in the United States. *Social Science & Medicine*. 2015 Jan 1; 124:85–93. <https://doi.org/10.1016/j.socscimed.2014.11.027> PMID: [25461865](https://pubmed.ncbi.nlm.nih.gov/25461865/)
 29. Sweet E, DuBois LZ, Stanley F. Embodied neoliberalism: Epidemiology and the lived experience of consumer debt. *International Journal of Health Services*. 2018 Jul; 48(3):495–511. <https://doi.org/10.1177/0020731418776580> PMID: [29759023](https://pubmed.ncbi.nlm.nih.gov/29759023/)
 30. Kim G, DeCoster J, Huang CH, Chiriboga DA. Race/ethnicity and the factor structure of the Center for Epidemiologic Studies Depression Scale: a meta-analysis. *Cultural Diversity and Ethnic Minority Psychology*. 2011 Oct; 17(4):381. <https://doi.org/10.1037/a0025434> PMID: [21988578](https://pubmed.ncbi.nlm.nih.gov/21988578/)
 31. Dugas M, Freeston M, Ladouceur R, Rhéaume J, Provencher M, Boisvert J. Worry Themes in Primary GAD, Secondary GAD, and Other Anxiety Disorders. *Journal of Anxiety Disorders*. 1998; 12(3):253–261. [https://doi.org/10.1016/s0887-6185\(98\)00013-9](https://doi.org/10.1016/s0887-6185(98)00013-9) PMID: [9653683](https://pubmed.ncbi.nlm.nih.gov/9653683/)
 32. Walker E, Cummings J, Hockenberry J, Druss B. Insurance Status, Use of Mental Health Services, and Unmet Need for Mental Health Care in the United States. *Psychiatric Services*. 2015; 66(6):578–584. <https://doi.org/10.1176/appi.ps.201400248> PMID: [25726980](https://pubmed.ncbi.nlm.nih.gov/25726980/)
 33. McCloud T, Bann D. Financial stress and mental health among higher education students in the UK up to 2018: rapid review of evidence. *J Epidemiol Community Health*. 2019 Oct 1; 73(10):977–84. <https://doi.org/10.1136/jech-2019-212154> PMID: [31406015](https://pubmed.ncbi.nlm.nih.gov/31406015/)
 34. Hamilton HA, Wickens CM, Ialomiteanu AR, Mann RE. Debt stress, psychological distress and overall health among adults in Ontario. *Journal of Psychiatric Research*. 2019 Apr 1; 111:89–95. <https://doi.org/10.1016/j.jpsychires.2019.01.008> PMID: [30690328](https://pubmed.ncbi.nlm.nih.gov/30690328/)
 35. Hobfoll SE. Conservation of resources: a new attempt at conceptualizing stress. *American psychologist*. 1989 Mar; 44(3):513.
 36. Hobfoll SE. Social and psychological resources and adaptation. *Review of general psychology*. 2002 Dec; 6(4):307–24.
 37. Tay L, Batz C, Parrigon S, Kuykendall L. Debt and subjective well-being: The other side of the income-happiness coin. *Journal of Happiness Studies*. 2017 Jun; 18(3):903–37.
 38. Haliwa I, Wilson J, Lee J, Shook NJ. Predictors of change in mental health during the COVID-19 pandemic. *Journal of Affective Disorders*. 2021 Aug 1; 291:331–7. <https://doi.org/10.1016/j.jad.2021.05.045> PMID: [34087628](https://pubmed.ncbi.nlm.nih.gov/34087628/)
 39. Wickens CM, Hamilton HA, Elton-Marshall T, Nigatu YT, Jankowicz D, Wells S. Household and employment-related risk factors for depressive symptoms during the COVID-19 pandemic. *Canadian Journal of Public Health*. 2021 Jun; 112(3):391–9. <https://doi.org/10.17269/s41997-020-00472-6> PMID: [33721268](https://pubmed.ncbi.nlm.nih.gov/33721268/)
 40. Wilson JM, Lee J, Fitzgerald HN, Oosterhoff B, Sevi B, Shook NJ. Job insecurity and financial concern during the COVID-19 pandemic are associated with worse mental health. *Journal of Occupational and Environmental Medicine*. 2020 Sep 1; 62(9):686–91. <https://doi.org/10.1097/JOM.0000000000001962> PMID: [32890205](https://pubmed.ncbi.nlm.nih.gov/32890205/)
 41. Shevlin M, McBride O, Murphy J, Miller JG, Hartman TK, Levita L, et al. Anxiety, depression, traumatic stress and COVID-19-related anxiety in the UK general population during the COVID-19 pandemic. *BJPsych Open*. 2020 Nov; 6(6).

42. Dohrenwend BP, Levav I, Shrout PE, Schwartz S, Naveh G, Link BG, et al. Socioeconomic status and psychiatric disorders: the causation-selection issue. *Science*. 1992 Feb 21; 255(5047):946–52. <https://doi.org/10.1126/science.1546291> PMID: 1546291
43. Ten Have M, Tuithof M, Van Dorsselaer S, De Beurs D, Jeronimus B, De Jonge P, et al. The bidirectional relationship between debts and common mental disorders: Results of a longitudinal population-based study. *Administration and Policy in Mental Health and Mental Health Services Research*. 2021 Sep; 48(5):810–20. <https://doi.org/10.1007/s10488-021-01131-9> PMID: 33851286
44. Di Gessa G, Maddock J, Green MJ, Thompson EJ, McElroy E, Davies HL, et al. Pre-pandemic mental health and disruptions to healthcare, economic and housing outcomes during the COVID-19 pandemic: evidence from 12 UK longitudinal studies. *The British Journal of Psychiatry*. 2022 Jan; 220(1):21–30. <https://doi.org/10.1192/bjp.2021.132> PMID: 35045893
45. Patel JA, Nielsen FB, Badiani AA, Assi S, Unadkat VA, Patel B, et al. Poverty, inequality and COVID-19: the forgotten vulnerable. *Public health*. 2020 Jun; 183:110. <https://doi.org/10.1016/j.puhe.2020.05.006> PMID: 32502699
46. Wahlbeck K, McDaid D. Actions to alleviate the mental health impact of the economic crisis. *World Psychiatry*. 2012 Oct; 11(3):139. <https://doi.org/10.1002/j.2051-5545.2012.tb00114.x> PMID: 23024664
47. McGrath M, Duncan F, Dotsikas K, Baskin C, Crosby L, Gnani S, et al. Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. *J Epidemiol Community Health*. 2021 Jul 1; 75(7):665–73. <https://doi.org/10.1136/jech-2020-215574> PMID: 33931550
48. Post-Covid Personal Debt Report. StepChange. Stepchange.org. (2022). 27 April 2022, <https://www.stepchange.org/policy-and-research/debt-research/post-covid-personal-debt.aspx>.