



This is a repository copy of *Oral hygiene and infective endocarditis: a case control study*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/196888/>

Version: Supplemental Material

Article:

Lockhart, P., Chu, V., Zhao, J. et al. (12 more authors) (2023) Oral hygiene and infective endocarditis: a case control study. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. ISSN 2212-4403

<https://doi.org/10.1016/j.oooo.2023.02.020>

Article available under the terms of the CC-BY-NC-ND licence
(<https://creativecommons.org/licenses/by-nc-nd/4.0/>).

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Table 1. Demographics and Social History

| Demographics | Case (N=62) | Control (N=119) | p-value |
|-----------------------------------|----------------|--------------------|----------------|
| Age | | | 0.61 |
| 18-<30 | 6(9.7) | 16(13.4) | |
| 30-<40 | 4(6.5) | 11(9.2) | |
| 40-<50 | 5(8.1) | 12(10.1) | |
| 50-<60 | 20(32.3) | 26(21.8) | |
| 60-<70 | 16(25.8) | 24(20.2) | |
| 70-<80 | 10(16.1) | 24(20.2) | |
| ≥80 | 1(1.6) | 6(5.0) | |
| Mean Age | 55.2 | 55.4 | 0.94 |
| Sex (Male) | 42(67.7) | 70(58.8) | 0.24 |
| Hispanic or Latino | 5(8.1) | 2(1.7) | 0.10 |
| Self-Identified Race/Ethnicity* | | | |
| Caucasian/White | 52(83.9) | 99(83.2) | 0.91 |
| African American/Black | 8(12.9) | 17(14.3) | 0.80 |
| Asian | 0(0.0) | 2(1.7) | 0.55 |
| Declined to answer or don't know | 2(3.2) | 2(1.7) | |
| Marital status† | | | 0.92 |
| Never married | 9(14.8) | 22(18.5) | |
| Living with a partner | 1(1.6) | 2(1.7) | |
| Married | 38(62.3) | 73(61.3) | |
| Widowed | 4(6.6) | 10(8.4) | |
| Separated | 2(3.3) | 2(1.7) | |
| Divorced | 7(11.5) | 10(8.4) | |
| Highest grade completed in school | | | 0.36 |
| Did not complete high school | 4(6.6) | 7(5.9) | |
| High school graduate | 15(24.6) | 17(14.3) | |
| Some college | 11(18.0) | 23(19.3) | |

| | | | |
|------------------------------|----------|----------|------|
| Bachelor | 12(19.7) | 32(26.9) | |
| Graduate or more | 18(29.5) | 40(33.6) | |
| Declined to answer | 1(1.6) | 0(0.0) | |
| Insurance[§] | | | |
| No Insurance | 1(1.6) | 0(0.0) | 0.34 |
| Private, including military | 46(74.2) | 90(75.6) | 0.83 |
| Medicare/Medicare Part B | 15(24.2) | 39(32.8) | 0.23 |
| Medicaid | 7(11.3) | 8(6.7) | 0.29 |

Social History*

| | | | |
|--|----------|-----------|-------|
| Have you ever smoked cigarettes in your life? | | | 0.032 |
| Never used | 29(47.5) | 80(67.2) | |
| Former use | 28(45.9) | 32(26.9) | |
| Current use | 4(6.6) | 7(5.9) | |
| Have you ever smoked cigars in your life? | | | 0.87 |
| Never used | 58(95.1) | 111(93.3) | |
| Former use | 3(4.9) | 6(5.0) | |
| Current use | 0(0.0) | 2(1.7) | |
| Have you ever smoked pipe tobacco? | | | 0.99 |
| Never used | 59(96.7) | 116(97.5) | |
| Former use | 1(1.6) | 2(1.7) | |
| Current use | 1(1.6) | 1(0.84) | |
| Weekly average consumption of alcohol beverages* | 2.8±4.6 | 2.1±3.0 | 0.21 |

Values presented as Mean ± SD, or N (column %).

p-values based on: t-test, Pearson's chi-square test, or Fisher's Exact test.

* One control self-identified two races

*In the past year, how many beverages with alcohol do you drink in a typical week?

†*Missing information on one case patient: alcohol consumption, marital status, education, or public assistance.

‡AFDC: Aid to Families with Dependent Children; SNAP: Supplemental Nutrition Assistance Program

§ Patient can have more than one type of insurance
