



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/197986/>

Version: Accepted Version

Article:

Hinchliff, S., Mawson, R., Malta, S. et al. (2023) How to support the sexual wellbeing of older patients. British Medical Journal, 380. e072388. ISSN: 1759-2151

<https://doi.org/10.1136/bmj-2022-072388>

This article has been accepted for publication in British Medical Journal 2023 following peer review, and the Version of Record can be accessed online at <http://dx.doi.org/10.1136/bmj-2022-072388>. © Authors (or their employer(s)) 2023. Reuse of this manuscript version (excluding any databases, tables, diagrams, photographs and other images or illustrative material included where a another copyright owner is identified) is permitted strictly pursuant to the terms of the Creative Commons Attribution-Non Commercial 4.0 International (CC-BY-NC 4.0) (<https://creativecommons.org/licenses/by-nc/4.0/>)

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial (CC BY-NC) licence. This licence allows you to remix, tweak, and build upon this work non-commercially, and any new works must also acknowledge the authors and be non-commercial. You don't have to license any derivative works on the same terms. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

1
2 **BMJ Practice Pointer**

3
4 **How to support the sexual well-being of older patients**

5
6 Sharron Hinchliff¹

7 Professor of Psychology and Health

8 Rebecca L Mawson^{2,4}

9 GP & Academic Training Fellow

10 Sue Malta³

11 Senior Researcher

12 Gilli Cliff⁵

13 PMHCT Employment Coach and Patient advocate

- 14
15
16 1. Division of Nursing and Midwifery, Health Sciences School, The University of
17 Sheffield, Sheffield, S10 2HQ, UK
18 2. The Academic Unit of Primary Medical Care, The University of Sheffield,
19 Samuel Fox House, Sheffield, S5 7AU, UK
20 3. Sexual Health Unit, Melbourne School of Population and Global Health, The
21 University of Melbourne, Parkville, VIC 3050, Australia
22 4. GPwER SRH, Valley Medical Centre, Stocksbridge, Sheffield S36 1BX, UK
23 5. South Yorkshire Housing Association Limited, UK
24

25 **Correspondence to:**

26 Professor Sharron Hinchliff

27 Division of Nursing and Midwifery, Health Sciences School, The University of Sheffield,
28 Sheffield, S10 2HQ, UK

29 Email: s.hinchliff@sheffield.ac.uk

30 Phone: 0114 2222045

31
32 **How this article was created**

The article was conceptualised by SH and RM who drafted an initial outline. We invited SM and GC to join the authorship team and collaboratively decided which sections we would each write. We then as a team reviewed the first draft and made the required changes. All authors have a long-standing interest and experience of working in the health inequalities area, including around ageing and ageism and sexual health and sexual well-being.

Contributorship and the guarantor

SH and RM conceived the article and are guarantors. All authors wrote and reviewed the article and created the boxes. GC also provided patient co-authorship.

Acknowledgements

We would like to thank Pete McKee who created the image Baby Oil for the Age of Love exhibition (Hinchliff and McKee, 2018) for agreeing to let us republish the artwork here. Pete is an artist from Sheffield <https://www.petemckee.com/>

How patients were involved in the creation of this article

Our author group includes a patient and expert by experience. GC was invited to join as a co-author to enhance the patient perspective.

Conflicts of Interest

Competing Interest: None declared.

Licence

The Corresponding Author has the right to grant on behalf of all authors and does grant on behalf of all authors, an exclusive licence (or non exclusive for government employees) on a worldwide basis to the BMJ Publishing Group Ltd to permit this article (if accepted) to be published in BMJ and any other BMJ PGL products and sublicences such use and exploit all subsidiary rights, as set out in our licence (<https://authors.bmj.com/policies/#copyright>).

Introduction

At your age? That is the response many older adults receive after plucking-up the courage to ask their GP for help with a sexual issue. Seeking help for a sexual issue is not always easy: the journey is mired by uncertainty on the part of the patient (“can anything be done?”), embarrassment (“the GP is the same age as my daughter”), and fear of being judged negatively due to ageism (“what if they think I’m past it?”). While GPs can experience their own barriers to providing help, it is imperative that patients are supported with their sexual well-being as they age.

In this article we offer an evidence-based approach to the management of sexual problems. While sexual problems vary, a typical case might be a patient aged 60 whose vaginal soreness is leading to a loss of sex drive, and despite waiting to see if it gets better on its own, has found no improvement. Within months the problem has got worse, her relationship has started to suffer, and she is fearful of the underlying cause. The impact on sexual well-being is palpable and the distress drives her to seek help from her GP.

Sexual well-being and ageing

Sexual well-being refers to the quality of, and satisfaction with, our sexual relationships with others and ourselves.¹ Many older adults view sexual well-being as a quality of life component and are more likely than previous generations to expect their healthcare professional (HCP) to support them in this area.^{2,3} However, with age-related bodily changes and limitations such as the onset of conditions like diabetes, hypertension, and rheumatoid arthritis, older adults often experience changes to their sexual lives and adopt a broader repertoire of sexual activities, which may mean a prioritisation of intimacy.^{4,5}

Sexual activity and intimacy are associated with mental and physical health benefits in older age including: decreased pain sensitivity; lower levels of depression; higher levels of relaxation; better sleep quality; better cardiovascular health; and higher relationship satisfaction.^{6,7} As well as being positively associated with lower levels of illness, sexual well-being is also associated with increased capacity to cope with chronic disease.⁷ Given the

increase in diagnoses of chronic diseases in the UK and globally, this is an important area to support: the World Health Organization asserted that health systems must provide opportunities for older adults with chronic diseases to access professional counselling and treatment for their sexual and reproductive health concerns.⁸

Types and causes of sexual problems

Sexual problems can cause distress through their impact on psychological well-being and relationship satisfaction. This is particularly the case when sexual activity is important to the patient and their relationship, but also when the person is single and wants to be in an intimate relationship. Older adults can face numerous challenges in wanting to be sexually active. The most common sexual problems with ageing include erectile dysfunction, sexual desire loss, vaginal dryness and thinning of tissues, and difficulty achieving orgasm.^{9,10}

Sexual problems have different aetiology but causes include:

- Physical health factors:
Menopause and andropause, arthritis, cancer, continence, diabetes, Peyronie's Disease, chronic pain, pain during sex
- Mental health factors:
Depression, anxiety, psychiatric disorders, experience of sexual trauma (e.g. sexual assault)
- Social and interpersonal factors:
Loss of partner, caring responsibilities, relationship quality and satisfaction including how the sexual issue is dealt with in the relationship
- Medication and surgery:
Body-altering surgery, primary and secondary prevention medications (e.g. antihypertensives, antidepressants; see Conaglen & Conaglen for an extensive list)¹¹
- Sexual health literacy:
Lack of knowledge about sexual function, misinformation about sexual issues, lack of confidence to raise the issue especially if the patient has grown-up in an environment where sex is a taboo subject

127

128 **Barriers to discussing sexual well-being in consultations**

129 Older patients with a sexual problem often delay seeking help, but when they decide to seek
130 professional help the GP is usually their first port of call.¹² Although there have been positive
131 changes around sexuality and ageing in society, sex remains a stigmatised subject which can
132 lead to embarrassment and shame on the part of the patient and the HCP.¹³ Barriers to
133 seeking and receiving care include:

134

135 **Person-related:** Sexual well-being is often assigned a lower priority than other issues,
136 especially if the patient has multiple health concerns.¹⁴ This is mirrored by HCPs who may
137 view sexual wellness as a luxury rather than a necessity. Patients and HCPs might be unaware
138 of services or options to improve sexual well-being. Sexual problems are often viewed as a
139 normal part of ageing or part of being in a long-term relationship.^{12,13} Taboo and stigma are
140 more predominant in communities where sex is not openly discussed, including older
141 generations, some faith-based communities, and older LGBT people who may have
142 experienced shame and fear during their lives.⁷

143

144 **Consultation-related:** Often, a 'dance of shame' can happen in the consult where both parties
145 want to raise the subject of sex but fear causing embarrassment or offence for the other
146 person or sexualising the consult. The language of sex can cause discomfort, including correct
147 names for body parts and labels for relationships and sexuality, particularly for those who are
148 older.¹⁵ The language used in medical training focuses on gender-specific dysfunction rather
149 than well-being and is lacking in many curriculums. This leads to a deficit in skills to raise
150 sensitive topics and discuss intimate issues.


151

152 **Health system-related:** In most health systems, sexual problems are not considered severe
153 enough to require prioritisation. Funding systems are driven by targets such as blood
154 pressure control and cholesterol-lowering rather than quality of life. Sexual health is equated
155 to a young person's problem and not prioritised when managing other more 'serious
156 conditions' in older adults. Time constraints due to systemic workload pressures make it
157 more difficult to develop rapport and raise sensitive subjects. Not only that, GP receptionists

can act as gatekeepers to the service and require specific information as to why the patient is seeking a consultation, which can add an unintended obstacle for the patient.

Figure 1: Baby Oil

By Pete McKee and Sharron Hinchliff for their exhibition the Age of Love



What healthcare professionals can do to improve the sexual well-being of patients

HCPs play a crucial role in facilitating conversations about sexual well-being with patients.¹⁶ Certain factors, such as patient preference for HCPs of a certain age group, may be a challenge but thinking about this as part of holistic medicine can change the way HCPs consult.¹⁷ As with all areas of medicine, longitudinal relationships and continuity of care enable patients to assert their health needs.¹⁸ The use of open and inclusive language can help facilitate discussion about sexual issues; sensitivity is needed with regard to gender of the partner, sexual orientation, racial/ethnic background, and communities where sex is more of a taboo topic. HCPs are not immune from societal views and stereotypes about sex and ageing; it is therefore imperative that HCPs recognise their personal belief systems and biases, which can make them uncomfortable talking about sex, especially with older patients.

Medical training often focuses on sex in terms of procreation and the biology of sexual dysfunction. It is important to dispel preconceptions about 'natural' or 'normal' sex, which lead to miscommunication and assumptions about 'penis in vagina' sex.¹⁵ Research shows an apparent discrepancy between what HCPs believed was a sexual problem and what their patients did.¹⁹ When discussing sexual issues with all patients, especially older adults, there needs to be a clear understanding of what is being discussed otherwise it can end up with a mismatch between the issue the patient wants help with and the perceived issue the HCP feels is the problem. These misunderstandings of what sex means to people can lead to inappropriate investigation and diagnosis.²⁰

Research is clear that older patients want their HCPs to ask them about sexual issues whereas HCPs want their patients to raise it.²¹ This 'catch 22' situation can be overcome. For example, there are practical ways to give permission to patients to discuss the topic of sex and normalise it within the consult (see below). It is much easier for the patient if the HCP starts the conversation as this validates sexual issues as "real health issues" and gives the patient a starting point rather than having to make an embarrassing attempt at raising a difficult topic. Just as GPs ask about smoking, exercise, and diet, they should be able to ask about sexual well-being. The importance of being proactive becomes clear when we consider how older adults tend to delay help-seeking for sexual issues: they often try self-fixes such as lifestyle changes before plucking-up the courage to ask the GP.²²

Conversations about sexual well-being could be made during medicine reviews, general health and well-being check-ups, or when the chance arises, for example, when a patient consults about menopause symptoms, chronic UTIs, or depression. Practical advice on talking to patients about sex, including conversation openers, are described in the 'Three Ps' approach: Privacy, Permission, and Practice.²³ These include:

Generic questions such as

- *"People I see in clinic sometimes have sexual problems. Have you noticed any difficulties?"*
- *"Just a few more questions, if that's okay. At this point I normally ask some questions about your sexual health."*

Specific questions such as

- *“These medications are known to cause sexual difficulties for some people, is that something you have experienced?”*
- *“Women can experience sexual difficulties around the time of menopause, have you been affected in this way?”*

Another approach is to use topic cards or a checklist of issues, which includes sexual well-being, to discuss when patients attend a consult.²⁴ This approach has proved effective in increasing the number of patients who receive information about contraception from GPs.²⁵ It is helpful to signpost patients to resources to further explore the subject (Box 1), as it can be difficult to fully cover the topic during the consult. There is strong evidence that when HCPs are proactive and ask patients about their sexual well-being, the patient is more likely to consult later when they have a problem.¹⁰

Box 1: Patient resources: where can I signpost my patient to?

Age, Sex and You: Promoting better sexual health in older adults

<http://www.agesexandyou.com/>

British Menopause Society

<https://thebms.org.uk/>

Faculty of Sexual and Reproductive Health

<https://www.fsrh.org/home/>

Jean Hailes for Women's Health

<https://www.jeanhailes.org.au/health-a-z/sex-sexual-health>

Joan Price: author, speaker, and advocate for ageless sexuality

<https://joanprice.com/>

National Institute on Ageing: Sexuality and intimacy in older adults

<https://www.nia.nih.gov/health/sexuality-and-intimacy-older-adults>

What you need to know

- Consider asking about sexual well-being when a patient consults about a chronic condition
- Mention the potential sexual side-effects of drugs during medication reviews or when prescribing new meds
- Display a poster in consultation and waiting rooms to let patients know that sexual well-being is a legitimate topic in the consultation

Reflection on practice

- How do you feel when you need to raise the subject of sex or intimacy in a consult with an older adult? If uncomfortable, why does it make you feel that way?
- When a patient talks about sex, do you make assumptions about what sexual activities they are talking about?
- In what ways can you normalise discussion about sex and make it less awkward?

The sexual well-being of older adults should be supported as part of holistic patient care. If problems are identified, a meds review may be required or referral to specialist services like a psychosexual clinic, although oftentimes reassurance is all that is needed.

References

1. Mitchell KR, Lewis R, O'Sullivan LF, Fortenberry JD. What is sexual wellbeing and why does it matter for public health? *The Lancet Public Health*. 2021 Aug;6(8):e608-13.
2. Syme ML, Cordes CC, Cameron RP, Mona LR. Sexual health and well-being in the context of aging. In PA Lichtenberg, BT Mast, BD Carpenter, J. Loebach Wetherell (Eds.), *APA Handbook of Clinical Geropsychology, 2015 Vol. 2. Assessment*,

- 274 *treatment, and issues of later life* (pp.395–412). American Psychological
275 Association.
- 276 3. Træen B, Villar F. Sexual well-being is part of aging well. *European Journal of*
277 *Ageing*. 2020 Jun;17(2):135-8.
- 278 4. Malta S, Temple-Smith M, Bickerstaffe A, Bouchier L, Hocking J. ‘That might be a
279 bit sexy for somebody your age’: Older adult sexual health conversations in
280 primary care. *Australasian Journal on Ageing*. 2020 Jun;39:40-8.
- 281 5. Freak-Poli R, Malta S. An overview of sexual behaviour research in later life—
282 Quantitative and qualitative findings. *Australasian Journal on Ageing*. 2020
283 Jun;39:16-21.
- 284 6. Byers ES, Rehman US. Sexual well-being. In DL Tolman, LM Diamond, JA
285 Bauermeister, WH George, JG Pfaus, L.M Ward (Eds.), *APA Handbook of Sexuality*
286 *and Psychology*, 2014. Vol. 1. *Person-based approaches* (pp. 317–337). American
287 Psychological Association.
- 288 7. Træen B, Hald GM, Graham CA, Enzlin P, Janssen E, Kvaalem IL, Carvalheira A,
289 Štulhofer A. Sexuality in older adults (65+)—an overview of the literature, part 1:
290 sexual function and its difficulties. *International Journal of Sexual Health*. 2017
291 Jan;29(1):1-0.
- 292 8. World Health Organization. Action Plan for Sexual and Reproductive Health, 2016
- 293 9. Natsal Mitchell KR, Mercer CH, Ploubidis GB, Jones KG, Datta J, Field N, Copas AJ,
294 Tanton C, Erens B, Sonnenberg P, Clifton S. Sexual function in Britain: Findings
295 from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). *The*
296 *Lancet*. 2013 Nov 30;382(9907):1817-29.
- 297 10. Moreira ED, Glasser DB, Nicolosi A, Duarte FG, Gingell C, GSSAB Investigators’
298 Group. Sexual problems and help-seeking behaviour in adults in the United
299 Kingdom and continental Europe. *BJU International*. 2008 Apr;101(8):1005-11.
- 300 11. Conaglen HM, Conaglen JV. Drug-induced sexual dysfunction in men and women.
301 *Australian Prescriber*. 2013 April 2(36):42-5
- 302 12. Hinchliff S, Carvalheira AA, Štulhofer A, Janssen E, Hald GM, Træen B. Seeking help
303 for sexual difficulties: findings from a study with older adults in four European
304 countries. *European Journal of Ageing*. 2020 Jun;17(2):185-95.

13. Sinković M, Towler L. Sexual aging: A systematic review of qualitative research on the sexuality and sexual health of older adults. *Qualitative Health Research*. 2019 Jul;29(9):1239-54.
14. Dyer K, das Nair R. Why don't healthcare professionals talk about sex? A systematic review of recent qualitative studies conducted in the United Kingdom. *The Journal of Sexual Medicine*. 2013 Nov 1;10(11):2658-70.
15. Ross MW, Bayer CR, Shindel A, Coleman E. Evaluating the impact of a medical school cohort sexual health course on knowledge, counselling skills and sexual attitude change. *BMC Medical Education*. 2021 Dec;21(1):1-0.
16. Hinchliff S, Gott M. Seeking medical help for sexual concerns in mid-and later life: a review of the literature. *The Journal of Sex Research*. 2011 Feb;48(2-3):106-17.
17. Fileborn B, Lyons A, Heywood W, Hinchliff S, Malta S, Dow B, Brown G, Barrett C, Minichiello V. Talking to healthcare providers about sex in later life: Findings from a qualitative study with older Australian men and women. *Australasian Journal on Ageing*. 2017 Dec;36(4):E50-6.
18. Kaba R, Sooriakumaran P. The evolution of the doctor-patient relationship. *International Journal of Surgery*. 2007 Feb;5(1):57-65.
19. King M, Holt V, Nazareth I. Women's views of their sexual difficulties: Agreement and disagreement with clinical diagnoses. *Archives of Sexual Behavior*. 2007 Apr;36(2):281-8.
20. Gewirtz-Meydan A, Levkovich I, Mock M, Gur U, Karkabi K, Ayalon L. Sex for seniors: how physicians discuss older adult's sexuality. *Israel Journal of Health Policy Research*. 2020 Dec;9(1):1-9.
21. Kleinplatz PJ. Sexuality and older people. *BMJ*. 2008 Jul;8;337.
22. Hinchliff S, Lewis R, Wellings K, Datta J, Mitchell K. Pathways to help-seeking for sexual difficulties in older adults: Qualitative findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). *Age and Ageing*. 2021 Mar; 50(2):546–553.
23. Hinchliff S, Fileborn B. Sexuality in older age. In T Denning and others (Eds.), *Oxford Textbook of Old Age Psychiatry*, 2020 (3 ed) (pp.785-802). Oxford University Press.
24. Malta S, Hocking J, Lyne J, McGavin D, Hunter J, Bickerstaffe A, Temple-Smith M. Do you talk to your older patients about sexual health?: Health practitioners'

337 knowledge of, and attitudes towards, management of sexual health among older
338 Australians. Australian Journal of General Practice. 2018 Nov;47(11):807-11.
339 25. Bellanca HK, Hunter MS. ONE KEY QUESTION: Preventive reproductive health is
340 part of high-quality primary care. Contraception. 2013 Jul 1;88(1):3-6.

341

342

343