



This is a repository copy of *Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $s\sqrt{= 13}$ TeV with the ATLAS detector.*

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/201634/>

Version: Published Version

Article:

Aad, G., Abbott, B., Abeling, K. et al. (2875 more authors) (2023) Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $s\sqrt{= 13}$ TeV with the ATLAS detector. *Journal of High Energy Physics*, 2023. 85.

[https://doi.org/10.1007/jhep07\(2023\)085](https://doi.org/10.1007/jhep07(2023)085)

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: Measurements of transverse energy-energy correlations and their associated azimuthal asymmetries in multijet events are presented. The analysis is performed using a data sample corresponding to 139 fb^{-1} of proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV, collected with the ATLAS detector at the Large Hadron Collider. The measurements are presented in bins of the scalar sum of the transverse momenta of the two leading jets and unfolded to particle level. They are then compared to next-to-next-to-leading-order perturbative QCD calculations for the first time, which feature a significant reduction in the theoretical uncertainties estimated using variations of the renormalisation and factorisation scales. The agreement between data and theory is good, thus providing a precision test of QCD at large momentum transfers Q . The strong coupling constant α_s is extracted as a function of Q , showing a good agreement with the renormalisation group equation and with previous analyses. A simultaneous fit to all transverse energy-energy correlation distributions across different kinematic regions yields a value of $\alpha_s(m_Z) = 0.1175 \pm 0.0006$ (exp.) $^{+0.0034}_{-0.0017}$ (theo.), while the global fit to the asymmetry distributions yields $\alpha_s(m_Z) = 0.1185 \pm 0.0009$ (exp.) $^{+0.0025}_{-0.0012}$ (theo.).

KEYWORDS: Hadron-Hadron Scattering, Jet Physics, Jets

ARXIV EPRINT: [2301.09351](https://arxiv.org/abs/2301.09351)

Contents

1	Introduction	1
2	ATLAS detector	3
3	Data and Monte Carlo samples	4
4	Jet reconstruction and event selection	5
5	Unfolding to particle level	6
6	Experimental uncertainties	7
7	Experimental results	9
8	Theoretical predictions and uncertainties	9
9	Determination of the strong coupling constant	17
10	Conclusions	26
	The ATLAS collaboration	35

1 Introduction

Multijet final states, produced in proton-proton (pp) collisions with large momentum transfer at the LHC provide an ideal testing ground for perturbative Quantum Chromodynamics (pQCD). Event shapes [1, 2] are a class of observables defined as functions of the final-state particles four-momenta, which characterise the hadronic energy flow in a collision. They can be used to precisely test pQCD calculations and additionally to extract the value of the strong coupling constant, α_s . Event shape variables were measured in e^+e^- collision experiments from PETRA and PEP [3–5] to LEP and SLC [6–10], at the ep collider HERA [11–15] and in hadron-hadron collisions at the Tevatron [16] and the LHC [17–19].

A particularly interesting, infrared and collinear safe, event-shape observable is the energy-energy correlation (EEC) function, which was originally introduced for e^+e^- annihilation experiments [20, 21]. The EEC function and its associated azimuthal asymmetry (AEEC) can be calculated in pQCD, and the $\mathcal{O}(\alpha_s^2)$ corrections are modest [22–26]. They were also studied in the nearly back-to-back limit [27]. The EEC measurements [28–40] have had significant impact on the early precision tests of QCD and in the determination of the strong coupling constant.

Transverse energy-energy correlations (TEEC) and their associated azimuthal asymmetries (ATEEC) were proposed as the appropriate generalisation for hadron collider experiments in ref. [41], where leading-order (LO) predictions were also presented. In experiments with incoming hadrons, observables that are invariant with respect to boosts along the direction of the beam axis are beneficial. As jet-based observables, the TEEC and ATEEC make use of the jet transverse energy $E_T = E/\cosh y$, where E is the jet energy and y is the jet rapidity. The TEEC function is defined as the transverse-energy-weighted distribution of the azimuthal differences between jet pairs in the final state [42], i.e.

$$\frac{1}{\sigma} \frac{d\Sigma}{d\cos\phi} \equiv \frac{1}{\sigma} \sum_{ij} \int \frac{d\sigma}{dx_{T_i} dx_{T_j} d\cos\phi} x_{T_i} x_{T_j} dx_{T_i} dx_{T_j} = \frac{1}{N} \sum_{A=1}^N \sum_{ij} \frac{E_{T_i}^A E_{T_j}^A}{(\sum_k E_{T_k}^A)^2} \delta(\cos\phi - \cos\varphi_{ij}), \tag{1.1}$$

where the last expression is valid for a sample of N multijet events, labelled by the index A , and the indices i, j and k run over all jets in a given event. Here, $x_{T_i} = E_{T_i}/\sum_k E_{T_k}$ is the normalised transverse energy of jet i , φ_{ij} is the angle in the transverse plane between jet i and jet j and $\delta(x)$ is the Dirac delta function, which ensures $\phi = \varphi_{ij}$. The distribution is normalised to the total cross-section, σ .

To cancel out uncertainties that are symmetric in $\cos\phi$, the ATEEC function is defined as the difference between the forward ($\cos\phi > 0$) and the backward ($\cos\phi < 0$) part of the TEEC function, i.e.

$$\frac{1}{\sigma} \frac{d\Sigma^{\text{asym}}}{d\cos\phi} = \left. \frac{1}{\sigma} \frac{d\Sigma}{d\cos\phi} \right|_{\phi} - \left. \frac{1}{\sigma} \frac{d\Sigma}{d\cos\phi} \right|_{\pi-\phi}.$$

Both the TEEC and ATEEC functions are sensitive to gluon radiation and show a clear dependence on the strong coupling. Numerical results at next-to-leading order (NLO) for the jet-based TEEC function were obtained [43] by using the NLOJET++ program [44, 45], which provides the LO and NLO calculations for three-jet production. Furthermore, numerical results for the hadron-based TEEC function at next-to-leading order plus next-to-next-to-leading-logarithmic (NLO+NNLL) accuracy were computed recently [46].

The ATLAS Collaboration has presented measurements of the TEEC and ATEEC functions at centre-of-mass energies of $\sqrt{s} = 7$ TeV [47] and $\sqrt{s} = 8$ TeV [48], determining α_s as a function of the interaction scale and testing the running of α_s predicted by the renormalisation group equation (RGE). The existence of new coloured fermions would imply modifications to the QCD β -function [49, 50]. Therefore, the running of α_s is not only important as a precision test of QCD at large scales but also as a test for new physics. An interpretation of these measurements in terms of constraints on new coloured particles through their impact on the running of α_s is presented in ref. [51].

This analysis presents a measurement of the TEEC and ATEEC functions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV using 139 fb^{-1} of pp collision data, recorded by the ATLAS detector. This extends the energy range of the measurement with respect to previous analyses and improves the experimental precision on these observables.

The publication of the next-to-next-to-leading-order (NNLO) corrections to three-jet production in pp collisions [52, 53] provides a significant theoretical improvement in the precision of these observables. In particular, the theoretical uncertainties are significantly

reduced with the addition of higher-order corrections. This allows more precise tests of pQCD and an important reduction of the uncertainties in the determination of the strong coupling constant α_s .

2 ATLAS detector

The ATLAS detector [54] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range of $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer (IBL) installed before Run 2 [55, 56]. It is followed by the silicon microstrip tracker (SCT), which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range of $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures with $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid-angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, covers the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range of $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [57]. The first-level trigger accepts events from the 40 MHz bunch crossings

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Generator	ME order	ME partons	PDF set	Parton shower	Scales μ_R, μ_F	$\alpha_s(m_Z)$
PYTHIA 8	LO	2	NNPDF 2.3 LO	p_T -ordered	$(m_{T3}^2 \cdot m_{T4}^2)^{\frac{1}{2}}$	0.140
SHERPA	LO	2,3	CT14 NNLO	CSS (dipole)	$H(s, t, u)$ [2 \rightarrow 2] CMW [2 \rightarrow 3]	0.118
HERWIG 7	NLO	2,3	MMHT2014 NLO	Angular-ordered Dipole	$\max\{p_{Ti}\}_{i=1}^N$	0.120

Table 1. Properties of the MC samples used in the analysis, including the perturbative order in α_s , the number of final-state partons, the PDF set, the parton shower algorithm, the renormalisation and factorisation scales μ_R and μ_F , and the value of $\alpha_s(m_Z)$ for the matrix element. HERWIG 7 was used for the generation of two samples, differing by their treatment of the parton shower.

at a rate below 100 kHz, which the high-level trigger further reduces to record events to disk at about 1 kHz. An extensive software suite [58] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and Monte Carlo samples

The data used in this analysis was collected from 2015 to 2018 at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. After applying quality criteria to ensure good ATLAS detector operation, the total integrated luminosity useful for data analysis is 139 fb^{-1} [59]. The average number of inelastic pp interactions produced per bunch crossing, hereafter referred to as ‘pile-up’, is $\langle \mu \rangle = 33.6$.

Several Monte Carlo (MC) simulated samples are used for this analysis; they differ in the matrix element calculation (ME) and/or the parton shower (PS). The samples were produced using the PYTHIA 8 [60, 61], SHERPA [62, 63] and HERWIG 7 [64–66] generators. The main features of the samples are summarised in table 1. The PYTHIA 8 sample was generated using PYTHIA 8.235. The matrix element was calculated for the $2 \rightarrow 2$ process. The parton shower algorithm included initial- and final-state radiation based on the dipole-style p_T -ordered evolution, including $\gamma \rightarrow q\bar{q}$ branchings and a detailed treatment of the colour connections between partons [60]. The renormalisation and factorisation scales were set to the geometric mean of the squared transverse masses of the two outgoing particles (labelled 3 and 4), i.e. $\sqrt{m_{T3}^2 \cdot m_{T4}^2} = \sqrt{(p_T^2 + m_3^2) \cdot (p_T^2 + m_4^2)}$. The NNPDF 2.3 LO parton distribution function (PDF) set [67] was used in the ME generation, in the parton shower, and in the simulation of multi-parton interactions (MPI). The ATLAS A14 [68] set of tuned parameters (tune) was used for the parton shower and MPI, while hadronisation was modelled using the Lund string model [69, 70].

The SHERPA sample was generated using SHERPA 2.1.1. The matrix element calculation includes $2 \rightarrow 2$ and $2 \rightarrow 3$ processes at LO, merged using the CKKW method [71]. The SHERPA parton shower [72, 73] with p_T ordering was used for the quark and gluon emissions. The matrix element renormalisation and factorisation scales for $2 \rightarrow 2$ processes were set to the harmonic mean of the Mandelstam variables s , t and u [74], whereas the

Catani-Marchesini-Webber (CMW) [75] scale was chosen for $2 \rightarrow 3$ processes. The CT14 NNLO [76] PDF set was used for the matrix element calculation, while the parameters used for the modelling of the MPI and the parton shower were set according to the CT10 tune [77]. The SHERPA sample made use of the dedicated Sherpa AHADIC model for hadronisation [78], which is based on the cluster fragmentation algorithm [79].

Finally, two HERWIG 7 samples were generated using HERWIG 7.1.3 at next-to-leading order for the $2 \rightarrow 2$ process. The matrix element was calculated using MATCHBOX [80] with the MMHT2014 NLO PDF [81]. The renormalisation and factorisation scales were set to the p_T of the leading jet. The first sample used an angle-ordered parton shower, while the second sample used a dipole-based parton shower. In both cases, the parton shower was interfaced to the matrix element calculation using the MC@NLO matching scheme [82]. The angle-ordered shower evolves on the basis of $1 \rightarrow 2$ splittings using a generalised angular variable and employs a global recoil scheme once showering has terminated. The dipole-based shower uses $2 \rightarrow 3$ splittings with Catani-Seymour kernels with an ordering in transverse momentum that enables it to perform recoils on an emission-by-emission basis. For both HERWIG 7 samples, the parameters that control the MPI and parton shower simulation were set according to the MMHT2014 tune [81], and the hadronisation was modelled by the cluster fragmentation algorithm.

The PYTHIA 8, SHERPA and HERWIG 7 samples were passed through the GEANT4-based [83] ATLAS detector-simulation programs [84], since they were used to unfold the measurements to the particle level as described in section 5. They were reconstructed and analysed with the same processing chain as the data. The generation of the simulated event samples includes the effect of multiple pp interactions per bunch crossing, simulated using the PYTHIA A3 tune [85], and the effect of interactions from bunch crossings before or after the one containing the hard interaction.

4 Jet reconstruction and event selection

Jets are reconstructed using the anti- k_t algorithm [86] with radius parameter $R = 0.4$ using the FASTJET program [87]. The inputs to the jet algorithm are particle-flow objects [88], which make use of both the calorimeter and the inner-detector information to precisely determine the momenta of the input particles. The jet calibration procedure corrects for effects such as energy loss in inactive material, shower leakage, inefficiencies in energy clustering and jet reconstruction. This is performed using a simulation-based correction, in bins of η and p_T , derived from the relation between the reconstructed jet energy and the energy of the corresponding particle-level jet, not including muons or non-interacting particles. The procedure also includes energy corrections for pile-up, and angular corrections. In a final step, an in situ calibration corrects for residual differences in the jet response and resolution between the MC simulation and the data using p_T -balance techniques for dijet, γ +jet, Z +jet and multijet final states [89, 90].

Events were selected using a single-jet trigger [57] with a minimum p_T threshold of 460 GeV, to select high- p_T jets while avoiding prescaled triggers. The selected jets are required to have $p_T > 60$ GeV and $|\eta| < 2.4$ to reject pile-up jets and reduce experimental

uncertainties. In addition, jets are required to satisfy quality criteria that reject non-collision background and noise jets [91]. More than 99% of all signal jets pass these criteria. Events are required to have at least two selected jets. The two leading jets are further required to have the scalar sum of their transverse momenta, $H_{T2} = p_{T1} + p_{T2} > 1$ TeV. This ensures a trigger efficiency of $\approx 100\%$. About 57.5 million events in data satisfy the selection criteria. The data are binned in ten intervals of H_{T2} in which the TEEC and ATEEC distributions are measured. The MC predictions are reweighted using the distribution of the average number of interactions per bunch crossing, so that the pile-up conditions in the simulation exactly match those in data.

5 Unfolding to particle level

To make detector-independent comparisons with particle-level parton shower MC predictions and fixed-order theoretical predictions, the measured distributions are corrected for distortions induced by the response of the ATLAS detector and associated reconstruction algorithms. The fiducial phase-space region is defined at particle level for all particles with a decay length $c\tau > 10$ mm; these particles are referred to as ‘stable’. Particle-level jets are reconstructed using the anti- k_t algorithm with $R = 0.4$ using stable particles, excluding muons and neutrinos. The fiducial phase space closely follows the event selection criteria defined in section 4. Particle-level jets are required to have $p_T > 60$ GeV and $|\eta| < 2.4$. Events with at least two particle-level jets are considered. These events are also required to have $H_{T2} > 1$ TeV.

The unfolding is performed using an iterative algorithm based on Bayes theorem [92], which takes into account inefficiencies, acceptance and resolution effects in the detector response that lead to bin migrations between the detector-level and particle-level phase spaces. For each observable, the method makes use of a transfer matrix, M_{ij} , obtained from MC simulation, that parameterises the probability of a jet pair generated in bin i being reconstructed in bin j . The binning of the distributions is chosen as a compromise between maximising the number of bins while minimising migration between bins due to the resolution of the measured variables. This ensures that the purity from migrations is above 60% in all regions of the phase space. The inverse problem can be written as a linear equation

$$R_i = \sum_{j=1}^N \frac{\mathcal{E}_j}{\mathcal{P}_i} M_{ij} T_j.$$

The quantities R_i and T_j are the contents of the detector-level distribution in bin i and the contents of the particle-level distribution in bin j , respectively, while the factors \mathcal{E}_j and \mathcal{P}_i are efficiency and purity corrections, which are estimated by using the MC simulation.

The unfolding is performed separately in each bin of H_{T2} only considering the dependence on $\cos\phi$. The effect of migrations across different H_{T2} bins is small and is treated by the efficiency and purity corrections. It has been verified that using a two-dimensional transfer matrix, including H_{T2} and $\cos\phi$, gives results compatible within the statistical uncertainties.

Five iterations are necessary for the procedure to converge, i.e. for the relative difference between one iteration and the next, averaged over all bins of the distribution, to be below one per mille. The statistical uncertainties in both data and MC samples are propagated through the unfolding procedure by using pseudo-experiments. A set of 1000 replicas is considered for each measured distribution by applying a Poisson-distributed fluctuation around the nominal measured distribution. Each of these replicas is unfolded using a fluctuated version of the transfer matrix, which produces the corresponding set of 1000 replicas of the unfolded spectra. The statistical uncertainty is defined as the standard deviation of all replicas.

The results obtained by unfolding the data with PYTHIA 8 are used to obtain the nominal differential cross-sections, whereas SHERPA and HERWIG 7 MC predictions are used to estimate the systematic uncertainty due to the model dependence, as discussed in section 6.

6 Experimental uncertainties

The dominant sources of systematic uncertainty in the measurements arise from knowledge of the jet energy scale and resolution and the modelling of the final state. The detector-level distributions are recomputed and unfolded for each systematic variation. The systematic uncertainties are then propagated through the unfolding via their impact on the transfer matrices, the purity and the efficiency. A detailed description of the systematic uncertainties and their typical values for the TEEC and ATEEC functions is given below:

- **Jet Energy Scale and Resolution:** the jet energy scale (JES) and jet energy resolution (JER) uncertainties are estimated as described in refs. [89, 90]. The JES uncertainties consist of a set of 113 independent components, which depend on the jet p_T and η . These components account for different effects, including the different response to quarks and gluons and the flavour composition of the sample. Sources related to the in situ methods for the determination of JES [89, 90] are also included. The total JES uncertainty in the p_T value of individual jets varies from approximately 2% at $p_T = 60$ GeV to below 1% for $p_T > 500$ GeV, with a mild dependence on η . The JER uncertainty is estimated by using 34 independent components, arising from the determination of the JER noise term and the different in situ methods [90]. The effect of the total JER uncertainty is evaluated by smearing the energy of the jets in the MC simulation by about 2% at $p_T = 60$ GeV to about 0.5% for p_T of several hundred GeV. Each JES and JER uncertainty component is independently propagated by varying the energy and p_T of each jet by one standard deviation. The total uncertainty in the TEEC distribution ranges from a maximum of 2% for $1 \text{ TeV} < H_{T2} < 1.2 \text{ TeV}$ to 1.5% for $H_{T2} > 3.5 \text{ TeV}$ while, for the ATEEC, it is below 1% in the whole phase space of the analysis.
- **Jet Angular Resolution:** the jet angular resolution (JAR) uncertainty is conservatively estimated by smearing the azimuthal coordinate ϕ of the jets by their resolution in MC simulation. The ϕ variations are performed with the p_T component of the jets




Figure 1. Breakdown of the systematic uncertainties as a function of (a) the TEEC and (b) the ATEEC for the inclusive H_{T2} sample, including jet energy scale and resolution, jet angular resolution and uncertainties in the unfolding procedure. Due to the normalisation of the TEEC distribution, the systematic uncertainties show a sharp change in magnitude close to $\cos \phi \simeq 1.0$ for the TEEC and to $\cos \phi \simeq -1.0$ for the ATEEC.

held constant. The value of the JAR uncertainty is below 0.5% for both the TEEC and ATEEC distributions in all regions of phase space.

- **Unfolding:** the mismodelling of the data by the MC simulation is accounted for as an additional source of uncertainty. This is assessed by reweighting the particle-level distributions so that the detector-level distributions predicted by the MC samples match those in the data. The modified detector-level MC distributions are then unfolded using the method described in section 5. The difference between the modified particle-level MC distribution and the original particle-level MC distribution is taken as the uncertainty. This uncertainty is negligible for both the TEEC and ATEEC in each of the phase space regions of the analysis.
- **Monte Carlo Modelling:** the modelling uncertainty is estimated by comparing the distributions obtained by using PYTHIA 8, SHERPA and HERWIG 7 in the unfolding procedure. The envelope of the differences between the estimated cross-sections defines the systematic uncertainty. The value of this uncertainty for the TEEC varies from 1.5% to 2%, depending on the phase space region while, for the ATEEC, it is always below 0.5% and has an impact only for $\cos \phi < -0.95$.

A breakdown of the relative systematic uncertainties in the measurement of the TEEC and ATEEC distributions is shown in figure 1.

The total systematic uncertainty is estimated by adding the effects previously listed in quadrature. In addition, the statistical uncertainty in the data and MC simulation is propagated to the differential cross-sections through the unfolding procedure using pseudo-experiments to properly take into account the statistical correlations between bins. The pseudo-experiments are also used to estimate the statistical component of each systematic

uncertainty. This statistical component is mitigated using the Gaussian Kernel smoothing technique [93]. The values provided above are quoted after application of this procedure. The impact of these sources of uncertainty depends on the region of phase space. Overall, the JES uncertainty dominates both the TEEC and ATEEC measurements, while the MC modelling and JER uncertainties are also important for the TEEC and ATEEC measurements, respectively.

7 Experimental results

The unfolded TEEC and ATEEC distributions are presented and compared with the MC predictions described in section 3. Figure 2 shows this comparison for the TEEC and ATEEC distributions obtained in the inclusive region $H_{T2} > 1$ TeV. Additionally, figure 3 shows this comparison for both the TEEC and ATEEC for two different bins of H_{T2} .


The TEEC and ATEEC distributions presented in figures 2 and 3 show the features observed in previous results [47, 48]. The TEEC shows two peaks arising from back-to-back ($\cos \phi = -1$) and collinear ($\cos \phi = 1$) configurations, together with a central plateau arising from the wide-angle radiation. The effect of the jet radius R is seen as a kink in the TEEC distributions at $\cos \phi \simeq 0.92$. The ATEEC exhibits a steep fall-off of several orders of magnitude between $\cos \phi = -1$ and $\cos \phi = 0$.

At low values of H_{T2} , the best description of the TEEC distributions is achieved by both SHERPA and HERWIG 7 with the angle-ordered parton shower. The dipole parton shower in HERWIG 7 does not describe the data well, in particular in the region $|\cos \phi| > 0.4$, where discrepancies of up to 20% are observed close to the edges of the TEEC distribution. PYTHIA 8 shows discrepancies compared with data for $-0.7 < \cos \phi < -0.2$, where differences of $\mathcal{O}(5\% - 10\%)$ are observed. A good description of the ATEEC distribution is achieved by both SHERPA and HERWIG 7, while PYTHIA 8 underestimates the measured distribution for $\cos \phi > -0.7$ and the HERWIG 7 sample matched to the dipole parton shower underestimates the values of the ATEEC for $\cos \phi < -0.7$.


For large values of H_{T2} , PYTHIA 8 gives the best description of the TEEC data, while both SHERPA and HERWIG 7 tend to overestimate the height of the central plateau. The dipole parton shower in HERWIG 7 shows a similar behaviour to the low H_{T2} region, with the larger discrepancies observed near the edges of the TEEC distribution, although limited to the region $|\cos \phi| > 0.7$. For the ATEEC, PYTHIA 8 and SHERPA give a good description of the data, while the HERWIG 7 sample matched to the angle-ordered parton shower overestimates the values of the ATEEC for $\cos \phi < -0.7$. The cancellation of discrepancies in ϕ -symmetric regions between the data and the dipole shower in HERWIG 7 brings a reasonable agreement for the ATEEC in the high energy regime.

8 Theoretical predictions and uncertainties

The theoretical predictions for the TEEC and ATEEC functions are calculated using pQCD at LO, NLO and NNLO in powers of the strong coupling constant, $\alpha_s(\mu_R)$, as discussed in refs. [52, 53]. The calculations make use of OPENLOOPS2 [94], FIVEPOINTAMPLITUDES [95] and PENTAGONFUNCTIONS++ [96] for the evaluation of the scattering amplitudes. A mixed



(a)



(b)

Figure 2. Comparison between the data and the MC predictions for (a) the TEEC and (b) the ATEEC for the inclusive H_{T_2} bin. The data error bands contain both statistical and systematic components, summed in quadrature. The lower panels show the ratios of the MC predictions to the data, including the statistical uncertainty on the MC predictions. The value of the first bin of the ATEEC distribution is negative and, therefore, not represented in logarithmic scale.




Figure 3. Comparison between the data and the MC expectations for (a, b) the TEEC and (c, d) the ATEEC for two selected regions of H_{T2} . The data error bands contain both statistical and systematic components, summed in quadrature. The lower panels show the ratios of the MC predictions to the data, including the statistical uncertainty on the MC predictions. The values of the first bins of the ATEEC distributions are negative and, therefore, not represented in logarithmic scale.




Figure 4. Feynman diagrams contributing to the $gg \rightarrow jjj$ process at NNLO accuracy in pQCD. These particular configurations contribute to the (a) real-real, (b) real-virtual, and (c) virtual-virtual finite terms.

flavour scheme is assumed. On the one hand, the effect of the top quark is taken into account when evaluating the radiative corrections to the gluon propagator. Thus, the solution to the RGE includes six active flavours by considering different values of Λ_{QCD} when crossing the corresponding mass thresholds. On the other hand, the perturbative corrections to the three-jet cross-section assume $n_f = 5$ massless quark flavours, thus neglecting the effect of the top quark in both the virtual and real contributions. The contribution from real top-quark production is estimated to be below 0.3% for the phase space relevant to this analysis.

At $\mathcal{O}(\alpha_s^5)$ the numerator in eq. 1.1 entails the calculation of $2 \rightarrow 3$ subprocesses at NNLO, $2 \rightarrow 4$ at NLO and $2 \rightarrow 5$ at LO. In order to avoid the triple-collinear singularities appearing in the latter, the angular range is restricted to $|\cos \phi| < 0.92$. This avoids calculating the three-loop virtual corrections to the $2 \rightarrow 2$ subprocesses. Thus, with this azimuthal cut, the denominator in eq. 1.1 includes the $2 \rightarrow 2$, $2 \rightarrow 3$ and $2 \rightarrow 4$ subprocesses up to, and including, $\mathcal{O}(\alpha_s^4)$ corrections.

The value of $\alpha_s(\mu_R)$ that enters in the partonic matrix-element calculation is obtained by evolving the same $\alpha_s(m_Z)$ value as used to determine the PDF set under consideration. The NNLO PDF sets MMHT2014 [81], NNPDF 3.0 [97] and CT14 [76], as provided in the LHAPDF package [98], are convolved with the partonic cross-sections.

The NNLO corrections are calculated using $\mathcal{O}(10^{13})$ events. They include real-real, real-virtual and virtual-virtual finite terms, as well as single- and double-unresolved terms and the finite remainder [99, 100]. For illustrative purposes, figure 4 shows sample diagrams corresponding to real-real, real-virtual and virtual-virtual contributions to the $gg \rightarrow jjj$ process at NNLO.

For each event, the renormalisation and factorisation scales are set to the scalar sum of the transverse momenta of all final-state partons, $\mu_R = \mu_F = \hat{H}_T$ [52, 53, 101].

The pQCD predictions for the TEEC and ATEEC functions are obtained using jets clustered from final-state partons as inputs to the anti- k_t algorithm with $R = 0.4$ [86]. Therefore, non-perturbative correction factors are derived to account for hadronisation and underlying event effects on the observables. These correction factors are calculated as the ratio of the MC predictions including both hadronisation and underlying event effects to

the MC predictions in which these effects are not included. The central values for these correction factors are calculated using the A14 tune in PYTHIA 8 [68], and are close to unity to within 0.5%, except for $\cos\phi > 0.86$ where they go down to as far as 0.95.

The uncertainties in the theoretical predictions arise from three sources: contributions from higher-order corrections estimated using scale variations, the uncertainties in the PDF and the uncertainties in the non-perturbative corrections to the pQCD predictions.

- The scale uncertainties are evaluated by considering independent variations of the renormalisation and factorisation scales by a factor of two, excluding those in which μ_R and μ_F are varied in opposite directions. As in previous analyses [47, 48], the scale variations are treated as correlated between the three-jet and two-jet cross sections, respectively in the numerator and denominator of eq. 1.1. The uncertainty in the distributions is defined as the envelope of the six resulting variations. Overall, the scale uncertainty bands are asymmetric and larger for the lower part of the TEEC and ATEEC distributions. The value of the scale uncertainties are below 2% in all regions of phase space, while they account for up to 6% at NLO. Thus, this source of uncertainty is reduced by a factor of three by the NNLO corrections. This is the dominant theoretical uncertainty for both TEEC and ATEEC.
- The PDF uncertainties are obtained by considering the set of eigenvectors / replicas provided by each PDF group [76, 81, 97], and are propagated to the predicted distributions using the corresponding recommendations from each particular PDF set. Due to the large computing time required for the NNLO calculations, the PDF variations are calculated at NLO and extrapolated to the NNLO predictions using their relative values. The resulting uncertainties are below 1% for the low H_{T2} bins, and can reach up to 2% for the higher H_{T2} bins.
- The uncertainties in the non-perturbative corrections are evaluated by considering the envelope of the differences between five different predictions and the PYTHIA 8 A14 tune [68]. These predictions were generated using PYTHIA 8.235 and HERWIG 7.2.1 with the angle-ordered parton shower. They include the 4C [102] and MONASH [103] PYTHIA 8 tunes, and the HERWIG 7 default, soft and baryonic reconnection tunes [104]. The value of this uncertainty is below 1% in the phase-space region $|\cos\phi| < 0.92$, where α_s is determined.

The relative values of the theoretical uncertainties for the TEEC and ATEEC distributions are shown in figure 5 for the inclusive H_{T2} bin. The effect of varying $\alpha_s(m_Z)$ within the range 0.117–0.119 is also shown for illustrative purposes. Figures 6 and 7 show the ratios of the data, as well as of the LO and NNLO theoretical predictions to the NLO predictions for the TEEC and ATEEC, respectively. The description of the data provided by the NNLO pQCD predictions is very good, improving with respect to the NLO prediction. In these figures, the distributions are rebinned to reduce statistical fluctuations in the theoretical predictions that, despite the high statistics, can be present due to insufficient precision on the cancellation of the different terms. The reduction of the scale uncertainties is made




Figure 5. Theoretical uncertainties in the NNLO pQCD prediction for (a) the TEEC and (b) the ATEEC distributions for $H_{T2} > 1$ TeV. The predictions use the MMHT2014 PDF. The effect of a variation of $\alpha_s(m_Z)$ from 0.118 by ± 0.001 is also shown for illustration.

evident from these figures, as well as the improvement in the description. In particular, the region with $\cos \phi > 0.80$, shows a large improvement for all H_{T2} bins. For the higher H_{T2} bins, and for the MMHT2014 PDF, the NNLO theoretical predictions are slightly above the data. Since the CT14 PDF shows a better behaviour in this region of the phase space, this effect may be due to the limited accuracy of the PDF determinations at high values of the Bjorken variable x . The results obtained using the CT18 PDF set agree well with those for MMHT2014.




Figure 6. Ratios of the theoretical predictions for the TEEC functions at LO and NNLO to the NLO calculations, together with the ratios of the data to NLO predictions. The hatched band, where visible, shows the statistical uncertainty in the NNLO prediction. The predictions use the MMHT2014 PDF, where the value of the strong coupling constant is set to $\alpha_s(m_Z) = 0.1180$. The uncertainty bands correspond to the scale uncertainties for each perturbative order.




Figure 7. Ratios of the theoretical predictions for the ATEEC functions at LO and NNLO to the NLO calculations, together with the ratios of the data to NLO predictions. The hatched band, where visible, shows the statistical uncertainty in the NNLO prediction. The predictions use the MMHT2014 PDF, where the value of the strong coupling constant is set to $\alpha_s(m_Z) = 0.1180$. The uncertainty bands correspond to the scale uncertainties for each perturbative order.

9 Determination of the strong coupling constant

The strong coupling constant at the scale of the pole mass of the Z boson, $\alpha_s(m_Z)$ can be determined from the comparison of the data with the theoretical predictions by considering the following χ^2 function

$$\chi^2(\alpha_s, \vec{\lambda}) = \sum_{\text{bins}} \frac{(x_i - F_i(\alpha_s, \vec{\lambda}))^2}{\Delta x_i^2 + \Delta \xi_i^2} + \sum_k \lambda_k^2, \quad (9.1)$$

where the theoretical predictions are varied according to

$$F_i(\alpha_s, \vec{\lambda}) = \psi_i(\alpha_s) \left(1 + \sum_k \lambda_k \sigma_k^{(i)} \right). \quad (9.2)$$

In eq. (9.1) and eq. (9.2), α_s stands for $\alpha_s(m_Z)$; x_i is the value of the i -th point of the distribution as measured in data, while Δx_i is its statistical uncertainty. The statistical uncertainty in the theoretical predictions dominates over the statistical uncertainty in data, and is also included as $\Delta \xi_i$, while $\sigma_k^{(i)}$ is the relative value of the k -th correlated source of systematic uncertainty in bin i .

This technique takes into account the correlations between the different sources of systematic uncertainty discussed in section 6 by introducing the nuisance parameters $\{\lambda_k\}$, one for each source of experimental uncertainty, each of which follow a standard normal distribution. Thus, the minimum of the χ^2 function defined in eq. (9.1) is found in a 150-dimensional space, in which 149 correspond to nuisance parameters $\{\lambda_i\}$ and one to $\alpha_s(m_Z)$. The uncertainty due to the choice of the MC model in the unfolding is treated by performing alternative fits in which the data distribution is unfolded using different MC models, including HERWIG 7 and SHERPA. The envelope of the α_s values obtained for each model is used as the systematic uncertainty.

The method also requires an analytical expression for the dependence of each observable on the strong coupling constant, which is given by $\psi_i(\alpha_s)$ for bin i . For each PDF set, the corresponding $\alpha_s(m_Z)$ variation range is considered and the theoretical prediction is obtained for each value of $\alpha_s(m_Z)$. The functions $\psi_i(\alpha_s)$ are then obtained by fitting the predicted values of the TEEC (ATEEC) in each $(H_{T2}, \cos \phi)$ bin to a third-order polynomial in α_s .

For both the TEEC and ATEEC functions, the fits to extract $\alpha_s(m_Z)$ are repeated separately for each H_{T2} interval, thus determining a value of $\alpha_s(m_Z)$ for each energy bin. The theoretical uncertainties are determined by shifting the theory distributions by each of the uncertainties separately, recalculating the functions $\psi_i(\alpha_s)$ and determining a new value of $\alpha_s(m_Z)$. The uncertainty is determined by taking the difference between this value and the nominal one. The uncertainty due to the choice of the MC tune in the non-perturbative correction is estimated by repeating the fit with the theory distributions corrected with the other tunes, and taking the envelope relative to the nominal fit.

Each of the fitted values of $\alpha_s(m_Z)$, which are obtained in the $\overline{\text{MS}}$ subtraction scheme, is then evolved to the corresponding measured scale using the NNLO solution to the RGE. When evolving $\alpha_s(m_Z)$ to $\alpha_s(Q)$, the appropriate matching conditions for the strong coupling constant at the $n_f = 5$ and $n_f = 6$ flavour thresholds are applied so that $\alpha_s(Q)$ is

PDF	$\alpha_s(m_Z)$ value	χ^2/N_{dof}
MMHT 2014	0.1175 ± 0.0001 (stat.) ± 0.0006 (sys.) $^{+0.0032}_{-0.0011}$ (μ) ± 0.0011 (PDF) ± 0.0002 (NP) ± 0.0005 (mod.)	318 / 251
CT14	0.1196 ± 0.0001 (stat.) ± 0.0006 (sys.) $^{+0.0035}_{-0.0010}$ (μ) ± 0.0016 (PDF) ± 0.0002 (NP) ± 0.0006 (mod.)	262 / 251
NNPDF 3.0	0.1191 ± 0.0001 (stat.) ± 0.0006 (sys.) $^{+0.0040}_{-0.0011}$ (μ) ± 0.0020 (PDF) ± 0.0003 (NP) ± 0.0007 (mod.)	300 / 251

Table 2. Values of $\alpha_s(m_Z)$ obtained from fits to the TEEC distributions to the NNLO theoretical predictions obtained using different PDF sets. The uncertainty referred to as μ represents the theoretical scale uncertainty. The uncertainty referred to as NP is related to the non-pQCD corrections. The uncertainty referred to as (mod.) is related to the MC model used in the unfolding. The value of the χ^2 function at its minimum, as well as the number of degrees of freedom is also indicated.

PDF	$\alpha_s(m_Z)$ value	χ^2/N_{dof}
MMHT 2014	0.1185 ± 0.0005 (stat.) ± 0.0008 (sys.) $^{+0.0022}_{-0.0002}$ (μ) ± 0.0011 (PDF) ± 0.0004 (NP) ± 0.0001 (mod.)	110 / 117
CT14	0.1200 ± 0.0006 (stat.) ± 0.0009 (sys.) $^{+0.0027}_{-0.0001}$ (μ) ± 0.0016 (PDF) ± 0.0005 (NP) ± 0.0001 (mod.)	110 / 117
NNPDF 3.0	$0.1199 \pm 0.0006 \pm$ (stat.) 0.0009 (sys.) $^{+0.0027}_{-0.0002}$ (μ) ± 0.0017 (PDF) ± 0.0005 (NP) ± 0.0001 (mod.)	108 / 117

Table 3. Values of $\alpha_s(m_Z)$ obtained from fits to the ATEEC distributions to the NNLO theoretical predictions obtained using different PDF sets. The uncertainty referred to as μ represents the theoretical scale uncertainty. The uncertainty referred to as NP is related to the non-pQCD corrections. The uncertainty referred to as (mod.) is related to the MC model used in the unfolding. The value of the χ^2 function at its minimum, as well as the number of degrees of freedom is also indicated.

a continuous function across quark thresholds. The value of Q is obtained as the average value of $\mu_R = \hat{H}_T$ calculated at NNLO for each H_{T2} bin.

The values of $\alpha_s(m_Z)$ obtained from global fits to the TEEC and ATEEC distributions, using the MMHT 2014, CT14 and NNPDF 3.0 PDF sets are shown in tables 2 and 3, together with the corresponding χ^2 values. The values of $\alpha_s(m_Z)$ determined from fits to the TEEC functions, both in the inclusive and exclusive H_{T2} bins, are presented in table 4, while the values obtained from fits to the ATEEC functions are presented in table 5. The average Q values and the reduced χ^2 values at the minimum are also shown. The values displayed in tables 4 and 5 are obtained using the MMHT 2014 PDF in the theoretical predictions.

The central values of α_s , obtained with different PDFs, in tables 2 and 3 show differences that are, in some cases, larger than the uncertainty band on the eigenvectors or replicas provided for each PDF set. This is understood to arise from the differences between PDFs at high values of the Bjorken variable x , which influence the theory description of the TEEC and ATEEC in the phase space region relevant for this analysis.

Since MMHT 2014 provides the largest range on $\alpha_s(m_Z)$ among the three PDF sets investigated, it is used as the central PDF set. The final values of α_s obtained from global fits to the TEEC and ATEEC distributions using the MMHT 2014 PDF are

$$\alpha_s(m_Z) = 0.1175 \pm 0.0006 \text{ (exp.) } ^{+0.0034}_{-0.0017} \text{ (theo.) and}$$

$$\alpha_s(m_Z) = 0.1185 \pm 0.0009 \text{ (exp.) } ^{+0.0025}_{-0.0012} \text{ (theo.)}$$

The central values of α_s determined from both observables are correlated with a Pearson

correlation coefficient $\rho = 0.86 \pm 0.02$ (exp.), and are found to be compatible within the quoted uncertainties. While the value determined from the fit to the TEEC distributions has a better experimental precision, mainly due to its smaller statistical uncertainty, the value determined from the fit to the ATEEC distributions exhibits a better theoretical precision.

The fitted values of $\alpha_s(m_Z)$ for each bin, together with the values of the nuisance parameters, are used to evaluate the agreement between the data and the fitted predictions. Figure 8 shows the ratio of the TEEC data to the fitted theoretical distributions for both the inclusive and exclusive bins, together with the theoretical and experimental uncertainties. Similarly, figure 9 shows the ratios of data to theory for the ATEEC distributions. An excellent agreement is observed for both the TEEC and ATEEC measurements in all regions of phase space.

The values of $\alpha_s(m_Z)$ obtained in tables 4 and 5 are evolved to the corresponding energy scale using the RGE as explained above. This allows testing the asymptotic behaviour of QCD by comparing the measured points with the prediction from the RGE. Figures 10 and 11 show the values of $\alpha_s(Q)$ together with the world average band provided by the Particle Data Group [105] and values of α_s obtained in other analyses [47, 48, 106, 106–112]. To compare the results with other experiments, the value of Q is chosen as half of the average value of \hat{H}_T for each H_{T2} bin. The results show a good agreement between all measurements and the RGE prediction. The values of α_s obtained from fits to the theoretical predictions using different PDF sets, shown in figures 12 and 13, are found to be in good agreement. Since the main purpose of the present analysis is to provide a first determination of α_s using NNLO predictions for three-jet cross sections, a combined determination of α_s and the PDF [113] is not attempted. Such analysis would require to use very large computing resources and is well out of the scope of this paper.

$\langle \hat{H}_T \rangle$ [GeV]	$\alpha_s(m_Z)$ value (MMHT 2014)			χ^2/N_{dof}
Inclusive	0.1188 ± 0.0002 (stat.) ± 0.0007 (syst.)	$^{+0.0030}_{-0.0002}$ (μ)	± 0.0010 (PDF) ± 0.0002 (NP) ± 0.0008 (mod.)	16.0 / 27
1302	0.1186 ± 0.0003 (stat.) ± 0.0009 (syst.)	$^{+0.0031}_{-0.0001}$ (μ)	± 0.0010 (PDF) ± 0.0003 (NP) ± 0.0007 (mod.)	16.4 / 27
1518	0.1182 ± 0.0003 (stat.) ± 0.0009 (syst.)	$^{+0.0027}_{-0.0005}$ (μ)	± 0.0010 (PDF) ± 0.0003 (NP) ± 0.0008 (mod.)	15.1 / 27
1732	0.1191 ± 0.0003 (stat.) ± 0.0011 (syst.)	$^{+0.0030}_{-0.0005}$ (μ)	± 0.0011 (PDF) ± 0.0005 (NP) ± 0.0010 (mod.)	19.8 / 27
1944	0.1179 ± 0.0003 (stat.) ± 0.0011 (syst.)	$^{+0.0030}_{-0.0005}$ (μ)	± 0.0011 (PDF) ± 0.0005 (NP) ± 0.0009 (mod.)	21.3 / 27
2153	0.1175 ± 0.0004 (stat.) ± 0.0012 (syst.)	$^{+0.0029}_{-0.0004}$ (μ)	± 0.0011 (PDF) ± 0.0003 (NP) ± 0.0009 (mod.)	32.9 / 27
2396	0.1179 ± 0.0003 (stat.) ± 0.0012 (syst.)	$^{+0.0029}_{-0.0005}$ (μ)	± 0.0012 (PDF) ± 0.0011 (NP) ± 0.0012 (mod.)	27.5 / 27
2706	0.1164 ± 0.0004 (stat.) ± 0.0015 (syst.)	$^{+0.0030}_{-0.0005}$ (μ)	± 0.0013 (PDF) ± 0.0005 (NP) ± 0.0011 (mod.)	35.1 / 27
3042	0.1162 ± 0.0005 (stat.) ± 0.0017 (syst.)	$^{+0.0031}_{-0.0005}$ (μ)	± 0.0013 (PDF) ± 0.0002 (NP) ± 0.0015 (mod.)	33.1 / 27
3476	0.1141 ± 0.0007 (stat.) ± 0.0017 (syst.)	$^{+0.0033}_{-0.0011}$ (μ)	± 0.0014 (PDF) ± 0.0002 (NP) ± 0.0020 (mod.)	15.1 / 13
4189	0.1116 ± 0.0011 (stat.) ± 0.0018 (syst.)	$^{+0.0030}_{-0.0009}$ (μ)	± 0.0015 (PDF) ± 0.0002 (NP) ± 0.0020 (mod.)	14.0 / 13

Table 4. Values of the strong coupling constant at the Z boson mass scale, $\alpha_s(m_Z)$, obtained from fits to the TEEC function using MMHT 2014 parton distribution functions. The value referred to as ‘inclusive’ is obtained from a fit to the TEEC distribution for $H_{T2} > 1$ TeV. The values of the average interaction scale $\langle Q \rangle$ are shown in the first column, while the values of the χ^2 function at the minimum are shown in the third column. The uncertainty referred to as μ represents the theoretical scale uncertainty. The uncertainty referred to as NP is related to the non-pQCD corrections. The uncertainty referred to as (mod.) is related to the MC model used in the unfolding.

$\langle \hat{H}_T \rangle$ [GeV]	$\alpha_s(m_Z)$ value (MMHT 2014)			χ^2/N_{dof}
Inclusive	0.1194 ± 0.0009 (stat.) ± 0.0007 (syst.)	$^{+0.0023}_{-0.0000}$ (μ)	± 0.0011 (PDF) ± 0.0005 (NP) ± 0.0000 (mod.)	10.7 / 12
1302	0.1195 ± 0.0011 (stat.) ± 0.0006 (syst.)	$^{+0.0024}_{-0.0000}$ (μ)	± 0.0011 (PDF) ± 0.0006 (NP) ± 0.0000 (mod.)	10.6 / 12
1518	0.1191 ± 0.0011 (stat.) ± 0.0007 (syst.)	$^{+0.0020}_{-0.0001}$ (μ)	± 0.0011 (PDF) ± 0.0004 (NP) ± 0.0001 (mod.)	7.2 / 12
1732	0.1187 ± 0.0015 (stat.) ± 0.0009 (syst.)	$^{+0.0026}_{-0.0003}$ (μ)	± 0.0012 (PDF) ± 0.0010 (NP) ± 0.0002 (mod.)	7.2 / 12
1944	0.1178 ± 0.0016 (stat.) ± 0.0009 (syst.)	$^{+0.0022}_{-0.0001}$ (μ)	± 0.0013 (PDF) ± 0.0007 (NP) ± 0.0000 (mod.)	11.2 / 12
2153	0.1174 ± 0.0017 (stat.) ± 0.0009 (syst.)	$^{+0.0022}_{-0.0002}$ (μ)	± 0.0013 (PDF) ± 0.0007 (NP) ± 0.0001 (mod.)	12.8 / 12
2396	0.1187 ± 0.0017 (stat.) ± 0.0010 (syst.)	$^{+0.0017}_{-0.0000}$ (μ)	± 0.0012 (PDF) ± 0.0007 (NP) ± 0.0004 (mod.)	11.7 / 12
2706	0.1148 ± 0.0026 (stat.) ± 0.0014 (syst.)	$^{+0.0024}_{-0.0001}$ (μ)	± 0.0015 (PDF) ± 0.0007 (NP) ± 0.0002 (mod.)	18.3 / 12
3042	0.1169 ± 0.0031 (stat.) ± 0.0012 (syst.)	$^{+0.0018}_{-0.0000}$ (μ)	± 0.0015 (PDF) ± 0.0014 (NP) ± 0.0009 (mod.)	13.0 / 12
3476	0.1141 ± 0.0052 (stat.) ± 0.0016 (syst.)	$^{+0.0025}_{-0.0007}$ (μ)	± 0.0018 (PDF) ± 0.0008 (NP) ± 0.0011 (mod.)	4.9 / 6
4189	0.1096 ± 0.0085 (stat.) ± 0.0009 (syst.)	$^{+0.0013}_{-0.0000}$ (μ)	± 0.0009 (PDF) ± 0.0002 (NP) ± 0.0007 (mod.)	6.2 / 6

Table 5. Values of the strong coupling constant at the Z boson mass scale, $\alpha_s(m_Z)$, obtained from fits to the ATEEC function using MMHT 2014 parton distribution functions. The value referred to as ‘inclusive’ is obtained from a fit to the ATEEC distribution for $H_{T2} > 1$ TeV. The values of the average interaction scale $\langle Q \rangle$ are shown in the first column, while the values of the χ^2 function at the minimum are shown in the third column. The uncertainty referred to as μ represents the theoretical scale uncertainty. The uncertainty referred to as NP is related to the non-pQCD corrections. The uncertainty referred to as (mod.) is related to the MC model used in the unfolding.




Figure 8. Ratios of the data to the fitted theoretical predictions for the TEEC measurements in inclusive and exclusive H_{T2} bins. The solid band shows the theoretical uncertainties, dominated by the scale variations, while the error bars show the experimental uncertainties, where correlations between the fit parameters are taken into account. The hatched band shows the theoretical uncertainties, other than the scale variations. The central values of $\alpha_s(m_Z)$ determined for each H_{T2} bin are indicated.




Figure 9. Ratios of the data to the fitted theoretical predictions for the ATEEC measurements in inclusive and exclusive H_{T2} bins. The solid band shows the theoretical uncertainties, dominated by the scale variations, while the error bars show the experimental uncertainties, where correlations between the fit parameters are taken into account. The hatched band shows the theoretical uncertainties, other than the scale variations. The central values of $\alpha_s(m_Z)$ determined for each H_{T2} bin are indicated.




Figure 10. Comparison of the values of $\alpha_s(Q)$ determined from fits to the TEEC functions with the QCD prediction using the world average as input (hatched band) and the value obtained from the global fit (solid band). Results from previous analyses, both from ATLAS and from other experiments, are also included, showing an excellent agreement with the current measurements and with the world average. The value of Q for the TEEC 13 TeV points is chosen as half of the average of \hat{H}_T in each H_{T2} bin.




Figure 11. Comparison of the values of $\alpha_s(Q)$ determined from fits to the ATEEC functions with the QCD prediction using the world average as input (hatched band) and the value obtained from the global fit (solid band). Results from previous analyses, both from ATLAS and from other experiments, are also included, showing an excellent agreement with the current measurements and with the world average. The value of Q for the TEEC 13 TeV points is chosen as half of the average of \hat{H}_T in each H_{T2} bin.




Figure 12. Values of $\alpha_s(\mu_R)$ determined in each bin of H_{T2} from fits to the TEEC distributions using theoretical predictions with the MMHT2014, CT14 and NNPDF 3.0 PDF sets.




Figure 13. Values of $\alpha_s(\mu_R)$ determined in each bin of H_{T2} from fits to the ATEEC distributions using theoretical predictions with the MMHT2014, CT14 and NNPDF 3.0 PDF sets.

10 Conclusions

A measurement of transverse energy-energy correlations and their corresponding asymmetries in multijet events using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector at the LHC is presented. High-energy multijet events are selected by requiring the

scalar sum of p_T of the two leading jets, H_{T2} , to be above 1 TeV, and the data are binned in this variable to study the scale dependence of these observables.

The data are corrected for detector effects and systematic uncertainties are evaluated. The experimental uncertainties are dominated by the uncertainty in the jet energy scale and the model used to correct for detector effects. The total uncertainty is found to be of the order of 2% for the TEEC and 1% for the ATEEC. The results are compared with MC predictions from different generators, including PYTHIA 8, SHERPA and HERWIG 7 with two different parton showers, one angle-ordered and one based on dipole radiation.

The data are also compared with novel theoretical predictions at next-to-next-to-leading order in perturbative QCD, which are corrected for non-perturbative effects such as hadronisation and multiple parton interactions. The theoretical uncertainty due to the choice of the renormalisation and factorisation scales amount to 2% for the TEEC and 3% for the ATEEC, being the dominant uncertainty for both observables. The agreement between the data and the theoretical predictions is excellent. From this comparison, values of $\alpha_s(m_Z)$ are obtained for both the H_{T2} -inclusive measurement and for the different exclusive bins in H_{T2} using a χ^2 fit. The values of $\alpha_s(m_Z)$ obtained from the global fit to all H_{T2} bins simultaneously, are

$$\alpha_s(m_Z) = 0.1175 \pm 0.0006 \text{ (exp.)}_{-0.0017}^{+0.0034} \text{ (theo.) and}$$

$$\alpha_s(m_Z) = 0.1185 \pm 0.0009 \text{ (exp.)}_{-0.0012}^{+0.0025} \text{ (theo.)}$$

for the TEEC and ATEEC, respectively. The inclusion of next-to-next-to-leading-order corrections to three-jet production in the theoretical predictions for the first time has allowed a reduction by a factor of 3 of the theoretical uncertainties in both the cross-section calculation for the TEEC and ATEEC distributions and in the determination of the strong coupling constant α_s .

The evolution of the values obtained from each of the exclusive fits to the corresponding measurement scales leads to values of $\alpha_s(Q)$ that are compared with the next-to-next-to-leading-order solution of the RGE. The results show a good agreement with the RGE predictions up to the highest energy scales, and with previous measurements by ATLAS and by other experiments.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway;

MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [114].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] A. Banfi, G.P. Salam and G. Zanderighi, *Resummed event shapes at hadron-hadron colliders*, *JHEP* **08** (2004) 062 [[hep-ph/0407287](https://arxiv.org/abs/hep-ph/0407287)] [[INSPIRE](#)].
- [2] A. Banfi, G.P. Salam and G. Zanderighi, *Phenomenology of event shapes at hadron colliders*, *JHEP* **06** (2010) 038 [[arXiv:1001.4082](https://arxiv.org/abs/1001.4082)] [[INSPIRE](#)].
- [3] PLUTO collaboration, *Energy dependence of jet measures in e^+e^- annihilation*, *Z. Phys. C* **12** (1982) 297 [[INSPIRE](#)].
- [4] TASSO collaboration, *Global jet properties at 14 GeV to 44 GeV center-of-mass energy in e^+e^- annihilation*, *Z. Phys. C* **47** (1990) 187 [[INSPIRE](#)].
- [5] JADE collaboration, *Determination of the strong coupling α_s from hadronic event shapes with $O(\alpha_s^3)$ and resummed QCD predictions using JADE data*, *Eur. Phys. J. C* **64** (2009) 351 [[arXiv:0810.1389](https://arxiv.org/abs/0810.1389)] [[INSPIRE](#)].
- [6] OPAL collaboration, *Determination of α_s using OPAL hadronic event shapes at $\sqrt{s} = 91\text{--}209$ GeV and resummed NNLO calculations*, *Eur. Phys. J. C* **71** (2011) 1733 [[arXiv:1101.1470](https://arxiv.org/abs/1101.1470)] [[INSPIRE](#)].
- [7] ALEPH collaboration, *Studies of QCD at e^+e^- centre-of-mass energies between 91 GeV and 209 GeV*, *Eur. Phys. J. C* **35** (2004) 457 [[INSPIRE](#)].

- [8] DELPHI collaboration, *A study of the energy evolution of event shape distributions and their means with the DELPHI detector at LEP*, *Eur. Phys. J. C* **29** (2003) 285 [[hep-ex/0307048](#)] [[INSPIRE](#)].
- [9] L3 collaboration, *Determination of α_s from hadronic event shapes in e^+e^- annihilation at $192 \text{ GeV} \leq \sqrt{s} \leq 208 \text{ GeV}$* , *Phys. Lett. B* **536** (2002) 217 [[hep-ex/0206052](#)] [[INSPIRE](#)].
- [10] SLD collaboration, *Measurement of $\alpha_s(M_Z^2)$ from hadronic event observables at the Z^0 resonance*, *Phys. Rev. D* **51** (1995) 962 [[hep-ex/9501003](#)] [[INSPIRE](#)].
- [11] ZEUS collaboration, *Measurement of event shapes in deep inelastic scattering at HERA*, *Eur. Phys. J. C* **27** (2003) 531 [[hep-ex/0211040](#)] [[INSPIRE](#)].
- [12] ZEUS collaboration, *Event shapes in deep inelastic scattering at HERA*, *Nucl. Phys. B* **767** (2007) 1 [[hep-ex/0604032](#)] [[INSPIRE](#)].
- [13] H1 collaboration, *Measurement of event shape variables in deep inelastic ep scattering*, *Phys. Lett. B* **406** (1997) 256 [[hep-ex/9706002](#)] [[INSPIRE](#)].
- [14] H1 collaboration, *Investigation of power corrections to event shape variables measured in deep inelastic scattering*, *Eur. Phys. J. C* **14** (2000) 255 [[hep-ex/9912052](#)] [[INSPIRE](#)].
- [15] H1 collaboration, *Measurement of event shape variables in deep-inelastic scattering at HERA*, *Eur. Phys. J. C* **46** (2006) 343 [[hep-ex/0512014](#)] [[INSPIRE](#)].
- [16] CDF collaboration, *Measurement of event shapes in proton-antiproton collisions at center-of-mass energy 1.96 TeV*, *Phys. Rev. D* **83** (2011) 112007 [[arXiv:1103.5143](#)] [[INSPIRE](#)].
- [17] CMS collaboration, *First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$* , *Phys. Lett. B* **699** (2011) 48 [[arXiv:1102.0068](#)] [[INSPIRE](#)].
- [18] ATLAS collaboration, *Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$* , *Eur. Phys. J. C* **72** (2012) 2211 [[arXiv:1206.2135](#)] [[INSPIRE](#)].
- [19] ATLAS collaboration, *Measurement of hadronic event shapes in high- p_T multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector*, *JHEP* **01** (2021) 188 [Erratum *ibid.* **12** (2021) 053] [[arXiv:2007.12600](#)] [[INSPIRE](#)].
- [20] C.L. Basham, L.S. Brown, S.D. Ellis and S.T. Love, *Energy correlations in electron-positron annihilation: testing QCD*, *Phys. Rev. Lett.* **41** (1978) 1585 [[INSPIRE](#)].
- [21] C.L. Basham, L.S. Brown, S.D. Ellis and S.T. Love, *Energy correlations in electron-positron annihilation in quantum chromodynamics: asymptotically free perturbation theory*, *Phys. Rev. D* **19** (1979) 2018 [[INSPIRE](#)].
- [22] A. Ali and F. Barreiro, *An $O(\alpha_s^2)$ calculation of energy-energy correlation in e^+e^- annihilation and comparison with experimental data*, *Phys. Lett. B* **118** (1982) 155 [[INSPIRE](#)].
- [23] A. Ali and F. Barreiro, *Energy-energy correlations in e^+e^- annihilation*, *Nucl. Phys. B* **236** (1984) 269 [[INSPIRE](#)].
- [24] D.G. Richards, W.J. Stirling and S.D. Ellis, *Second order corrections to the energy-energy correlation function in quantum chromodynamics*, *Phys. Lett. B* **119** (1982) 193 [[INSPIRE](#)].
- [25] E.W.N. Glover and M.R. Sutton, *The energy-energy correlation function revisited*, *Phys. Lett. B* **342** (1995) 375 [[hep-ph/9410234](#)] [[INSPIRE](#)].
- [26] N.K. Falck and G. Kramer, *Theoretical studies of energy-energy correlation in e^+e^- annihilation*, *Z. Phys. C* **42** (1989) 459 [[INSPIRE](#)].

- [27] S.D. Ellis, D.G. Richards and W.J. Stirling, *Fixed order perturbation theory and leading logarithms*, *Phys. Lett. B* **136** (1984) 99 [INSPIRE].
- [28] PLUTO collaboration, *Energy-energy correlations in e^+e^- annihilation into hadrons*, *Phys. Lett. B* **99** (1981) 292 [INSPIRE].
- [29] D. Schlatter et al., *Measurement of energy correlations in $e^+e^- \rightarrow$ hadrons*, *Phys. Rev. Lett.* **49** (1982) 521 [INSPIRE].
- [30] B. Adeva et al., *A model independent second order determination of the strong coupling constant α_s* , *Phys. Rev. Lett.* **50** (1983) 2051 [INSPIRE].
- [31] CELLO collaboration, *On the model dependence of the determination of the strong coupling constant in second order QCD from e^+e^- annihilation into hadrons*, *Phys. Lett. B* **138** (1984) 311 [INSPIRE].
- [32] JADE collaboration, *Measurements of energy correlations in $e^+e^- \rightarrow$ hadrons*, *Z. Phys. C* **25** (1984) 231 [INSPIRE].
- [33] E. Fernandez et al., *A measurement of energy-energy correlations in $e^+e^- \rightarrow$ hadrons at $\sqrt{s} = 29$ GeV*, *Phys. Rev. D* **31** (1985) 2724 [INSPIRE].
- [34] TASSO collaboration, *A study of energy-energy correlations between 12 GeV and 46.8 GeV CM energies*, *Z. Phys. C* **36** (1987) 349 [INSPIRE].
- [35] TOPAZ collaboration, *Measurements of α_s in e^+e^- annihilation at $\sqrt{s} = 53.3$ GeV and 59.5 GeV*, *Phys. Lett. B* **227** (1989) 495 [INSPIRE].
- [36] DELPHI collaboration, *Energy-energy correlations in hadronic final states from Z^0 decays*, *Phys. Lett. B* **252** (1990) 149 [INSPIRE].
- [37] OPAL collaboration, *A measurement of energy correlations and a determination of $\alpha_s(M_{Z^0}^2)$ in e^+e^- annihilations at $\sqrt{s} = 91$ GeV*, *Phys. Lett. B* **252** (1990) 159 [INSPIRE].
- [38] ALEPH collaboration, *Measurement of α_s from the structure of particle clusters produced in hadronic Z decays*, *Phys. Lett. B* **257** (1991) 479 [INSPIRE].
- [39] L3 collaboration, *Determination of α_s from energy-energy correlations measured on the Z^0 resonance*, *Phys. Lett. B* **257** (1991) 469 [INSPIRE].
- [40] SLD collaboration, *Measurement of α_s from energy-energy correlations at the Z^0 resonance*, *Phys. Rev. D* **50** (1994) 5580 [hep-ex/9405006] [INSPIRE].
- [41] A. Ali, E. Pietarinen and W.J. Stirling, *Transverse energy-energy correlations: a test of perturbative QCD for the proton-anti-proton collider*, *Phys. Lett. B* **141** (1984) 447 [INSPIRE].
- [42] G. Altarelli, *The development of perturbative QCD*, World Scientific, Singapore (1994) [DOI:10.1142/2300].
- [43] A. Ali, F. Barreiro, J. Llorente and W. Wang, *Transverse energy-energy correlations in next-to-leading order in α_s at the LHC*, *Phys. Rev. D* **86** (2012) 114017 [arXiv:1205.1689] [INSPIRE].
- [44] Z. Nagy, *Three jet cross-sections in hadron hadron collisions at next-to-leading order*, *Phys. Rev. Lett.* **88** (2002) 122003 [hep-ph/0110315] [INSPIRE].
- [45] Z. Nagy, *Next-to-leading order calculation of three jet observables in hadron hadron collision*, *Phys. Rev. D* **68** (2003) 094002 [hep-ph/0307268] [INSPIRE].

- [46] A.J. Gao, H.T. Li, I. Moult and H.X. Zhu, *Precision QCD event shapes at hadron colliders: the transverse energy-energy correlator in the back-to-back limit*, *Phys. Rev. Lett.* **123** (2019) 062001 [[arXiv:1901.04497](#)] [[INSPIRE](#)].
- [47] ATLAS collaboration, *Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$* , *Phys. Lett. B* **750** (2015) 427 [[arXiv:1508.01579](#)] [[INSPIRE](#)].
- [48] ATLAS collaboration, *Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 872 [[arXiv:1707.02562](#)] [[INSPIRE](#)].
- [49] D.E. Kaplan and M.D. Schwartz, *Constraining light colored particles with event shapes*, *Phys. Rev. Lett.* **101** (2008) 022002 [[arXiv:0804.2477](#)] [[INSPIRE](#)].
- [50] D. Becciolini et al., *Constraining new colored matter from the ratio of 3 to 2 jets cross sections at the LHC*, *Phys. Rev. D* **91** (2015) 015010 [*Addendum ibid.* **92** (2015) 079905] [[arXiv:1403.7411](#)] [[INSPIRE](#)].
- [51] J. Llorente and B.P. Nachman, *Limits on new coloured fermions using precision jet data from the Large Hadron Collider*, *Nucl. Phys. B* **936** (2018) 106 [[arXiv:1807.00894](#)] [[INSPIRE](#)].
- [52] M. Czakon, A. Mitov and R. Poncelet, *Next-to-next-to-leading order study of three-jet production at the LHC*, *Phys. Rev. Lett.* **127** (2021) 152001 [*Erratum ibid.* **129** (2022) 119901] [[arXiv:2106.05331](#)] [[INSPIRE](#)].
- [53] M. Álvarez et al., *NNLO QCD corrections to event shapes at the LHC*, *JHEP* **03** (2023) 129 [[arXiv:2301.01086](#)] [[INSPIRE](#)].
- [54] ATLAS collaboration, *The ATLAS experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [55] ATLAS collaboration, *ATLAS Insertable B-Layer: technical design report*, ATLAS-TDR-19, CERN, Geneva, Switzerland (2010).
- [56] ATLAS IBL collaboration, *Production and integration of the ATLAS Insertable B-Layer*, 2018 *JINST* **13** T05008 [[arXiv:1803.00844](#)] [[INSPIRE](#)].
- [57] ATLAS collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].
- [58] ATLAS collaboration, *The ATLAS collaboration software and firmware*, ATL-SOFT-PUB-2021-001, CERN, Geneva, Switzerland (2021).
- [59] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [60] T. Sjöstrand, S. Mrenna and P.Z. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026 [[hep-ph/0603175](#)] [[INSPIRE](#)].
- [61] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [62] T. Gleisberg et al., *Event generation with SHERPA 1.1*, *JHEP* **02** (2009) 007 [[arXiv:0811.4622](#)] [[INSPIRE](#)].
- [63] SHERPA collaboration, *Event generation with SHERPA 2.2*, *SciPost Phys.* **7** (2019) 034 [[arXiv:1905.09127](#)] [[INSPIRE](#)].

- [64] M. Bähr et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639 [[arXiv:0803.0883](#)] [[INSPIRE](#)].
- [65] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196 [[arXiv:1512.01178](#)] [[INSPIRE](#)].
- [66] J. Bellm et al., *Herwig 7.1 release note*, [arXiv:1705.06919](#) [[INSPIRE](#)].
- [67] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [[INSPIRE](#)].
- [68] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, [ATL-PHYS-PUB-2014-021](#), CERN, Geneva, Switzerland (2014).
- [69] B. Andersson, G. Gustafson, G. Ingelman and T. Sjöstrand, *Parton fragmentation and string dynamics*, *Phys. Rept.* **97** (1983) 31 [[INSPIRE](#)].
- [70] T. Sjöstrand, *Jet fragmentation of nearby partons*, *Nucl. Phys. B* **248** (1984) 469 [[INSPIRE](#)].
- [71] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers: the NLO case*, *JHEP* **04** (2013) 027 [[arXiv:1207.5030](#)] [[INSPIRE](#)].
- [72] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, *QCD matrix elements + parton showers*, *JHEP* **11** (2001) 063 [[hep-ph/0109231](#)] [[INSPIRE](#)].
- [73] F. Krauss, *Matrix elements and parton showers in hadronic interactions*, *JHEP* **08** (2002) 015 [[hep-ph/0205283](#)] [[INSPIRE](#)].
- [74] S. Mandelstam, *Determination of the pion-nucleon scattering amplitude from dispersion relations and unitarity. General theory*, *Phys. Rev.* **112** (1958) 1344 [[INSPIRE](#)].
- [75] S. Catani, B.R. Webber and G. Marchesini, *QCD coherent branching and semiinclusive processes at large x*, *Nucl. Phys. B* **349** (1991) 635 [[INSPIRE](#)].
- [76] S. Dulat et al., *New parton distribution functions from a global analysis of quantum chromodynamics*, *Phys. Rev. D* **93** (2016) 033006 [[arXiv:1506.07443](#)] [[INSPIRE](#)].
- [77] H.-L. Lai et al., *New parton distributions for collider physics*, *Phys. Rev. D* **82** (2010) 074024 [[arXiv:1007.2241](#)] [[INSPIRE](#)].
- [78] J.-C. Winter, F. Krauss and G. Soff, *A modified cluster hadronization model*, *Eur. Phys. J. C* **36** (2004) 381 [[hep-ph/0311085](#)] [[INSPIRE](#)].
- [79] B.R. Webber, *A QCD model for jet fragmentation including soft gluon interference*, *Nucl. Phys. B* **238** (1984) 492 [[INSPIRE](#)].
- [80] S. Plätzer and S. Gieseke, *Dipole showers and automated NLO matching in Herwig++*, *Eur. Phys. J. C* **72** (2012) 2187 [[arXiv:1109.6256](#)] [[INSPIRE](#)].
- [81] L.A. Harland-Lang, A.D. Martin, P. Motylinski and R.S. Thorne, *Parton distributions in the LHC era: MMHT 2014 PDFs*, *Eur. Phys. J. C* **75** (2015) 204 [[arXiv:1412.3989](#)] [[INSPIRE](#)].
- [82] S. Frixione and B.R. Webber, *Matching NLO QCD computations and parton shower simulations*, *JHEP* **06** (2002) 029 [[hep-ph/0204244](#)] [[INSPIRE](#)].
- [83] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [84] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].

- [85] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, [ATL-PHYS-PUB-2016-017](#), CERN, Geneva, Switzerland (2016).
- [86] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [87] M. Cacciari, G.P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [88] ATLAS collaboration, *Jet reconstruction and performance using particle flow with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 466 [[arXiv:1703.10485](#)] [[INSPIRE](#)].
- [89] ATLAS collaboration, *Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002 [[arXiv:1703.09665](#)] [[INSPIRE](#)].
- [90] ATLAS collaboration, *Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689 [[arXiv:2007.02645](#)] [[INSPIRE](#)].
- [91] ATLAS collaboration, *Selection of jets produced in 13 TeV proton-proton collisions with the ATLAS detector*, [ATLAS-CONF-2015-029](#), CERN, Geneva, Switzerland (2015).
- [92] G. D'Agostini, *A multidimensional unfolding method based on Bayes' theorem*, *Nucl. Instrum. Meth. A* **362** (1995) 487 [[INSPIRE](#)].
- [93] ATLAS collaboration, *Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **75** (2015) 17 [[arXiv:1406.0076](#)] [[INSPIRE](#)].
- [94] OPENLOOPS 2 collaboration, *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866 [[arXiv:1907.13071](#)] [[INSPIRE](#)].
- [95] S. Abreu et al., *Leading-color two-loop QCD corrections for three-jet production at hadron colliders*, *JHEP* **07** (2021) 095 [[arXiv:2102.13609](#)] [[INSPIRE](#)].
- [96] D. Chicherin and V. Sotnikov, *Pentagon functions for scattering of five massless particles*, *JHEP* **20** (2020) 167 [[arXiv:2009.07803](#)] [[INSPIRE](#)].
- [97] NNPDF collaboration, *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [98] A. Buckley et al., *LHAPDF6: parton density access in the LHC precision era*, *Eur. Phys. J. C* **75** (2015) 132 [[arXiv:1412.7420](#)] [[INSPIRE](#)].
- [99] M. Czakon, A. van Hameren, A. Mitov and R. Poncelet, *Single-jet inclusive rates with exact color at $O(\alpha_s^4)$* , *JHEP* **10** (2019) 262 [[arXiv:1907.12911](#)] [[INSPIRE](#)].
- [100] M. Czakon and D. Heymes, *Four-dimensional formulation of the sector-improved residue subtraction scheme*, *Nucl. Phys. B* **890** (2014) 152 [[arXiv:1408.2500](#)] [[INSPIRE](#)].
- [101] J. Currie et al., *Infrared sensitivity of single jet inclusive production at hadron colliders*, *JHEP* **10** (2018) 155 [[arXiv:1807.03692](#)] [[INSPIRE](#)].
- [102] R. Corke and T. Sjöstrand, *Interleaved parton showers and tuning prospects*, *JHEP* **03** (2011) 032 [[arXiv:1011.1759](#)] [[INSPIRE](#)].
- [103] P. Skands, S. Carrazza and J. Rojo, *Tuning PYTHIA 8.1: the Monash 2013 tune*, *Eur. Phys. J. C* **74** (2014) 3024 [[arXiv:1404.5630](#)] [[INSPIRE](#)].

- [104] S. Gieseke, C. Röhr and A. Siódmok, *Colour reconnections in Herwig++*, *Eur. Phys. J. C* **72** (2012) 2225 [[arXiv:1206.0041](#)] [[INSPIRE](#)].
- [105] PARTICLE DATA GROUP collaboration, *Review of particle physics*, *PTEP* **2022** (2022) 083C01 [[INSPIRE](#)].
- [106] D0 collaboration, *Measurement of angular correlations of jets at $\sqrt{s} = 1.96$ TeV and determination of the strong coupling at high momentum transfers*, *Phys. Lett. B* **718** (2012) 56 [[arXiv:1207.4957](#)] [[INSPIRE](#)].
- [107] D0 collaboration, *Determination of the strong coupling constant from the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **80** (2009) 111107 [[arXiv:0911.2710](#)] [[INSPIRE](#)].
- [108] ATLAS collaboration, *Measurement of dijet azimuthal decorrelations in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and determination of the strong coupling*, *Phys. Rev. D* **98** (2018) 092004 [[arXiv:1805.04691](#)] [[INSPIRE](#)].
- [109] CMS collaboration, *Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8$ TeV and cross section ratios to 2.76 and 7 TeV*, *JHEP* **03** (2017) 156 [[arXiv:1609.05331](#)] [[INSPIRE](#)].
- [110] CMS collaboration, *Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range*, *Eur. Phys. J. C* **75** (2015) 186 [[arXiv:1412.1633](#)] [[INSPIRE](#)].
- [111] CMS collaboration, *Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range*, *Eur. Phys. J. C* **73** (2013) 2604 [[arXiv:1304.7498](#)] [[INSPIRE](#)].
- [112] CMS collaboration, *Measurement of $t\bar{t}$ normalised multi-differential cross sections in pp collisions at $\sqrt{s} = 13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions*, *Eur. Phys. J. C* **80** (2020) 658 [[arXiv:1904.05237](#)] [[INSPIRE](#)].
- [113] S. Forte and Z. Kassabov, *Why α_s cannot be determined from hadronic processes without simultaneously determining the parton distributions*, *Eur. Phys. J. C* **80** (2020) 182 [[arXiv:2001.04986](#)] [[INSPIRE](#)].
- [114] ATLAS collaboration, *ATLAS computing acknowledgements*, [ATL-SOFT-PUB-2021-003](#), CERN, Geneva, Switzerland (2021).

The ATLAS collaboration

G. Aad [ID](#)¹⁰², B. Abbott [ID](#)¹²⁰, K. Abeling [ID](#)⁵⁵, S.H. Abidi [ID](#)²⁹, A. Abouhorma [ID](#)^{35e},
H. Abramowicz [ID](#)¹⁵¹, H. Abreu [ID](#)¹⁵⁰, Y. Abulaiti [ID](#)¹¹⁷, A.C. Abusleme Hoffman [ID](#)^{137a},
B.S. Acharya [ID](#)^{69a,69b,n}, C. Adam Bourdarios [ID](#)⁴, L. Adamczyk [ID](#)^{85a}, L. Adamek [ID](#)¹⁵⁵,
S.V. Addepalli [ID](#)²⁶, J. Adelman [ID](#)¹¹⁵, A. Adiguzel [ID](#)^{21c}, S. Adorni [ID](#)⁵⁶, T. Adye [ID](#)¹³⁴,
A.A. Affolder [ID](#)¹³⁶, Y. Afik [ID](#)³⁶, M.N. Agaras [ID](#)¹³, J. Agarwala [ID](#)^{73a,73b}, A. Aggarwal [ID](#)¹⁰⁰,
C. Agheorghiesei [ID](#)^{27c}, J.A. Aguilar-Saavedra [ID](#)^{130f}, A. Ahmad [ID](#)³⁶, F. Ahmadov [ID](#)^{38,x},
W.S. Ahmed [ID](#)¹⁰⁴, S. Ahuja [ID](#)⁹⁵, X. Ai [ID](#)⁴⁸, G. Aielli [ID](#)^{76a,76b}, M. Ait Tamlihat [ID](#)^{35e},
B. Aitbenchikh [ID](#)^{35a}, I. Aizenberg [ID](#)¹⁶⁸, M. Akbiyik [ID](#)¹⁰⁰, T.P.A. Åkesson [ID](#)⁹⁸, A.V. Akimov [ID](#)³⁷,
N.N. Akolkar [ID](#)²⁴, K. Al Houry [ID](#)⁴¹, G.L. Alberghi [ID](#)^{23b}, J. Albert [ID](#)¹⁶⁴, P. Albicocco [ID](#)⁵³,
S. Alderweireldt [ID](#)⁵², M. Aleksa [ID](#)³⁶, I.N. Aleksandrov [ID](#)³⁸, C. Alexa [ID](#)^{27b}, T. Alexopoulos [ID](#)¹⁰,
A. Alfonsi [ID](#)¹¹⁴, F. Alfonsi [ID](#)^{23b}, M. Alhroob [ID](#)¹²⁰, B. Ali [ID](#)¹³², S. Ali [ID](#)¹⁴⁸, M. Aliev [ID](#)³⁷,
G. Alimonti [ID](#)^{71a}, W. Alkakhri [ID](#)⁵⁵, C. Allaire [ID](#)⁶⁶, B.M.M. Allbrooke [ID](#)¹⁴⁶,
C.A. Allendes Flores [ID](#)^{137f}, P.P. Allport [ID](#)²⁰, A. Aloisio [ID](#)^{72a,72b}, F. Alonso [ID](#)⁹⁰, C. Alpigiani [ID](#)¹³⁸,
M. Alvarez Estevez [ID](#)⁹⁹, A. Alvarez Fernandez [ID](#)¹⁰⁰, M.G. Alviggi [ID](#)^{72a,72b}, M. Aly [ID](#)¹⁰¹,
Y. Amaral Coutinho [ID](#)^{82b}, A. Ambler [ID](#)¹⁰⁴, C. Amelung [ID](#)³⁶, M. Amerl [ID](#)¹⁰¹, C.G. Ames [ID](#)¹⁰⁹,
D. Amidei [ID](#)¹⁰⁶, S.P. Amor Dos Santos [ID](#)^{130a}, K.R. Amos [ID](#)¹⁶², V. Ananiev [ID](#)¹²⁵,
C. Anastopoulos [ID](#)¹³⁹, T. Andeen [ID](#)¹¹, J.K. Anders [ID](#)³⁶, S.Y. Andrean [ID](#)^{47a,47b},
A. Andreatta [ID](#)^{71a,71b}, S. Angelidakis [ID](#)⁹, A. Angerami [ID](#)^{41,z}, A.V. Anisenkov [ID](#)³⁷, A. Annovi [ID](#)^{74a},
C. Antel [ID](#)⁵⁶, M.T. Anthony [ID](#)¹³⁹, E. Antipov [ID](#)¹⁴⁵, M. Antonelli [ID](#)⁵³, D.J.A. Antrim [ID](#)^{17a},
F. Anulli [ID](#)^{75a}, M. Aoki [ID](#)⁸³, T. Aoki [ID](#)¹⁵³, J.A. Aparisi Pozo [ID](#)¹⁶², M.A. Aparo [ID](#)¹⁴⁶,
L. Aperio Bella [ID](#)⁴⁸, C. Appelt [ID](#)¹⁸, N. Aranzabal [ID](#)³⁶, V. Araujo Ferraz [ID](#)^{82a}, C. Arcangeletti [ID](#)⁵³,
A.T.H. Arce [ID](#)⁵¹, E. Arena [ID](#)⁹², J-F. Arguin [ID](#)¹⁰⁸, S. Argyropoulos [ID](#)⁵⁴, J.-H. Arling [ID](#)⁴⁸,
A.J. Armbruster [ID](#)³⁶, O. Arnaez [ID](#)⁴, H. Arnold [ID](#)¹¹⁴, Z.P. Arrubarrena Tame [ID](#)¹⁰⁹, G. Artoni [ID](#)^{75a,75b},
H. Asada [ID](#)¹¹¹, K. Asai [ID](#)¹¹⁸, S. Asai [ID](#)¹⁵³, N.A. Asbah [ID](#)⁶¹, J. Assahsah [ID](#)^{35d}, K. Assamagan [ID](#)²⁹,
R. Astalos [ID](#)^{28a}, R.J. Atkin [ID](#)^{33a}, M. Atkinson [ID](#)¹⁶¹, N.B. Atlay [ID](#)¹⁸, H. Atmani [ID](#)^{62b},
P.A. Atmasiddha [ID](#)¹⁰⁶, K. Augsten [ID](#)¹³², S. Auricchio [ID](#)^{72a,72b}, A.D. Auriol [ID](#)²⁰, V.A. Austrup [ID](#)¹⁷⁰,
G. Avner [ID](#)¹⁵⁰, G. Avolio [ID](#)³⁶, K. Axiotis [ID](#)⁵⁶, G. Azuelos [ID](#)^{108,ab}, D. Babal [ID](#)^{28b}, H. Bachacou [ID](#)¹³⁵,
K. Bachas [ID](#)^{152,p}, A. Bachi [ID](#)³⁴, F. Backman [ID](#)^{47a,47b}, A. Badea [ID](#)⁶¹, P. Bagnaia [ID](#)^{75a,75b},
M. Bahmani [ID](#)¹⁸, A.J. Bailey [ID](#)¹⁶², V.R. Bailey [ID](#)¹⁶¹, J.T. Baines [ID](#)¹³⁴, C. Bakalis [ID](#)¹⁰,
O.K. Baker [ID](#)¹⁷¹, E. Bakos [ID](#)¹⁵, D. Bakshi Gupta [ID](#)⁸, R. Balasubramanian [ID](#)¹¹⁴, E.M. Baldin [ID](#)³⁷,
P. Balek [ID](#)¹³³, E. Ballabene [ID](#)^{71a,71b}, F. Balli [ID](#)¹³⁵, L.M. Baltés [ID](#)^{63a}, W.K. Balunas [ID](#)³²,
J. Balz [ID](#)¹⁰⁰, E. Banas [ID](#)⁸⁶, M. Bandieramonte [ID](#)¹²⁹, A. Bandyopadhyay [ID](#)²⁴, S. Bansal [ID](#)²⁴,
L. Barak [ID](#)¹⁵¹, E.L. Barberio [ID](#)¹⁰⁵, D. Barberis [ID](#)^{57b,57a}, M. Barbero [ID](#)¹⁰², G. Barbour [ID](#)⁹⁶,
K.N. Barends [ID](#)^{33a}, T. Barillari [ID](#)¹¹⁰, M-S. Barisits [ID](#)³⁶, T. Barklow [ID](#)¹⁴³, P. Baron [ID](#)¹²²,
D.A. Baron Moreno [ID](#)¹⁰¹, A. Baroncelli [ID](#)^{62a}, G. Barone [ID](#)²⁹, A.J. Barr [ID](#)¹²⁶,
L. Barranco Navarro [ID](#)^{47a,47b}, F. Barreiro [ID](#)⁹⁹, J. Barreiro Guimarães da Costa [ID](#)^{14a},
U. Barron [ID](#)¹⁵¹, M.G. Barros Teixeira [ID](#)^{130a}, S. Barsov [ID](#)³⁷, F. Bartels [ID](#)^{63a}, R. Bartoldus [ID](#)¹⁴³,
A.E. Barton [ID](#)⁹¹, P. Bartos [ID](#)^{28a}, A. Basan [ID](#)¹⁰⁰, M. Baselga [ID](#)⁴⁹, I. Bashta [ID](#)^{77a,77b},
A. Bassalat [ID](#)^{66,af}, M.J. Basso [ID](#)¹⁵⁵, C.R. Basson [ID](#)¹⁰¹, R.L. Bates [ID](#)⁵⁹, S. Batlamous [ID](#)^{35e},
J.R. Batley [ID](#)³², B. Batool [ID](#)¹⁴¹, M. Battaglia [ID](#)¹³⁶, D. Battulga [ID](#)¹⁸, M. Bause [ID](#)^{75a,75b},
M. Bauer [ID](#)³⁶, P. Bauer [ID](#)²⁴, J.B. Beacham [ID](#)⁵¹, T. Beau [ID](#)¹²⁷, P.H. Beauchemin [ID](#)¹⁵⁸,

F. Becherer [ID](#)⁵⁴, P. Bechtle [ID](#)²⁴, H.P. Beck [ID](#)^{19,o}, K. Becker [ID](#)¹⁶⁶, A.J. Beddall [ID](#)^{21d},
V.A. Bednyakov [ID](#)³⁸, C.P. Bee [ID](#)¹⁴⁵, L.J. Beemster¹⁵, T.A. Beermann [ID](#)³⁶, M. Begalli [ID](#)^{82d,82d},
M. Begel [ID](#)²⁹, A. Behera [ID](#)¹⁴⁵, J.K. Behr [ID](#)⁴⁸, C. Beirao Da Cruz E Silva [ID](#)³⁶, J.F. Beirer [ID](#)^{55,36},
F. Beisiegel [ID](#)²⁴, M. Belfkir [ID](#)^{116b}, G. Bella [ID](#)¹⁵¹, L. Bellagamba [ID](#)^{23b}, A. Bellerive [ID](#)³⁴,
P. Bellos [ID](#)²⁰, K. Beloborodov [ID](#)³⁷, N.L. Belyaev [ID](#)³⁷, D. Benčekroun [ID](#)^{35a}, F. Bendebba [ID](#)^{35a},
Y. Benhammou [ID](#)¹⁵¹, M. Benoit [ID](#)²⁹, J.R. Bensinger [ID](#)²⁶, S. Bentvelsen [ID](#)¹¹⁴, L. Beresford [ID](#)⁴⁸,
M. Beretta [ID](#)⁵³, E. Bergeas Kuutmann [ID](#)¹⁶⁰, N. Berger [ID](#)⁴, B. Bergmann [ID](#)¹³², J. Beringer [ID](#)^{17a},
S. Berlendis [ID](#)⁷, G. Bernardi [ID](#)⁵, C. Bernius [ID](#)¹⁴³, F.U. Bernlochner [ID](#)²⁴, T. Berry [ID](#)⁹⁵,
P. Berta [ID](#)¹³³, A. Berthold [ID](#)⁵⁰, I.A. Bertram [ID](#)⁹¹, S. Bethke [ID](#)¹¹⁰, A. Betti [ID](#)^{75a,75b}, A.J. Bevan [ID](#)⁹⁴,
M. Bhamjee [ID](#)^{33c}, S. Bhatta [ID](#)¹⁴⁵, D.S. Bhattacharya [ID](#)¹⁶⁵, P. Bhattarai [ID](#)²⁶, V.S. Bhopatkar [ID](#)¹²¹,
R. Bi^{29,ad}, R.M. Bianchi [ID](#)¹²⁹, O. Biebel [ID](#)¹⁰⁹, R. Bielski [ID](#)¹²³, M. Biglietti [ID](#)^{77a},
T.R.V. Billoud [ID](#)¹³², M. Bindi [ID](#)⁵⁵, A. Bingul [ID](#)^{21b}, C. Bini [ID](#)^{75a,75b}, A. Biondini [ID](#)⁹²,
C.J. Birch-sykes [ID](#)¹⁰¹, G.A. Bird [ID](#)^{20,134}, M. Birman [ID](#)¹⁶⁸, M. Biros [ID](#)¹³³, T. Bisanz [ID](#)³⁶,
E. Bisceglie [ID](#)^{43b,43a}, D. Biswas [ID](#)¹⁶⁹, A. Bitadze [ID](#)¹⁰¹, K. Bjørke [ID](#)¹²⁵, I. Bloch [ID](#)⁴⁸, C. Blocker [ID](#)²⁶,
A. Blue [ID](#)⁵⁹, U. Blumenschein [ID](#)⁹⁴, J. Blumenthal [ID](#)¹⁰⁰, G.J. Bobbink [ID](#)¹¹⁴, V.S. Bobrovnikov [ID](#)³⁷,
M. Boehler [ID](#)⁵⁴, D. Bogavac [ID](#)³⁶, A.G. Bogdanchikov [ID](#)³⁷, C. Bohm [ID](#)^{47a}, V. Boisvert [ID](#)⁹⁵,
P. Bokan [ID](#)⁴⁸, T. Bold [ID](#)^{85a}, M. Bomben [ID](#)⁵, M. Bona [ID](#)⁹⁴, M. Boonekamp [ID](#)¹³⁵, C.D. Booth [ID](#)⁹⁵,
A.G. Borbély [ID](#)⁵⁹, H.M. Borecka-Bielska [ID](#)¹⁰⁸, L.S. Borgna [ID](#)⁹⁶, G. Borissov [ID](#)⁹¹, D. Bortoletto [ID](#)¹²⁶,
D. Boscherini [ID](#)^{23b}, M. Bosman [ID](#)¹³, J.D. Bossio Sola [ID](#)³⁶, K. Bouaouda [ID](#)^{35a}, N. Bouchhar [ID](#)¹⁶²,
J. Boudreau [ID](#)¹²⁹, E.V. Bouhova-Thacker [ID](#)⁹¹, D. Boumediene [ID](#)⁴⁰, R. Bouquet [ID](#)⁵, A. Boveia [ID](#)¹¹⁹,
J. Boyd [ID](#)³⁶, D. Boye [ID](#)²⁹, I.R. Boyko [ID](#)³⁸, J. Bracinik [ID](#)²⁰, N. Brahimi [ID](#)^{62d}, G. Brandt [ID](#)¹⁷⁰,
O. Brandt [ID](#)³², F. Braren [ID](#)⁴⁸, B. Brau [ID](#)¹⁰³, J.E. Brau [ID](#)¹²³, K. Brendlinger [ID](#)⁴⁸, R. Brenner [ID](#)¹⁶⁸,
L. Brenner [ID](#)¹¹⁴, R. Brenner [ID](#)¹⁶⁰, S. Bressler [ID](#)¹⁶⁸, D. Britton [ID](#)⁵⁹, D. Britzger [ID](#)¹¹⁰, I. Brock [ID](#)²⁴,
G. Brooijmans [ID](#)⁴¹, W.K. Brooks [ID](#)^{137f}, E. Brost [ID](#)²⁹, L.M. Brown [ID](#)¹⁶⁴, T.L. Bruckler [ID](#)¹²⁶,
P.A. Bruckman de Renstrom [ID](#)⁸⁶, B. Brüers [ID](#)⁴⁸, D. Bruncko [ID](#)^{28b,*}, A. Bruni [ID](#)^{23b}, G. Bruni [ID](#)^{23b},
M. Bruschi [ID](#)^{23b}, N. Bruscinò [ID](#)^{75a,75b}, T. Buanes [ID](#)¹⁶, Q. Buat [ID](#)¹³⁸, A.G. Buckley [ID](#)⁵⁹,
I.A. Budagov [ID](#)^{38,*}, M.K. Bugge [ID](#)¹²⁵, O. Bulekov [ID](#)³⁷, B.A. Bullard [ID](#)¹⁴³, S. Burdin [ID](#)⁹²,
C.D. Burgard [ID](#)⁴⁹, A.M. Burger [ID](#)⁴⁰, B. Burghgrave [ID](#)⁸, O. Burlayenko [ID](#)⁵⁴, J.T.P. Burr [ID](#)³²,
C.D. Burton [ID](#)¹¹, J.C. Burzynski [ID](#)¹⁴², E.L. Busch [ID](#)⁴¹, V. Büscher [ID](#)¹⁰⁰, P.J. Bussey [ID](#)⁵⁹,
J.M. Butler [ID](#)²⁵, C.M. Buttar [ID](#)⁵⁹, J.M. Butterworth [ID](#)⁹⁶, W. Buttinger [ID](#)¹³⁴,
C.J. Buxo Vazquez¹⁰⁷, A.R. Buzykaev [ID](#)³⁷, G. Cabras [ID](#)^{23b}, S. Cabrera Urbán [ID](#)¹⁶², D. Caforio [ID](#)⁵⁸,
H. Cai [ID](#)¹²⁹, Y. Cai [ID](#)^{14a,14e}, V.M.M. Cairo [ID](#)³⁶, O. Cakir [ID](#)^{3a}, N. Calace [ID](#)³⁶, P. Calafiura [ID](#)^{17a},
G. Calderini [ID](#)¹²⁷, P. Calfayan [ID](#)⁶⁸, G. Callea [ID](#)⁵⁹, L.P. Caloba^{82b}, D. Calvet [ID](#)⁴⁰, S. Calvet [ID](#)⁴⁰,
T.P. Calvet [ID](#)¹⁰², M. Calvetti [ID](#)^{74a,74b}, R. Camacho Toro [ID](#)¹²⁷, S. Camarda [ID](#)³⁶,
D. Camarero Munoz [ID](#)²⁶, P. Camarri [ID](#)^{76a,76b}, M.T. Camerlingo [ID](#)^{72a,72b}, D. Cameron [ID](#)¹²⁵,
C. Camincher [ID](#)¹⁶⁴, M. Campanelli [ID](#)⁹⁶, A. Camplani [ID](#)⁴², V. Canale [ID](#)^{72a,72b}, A. Canesse [ID](#)¹⁰⁴,
M. Cano Bret [ID](#)⁸⁰, J. Cantero [ID](#)¹⁶², Y. Cao [ID](#)¹⁶¹, F. Capocasa [ID](#)²⁶, M. Capua [ID](#)^{43b,43a},
A. Carbone [ID](#)^{71a,71b}, R. Cardarelli [ID](#)^{76a}, J.C.J. Cardenas [ID](#)⁸, F. Cardillo [ID](#)¹⁶², T. Carli [ID](#)³⁶,
G. Carlino [ID](#)^{72a}, J.I. Carlotto [ID](#)¹³, B.T. Carlson [ID](#)^{129,q}, E.M. Carlson [ID](#)^{164,156a},
L. Carminati [ID](#)^{71a,71b}, M. Carnesale [ID](#)^{75a,75b}, S. Caron [ID](#)¹¹³, E. Carquin [ID](#)^{137f}, S. Carrá [ID](#)^{71a,71b},
G. Carratta [ID](#)^{23b,23a}, F. Carrio Argos [ID](#)^{33g}, J.W.S. Carter [ID](#)¹⁵⁵, T.M. Carter [ID](#)⁵²,
M.P. Casado [ID](#)^{13,i}, A.F. Casha¹⁵⁵, M. Caspar [ID](#)⁴⁸, E.G. Castiglia [ID](#)¹⁷¹, F.L. Castillo [ID](#)^{63a},
L. Castillo Garcia [ID](#)¹³, V. Castillo Gimenez [ID](#)¹⁶², N.F. Castro [ID](#)^{130a,130e}, A. Catinaccio [ID](#)³⁶,

J.R. Catmore [ID](#)¹²⁵, V. Cavaliere [ID](#)²⁹, N. Cavalli [ID](#)^{23b,23a}, V. Cavasinni [ID](#)^{74a,74b}, E. Celebi [ID](#)^{21a},
 F. Celli [ID](#)¹²⁶, M.S. Centonze [ID](#)^{70a,70b}, K. Cerny [ID](#)¹²², A.S. Cerqueira [ID](#)^{82a}, A. Cerri [ID](#)¹⁴⁶,
 L. Cerrito [ID](#)^{76a,76b}, F. Cerutti [ID](#)^{17a}, A. Cervelli [ID](#)^{23b}, G. Cesarini [ID](#)⁵³, S.A. Cetin [ID](#)^{21d},
 Z. Chadi [ID](#)^{35a}, D. Chakraborty [ID](#)¹¹⁵, M. Chala [ID](#)^{130f}, J. Chan [ID](#)¹⁶⁹, W.Y. Chan [ID](#)¹⁵³,
 J.D. Chapman [ID](#)³², B. Chargeishvili [ID](#)^{149b}, D.G. Charlton [ID](#)²⁰, T.P. Charman [ID](#)⁹⁴,
 M. Chatterjee [ID](#)¹⁹, C. Chauhan [ID](#)¹³³, S. Chekanov [ID](#)⁶, S.V. Chekulaev [ID](#)^{156a}, G.A. Chelkov [ID](#)^{38,a},
 A. Chen [ID](#)¹⁰⁶, B. Chen [ID](#)¹⁵¹, B. Chen [ID](#)¹⁶⁴, H. Chen [ID](#)^{14c}, H. Chen [ID](#)²⁹, J. Chen [ID](#)^{62c}, J. Chen [ID](#)¹⁴²,
 S. Chen [ID](#)¹⁵³, S.J. Chen [ID](#)^{14c}, X. Chen [ID](#)^{62c}, X. Chen [ID](#)^{14b,aa}, Y. Chen [ID](#)^{62a}, C.L. Cheng [ID](#)¹⁶⁹,
 H.C. Cheng [ID](#)^{64a}, S. Cheong [ID](#)¹⁴³, A. Cheplakov [ID](#)³⁸, E. Cheremushkina [ID](#)⁴⁸, E. Cherepanova [ID](#)¹¹⁴,
 R. Cherkaoui El Moursli [ID](#)^{35e}, E. Cheu [ID](#)⁷, K. Cheung [ID](#)⁶⁵, L. Chevalier [ID](#)¹³⁵, V. Chiarella [ID](#)⁵³,
 G. Chiarelli [ID](#)^{74a}, N. Chiedde [ID](#)¹⁰², G. Chiodini [ID](#)^{70a}, A.S. Chisholm [ID](#)²⁰, A. Chitan [ID](#)^{27b},
 M. Chitishvili [ID](#)¹⁶², M.V. Chizhov [ID](#)³⁸, K. Choi [ID](#)¹¹, A.R. Chomont [ID](#)^{75a,75b}, Y. Chou [ID](#)¹⁰³,
 E.Y.S. Chow [ID](#)¹¹⁴, T. Chowdhury [ID](#)^{33g}, L.D. Christopher [ID](#)^{33g}, K.L. Chu [ID](#)^{64a}, M.C. Chu [ID](#)^{64a},
 X. Chu [ID](#)^{14a,14e}, J. Chudoba [ID](#)¹³¹, J.J. Chwastowski [ID](#)⁸⁶, D. Cieri [ID](#)¹¹⁰, K.M. Ciesla [ID](#)^{85a},
 V. Cindro [ID](#)⁹³, A. Ciocio [ID](#)^{17a}, F. Ciotto [ID](#)^{72a,72b}, Z.H. Citron [ID](#)¹⁶⁸, M. Citterio [ID](#)^{71a},
 D.A. Ciubotaru [ID](#)^{27b}, B.M. Ciungu [ID](#)¹⁵⁵, A. Clark [ID](#)⁵⁶, P.J. Clark [ID](#)⁵², J.M. Clavijo Columbie [ID](#)⁴⁸,
 S.E. Clawson [ID](#)¹⁰¹, C. Clement [ID](#)^{47a,47b}, J. Clercx [ID](#)⁴⁸, L. Clissa [ID](#)^{23b,23a}, Y. Coadou [ID](#)¹⁰²,
 M. Cobal [ID](#)^{69a,69c}, A. Coccaro [ID](#)^{57b}, R.F. Coelho Barrue [ID](#)^{130a}, R. Coelho Lopes De Sa [ID](#)¹⁰³,
 S. Coelli [ID](#)^{71a}, H. Cohen [ID](#)¹⁵¹, A.E.C. Coimbra [ID](#)^{71a,71b}, B. Cole [ID](#)⁴¹, J. Collot [ID](#)⁶⁰,
 P. Conde Muno [ID](#)^{130a,130g}, M.P. Connell [ID](#)^{33c}, S.H. Connell [ID](#)^{33c}, I.A. Connelly [ID](#)⁵⁹,
 E.I. Conroy [ID](#)¹²⁶, F. Conventi [ID](#)^{72a,ac}, H.G. Cooke [ID](#)²⁰, A.M. Cooper-Sarkar [ID](#)¹²⁶, F. Cormier [ID](#)¹⁶³,
 L.D. Corpe [ID](#)³⁶, M. Corradi [ID](#)^{75a,75b}, F. Corriveau [ID](#)^{104,v}, A. Cortes-Gonzalez [ID](#)¹⁸, M.J. Costa [ID](#)¹⁶²,
 F. Costanza [ID](#)⁴, D. Costanzo [ID](#)¹³⁹, B.M. Cote [ID](#)¹¹⁹, G. Cowan [ID](#)⁹⁵, K. Cranmer [ID](#)¹¹⁷,
 S. Crepe-Renaudin [ID](#)⁶⁰, F. Crescioli [ID](#)¹²⁷, M. Cristinziani [ID](#)¹⁴¹, M. Cristoforetti [ID](#)^{78a,78b,c},
 V. Croft [ID](#)¹¹⁴, G. Crosetti [ID](#)^{43b,43a}, A. Cueto [ID](#)³⁶, T. Cuhadar Donszelmann [ID](#)¹⁵⁹, H. Cui [ID](#)^{14a,14e},
 Z. Cui [ID](#)⁷, W.R. Cunningham [ID](#)⁵⁹, F. Curcio [ID](#)^{43b,43a}, P. Czodrowski [ID](#)³⁶, M.M. Czurylo [ID](#)^{63b},
 M.J. Da Cunha Sargedas De Sousa [ID](#)^{62a}, J.V. Da Fonseca Pinto [ID](#)^{82b}, C. Da Via [ID](#)¹⁰¹,
 W. Dabrowski [ID](#)^{85a}, T. Dado [ID](#)⁴⁹, S. Dahbi [ID](#)^{33g}, T. Dai [ID](#)¹⁰⁶, C. Dallapiccola [ID](#)¹⁰³, M. Dam [ID](#)⁴²,
 G. D’amen [ID](#)²⁹, V. D’Amico [ID](#)¹⁰⁹, J. Damp [ID](#)¹⁰⁰, J.R. Dandoy [ID](#)¹²⁸, M.F. Daneri [ID](#)³⁰,
 M. Danninger [ID](#)¹⁴², V. Dao [ID](#)³⁶, G. Darbo [ID](#)^{57b}, S. Darmora [ID](#)⁶, S.J. Das [ID](#)²⁹, S. D’Auria [ID](#)^{71a,71b},
 C. David [ID](#)^{156b}, T. Davidek [ID](#)¹³³, B. Davis-Purcell [ID](#)³⁴, I. Dawson [ID](#)⁹⁴, K. De [ID](#)⁸,
 R. De Asmundis [ID](#)^{72a}, N. De Biase [ID](#)⁴⁸, S. De Castro [ID](#)^{23b,23a}, N. De Groot [ID](#)¹¹³, P. de Jong [ID](#)¹¹⁴,
 H. De la Torre [ID](#)¹⁰⁷, A. De Maria [ID](#)^{14c}, A. De Salvo [ID](#)^{75a}, U. De Sanctis [ID](#)^{76a,76b}, A. De Santo [ID](#)¹⁴⁶,
 J.B. De Vivie De Regie [ID](#)⁶⁰, D.V. Dedovich [ID](#)³⁸, J. Degens [ID](#)¹¹⁴, A.M. Deiana [ID](#)⁴⁴,
 F. Del Corso [ID](#)^{23b,23a}, J. Del Peso [ID](#)⁹⁹, F. Del Rio [ID](#)^{63a}, F. Deliot [ID](#)¹³⁵, C.M. Delitzsch [ID](#)⁴⁹,
 M. Della Pietra [ID](#)^{72a,72b}, D. Della Volpe [ID](#)⁵⁶, A. Dell’Acqua [ID](#)³⁶, L. Dell’Asta [ID](#)^{71a,71b},
 M. Delmastro [ID](#)⁴, P.A. Delsart [ID](#)⁶⁰, S. Demers [ID](#)¹⁷¹, M. Demichev [ID](#)³⁸, S.P. Denisov [ID](#)³⁷,
 L. D’Eramo [ID](#)¹¹⁵, D. Derendarz [ID](#)⁸⁶, F. Derue [ID](#)¹²⁷, P. Dervan [ID](#)⁹², K. Desch [ID](#)²⁴, K. Dette [ID](#)¹⁵⁵,
 C. Deutsch [ID](#)²⁴, F.A. Di Bello [ID](#)^{57b,57a}, A. Di Ciaccio [ID](#)^{76a,76b}, L. Di Ciaccio [ID](#)⁴,
 A. Di Domenico [ID](#)^{75a,75b}, C. Di Donato [ID](#)^{72a,72b}, A. Di Girolamo [ID](#)³⁶, G. Di Gregorio [ID](#)⁵,
 A. Di Luca [ID](#)^{78a,78b}, B. Di Micco [ID](#)^{77a,77b}, R. Di Nardo [ID](#)^{77a,77b}, C. Diaconu [ID](#)¹⁰², F.A. Dias [ID](#)¹¹⁴,
 T. Dias Do Vale [ID](#)¹⁴², M.A. Diaz [ID](#)^{137a,137b}, F.G. Diaz Capriles [ID](#)²⁴, M. Didenko [ID](#)¹⁶²,
 E.B. Diehl [ID](#)¹⁰⁶, L. Diehl [ID](#)⁵⁴, S. Diez Cornell [ID](#)⁴⁸, C. Diez Pardos [ID](#)¹⁴¹, C. Dimitriadi [ID](#)^{24,160},

A. Dimitrievska [ID](#)^{17a}, J. Dingfelder [ID](#)²⁴, I.-M. Dinu [ID](#)^{27b}, S.J. Dittmeier [ID](#)^{63b}, F. Dittus [ID](#)³⁶,
 F. Djama [ID](#)¹⁰², T. Djobava [ID](#)^{149b}, J.I. Djuvsland [ID](#)¹⁶, C. Doglioni [ID](#)^{101,98}, J. Dolejsi [ID](#)¹³³,
 Z. Dolezal [ID](#)¹³³, M. Donadelli [ID](#)^{82c}, B. Dong [ID](#)¹⁰⁷, J. Donini [ID](#)⁴⁰, A. D’Onofrio [ID](#)^{77a,77b},
 M. D’Onofrio [ID](#)⁹², J. Dopke [ID](#)¹³⁴, A. Doria [ID](#)^{72a}, M.T. Dova [ID](#)⁹⁰, A.T. Doyle [ID](#)⁵⁹,
 M.A. Draguet [ID](#)¹²⁶, E. Drechsler [ID](#)¹⁴², E. Dreyer [ID](#)¹⁶⁸, I. Drivas-koulouris [ID](#)¹⁰, A.S. Drobac [ID](#)¹⁵⁸,
 M. Drozdova [ID](#)⁵⁶, D. Du [ID](#)^{62a}, T.A. du Pree [ID](#)¹¹⁴, F. Dubinin [ID](#)³⁷, M. Dubovsky [ID](#)^{28a},
 E. Duchovni [ID](#)¹⁶⁸, G. Duckeck [ID](#)¹⁰⁹, O.A. Ducu [ID](#)^{27b}, D. Duda [ID](#)¹¹⁰, A. Dudarev [ID](#)³⁶,
 E.R. Duden [ID](#)²⁶, M. D’uffizi [ID](#)¹⁰¹, L. Duflot [ID](#)⁶⁶, M. Dührssen [ID](#)³⁶, C. Dülsen [ID](#)¹⁷⁰,
 A.E. Dumitriu [ID](#)^{27b}, M. Dunford [ID](#)^{63a}, S. Dungs [ID](#)⁴⁹, K. Dunne [ID](#)^{47a,47b}, A. Duperrin [ID](#)¹⁰²,
 H. Duran Yildiz [ID](#)^{3a}, M. Düren [ID](#)⁵⁸, A. Durglishvili [ID](#)^{149b}, B.L. Dwyer [ID](#)¹¹⁵, G.I. Dyckes [ID](#)^{17a},
 M. Dyndal [ID](#)^{85a}, S. Dysch [ID](#)¹⁰¹, B.S. Dziedzic [ID](#)⁸⁶, Z.O. Earnshaw [ID](#)¹⁴⁶, B. Eckerova [ID](#)^{28a},
 S. Eggebrecht [ID](#)⁵⁵, M.G. Eggleston⁵¹, E. Egidio Purcino De Souza [ID](#)¹²⁷, L.F. Ehrke [ID](#)⁵⁶,
 G. Eigen [ID](#)¹⁶, K. Einsweiler [ID](#)^{17a}, T. Ekelof [ID](#)¹⁶⁰, P.A. Ekman [ID](#)⁹⁸, Y. El Ghazali [ID](#)^{35b},
 H. El Jarrari [ID](#)^{35e,148}, A. El Moussaouy [ID](#)^{35a}, V. Ellajosyula [ID](#)¹⁶⁰, M. Ellert [ID](#)¹⁶⁰,
 F. Ellinghaus [ID](#)¹⁷⁰, A.A. Elliot [ID](#)⁹⁴, N. Ellis [ID](#)³⁶, J. Elmsheuser [ID](#)²⁹, M. Elsing [ID](#)³⁶,
 D. Emelianov [ID](#)¹³⁴, Y. Enari [ID](#)¹⁵³, I. Ene [ID](#)^{17a}, S. Epari [ID](#)¹³, J. Erdmann [ID](#)⁴⁹, P.A. Erland [ID](#)⁸⁶,
 M. Errenst [ID](#)¹⁷⁰, M. Escalier [ID](#)⁶⁶, C. Escobar [ID](#)¹⁶², E. Etzion [ID](#)¹⁵¹, G. Evans [ID](#)^{130a}, H. Evans [ID](#)⁶⁸,
 L.S. Evans [ID](#)⁹⁵, M.O. Evans [ID](#)¹⁴⁶, A. Ezhilov [ID](#)³⁷, S. Ezzarqtouni [ID](#)^{35a}, F. Fabbri [ID](#)⁵⁹,
 L. Fabbri [ID](#)^{23b,23a}, G. Facini [ID](#)⁹⁶, V. Fadeyev [ID](#)¹³⁶, R.M. Fakhrutdinov [ID](#)³⁷, S. Falciano [ID](#)^{75a},
 L.F. Falda Ulhoa Coelho [ID](#)³⁶, P.J. Falke [ID](#)²⁴, S. Falke [ID](#)³⁶, J. Faltova [ID](#)¹³³, C. Fan [ID](#)¹⁶¹,
 Y. Fan [ID](#)^{14a}, Y. Fang [ID](#)^{14a,14e}, M. Fanti [ID](#)^{71a,71b}, M. Faraj [ID](#)^{69a,69b}, Z. Farazpay⁹⁷, A. Farbin [ID](#)⁸,
 A. Farilla [ID](#)^{77a}, T. Faroouque [ID](#)¹⁰⁷, S.M. Farrington [ID](#)⁵², F. Fassi [ID](#)^{35e}, D. Fassouliotis [ID](#)⁹,
 M. Fauci Giannelli [ID](#)^{76a,76b}, W.J. Fawcett [ID](#)³², L. Fayard [ID](#)⁶⁶, P. Federic [ID](#)¹³³, P. Federicova [ID](#)¹³¹,
 O.L. Fedin [ID](#)^{37,a}, G. Fedotov [ID](#)³⁷, M. Feickert [ID](#)¹⁶⁹, L. Felgioni [ID](#)¹⁰², A. Fell [ID](#)¹³⁹, D.E. Fellers [ID](#)¹²³,
 C. Feng [ID](#)^{62b}, M. Feng [ID](#)^{14b}, Z. Feng [ID](#)¹¹⁴, M.J. Fenton [ID](#)¹⁵⁹, A.B. Fenyuk³⁷, L. Ferencz [ID](#)⁴⁸,
 R.A.M. Ferguson [ID](#)⁹¹, S.I. Fernandez Luengo [ID](#)^{137f}, J. Pretel [ID](#)⁵⁴, M.J.V. Fernoux [ID](#)¹⁰²,
 J. Ferrando [ID](#)⁴⁸, A. Ferrari [ID](#)¹⁶⁰, P. Ferrari [ID](#)^{114,113}, R. Ferrari [ID](#)^{73a}, D. Ferrere [ID](#)⁵⁶,
 C. Ferretti [ID](#)¹⁰⁶, F. Fiedler [ID](#)¹⁰⁰, A. Filipčič [ID](#)⁹³, E.K. Filmer [ID](#)¹, F. Filthaut [ID](#)¹¹³,
 M.C.N. Fiolhais [ID](#)^{130a,130c,b}, L. Fiorini [ID](#)¹⁶², W.C. Fisher [ID](#)¹⁰⁷, T. Fitschen [ID](#)¹⁰¹, I. Fleck [ID](#)¹⁴¹,
 P. Fleischmann [ID](#)¹⁰⁶, T. Flick [ID](#)¹⁷⁰, L. Flores [ID](#)¹²⁸, M. Flores [ID](#)^{33d}, L.R. Flores Castillo [ID](#)^{64a},
 F.M. Follega [ID](#)^{78a,78b}, N. Fomin [ID](#)¹⁶, J.H. Foo [ID](#)¹⁵⁵, B.C. Forland⁶⁸, A. Formica [ID](#)¹³⁵,
 A.C. Forti [ID](#)¹⁰¹, E. Fortin [ID](#)³⁶, A.W. Fortman [ID](#)⁶¹, M.G. Foti [ID](#)^{17a}, L. Fountas [ID](#)⁹, D. Fournier [ID](#)⁶⁶,
 H. Fox [ID](#)⁹¹, P. Francavilla [ID](#)^{74a,74b}, S. Francescato [ID](#)⁶¹, S. Franchellucci [ID](#)⁵⁶, M. Franchini [ID](#)^{23b,23a},
 S. Franchino [ID](#)^{63a}, D. Francis³⁶, L. Franco [ID](#)¹¹³, L. Franconi [ID](#)⁴⁸, M. Franklin [ID](#)⁶¹, G. Frattari [ID](#)²⁶,
 A.C. Freegard [ID](#)⁹⁴, W.S. Freund [ID](#)^{82b}, Y.Y. Frid [ID](#)¹⁵¹, N. Fritzsche [ID](#)⁵⁰, A. Froch [ID](#)⁵⁴,
 D. Froidevaux [ID](#)³⁶, J.A. Frost [ID](#)¹²⁶, Y. Fu [ID](#)^{62a}, M. Fujimoto [ID](#)¹¹⁸, E. Fullana Torregrosa [ID](#)^{162,*},
 E. Furtado De Simas Filho [ID](#)^{82b}, J. Fuster [ID](#)¹⁶², A. Gabrielli [ID](#)^{23b,23a}, A. Gabrielli [ID](#)¹⁵⁵,
 P. Gadow [ID](#)⁴⁸, G. Gagliardi [ID](#)^{57b,57a}, L.G. Gagnon [ID](#)^{17a}, E.J. Gallas [ID](#)¹²⁶, B.J. Gallop [ID](#)¹³⁴,
 K.K. Gan [ID](#)¹¹⁹, S. Ganguly [ID](#)¹⁵³, J. Gao [ID](#)^{62a}, Y. Gao [ID](#)⁵², F.M. Garay Walls [ID](#)^{137a,137b},
 B. Garcia^{29,ad}, C. García [ID](#)¹⁶², A. Garcia Alonso [ID](#)¹¹⁴, J.E. García Navarro [ID](#)¹⁶²,
 M. Garcia-Sciveres [ID](#)^{17a}, R.W. Gardner [ID](#)³⁹, D. Garg [ID](#)⁸⁰, R.B. Garg [ID](#)¹⁴³, C.A. Garner¹⁵⁵,
 S.J. Gasiorowski [ID](#)¹³⁸, P. Gaspar [ID](#)^{82b}, G. Gaudio [ID](#)^{73a}, V. Gautam¹³, P. Gauzzi [ID](#)^{75a,75b},
 I.L. Gavrilenko [ID](#)³⁷, A. Gavrilyuk [ID](#)³⁷, C. Gay [ID](#)¹⁶³, G. Gaycken [ID](#)⁴⁸, E.N. Gazis [ID](#)¹⁰,

A.A. Geanta [ID](#)^{27b,27e}, C.M. Gee [ID](#)¹³⁶, C. Gemme [ID](#)^{57b}, M.H. Genest [ID](#)⁶⁰, S. Gentile [ID](#)^{75a,75b}, S. George [ID](#)⁹⁵, W.F. George [ID](#)²⁰, T. Geralis [ID](#)⁴⁶, L.O. Gerlach ⁵⁵, P. Gessinger-Befurt [ID](#)³⁶, M.E. Geyik [ID](#)¹⁷⁰, M. Ghneimat [ID](#)¹⁴¹, K. Ghorbanian [ID](#)⁹⁴, A. Ghosal [ID](#)¹⁴¹, A. Ghosh [ID](#)¹⁵⁹, A. Ghosh [ID](#)⁷, B. Giacobbe [ID](#)^{23b}, S. Giagu [ID](#)^{75a,75b}, P. Giannetti [ID](#)^{74a}, A. Giannini [ID](#)^{62a}, S.M. Gibson [ID](#)⁹⁵, M. Gignac [ID](#)¹³⁶, D.T. Gil [ID](#)^{85b}, A.K. Gilbert [ID](#)^{85a}, B.J. Gilbert [ID](#)⁴¹, D. Gillberg [ID](#)³⁴, G. Gilles [ID](#)¹¹⁴, N.E.K. Gillwald [ID](#)⁴⁸, L. Ginabat [ID](#)¹²⁷, D.M. Gingrich [ID](#)^{2,ab}, M.P. Giordani [ID](#)^{69a,69c}, P.F. Giraud [ID](#)¹³⁵, G. Giugliarelli [ID](#)^{69a,69c}, D. Giugni [ID](#)^{71a}, F. Giuli [ID](#)³⁶, I. Gkialas [ID](#)^{9,j}, L.K. Gladilin [ID](#)³⁷, C. Glasman [ID](#)⁹⁹, G.R. Gledhill [ID](#)¹²³, M. Glisic ¹²³, I. Gnesi [ID](#)^{43b,f}, Y. Go [ID](#)^{29,ad}, M. Goblirsch-Kolb [ID](#)³⁶, B. Gocke [ID](#)⁴⁹, D. Godin ¹⁰⁸, B. Gokturk ^{21a}, S. Goldfarb [ID](#)¹⁰⁵, T. Golling [ID](#)⁵⁶, M.G.D. Gololo ^{33g}, D. Golubkov [ID](#)³⁷, J.P. Gombas [ID](#)¹⁰⁷, A. Gomes [ID](#)^{130a,130b}, G. Gomes Da Silva [ID](#)¹⁴¹, A.J. Gomez Delegido [ID](#)¹⁶², R. Gonalo [ID](#)^{130a,130c}, G. Gonella [ID](#)¹²³, L. Gonella [ID](#)²⁰, A. Gongadze [ID](#)³⁸, F. Gonnella [ID](#)²⁰, J.L. Gonski [ID](#)⁴¹, S. Gonzalez de la Hoz [ID](#)¹⁶², S. Gonzalez Fernandez [ID](#)¹³, R. Gonzalez Lopez [ID](#)⁹², C. Gonzalez Renteria [ID](#)^{17a}, R. Gonzalez Suarez [ID](#)¹⁶⁰, S. Gonzalez-Sevilla [ID](#)⁵⁶, G.R. Gonzalvo Rodriguez [ID](#)¹⁶², R.Y. Gonzalez Andana [ID](#)⁵², L. Goossens [ID](#)³⁶, P.A. Gorbounov [ID](#)³⁷, B. Gorini [ID](#)³⁶, E. Gorini [ID](#)^{70a,70b}, A. Gorišek [ID](#)⁹³, T.C. Gosart [ID](#)¹²⁸, A.T. Goshaw [ID](#)⁵¹, M.I. Gostkin [ID](#)³⁸, S. Goswami [ID](#)¹²¹, C.A. Gottardo [ID](#)³⁶, M. Goughri [ID](#)^{35b}, V. Goumarre [ID](#)⁴⁸, A.G. Goussiou [ID](#)¹³⁸, N. Govender [ID](#)^{33c}, I. Grabowska-Bold [ID](#)^{85a}, K. Graham [ID](#)³⁴, E. Gramstad [ID](#)¹²⁵, S. Grancagnolo [ID](#)^{70a,70b}, M. Grandi [ID](#)¹⁴⁶, V. Gratchev ^{37,*}, P.M. Gravila [ID](#)^{27f}, F.G. Gravili [ID](#)^{70a,70b}, H.M. Gray [ID](#)^{17a}, M. Greco [ID](#)^{70a,70b}, C. Grefe [ID](#)²⁴, I.M. Gregor [ID](#)⁴⁸, P. Grenier [ID](#)¹⁴³, C. Grieco [ID](#)¹³, A.A. Grillo [ID](#)¹³⁶, K. Grimm [ID](#)^{31,l}, S. Grinstein [ID](#)^{13,s}, J.-F. Grivaz [ID](#)⁶⁶, E. Gross [ID](#)¹⁶⁸, J. Grosse-Knetter [ID](#)⁵⁵, C. Grud ¹⁰⁶, J.C. Grundy [ID](#)¹²⁶, L. Guan [ID](#)¹⁰⁶, W. Guan [ID](#)¹⁶⁹, C. Gubbels [ID](#)¹⁶³, J.G.R. Guerrero Rojas [ID](#)¹⁶², G. Guerrieri [ID](#)^{69a,69b}, F. Guescini [ID](#)¹¹⁰, R. Gugel [ID](#)¹⁰⁰, J.A.M. Guhit [ID](#)¹⁰⁶, A. Guida [ID](#)⁴⁸, T. Guillemin [ID](#)⁴, E. Guillon [ID](#)^{166,134}, S. Guindon [ID](#)³⁶, F. Guo [ID](#)^{14a,14e}, J. Guo [ID](#)^{62c}, L. Guo [ID](#)⁶⁶, Y. Guo [ID](#)¹⁰⁶, R. Gupta [ID](#)⁴⁸, S. Gurbuz [ID](#)²⁴, S.S. Gurdasani [ID](#)⁵⁴, G. Gustavino [ID](#)³⁶, M. Guth [ID](#)⁵⁶, P. Gutierrez [ID](#)¹²⁰, L.F. Gutierrez Zagazeta [ID](#)¹²⁸, C. Gutschow [ID](#)⁹⁶, C. Gwenlan [ID](#)¹²⁶, C.B. Gwilliam [ID](#)⁹², E.S. Haaland [ID](#)¹²⁵, A. Haas [ID](#)¹¹⁷, M. Habedank [ID](#)⁴⁸, C. Haber [ID](#)^{17a}, H.K. Hadavand [ID](#)⁸, A. Hadeef [ID](#)¹⁰⁰, S. Hadzic [ID](#)¹¹⁰, E.H. Haines [ID](#)⁹⁶, M. Haleem [ID](#)¹⁶⁵, J. Haley [ID](#)¹²¹, J.J. Hall [ID](#)¹³⁹, G.D. Hallewell [ID](#)¹⁰², L. Halser [ID](#)¹⁹, K. Hamano [ID](#)¹⁶⁴, H. Hamdaoui [ID](#)^{35e}, M. Hamer [ID](#)²⁴, G.N. Hamity [ID](#)⁵², E.J. Hampshire [ID](#)⁹⁵, J. Han [ID](#)^{62b}, K. Han [ID](#)^{62a}, L. Han [ID](#)^{14c}, L. Han [ID](#)^{62a}, S. Han [ID](#)^{17a}, Y.F. Han [ID](#)¹⁵⁵, K. Hanagaki [ID](#)⁸³, M. Hance [ID](#)¹³⁶, D.A. Hangal [ID](#)^{41,z}, H. Hanif [ID](#)¹⁴², M.D. Hank [ID](#)¹²⁸, R. Hankache [ID](#)¹⁰¹, J.B. Hansen [ID](#)⁴², J.D. Hansen [ID](#)⁴², P.H. Hansen [ID](#)⁴², K. Hara [ID](#)¹⁵⁷, D. Harada [ID](#)⁵⁶, T. Harenberg [ID](#)¹⁷⁰, S. Harkusha [ID](#)³⁷, Y.T. Harris [ID](#)¹²⁶, N.M. Harrison [ID](#)¹¹⁹, P.F. Harrison ¹⁶⁶, N.M. Hartman [ID](#)¹⁴³, N.M. Hartmann [ID](#)¹⁰⁹, Y. Hasegawa [ID](#)¹⁴⁰, A. Hasib [ID](#)⁵², S. Haug [ID](#)¹⁹, R. Hauser [ID](#)¹⁰⁷, M. Havranek [ID](#)¹³², C.M. Hawkes [ID](#)²⁰, R.J. Hawkins [ID](#)³⁶, S. Hayashida [ID](#)¹¹¹, D. Hayden [ID](#)¹⁰⁷, C. Hayes [ID](#)¹⁰⁶, R.L. Hayes [ID](#)¹¹⁴, C.P. Hays [ID](#)¹²⁶, J.M. Hays [ID](#)⁹⁴, H.S. Hayward [ID](#)⁹², F. He [ID](#)^{62a}, Y. He [ID](#)¹⁵⁴, Y. He [ID](#)¹²⁷, N.B. Heatley [ID](#)⁹⁴, V. Hedberg [ID](#)⁹⁸, A.L. Heggelund [ID](#)¹²⁵, N.D. Hehir [ID](#)⁹⁴, C. Heidegger [ID](#)⁵⁴, K.K. Heidegger [ID](#)⁵⁴, W.D. Heidorn [ID](#)⁸¹, J. Heilman [ID](#)³⁴, S. Heim [ID](#)⁴⁸, T. Heim [ID](#)^{17a}, J.G. Heinlein [ID](#)¹²⁸, J.J. Heinrich [ID](#)¹²³, L. Heinrich [ID](#)¹¹⁰, J. Hejbal [ID](#)¹³¹, L. Helary [ID](#)⁴⁸, A. Held [ID](#)¹⁶⁹, S. Hellesund [ID](#)¹⁶, C.M. Helling [ID](#)¹⁶³, S. Hellman [ID](#)^{47a,47b}, C. Helsens [ID](#)³⁶, R.C.W. Henderson ⁹¹, L. Henkelmann [ID](#)³², A.M. Henriques Correia ³⁶, H. Herde [ID](#)⁹⁸, Y. Hernandez Jimenez [ID](#)¹⁴⁵,

L.M. Herrmann [124](#), T. Herrmann [50](#), G. Herten [54](#), R. Hertenberger [109](#), L. Hervas [36](#),
N.P. Hessey [156a](#), H. Hibi [84](#), S.J. Hillier [20](#), F. Hinterkeuser [24](#), M. Hirose [124](#), S. Hirose [157](#),
D. Hirschbuehl [170](#), T.G. Hitchings [101](#), B. Hiti [93](#), J. Hobbs [145](#), R. Hobincu [27e](#),
N. Hod [168](#), M.C. Hodgkinson [139](#), B.H. Hodgkinson [32](#), A. Hoecker [36](#), J. Hofer [48](#),
T. Holm [24](#), M. Holzbock [110](#), L.B.A.H. Hommels [32](#), B.P. Honan [101](#), J. Hong [62c](#),
T.M. Hong [129](#), J.C. Honig [54](#), B.H. Hooberman [161](#), W.H. Hopkins [6](#), Y. Horii [111](#),
S. Hou [148](#), A.S. Howard [93](#), J. Howarth [59](#), J. Hoya [6](#), M. Hrabovsky [122](#), A. Hrynevich [48](#),
T. Hryn'ova [4](#), P.J. Hsu [65](#), S.-C. Hsu [138](#), Q. Hu [41](#), Y.F. Hu [14a,14e](#), D.P. Huang [96](#),
S. Huang [64b](#), X. Huang [14c](#), Y. Huang [62a](#), Y. Huang [14a](#), Z. Huang [101](#), Z. Hubacek [132](#),
M. Huebner [24](#), F. Huegging [24](#), T.B. Huffman [126](#), M. Huhtinen [36](#), S.K. Huiberts [16](#),
R. Hulsken [104](#), N. Huseynov [12,a](#), J. Huston [107](#), J. Huth [61](#), R. Hyneman [143](#),
G. Iacobucci [56](#), G. Iakovidis [29](#), I. Ibragimov [141](#), L. Iconomidou-Fayard [66](#), P. Iengo [72a,72b](#),
R. Iguchi [153](#), T. Iizawa [56](#), Y. Ikegami [83](#), A. Ilg [19](#), N. Ilic [155](#), H. Imam [35a](#),
T. Ingebretsen Carlson [47a,47b](#), G. Introzzi [73a,73b](#), M. Iodice [77a](#), V. Ippolito [75a,75b](#),
M. Ishino [153](#), W. Islam [169](#), C. Issever [18,48](#), S. Istin [21a](#), H. Ito [167](#), J.M. Iturbe Ponce [64a](#),
R. Iuppa [78a,78b](#), A. Ivina [168](#), J.M. Izen [45](#), V. Izzo [72a](#), P. Jacka [131,132](#), P. Jackson [1](#),
R.M. Jacobs [48](#), B.P. Jaeger [142](#), C.S. Jagfeld [109](#), P. Jain [54](#), G. Jäkel [170](#), K. Jakobs [54](#),
T. Jakoubek [168](#), J. Jamieson [59](#), K.W. Janas [85a](#), A.E. Jaspán [92](#), M. Javurkova [103](#),
F. Jeanneau [135](#), L. Jeanty [123](#), J. Jejelava [149a,y](#), P. Jenni [54,g](#), C.E. Jessiman [34](#),
S. Jézéquel [4](#), C. Jia [62b](#), J. Jia [145](#), X. Jia [61](#), X. Jia [14a,14e](#), Z. Jia [14c](#), Y. Jiang [62a](#),
S. Jiggins [48](#), J. Jimenez Pena [110](#), S. Jin [14c](#), A. Jinaru [27b](#), O. Jinnouchi [154](#),
P. Johansson [139](#), K.A. Johns [7](#), J.W. Johnson [136](#), D.M. Jones [32](#), E. Jones [48](#), P. Jones [32](#),
R.W.L. Jones [91](#), T.J. Jones [92](#), R. Joshi [119](#), J. Jovicevic [15](#), X. Ju [17a](#),
J.J. Junggeburth [36](#), T. Junkermann [63a](#), A. Juste Rozas [13,s](#), S. Kabana [137e](#),
A. Kaczmarzka [86](#), M. Kado [110](#), H. Kagan [119](#), M. Kagan [143](#), A. Kahn [41](#), A. Kahn [128](#),
C. Kahra [100](#), T. Kaji [167](#), E. Kajomovitz [150](#), N. Kakati [168](#), C.W. Kalderon [29](#),
A. Kamenshchikov [155](#), S. Kanayama [154](#), N.J. Kang [136](#), D. Kar [33g](#), K. Karava [126](#),
M.J. Kareem [156b](#), E. Karentzos [54](#), I. Karkanias [152,e](#), S.N. Karpov [38](#), Z.M. Karpova [38](#),
V. Kartvelishvili [91](#), A.N. Karyukhin [37](#), E. Kasimi [152,e](#), J. Katzy [48](#), S. Kaur [34](#),
K. Kawade [140](#), T. Kawamoto [135](#), G. Kawamura [55](#), E.F. Kay [164](#), F.I. Kaya [158](#),
S. Kazakos [13](#), V.F. Kazanin [37](#), Y. Ke [145](#), J.M. Keaveney [33a](#), R. Keeler [164](#),
G.V. Kehris [61](#), J.S. Keller [34](#), A.S. Kelly [96](#), D. Kelsey [146](#), J.J. Kempster [146](#),
K.E. Kennedy [41](#), P.D. Kennedy [100](#), O. Kepka [131](#), B.P. Kerridge [166](#), S. Kersten [170](#),
B.P. Kerševan [93](#), S. Keshri [66](#), L. Keszeghova [28a](#), S. Ketabchi Haghighat [155](#),
M. Khandoga [127](#), A. Khanov [121](#), A.G. Kharlamov [37](#), T. Kharlamova [37](#), E.E. Khoda [138](#),
T.J. Khoo [18](#), G. Khoraiuli [165](#), J. Khubua [149b](#), Y.A.R. Khwaira [66](#), M. Kiehn [36](#),
A. Kilgallon [123](#), D.W. Kim [47a,47b](#), Y.K. Kim [39](#), N. Kimura [96](#), A. Kirchhoff [55](#),
C. Kirfel [24](#), J. Kirk [134](#), A.E. Kiryunin [110](#), T. Kishimoto [153](#), D.P. Kisiuk [155](#), C. Kitsaki [10](#),
O. Kivernyk [24](#), M. Klassen [63a](#), C. Klein [34](#), L. Klein [165](#), M.H. Klein [106](#), M. Klein [92](#),
S.B. Klein [56](#), U. Klein [92](#), P. Klimek [36](#), A. Klimentov [29](#), T. Klioutchnikova [36](#),
P. Kluit [114](#), S. Kluth [110](#), E. Kneringer [79](#), T.M. Knight [155](#), A. Knue [54](#), R. Kobayashi [87](#),
M. Kocian [143](#), P. Kodyš [133](#), D.M. Koeck [123](#), P.T. Koenig [24](#), T. Koffas [34](#), M. Kolb [135](#),
I. Koletsou [4](#), T. Komarek [122](#), K. Köneke [54](#), A.X.Y. Kong [1](#), T. Kono [118](#),

N. Konstantinidis [ID](#)⁹⁶, B. Konya [ID](#)⁹⁸, R. Kopeliansky [ID](#)⁶⁸, S. Koperny [ID](#)^{85a}, K. Korcyl [ID](#)⁸⁶, K. Kordas [ID](#)^{152,e}, G. Koren [ID](#)¹⁵¹, A. Korn [ID](#)⁹⁶, S. Korn [ID](#)⁵⁵, I. Korolkov [ID](#)¹³, N. Korotkova [ID](#)³⁷, B. Kortman [ID](#)¹¹⁴, O. Kortner [ID](#)¹¹⁰, S. Kortner [ID](#)¹¹⁰, W.H. KostECKa [ID](#)¹¹⁵, V.V. Kostyukhin [ID](#)¹⁴¹, A. Kotsokechagia [ID](#)¹³⁵, A. Kotwal [ID](#)⁵¹, A. Koulouris [ID](#)³⁶, A. Kourkumeli-Charalampidi [ID](#)^{73a,73b}, C. Kourkumelis [ID](#)⁹, E. Kourlitis [ID](#)⁶, O. Kovanda [ID](#)¹⁴⁶, R. Kowalewski [ID](#)¹⁶⁴, W. Kozanecki [ID](#)¹³⁵, A.S. Kozhin [ID](#)³⁷, V.A. Kramarenko [ID](#)³⁷, G. Kramberger [ID](#)⁹³, P. Kramer [ID](#)¹⁰⁰, M.W. Krasny [ID](#)¹²⁷, A. Krasznahorkay [ID](#)³⁶, J.A. Kremer [ID](#)¹⁰⁰, T. Kresse [ID](#)⁵⁰, J. Kretzschmar [ID](#)⁹², K. Kreul [ID](#)¹⁸, P. Krieger [ID](#)¹⁵⁵, S. Krishnamurthy [ID](#)¹⁰³, M. Krivos [ID](#)¹³³, K. Krizka [ID](#)²⁰, K. Kroeninger [ID](#)⁴⁹, H. Kroha [ID](#)¹¹⁰, J. Kroll [ID](#)¹³¹, J. Kroll [ID](#)¹²⁸, K.S. Krowpman [ID](#)¹⁰⁷, U. Kruchonak [ID](#)³⁸, H. Krüger [ID](#)²⁴, N. Krumnack⁸¹, M.C. Kruse [ID](#)⁵¹, J.A. Krzysiak [ID](#)⁸⁶, O. Kuchinskaia [ID](#)³⁷, S. Kuday [ID](#)^{3a}, S. Kuehn [ID](#)³⁶, R. Kuesters [ID](#)⁵⁴, T. Kuhl [ID](#)⁴⁸, V. Kukhtin [ID](#)³⁸, Y. Kulchitsky [ID](#)^{37,a}, S. Kuleshov [ID](#)^{137d,137b}, M. Kumar [ID](#)^{33g}, N. Kumari [ID](#)¹⁰², A. Kupco [ID](#)¹³¹, T. Kupfer⁴⁹, A. Kupich [ID](#)³⁷, O. Kuprash [ID](#)⁵⁴, H. Kurashige [ID](#)⁸⁴, L.L. Kurchaninov [ID](#)^{156a}, O. Kurdyshev [ID](#)⁶⁶, Y.A. Kurochkin [ID](#)³⁷, A. Kurova [ID](#)³⁷, M. Kuze [ID](#)¹⁵⁴, A.K. Kvam [ID](#)¹⁰³, J. Kvita [ID](#)¹²², T. Kwan [ID](#)¹⁰⁴, N.G. Kyriacou [ID](#)¹⁰⁶, L.A.O. Laatu [ID](#)¹⁰², C. Lacasta [ID](#)¹⁶², F. Lacava [ID](#)^{75a,75b}, H. Lacker [ID](#)¹⁸, D. Lacour [ID](#)¹²⁷, N.N. Lad [ID](#)⁹⁶, E. Ladygin [ID](#)³⁸, B. Laforge [ID](#)¹²⁷, T. Lagouri [ID](#)^{137e}, S. Lai [ID](#)⁵⁵, I.K. Lakomic [ID](#)^{85a}, N. Lalloue [ID](#)⁶⁰, J.E. Lambert [ID](#)¹²⁰, S. Lammers [ID](#)⁶⁸, W. Lampl [ID](#)⁷, C. Lampoudis [ID](#)^{152,e}, A.N. Lancaster [ID](#)¹¹⁵, E. Lançon [ID](#)²⁹, U. Landgraf [ID](#)⁵⁴, M.P.J. Landon [ID](#)⁹⁴, V.S. Lang [ID](#)⁵⁴, R.J. Langenberg [ID](#)¹⁰³, A.J. Lankford [ID](#)¹⁵⁹, F. Lanni [ID](#)³⁶, K. Lantzsche [ID](#)²⁴, A. Lanza [ID](#)^{73a}, A. Lapertosa [ID](#)^{57b,57a}, J.F. Laporte [ID](#)¹³⁵, T. Lari [ID](#)^{71a}, F. Lasagni Manghi [ID](#)^{23b}, M. Lassnig [ID](#)³⁶, V. Latonova [ID](#)¹³¹, A. Laudrain [ID](#)¹⁰⁰, A. Laurier [ID](#)¹⁵⁰, S.D. Lawlor [ID](#)⁹⁵, Z. Lawrence [ID](#)¹⁰¹, M. Lazzaroni [ID](#)^{71a,71b}, B. Le¹⁰¹, E.M. Le Boulicaut [ID](#)⁵¹, B. Leban [ID](#)⁹³, A. Lebedev [ID](#)⁸¹, M. LeBlanc [ID](#)³⁶, F. Ledroit-Guillon [ID](#)⁶⁰, A.C.A. Lee⁹⁶, G.R. Lee [ID](#)¹⁶, S.C. Lee [ID](#)¹⁴⁸, S. Lee [ID](#)^{47a,47b}, T.F. Lee [ID](#)⁹², L.L. Leeuw [ID](#)^{33c}, H.P. Lefebvre [ID](#)⁹⁵, M. Lefebvre [ID](#)¹⁶⁴, C. Leggett [ID](#)^{17a}, K. Lehmann [ID](#)¹⁴², G. Lehmann Miotto [ID](#)³⁶, M. Leigh [ID](#)⁵⁶, W.A. Leight [ID](#)¹⁰³, A. Leisos [ID](#)^{152,r}, M.A.L. Leite [ID](#)^{82c}, C.E. Leitgeb [ID](#)⁴⁸, R. Leitner [ID](#)¹³³, K.J.C. Leney [ID](#)⁴⁴, T. Lenz [ID](#)²⁴, S. Leone [ID](#)^{74a}, C. Leonidopoulos [ID](#)⁵², A. Leopold [ID](#)¹⁴⁴, C. Leroy [ID](#)¹⁰⁸, R. Les [ID](#)¹⁰⁷, C.G. Lester [ID](#)³², M. Levchenko [ID](#)³⁷, J. Levêque [ID](#)⁴, D. Levin [ID](#)¹⁰⁶, L.J. Levinson [ID](#)¹⁶⁸, M.P. Lewicki [ID](#)⁸⁶, D.J. Lewis [ID](#)⁴, A. Li [ID](#)⁵, B. Li [ID](#)^{62b}, C. Li [ID](#)^{62a}, C-Q. Li [ID](#)^{62c}, H. Li [ID](#)^{62a}, H. Li [ID](#)^{62b}, H. Li [ID](#)^{14c}, H. Li [ID](#)^{62b}, J. Li [ID](#)^{62c}, K. Li [ID](#)¹³⁸, L. Li [ID](#)^{62c}, M. Li [ID](#)^{14a,14e}, Q.Y. Li [ID](#)^{62a}, S. Li [ID](#)^{14a,14e}, S. Li [ID](#)^{62d,62c,d}, T. Li [ID](#)^{62b}, X. Li [ID](#)¹⁰⁴, Z. Li [ID](#)^{62b}, Z. Li [ID](#)¹²⁶, Z. Li [ID](#)¹⁰⁴, Z. Li [ID](#)⁹², Z. Li [ID](#)^{14a,14e}, Z. Liang [ID](#)^{14a}, M. Liberatore [ID](#)⁴⁸, B. Liberti [ID](#)^{76a}, K. Lie [ID](#)^{64c}, J. Lieber Marin [ID](#)^{82b}, H. Lien [ID](#)⁶⁸, K. Lin [ID](#)¹⁰⁷, R.A. Linck [ID](#)⁶⁸, R.E. Lindley [ID](#)⁷, J.H. Lindon [ID](#)², A. Linss [ID](#)⁴⁸, E. Lipeles [ID](#)¹²⁸, A. Lipniacka [ID](#)¹⁶, A. Lister [ID](#)¹⁶³, J.D. Little [ID](#)⁴, B. Liu [ID](#)^{14a}, B.X. Liu [ID](#)¹⁴², D. Liu [ID](#)^{62d,62c}, J.B. Liu [ID](#)^{62a}, J.K.K. Liu [ID](#)³², K. Liu [ID](#)^{62d,62c}, M. Liu [ID](#)^{62a}, M.Y. Liu [ID](#)^{62a}, P. Liu [ID](#)^{14a}, Q. Liu [ID](#)^{62d,138,62c}, X. Liu [ID](#)^{62a}, Y. Liu [ID](#)^{14d,14e}, Y.L. Liu [ID](#)¹⁰⁶, Y.W. Liu [ID](#)^{62a}, J. Llorente Merino [ID](#)¹⁴², S.L. Lloyd [ID](#)⁹⁴, E.M. Lobodzinska [ID](#)⁴⁸, P. Loch [ID](#)⁷, S. Loffredo [ID](#)^{76a,76b}, T. Lohse [ID](#)¹⁸, K. Lohwasser [ID](#)¹³⁹, E. Loiacono [ID](#)⁴⁸, M. Lokajicek [ID](#)¹³¹, J.D. Lomas [ID](#)²⁰, J.D. Long [ID](#)¹⁶¹, I. Longarini [ID](#)¹⁵⁹, L. Longo [ID](#)^{70a,70b}, R. Longo [ID](#)¹⁶¹, I. Lopez Paz [ID](#)⁶⁷, A. Lopez Solis [ID](#)⁴⁸, J. Lorenz [ID](#)¹⁰⁹, N. Lorenzo Martinez [ID](#)⁴, A.M. Lory [ID](#)¹⁰⁹, X. Lou [ID](#)^{47a,47b}, X. Lou [ID](#)^{14a,14e}, A. Lounis [ID](#)⁶⁶, J. Love [ID](#)⁶, P.A. Love [ID](#)⁹¹, G. Lu [ID](#)^{14a,14e}, M. Lu [ID](#)⁸⁰, S. Lu [ID](#)¹²⁸, Y.J. Lu [ID](#)⁶⁵, H.J. Lubatti [ID](#)¹³⁸, C. Luci [ID](#)^{75a,75b}, F.L. Lucio Alves [ID](#)^{14c}, A. Lucotte [ID](#)⁶⁰, F. Luehring [ID](#)⁶⁸, I. Luise [ID](#)¹⁴⁵, O. Lukianchuk [ID](#)⁶⁶, O. Lundberg [ID](#)¹⁴⁴, B. Lund-Jensen [ID](#)¹⁴⁴,

N.A. Luongo [ID](#)¹²³, M.S. Lutz [ID](#)¹⁵¹, D. Lynn [ID](#)²⁹, H. Lyons⁹², R. Lysak [ID](#)¹³¹, E. Lytken [ID](#)⁹⁸,
V. Lyubushkin [ID](#)³⁸, T. Lyubushkina [ID](#)³⁸, M.M. Lyukova [ID](#)¹⁴⁵, H. Ma [ID](#)²⁹, L.L. Ma [ID](#)^{62b}, Y. Ma [ID](#)⁹⁶,
D.M. Mac Donell [ID](#)¹⁶⁴, G. Maccarrone [ID](#)⁵³, J.C. MacDonald [ID](#)¹³⁹, R. Madar [ID](#)⁴⁰, W.F. Mader [ID](#)⁵⁰,
J. Maeda [ID](#)⁸⁴, T. Maeno [ID](#)²⁹, M. Maerker [ID](#)⁵⁰, H. Maguire [ID](#)¹³⁹, A. Maio [ID](#)^{130a,130b,130d},
K. Maj [ID](#)^{85a}, O. Majersky [ID](#)⁴⁸, S. Majewski [ID](#)¹²³, N. Makovec [ID](#)⁶⁶, V. Maksimovic [ID](#)¹⁵,
B. Malaescu [ID](#)¹²⁷, Pa. Malecki [ID](#)⁸⁶, V.P. Maleev [ID](#)³⁷, F. Malek [ID](#)⁶⁰, D. Malito [ID](#)^{43b,43a},
U. Mallik [ID](#)⁸⁰, C. Malone [ID](#)³², S. Maltezos¹⁰, S. Malyukov³⁸, J. Mamuzic [ID](#)¹³, G. Mancini [ID](#)⁵³,
G. Manco [ID](#)^{73a,73b}, J.P. Mandalia [ID](#)⁹⁴, I. Mandić [ID](#)⁹³, L. Manhaes de Andrade Filho [ID](#)^{82a},
I.M. Maniatis [ID](#)¹⁶⁸, J. Manjarres Ramos [ID](#)¹⁰², D.C. Mankad [ID](#)¹⁶⁸, A. Mann [ID](#)¹⁰⁹,
B. Mansoulie [ID](#)¹³⁵, S. Manzoni [ID](#)³⁶, A. Marantis [ID](#)¹⁵², G. Marchiori [ID](#)⁵, M. Marcisovsky [ID](#)¹³¹,
C. Marcon [ID](#)^{71a,71b}, M. Marinescu [ID](#)²⁰, M. Marjanovic [ID](#)¹²⁰, E.J. Marshall [ID](#)⁹¹, Z. Marshall [ID](#)^{17a},
S. Marti-Garcia [ID](#)¹⁶², T.A. Martin [ID](#)¹⁶⁶, V.J. Martin [ID](#)⁵², B. Martin dit Latour [ID](#)¹⁶,
L. Martinelli [ID](#)^{75a,75b}, M. Martinez [ID](#)^{13,s}, P. Martinez Agullo [ID](#)¹⁶², V.I. Martinez Outschoorn [ID](#)¹⁰³,
P. Martinez Suarez [ID](#)¹³, S. Martin-Haugh [ID](#)¹³⁴, V.S. Martoiu [ID](#)^{27b}, A.C. Martyniuk [ID](#)⁹⁶,
A. Marzin [ID](#)³⁶, S.R. Maschek [ID](#)¹¹⁰, D. Mascione [ID](#)^{78a,78b}, L. Masetti [ID](#)¹⁰⁰, T. Mashimo [ID](#)¹⁵³,
J. Masik [ID](#)¹⁰¹, A.L. Maslennikov [ID](#)³⁷, L. Massa [ID](#)^{23b}, P. Massarotti [ID](#)^{72a,72b},
P. Mastrandrea [ID](#)^{74a,74b}, A. Mastroberardino [ID](#)^{43b,43a}, T. Masubuchi [ID](#)¹⁵³, T. Mathisen [ID](#)¹⁶⁰,
N. Matsuzawa¹⁵³, J. Maurer [ID](#)^{27b}, B. Maček [ID](#)⁹³, D.A. Maximov [ID](#)³⁷, R. Mazini [ID](#)¹⁴⁸,
I. Maznas [ID](#)^{152,e}, M. Mazza [ID](#)¹⁰⁷, S.M. Mazza [ID](#)¹³⁶, C. Mc Ginn [ID](#)²⁹, J.P. Mc Gowan [ID](#)¹⁰⁴,
S.P. Mc Kee [ID](#)¹⁰⁶, E.F. McDonald [ID](#)¹⁰⁵, A.E. McDougall [ID](#)¹¹⁴, J.A. Mcfayden [ID](#)¹⁴⁶,
R.P. McGovern [ID](#)¹²⁸, G. Mchedlidze [ID](#)^{149b}, R.P. McKenzie [ID](#)^{33g}, T.C. Mclachlan [ID](#)⁴⁸,
D.J. Mclaughlin [ID](#)⁹⁶, K.D. McLean [ID](#)¹⁶⁴, S.J. McMahon [ID](#)¹³⁴, P.C. McNamara [ID](#)¹⁰⁵,
C.M. Mcpartland [ID](#)⁹², R.A. McPherson [ID](#)^{164,v}, T. Megy [ID](#)⁴⁰, S. Mehlhase [ID](#)¹⁰⁹, A. Mehta [ID](#)⁹²,
D. Melini [ID](#)¹⁵⁰, B.R. Mellado Garcia [ID](#)^{33g}, A.H. Melo [ID](#)⁵⁵, F. Meloni [ID](#)⁴⁸,
A.M. Mendes Jacques Da Costa [ID](#)¹⁰¹, H.Y. Meng [ID](#)¹⁵⁵, L. Meng [ID](#)⁹¹, S. Menke [ID](#)¹¹⁰,
M. Mentink [ID](#)³⁶, E. Meoni [ID](#)^{43b,43a}, C. Merlassino [ID](#)¹²⁶, L. Merola [ID](#)^{72a,72b}, C. Meroni [ID](#)^{71a},
G. Merz¹⁰⁶, O. Meshkov [ID](#)³⁷, J. Metcalfe [ID](#)⁶, A.S. Mete [ID](#)⁶, C. Meyer [ID](#)⁶⁸, J-P. Meyer [ID](#)¹³⁵,
R.P. Middleton [ID](#)¹³⁴, L. Mijović [ID](#)⁵², G. Mikenberg [ID](#)¹⁶⁸, M. Mikesikova [ID](#)¹³¹, M. Mikuš [ID](#)⁹³,
H. Mildner [ID](#)¹³⁹, A. Milic [ID](#)³⁶, C.D. Milke [ID](#)⁴⁴, D.W. Miller [ID](#)³⁹, L.S. Miller [ID](#)³⁴, A. Milov [ID](#)¹⁶⁸,
D.A. Milstead^{47a,47b}, T. Min^{14c}, A.A. Minaenko [ID](#)³⁷, I.A. Minashvili [ID](#)^{149b}, L. Mince [ID](#)⁵⁹,
A.I. Mincer [ID](#)¹¹⁷, B. Mindur [ID](#)^{85a}, M. Mineev [ID](#)³⁸, Y. Mino [ID](#)⁸⁷, L.M. Mir [ID](#)¹³,
M. Miralles Lopez [ID](#)¹⁶², M. Mironova [ID](#)^{17a}, M.C. Missio [ID](#)¹¹³, T. Mitani [ID](#)¹⁶⁷, A. Mitra [ID](#)¹⁶⁶,
V.A. Mitsou [ID](#)¹⁶², O. Miu [ID](#)¹⁵⁵, P.S. Miyagawa [ID](#)⁹⁴, Y. Miyazaki⁸⁹, A. Mizukami [ID](#)⁸³,
T. Mkrtchyan [ID](#)^{63a}, M. Mlinarevic [ID](#)⁹⁶, T. Mlinarevic [ID](#)⁹⁶, M. Mlynarikova [ID](#)³⁶, S. Mobius [ID](#)⁵⁵,
K. Mochizuki [ID](#)¹⁰⁸, P. Moder [ID](#)⁴⁸, P. Mogg [ID](#)¹⁰⁹, A.F. Mohammed [ID](#)^{14a,14e}, S. Mohapatra [ID](#)⁴¹,
G. Mokatitswane [ID](#)^{33g}, B. Mondal [ID](#)¹⁴¹, S. Mondal [ID](#)¹³², G. Monig [ID](#)¹⁴⁶, K. Mönig [ID](#)⁴⁸,
E. Monnier [ID](#)¹⁰², L. Monsonis Romero¹⁶², J. Montejo Berlingen [ID](#)⁸³, M. Montella [ID](#)¹¹⁹,
F. Monticelli [ID](#)⁹⁰, N. Morange [ID](#)⁶⁶, A.L. Moreira De Carvalho [ID](#)^{130a}, M. Moreno Llácer [ID](#)¹⁶²,
C. Moreno Martinez [ID](#)⁵⁶, P. Morettini [ID](#)^{57b}, S. Morgenstern [ID](#)³⁶, M. Morii [ID](#)⁶¹, M. Morinaga [ID](#)¹⁵³,
A.K. Morley [ID](#)³⁶, F. Morodei [ID](#)^{75a,75b}, L. Morvaj [ID](#)³⁶, P. Moschovakos [ID](#)³⁶, B. Moser [ID](#)³⁶,
M. Mosidze^{149b}, T. Moskalets [ID](#)⁵⁴, P. Moskvitina [ID](#)¹¹³, J. Moss [ID](#)^{31,m}, E.J.W. Moyse [ID](#)¹⁰³,
O. Mtintsilana [ID](#)^{33g}, S. Muanza [ID](#)¹⁰², J. Mueller [ID](#)¹²⁹, D. Muenstermann [ID](#)⁹¹, R. Müller [ID](#)¹⁹,
G.A. Mullier [ID](#)¹⁶⁰, J.J. Mullin¹²⁸, D.P. Mungo [ID](#)¹⁵⁵, J.L. Munoz Martinez [ID](#)¹³,

D. Munoz Perez [ID](#)¹⁶², F.J. Munoz Sanchez [ID](#)¹⁰¹, M. Murin [ID](#)¹⁰¹, W.J. Murray [ID](#)^{166,134},
A. Murrone [ID](#)^{71a,71b}, J.M. Muse [ID](#)¹²⁰, M. Muškinja [ID](#)^{17a}, C. Mwewa [ID](#)²⁹, A.G. Myagkov [ID](#)^{37,a},
A.J. Myers [ID](#)⁸, A.A. Myers¹²⁹, G. Myers [ID](#)⁶⁸, M. Myska [ID](#)¹³², B.P. Nachman [ID](#)^{17a},
O. Nackenhorst [ID](#)⁴⁹, A. Nag [ID](#)⁵⁰, K. Nagai [ID](#)¹²⁶, K. Nagano [ID](#)⁸³, J.L. Nagle [ID](#)^{29,ad}, E. Nagy [ID](#)¹⁰²,
A.M. Nairz [ID](#)³⁶, Y. Nakahama [ID](#)⁸³, K. Nakamura [ID](#)⁸³, H. Nanjo [ID](#)¹²⁴, R. Narayan [ID](#)⁴⁴,
E.A. Narayanan [ID](#)¹¹², I. Naryshkin [ID](#)³⁷, M. Naseri [ID](#)³⁴, C. Nass [ID](#)²⁴, G. Navarro [ID](#)^{22a},
J. Navarro-Gonzalez [ID](#)¹⁶², R. Nayak [ID](#)¹⁵¹, A. Nayaz [ID](#)¹⁸, P.Y. Nechaeva [ID](#)³⁷, F. Nechansky [ID](#)⁴⁸,
L. Nedic [ID](#)¹²⁶, T.J. Neep [ID](#)²⁰, A. Negri [ID](#)^{73a,73b}, M. Negrini [ID](#)^{23b}, C. Nellist [ID](#)¹¹⁴, C. Nelson [ID](#)¹⁰⁴,
K. Nelson [ID](#)¹⁰⁶, S. Nemecek [ID](#)¹³¹, M. Nessi [ID](#)^{36,h}, M.S. Neubauer [ID](#)¹⁶¹, F. Neuhaus [ID](#)¹⁰⁰,
J. Neundorff [ID](#)⁴⁸, R. Newhouse [ID](#)¹⁶³, P.R. Newman [ID](#)²⁰, C.W. Ng [ID](#)¹²⁹, Y.W.Y. Ng [ID](#)⁴⁸,
B. Ngair [ID](#)^{35e}, H.D.N. Nguyen [ID](#)¹⁰⁸, R.B. Nickerson [ID](#)¹²⁶, R. Nicolaidou [ID](#)¹³⁵, J. Nielsen [ID](#)¹³⁶,
M. Niemeyer [ID](#)⁵⁵, N. Nikiforou [ID](#)³⁶, V. Nikolaenko [ID](#)^{37,a}, I. Nikolic-Audit [ID](#)¹²⁷, K. Nikolopoulos [ID](#)²⁰,
P. Nilsson [ID](#)²⁹, I. Ninca [ID](#)⁴⁸, H.R. Nindhito [ID](#)⁵⁶, G. Ninio [ID](#)¹⁵¹, A. Nisati [ID](#)^{75a}, N. Nishu [ID](#)²,
R. Nisius [ID](#)¹¹⁰, J-E. Nitschke [ID](#)⁵⁰, E.K. Nkadimeng [ID](#)^{33g}, S.J. Noacco Rosende [ID](#)⁹⁰, T. Nobe [ID](#)¹⁵³,
D.L. Noel [ID](#)³², T. Nommensen [ID](#)¹⁴⁷, M.A. Nomura²⁹, M.B. Norfolk [ID](#)¹³⁹, R.R.B. Norisam [ID](#)⁹⁶,
B.J. Norman [ID](#)³⁴, J. Novak [ID](#)⁹³, T. Novak [ID](#)⁴⁸, L. Novotny [ID](#)¹³², R. Novotny [ID](#)¹¹², L. Nozka [ID](#)¹²²,
K. Ntekas [ID](#)¹⁵⁹, N.M.J. Nunes De Moura Junior [ID](#)^{82b}, E. Nurse⁹⁶, J. Ocariz [ID](#)¹²⁷, A. Ochi [ID](#)⁸⁴,
I. Ochoa [ID](#)^{130a}, S. Oerdek [ID](#)¹⁶⁰, J.T. Offermann [ID](#)³⁹, A. Ogrodnik [ID](#)^{85a}, A. Oh [ID](#)¹⁰¹,
C.C. Ohm [ID](#)¹⁴⁴, H. Oide [ID](#)⁸³, R. Oishi [ID](#)¹⁵³, M.L. Ojeda [ID](#)⁴⁸, Y. Okazaki [ID](#)⁸⁷, M.W. O’Keefe⁹²,
Y. Okumura [ID](#)¹⁵³, L.F. Oleiro Seabra [ID](#)^{130a}, S.A. Olivares Pino [ID](#)^{137d}, D. Oliveira Damazio [ID](#)²⁹,
D. Oliveira Goncalves [ID](#)^{82a}, J.L. Oliver [ID](#)¹⁵⁹, M.J.R. Olsson [ID](#)¹⁵⁹, A. Olszewski [ID](#)⁸⁶,
Ö.O. Öncel [ID](#)⁵⁴, D.C. O’Neil [ID](#)¹⁴², A.P. O’Neill [ID](#)¹⁹, A. Onofre [ID](#)^{130a,130e}, P.U.E. Onyisi [ID](#)¹¹,
M.J. Oreglia [ID](#)³⁹, G.E. Orellana [ID](#)⁹⁰, D. Orestano [ID](#)^{77a,77b}, N. Orlando [ID](#)¹³, R.S. Orr [ID](#)¹⁵⁵,
V. O’Shea [ID](#)⁵⁹, R. Ospanov [ID](#)^{62a}, G. Otero y Garzon [ID](#)³⁰, H. Otono [ID](#)⁸⁹, P.S. Ott [ID](#)^{63a},
G.J. Ottino [ID](#)^{17a}, M. Ouchrif [ID](#)^{35d}, J. Ouellette [ID](#)²⁹, F. Ould-Saada [ID](#)¹²⁵, M. Owen [ID](#)⁵⁹,
R.E. Owen [ID](#)¹³⁴, K.Y. Oyulmaz [ID](#)^{21a}, V.E. Ozcan [ID](#)^{21a}, N. Ozturk [ID](#)⁸, S. Ozturk [ID](#)^{21d},
H.A. Pacey [ID](#)³², A. Pacheco Pages [ID](#)¹³, C. Padilla Aranda [ID](#)¹³, G. Padovano [ID](#)^{75a,75b},
S. Pagan Griso [ID](#)^{17a}, G. Palacino [ID](#)⁶⁸, A. Palazzo [ID](#)^{70a,70b}, S. Palestini [ID](#)³⁶, J. Pan [ID](#)¹⁷¹,
T. Pan [ID](#)^{64a}, D.K. Panchal [ID](#)¹¹, C.E. Pandini [ID](#)¹¹⁴, J.G. Panduro Vazquez [ID](#)⁹⁵, H. Pang [ID](#)^{14b},
P. Pani [ID](#)⁴⁸, G. Panizzo [ID](#)^{69a,69c}, L. Paolozzi [ID](#)⁵⁶, C. Papadatos [ID](#)¹⁰⁸, S. Parajuli [ID](#)⁴⁴,
A. Paramonov [ID](#)⁶, C. Paraskevopoulos [ID](#)¹⁰, D. Paredes Hernandez [ID](#)^{64b}, T.H. Park [ID](#)¹⁵⁵,
M.A. Parker [ID](#)³², F. Parodi [ID](#)^{57b,57a}, E.W. Parrish [ID](#)¹¹⁵, V.A. Parrish [ID](#)⁵², J.A. Parsons [ID](#)⁴¹,
U. Parzefall [ID](#)⁵⁴, B. Pascual Dias [ID](#)¹⁰⁸, L. Pascual Dominguez [ID](#)¹⁵¹, F. Pasquali [ID](#)¹¹⁴,
E. Pasqualucci [ID](#)^{75a}, S. Passaggio [ID](#)^{57b}, F. Pastore [ID](#)⁹⁵, P. Pasuwan [ID](#)^{47a,47b}, P. Patel [ID](#)⁸⁶,
U.M. Patel [ID](#)⁵¹, J.R. Pater [ID](#)¹⁰¹, T. Pauly [ID](#)³⁶, J. Pearkes [ID](#)¹⁴³, M. Pedersen [ID](#)¹²⁵, R. Pedro [ID](#)^{130a},
S.V. Peleganchuk [ID](#)³⁷, O. Penc [ID](#)³⁶, E.A. Pender⁵², H. Peng [ID](#)^{62a}, K.E. Pensi [ID](#)¹⁰⁹, M. Penzin [ID](#)³⁷,
B.S. Peralva [ID](#)^{82d,82d}, A.P. Pereira Peixoto [ID](#)⁶⁰, L. Pereira Sanchez [ID](#)^{47a,47b}, D.V. Perpelitsa [ID](#)^{29,ad},
E. Perez Codina [ID](#)^{156a}, M. Perganti [ID](#)¹⁰, L. Perini [ID](#)^{71a,71b,*}, H. Pernegger [ID](#)³⁶, S. Perrella [ID](#)³⁶,
A. Perrevoort [ID](#)¹¹³, O. Perrin [ID](#)⁴⁰, K. Peters [ID](#)⁴⁸, R.F.Y. Peters [ID](#)¹⁰¹, B.A. Petersen [ID](#)³⁶,
T.C. Petersen [ID](#)⁴², E. Petit [ID](#)¹⁰², V. Petousis [ID](#)¹³², C. Petridou [ID](#)^{152,e}, A. Petrukhin [ID](#)¹⁴¹,
M. Pettee [ID](#)^{17a}, N.E. Pettersson [ID](#)³⁶, A. Petukhov [ID](#)³⁷, K. Petukhova [ID](#)¹³³, A. Peyaud [ID](#)¹³⁵,
R. Pezoa [ID](#)^{137f}, L. Pezzotti [ID](#)³⁶, G. Pezzullo [ID](#)¹⁷¹, T.M. Pham [ID](#)¹⁶⁹, T. Pham [ID](#)¹⁰⁵,
P.W. Phillips [ID](#)¹³⁴, M.W. Phipps [ID](#)¹⁶¹, G. Piacquadio [ID](#)¹⁴⁵, E. Pianori [ID](#)^{17a}, F. Piazza [ID](#)^{71a,71b},

R. Piegai [130](#), D. Pietreanu [27b](#), A.D. Pilkington [101](#), M. Pinamonti [69a,69c](#), J.L. Pinfeld [2](#), B.C. Pinheiro Pereira [130a](#), C. Pitman Donaldson [96](#), D.A. Pizzi [34](#), L. Pizzimento [76a,76b](#), A. Pizzini [114](#), M.-A. Pleier [29](#), V. Plesanovs [54](#), V. Pleskot [133](#), E. Plotnikova [38](#), G. Poddar [4](#), R. Poettgen [98](#), L. Poggioli [127](#), D. Pohl [24](#), I. Pokharel [55](#), S. Polacek [133](#), G. Polesello [73a](#), A. Poley [142,156a](#), R. Polifka [132](#), A. Polini [23b](#), C.S. Pollard [166](#), Z.B. Pollock [119](#), V. Polychronakos [29](#), E. Pompa Pacchi [75a,75b](#), D. Ponomarenko [113](#), L. Pontecorvo [36](#), S. Popa [27a](#), G.A. Popeneciu [27d](#), D.M. Portillo Quintero [156a](#), S. Pospisil [132](#), P. Postolache [27c](#), K. Potamianos [126](#), P.P. Potepa [85a](#), I.N. Potrap [38](#), C.J. Potter [32](#), H. Potti [1](#), T. Poulsen [48](#), J. Poveda [162](#), M.E. Pozo Astigarraga [36](#), A. Prades Ibanez [162](#), M.M. Prapa [46](#), D. Price [101](#), M. Primavera [70a](#), M.A. Principe Martin [99](#), R. Privara [122](#), M.L. Proffitt [138](#), N. Proklova [128](#), K. Prokofiev [64c](#), G. Proto [76a,76b](#), S. Protopopescu [29](#), J. Proudfoot [6](#), M. Przybycien [85a](#), W.W. Przygoda [85b](#), J.E. Puddefoot [139](#), D. Pudzha [37](#), D. Pyatiizbyantseva [37](#), J. Qian [106](#), D. Qichen [101](#), Y. Qin [101](#), T. Qiu [52](#), A. Quadt [55](#), M. Queitsch-Maitland [101](#), G. Quetant [56](#), G. Rabanal Bolanos [61](#), D. Rafanoharana [54](#), F. Ragusa [71a,71b](#), J.L. Rainbolt [39](#), J.A. Raine [56](#), S. Rajagopalan [29](#), E. Ramakoti [37](#), K. Ran [48,14e](#), N.P. Rapheeha [33g](#), V. Raskina [127](#), D.F. Rassloff [63a](#), S. Rave [100](#), B. Ravina [55](#), I. Ravinovich [168](#), M. Raymond [36](#), A.L. Read [125](#), N.P. Readioff [139](#), D.M. Rebuzzi [73a,73b](#), G. Redlinger [29](#), K. Reeves [26](#), J.A. Reidelsturz [170](#), D. Reikher [151](#), A. Rej [141](#), C. Rembser [36](#), A. Renardi [48](#), M. Renda [27b](#), M.B. Rendel [110](#), F. Renner [48](#), A.G. Rennie [59](#), S. Resconi [71a](#), M. Ressegotti [57b,57a](#), E.D. Resseguie [17a](#), S. Rettie [36](#), J.G. Reyes Rivera [107](#), B. Reynolds [119](#), E. Reynolds [17a](#), M. Rezaei Estabragh [170](#), O.L. Rezanova [37](#), P. Reznicek [133](#), N. Ribaric [91](#), E. Ricci [78a,78b](#), R. Richter [110](#), S. Richter [47a,47b](#), E. Richter-Was [85b](#), M. Ridel [127](#), S. Ridouani [35d](#), P. Rieck [117](#), P. Riedler [36](#), M. Rijssenbeek [145](#), A. Rimoldi [73a,73b](#), M. Rimoldi [48](#), L. Rinaldi [23b,23a](#), T.T. Rinn [29](#), M.P. Rinnagel [109](#), G. Ripellino [160](#), I. Riu [13](#), P. Rivadeneira [48](#), J.C. Rivera Vergara [164](#), F. Rizatdinova [121](#), E. Rizvi [94](#), C. Rizzi [56](#), B.A. Roberts [166](#), B.R. Roberts [17a](#), S.H. Robertson [104,v](#), M. Robin [48](#), D. Robinson [32](#), C.M. Robles Gajardo [137f](#), M. Robles Manzano [100](#), A. Robson [59](#), A. Rocchi [76a,76b](#), C. Roda [74a,74b](#), S. Rodriguez Bosca [63a](#), Y. Rodriguez Garcia [22a](#), A. Rodriguez Rodriguez [54](#), A.M. Rodríguez Vera [156b](#), S. Roe [36](#), J.T. Roemer [159](#), A.R. Roepe-Gier [136](#), J. Roggel [170](#), O. Röhne [125](#), R.A. Rojas [103](#), C.P.A. Roland [68](#), J. Roloff [29](#), A. Romaniouk [37](#), E. Romano [73a,73b](#), M. Romano [23b](#), A.C. Romero Hernandez [161](#), N. Rompotis [92](#), L. Roos [127](#), S. Rosati [75a](#), B.J. Rosser [39](#), E. Rossi [4](#), E. Rossi [72a,72b](#), L.P. Rossi [57b](#), L. Rossini [48](#), R. Rosten [119](#), M. Rotaru [27b](#), B. Rottler [54](#), C. Rougier [102](#), D. Rousseau [66](#), D. Rousso [32](#), A. Roy [161](#), S. Roy-Garand [155](#), A. Rozanov [102](#), Y. Rozen [150](#), X. Ruan [33g](#), A. Rubio Jimenez [162](#), A.J. Ruby [92](#), V.H. Ruelas Rivera [18](#), T.A. Ruggeri [1](#), A. Ruggiero [126](#), A. Ruiz-Martinez [162](#), A. Rummler [36](#), Z. Rurikova [54](#), N.A. Rusakovich [38](#), H.L. Russell [164](#), J.P. Rutherford [7](#), K. Rybacki [91](#), M. Rybar [133](#), E.B. Rye [125](#), A. Ryzhov [37](#), J.A. Sabater Iglesias [56](#), P. Sabatini [162](#), L. Sabetta [75a,75b](#), H.F-W. Sadrozinski [136](#), F. Safai Tehrani [75a](#), B. Safarzadeh Samani [146](#), M. Safdari [143](#), S. Saha [104](#), M. Sahinsoy [110](#), M. Saimpert [135](#), M. Saito [153](#), T. Saito [153](#), D. Salamani [36](#), A. Salnikov [143](#), J. Salt [162](#), A. Salvador Salas [13](#), D. Salvatore [43b,43a](#), F. Salvatore [146](#), A. Salzburger [36](#), D. Sammel [54](#), D. Sampsonidis [152,e](#), D. Sampsonidou [123,62c](#), J. Sánchez [162](#), A. Sanchez Pineda [4](#),

V. Sanchez Sebastian [ID](#)¹⁶², H. Sandaker [ID](#)¹²⁵, C.O. Sander [ID](#)⁴⁸, J.A. Sandesara [ID](#)¹⁰³,
M. Sandhoff [ID](#)¹⁷⁰, C. Sandoval [ID](#)^{22b}, D.P.C. Sankey [ID](#)¹³⁴, T. Sano [ID](#)⁸⁷, A. Sansoni [ID](#)⁵³,
L. Santi [ID](#)^{75a,75b}, C. Santoni [ID](#)⁴⁰, H. Santos [ID](#)^{130a,130b}, S.N. Santpur [ID](#)^{17a}, A. Santra [ID](#)¹⁶⁸,
K.A. Saoucha [ID](#)¹³⁹, J.G. Saraiva [ID](#)^{130a,130d}, J. Sardain [ID](#)⁷, O. Sasaki [ID](#)⁸³, K. Sato [ID](#)¹⁵⁷, C. Sauer^{63b},
F. Sauerburger [ID](#)⁵⁴, E. Sauvan [ID](#)⁴, P. Savard [ID](#)^{155,ab}, R. Sawada [ID](#)¹⁵³, C. Sawyer [ID](#)¹³⁴,
L. Sawyer [ID](#)⁹⁷, I. Sayago Galvan¹⁶², C. Sbarra [ID](#)^{23b}, A. Sbrizzi [ID](#)^{23b,23a}, T. Scanlon [ID](#)⁹⁶,
J. Schaarschmidt [ID](#)¹³⁸, P. Schacht [ID](#)¹¹⁰, D. Schaefer [ID](#)³⁹, U. Schäfer [ID](#)¹⁰⁰, A.C. Schaffer [ID](#)^{66,44},
D. Schaile [ID](#)¹⁰⁹, R.D. Schamberger [ID](#)¹⁴⁵, E. Schanet [ID](#)¹⁰⁹, C. Scharf [ID](#)¹⁸, M.M. Schefer [ID](#)¹⁹,
V.A. Schegelsky [ID](#)³⁷, D. Scheirich [ID](#)¹³³, F. Schenck [ID](#)¹⁸, M. Schernau [ID](#)¹⁵⁹, C. Scheulen [ID](#)⁵⁵,
C. Schiavi [ID](#)^{57b,57a}, E.J. Schioppa [ID](#)^{70a,70b}, M. Schioppa [ID](#)^{43b,43a}, B. Schlag [ID](#)¹⁴³,
K.E. Schleicher [ID](#)⁵⁴, S. Schlenker [ID](#)³⁶, J. Schmeing [ID](#)¹⁷⁰, M.A. Schmidt [ID](#)¹⁷⁰, K. Schmieden [ID](#)¹⁰⁰,
C. Schmitt [ID](#)¹⁰⁰, S. Schmitt [ID](#)⁴⁸, L. Schoeffel [ID](#)¹³⁵, A. Schoening [ID](#)^{63b}, P.G. Scholer [ID](#)⁵⁴,
E. Schopf [ID](#)¹²⁶, M. Schott [ID](#)¹⁰⁰, J. Schovancova [ID](#)³⁶, S. Schramm [ID](#)⁵⁶, F. Schroeder [ID](#)¹⁷⁰,
H-C. Schultz-Coulon [ID](#)^{63a}, M. Schumacher [ID](#)⁵⁴, B.A. Schumm [ID](#)¹³⁶, Ph. Schune [ID](#)¹³⁵,
H.R. Schwartz [ID](#)¹³⁶, A. Schwartzman [ID](#)¹⁴³, T.A. Schwarz [ID](#)¹⁰⁶, Ph. Schwemling [ID](#)¹³⁵,
R. Schwienhorst [ID](#)¹⁰⁷, A. Sciandra [ID](#)¹³⁶, G. Sciolla [ID](#)²⁶, F. Scuri [ID](#)^{74a}, F. Scutti¹⁰⁵,
C.D. Sebastiani [ID](#)⁹², K. Sedlaczek [ID](#)⁴⁹, P. Seema [ID](#)¹⁸, S.C. Seidel [ID](#)¹¹², A. Seiden [ID](#)¹³⁶,
B.D. Seidlitz [ID](#)⁴¹, C. Seitz [ID](#)⁴⁸, J.M. Seixas [ID](#)^{82b}, G. Sekhniaidze [ID](#)^{72a}, S.J. Sekula [ID](#)⁴⁴, L. Selem [ID](#)⁴,
N. Semprini-Cesari [ID](#)^{23b,23a}, S. Sen [ID](#)⁵¹, D. Sengupta [ID](#)⁵⁶, V. Senthilkumar [ID](#)¹⁶², L. Serin [ID](#)⁶⁶,
L. Serkin [ID](#)^{69a,69b}, M. Sessa [ID](#)^{77a,77b}, H. Severini [ID](#)¹²⁰, F. Sforza [ID](#)^{57b,57a}, A. Sfyrlla [ID](#)⁵⁶,
E. Shabalina [ID](#)⁵⁵, R. Shaheen [ID](#)¹⁴⁴, J.D. Shahinian [ID](#)¹²⁸, D. Shaked Renous [ID](#)¹⁶⁸, L.Y. Shan [ID](#)^{14a},
M. Shapiro [ID](#)^{17a}, A. Sharma [ID](#)³⁶, A.S. Sharma [ID](#)¹⁶³, P. Sharma [ID](#)⁸⁰, S. Sharma [ID](#)⁴⁸,
P.B. Shatalov [ID](#)³⁷, K. Shaw [ID](#)¹⁴⁶, S.M. Shaw [ID](#)¹⁰¹, Q. Shen [ID](#)^{62c,5}, P. Sherwood [ID](#)⁹⁶, L. Shi [ID](#)⁹⁶,
C.O. Shimmin [ID](#)¹⁷¹, Y. Shimogama [ID](#)¹⁶⁷, J.D. Shinner [ID](#)⁹⁵, I.P.J. Shipsey [ID](#)¹²⁶, S. Shirabe [ID](#)⁶⁰,
M. Shiyakova [ID](#)³⁸, J. Shlomi [ID](#)¹⁶⁸, M.J. Shochet [ID](#)³⁹, J. Shojaii [ID](#)¹⁰⁵, D.R. Shope [ID](#)¹²⁵,
S. Shrestha [ID](#)^{119,ae}, E.M. Shrif [ID](#)^{33g}, M.J. Shroff [ID](#)¹⁶⁴, P. Sicho [ID](#)¹³¹, A.M. Sickles [ID](#)¹⁶¹,
E. Sideras Haddad [ID](#)^{33g}, A. Sidoti [ID](#)^{23b}, F. Siegert [ID](#)⁵⁰, Dj. Sijacki [ID](#)¹⁵, R. Sikora [ID](#)^{85a}, F. Sili [ID](#)⁹⁰,
J.M. Silva [ID](#)²⁰, M.V. Silva Oliveira [ID](#)³⁶, S.B. Silverstein [ID](#)^{47a}, S. Simion⁶⁶, R. Simoniello [ID](#)³⁶,
E.L. Simpson [ID](#)⁵⁹, H. Simpson [ID](#)¹⁴⁶, L.R. Simpson [ID](#)¹⁰⁶, N.D. Simpson⁹⁸, S. Simsek [ID](#)^{21d},
S. Sindhu [ID](#)⁵⁵, P. Sinervo [ID](#)¹⁵⁵, S. Singh [ID](#)¹⁴², S. Singh [ID](#)¹⁵⁵, S. Sinha [ID](#)⁴⁸, S. Sinha [ID](#)^{33g},
M. Sioli [ID](#)^{23b,23a}, I. Siral [ID](#)³⁶, S.Yu. Sivoklov [ID](#)^{37,*}, J. Sjölin [ID](#)^{47a,47b}, A. Skaf [ID](#)⁵⁵, E. Skorda [ID](#)⁹⁸,
P. Skubic [ID](#)¹²⁰, M. Slawinska [ID](#)⁸⁶, V. Smakhtin¹⁶⁸, B.H. Smart [ID](#)¹³⁴, J. Smiesko [ID](#)³⁶,
S.Yu. Smirnov [ID](#)³⁷, Y. Smirnov [ID](#)³⁷, L.N. Smirnova [ID](#)^{37,a}, O. Smirnova [ID](#)⁹⁸, A.C. Smith [ID](#)⁴¹,
E.A. Smith [ID](#)³⁹, H.A. Smith [ID](#)¹²⁶, J.L. Smith [ID](#)⁹², R. Smith¹⁴³, M. Smizanska [ID](#)⁹¹, K. Smolek [ID](#)¹³²,
A.A. Snesarev [ID](#)³⁷, H.L. Snoek [ID](#)¹¹⁴, S. Snyder [ID](#)²⁹, R. Sobie [ID](#)^{164,v}, A. Soffer [ID](#)¹⁵¹,
C.A. Solans Sanchez [ID](#)³⁶, E.Yu. Soldatov [ID](#)³⁷, U. Soldevila [ID](#)¹⁶², A.A. Solodkov [ID](#)³⁷,
S. Solomon [ID](#)⁵⁴, A. Soloshenko [ID](#)³⁸, K. Solovieva [ID](#)⁵⁴, O.V. Solovyanov [ID](#)⁴⁰, V. Solovyev [ID](#)³⁷,
P. Sommer [ID](#)³⁶, A. Sonay [ID](#)¹³, W.Y. Song [ID](#)^{156b}, J.M. Sonneveld [ID](#)¹¹⁴, A. Sopczak [ID](#)¹³²,
A.L. Soppio [ID](#)⁹⁶, F. Sopkova [ID](#)^{28b}, V. Sothilingam^{63a}, S. Sottocornola [ID](#)⁶⁸, R. Soualah [ID](#)^{116c},
Z. Soumami [ID](#)^{35e}, D. South [ID](#)⁴⁸, S. Spagnolo [ID](#)^{70a,70b}, M. Spalla [ID](#)¹¹⁰, D. Sperlich [ID](#)⁵⁴,
G. Spigo [ID](#)³⁶, M. Spina [ID](#)¹⁴⁶, S. Spinali [ID](#)⁹¹, D.P. Spiteri [ID](#)⁵⁹, M. Spousta [ID](#)¹³³, E.J. Staats [ID](#)³⁴,
A. Stabile [ID](#)^{71a,71b}, R. Stamen [ID](#)^{63a}, M. Stamenkovic [ID](#)¹¹⁴, A. Stampekis [ID](#)²⁰, M. Standke [ID](#)²⁴,
E. Stanecka [ID](#)⁸⁶, M.V. Stange [ID](#)⁵⁰, B. Stanislaus [ID](#)^{17a}, M.M. Stanitzki [ID](#)⁴⁸, M. Stankaityte [ID](#)¹²⁶,

B. Stapf⁴⁸, E.A. Starchenko³⁷, G.H. Stark¹³⁶, J. Stark¹⁰², D.M. Starke^{156b},
 P. Staroba¹³¹, P. Starovoitov^{63a}, S. Starz¹⁰⁴, R. Staszewski⁸⁶, G. Stavropoulos⁴⁶,
 J. Steentoft¹⁶⁰, P. Steinberg²⁹, B. Stelzer^{142,156a}, H.J. Stelzer¹²⁹, O. Stelzer-Chilton^{156a},
 H. Stenzel⁵⁸, T.J. Stevenson¹⁴⁶, G.A. Stewart³⁶, J.R. Stewart¹²¹, M.C. Stockton³⁶,
 G. Stoicea^{27b}, M. Stolarski^{130a}, S. Stonjek¹¹⁰, A. Straessner⁵⁰, J. Strandberg¹⁴⁴,
 S. Strandberg^{47a,47b}, M. Strauss¹²⁰, T. Strebler¹⁰², P. Strizenec^{28b}, R. Strohmer¹⁶⁵,
 D.M. Strom¹²³, L.R. Strom⁴⁸, R. Stroynowski⁴⁴, A. Strubig^{47a,47b}, S.A. Stucci²⁹,
 B. Stugu¹⁶, J. Stupak¹²⁰, N.A. Styles⁴⁸, D. Su¹⁴³, S. Su^{62a}, W. Su^{62d,138,62c},
 X. Su^{62a,66}, K. Sugizaki¹⁵³, V.V. Sulim³⁷, M.J. Sullivan⁹², D.M.S. Sultan^{78a,78b},
 L. Sultanaliev³⁷, S. Sultansoy^{3b}, T. Sumida⁸⁷, S. Sun¹⁰⁶, S. Sun¹⁶⁹,
 O. Sunneborn Gudnadottir¹⁶⁰, M.R. Sutton¹⁴⁶, M. Svatos¹³¹, M. Swiatlowski^{156a},
 T. Swirski¹⁶⁵, I. Sykora^{28a}, M. Sykora¹³³, T. Sykora¹³³, D. Ta¹⁰⁰, K. Tackmann^{48,t},
 A. Taffard¹⁵⁹, R. Tafirout^{156a}, J.S. Tafoya Vargas⁶⁶, R.H.M. Taibah¹²⁷, R. Takashima⁸⁸,
 E.P. Takeva⁵², Y. Takubo⁸³, M. Talby¹⁰², A.A. Talyshev³⁷, K.C. Tam^{64b},
 N.M. Tamir¹⁵¹, A. Tanaka¹⁵³, J. Tanaka¹⁵³, R. Tanaka⁶⁶, M. Tanasini^{57b,57a}, Z. Tao¹⁶³,
 S. Tapia Araya^{137f}, S. Tapprogge¹⁰⁰, A. Tarek Abouelfadl Mohamed¹⁰⁷, S. Tarem¹⁵⁰,
 K. Tariq^{62b}, G. Tarna^{102,27b}, G.F. Tartarelli^{71a}, P. Tas¹³³, M. Tasevsky¹³¹,
 E. Tassi^{43b,43a}, A.C. Tate¹⁶¹, G. Tateno¹⁵³, Y. Tayalati^{35e,u}, G.N. Taylor¹⁰⁵,
 W. Taylor^{156b}, H. Teagle⁹², A.S. Tee¹⁶⁹, R. Teixeira De Lima¹⁴³, P. Teixeira-Dias⁹⁵,
 J.J. Teoh¹⁵⁵, K. Terashi¹⁵³, J. Terron⁹⁹, S. Terzo¹³, M. Testa⁵³, R.J. Teuscher^{155,v},
 A. Thaler⁷⁹, O. Theiner⁵⁶, N. Themistokleous⁵², T. Theveneaux-Pelzer¹⁰²,
 O. Thielmann¹⁷⁰, D.W. Thomas⁹⁵, J.P. Thomas²⁰, E.A. Thompson^{17a}, P.D. Thompson²⁰,
 E. Thomson¹²⁸, Y. Tian⁵⁵, V. Tikhomirov^{37,a}, Yu.A. Tikhonov³⁷, S. Timoshenko³⁷,
 E.X.L. Ting¹, P. Tipton¹⁷¹, S.H. Tlou^{33g}, A. Tmourji⁴⁰, K. Todome^{23b,23a},
 S. Todorova-Nova¹³³, S. Todt⁵⁰, M. Togawa⁸³, J. Tojo⁸⁹, S. Tokar^{28a}, K. Tokushuku⁸³,
 O. Toldaiev⁶⁸, R. Tombs³², M. Tomoto^{83,111}, L. Tompkins¹⁴³, K.W. Topolnicki^{85b},
 E. Torrence¹²³, H. Torres¹⁰², E. Torro Pastor¹⁶², M. Toscani³⁰, C. Tosciri³⁹,
 M. Tost¹¹, D.R. Tovey¹³⁹, A. Traet¹⁶, I.S. Trandafir^{27b}, T. Trefzger¹⁶⁵, A. Tricoli²⁹,
 I.M. Trigger^{156a}, S. Trincaz-Duvoid¹²⁷, D.A. Trischuk²⁶, B. Trocme⁶⁰, C. Troncon^{71a},
 L. Truong^{33c}, M. Trzebinski⁸⁶, A. Trzupek⁸⁶, F. Tsai¹⁴⁵, M. Tsai¹⁰⁶, A. Tsiamis^{152,e},
 P.V. Tsiarehka³⁷, S. Tsigaridas^{156a}, A. Tsirigotis^{152,r}, V. Tsiskaridze¹⁴⁵,
 E.G. Tskhadadze^{149a}, M. Tsooulou^{152,e}, Y. Tsujikawa⁸⁷, I.I. Tsukerman³⁷, V. Tsulaia^{17a},
 S. Tsuno⁸³, O. Tsur¹⁵⁰, D. Tsybychev¹⁴⁵, Y. Tu^{64b}, A. Tudorache^{27b}, V. Tudorache^{27b},
 A.N. Tuna³⁶, S. Turchikhin³⁸, I. Turk Cakir^{3a}, R. Turra^{71a}, T. Turtuvshin^{38,w},
 P.M. Tuts⁴¹, S. Tzamarias^{152,e}, P. Tzani¹⁰, E. Tzovara¹⁰⁰, K. Uchida¹⁵³, F. Ukegawa¹⁵⁷,
 P.A. Ulloa Poblete^{137c}, E.N. Umaka²⁹, G. Unal³⁶, M. Unal¹¹, A. Undrus²⁹, G. Unel¹⁵⁹,
 J. Urban^{28b}, P. Urquijo¹⁰⁵, G. Usai⁸, R. Ushioda¹⁵⁴, M. Usman¹⁰⁸, Z. Uysal^{21b},
 L. Vacavant¹⁰², V. Vacek¹³², B. Vachon¹⁰⁴, K.O.H. Vadla¹²⁵, T. Vafeiadis³⁶,
 A. Vaitkus⁹⁶, C. Valderanis¹⁰⁹, E. Valdes Santurio^{47a,47b}, M. Valente^{156a},
 S. Valentineti^{23b,23a}, A. Valero¹⁶², E. Valiente Moreno¹⁶², A. Vallier¹⁰²,
 J.A. Valls Ferrer¹⁶², D.R. Van Arneman¹¹⁴, T.R. Van Daalen¹³⁸, P. Van Gemmeren⁶,
 M. Van Rijnbach^{125,36}, S. Van Stroud⁹⁶, I. Van Vulpen¹¹⁴, M. Vanadia^{76a,76b},
 W. Vandelli³⁶, M. Vandenbroucke¹³⁵, E.R. Vandewall¹²¹, D. Vannicola¹⁵¹,

L. Vannoli [ID](#)^{57b,57a}, R. Vari [ID](#)^{75a}, E.W. Varnes [ID](#)⁷, C. Varni [ID](#)^{17a}, T. Varol [ID](#)¹⁴⁸, D. Varouchas [ID](#)⁶⁶,
 L. Varriale [ID](#)¹⁶², K.E. Varvell [ID](#)¹⁴⁷, M.E. Vasile [ID](#)^{27b}, L. Vaslin⁴⁰, G.A. Vasquez [ID](#)¹⁶⁴,
 F. Vazeille [ID](#)⁴⁰, T. Vazquez Schroeder [ID](#)³⁶, J. Veatch [ID](#)³¹, V. Vecchio [ID](#)¹⁰¹, M.J. Veen [ID](#)¹⁰³,
 I. Veliscek [ID](#)¹²⁶, L.M. Veloce [ID](#)¹⁵⁵, F. Veloso [ID](#)^{130a,130c}, S. Veneziano [ID](#)^{75a}, A. Ventura [ID](#)^{70a,70b},
 A. Verbytskyi [ID](#)¹¹⁰, M. Verducci [ID](#)^{74a,74b}, C. Vergis [ID](#)²⁴, M. Verissimo De Araujo [ID](#)^{82b},
 W. Verkerke [ID](#)¹¹⁴, J.C. Vermeulen [ID](#)¹¹⁴, C. Vernieri [ID](#)¹⁴³, P.J. Verschuur [ID](#)⁹⁵, M. Vessella [ID](#)¹⁰³,
 M.C. Vetterli [ID](#)^{142,ab}, A. Vgenopoulos [ID](#)^{152,e}, N. Viaux Maira [ID](#)^{137f}, T. Vickey [ID](#)¹³⁹,
 O.E. Vickey Boeriu [ID](#)¹³⁹, G.H.A. Viehhauser [ID](#)¹²⁶, L. Vigani [ID](#)^{63b}, M. Villa [ID](#)^{23b,23a},
 M. Villaplana Perez [ID](#)¹⁶², E.M. Villhauer⁵², E. Vilucchi [ID](#)⁵³, M.G. Vincter [ID](#)³⁴, G.S. Virdee [ID](#)²⁰,
 A. Vishwakarma [ID](#)⁵², C. Vittori [ID](#)³⁶, I. Vivarelli [ID](#)¹⁴⁶, V. Vladimirov¹⁶⁶, E. Voevodina [ID](#)¹¹⁰,
 F. Vogel [ID](#)¹⁰⁹, P. Vokac [ID](#)¹³², J. Von Ahnen [ID](#)⁴⁸, E. Von Toerne [ID](#)²⁴, B. Vormwald [ID](#)³⁶,
 V. Vorobel [ID](#)¹³³, K. Vorobev [ID](#)³⁷, M. Vos [ID](#)¹⁶², K. Voss [ID](#)¹⁴¹, J.H. Vosseveld [ID](#)⁹², M. Vozak [ID](#)¹¹⁴,
 L. Vozdecky [ID](#)⁹⁴, N. Vranjes [ID](#)¹⁵, M. Vranjes Milosavljevic [ID](#)¹⁵, M. Vreeswijk [ID](#)¹¹⁴,
 R. Vuillermet [ID](#)³⁶, O. Vujanovic [ID](#)¹⁰⁰, I. Vukotic [ID](#)³⁹, S. Wada [ID](#)¹⁵⁷, C. Wagner¹⁰³,
 J.M. Wagner [ID](#)^{17a}, W. Wagner [ID](#)¹⁷⁰, S. Wahdan [ID](#)¹⁷⁰, H. Wahlberg [ID](#)⁹⁰, R. Wakasa [ID](#)¹⁵⁷,
 M. Wakida [ID](#)¹¹¹, J. Walder [ID](#)¹³⁴, R. Walker [ID](#)¹⁰⁹, W. Walkowiak [ID](#)¹⁴¹, A. Wall [ID](#)¹²⁸,
 A.Z. Wang [ID](#)¹⁶⁹, C. Wang [ID](#)¹⁰⁰, C. Wang [ID](#)^{62c}, H. Wang [ID](#)^{17a}, J. Wang [ID](#)^{64a}, R.-J. Wang [ID](#)¹⁰⁰,
 R. Wang [ID](#)⁶¹, R. Wang [ID](#)⁶, S.M. Wang [ID](#)¹⁴⁸, S. Wang [ID](#)^{62b}, T. Wang [ID](#)^{62a}, W.T. Wang [ID](#)⁸⁰,
 X. Wang [ID](#)^{14c}, X. Wang [ID](#)¹⁶¹, X. Wang [ID](#)^{62c}, Y. Wang [ID](#)^{62d}, Y. Wang [ID](#)^{14c}, Z. Wang [ID](#)¹⁰⁶,
 Z. Wang [ID](#)^{62d,51,62c}, Z. Wang [ID](#)¹⁰⁶, A. Warburton [ID](#)¹⁰⁴, R.J. Ward [ID](#)²⁰, N. Warrack [ID](#)⁵⁹,
 A.T. Watson [ID](#)²⁰, H. Watson [ID](#)⁵⁹, M.F. Watson [ID](#)²⁰, G. Watts [ID](#)¹³⁸, B.M. Waugh [ID](#)⁹⁶,
 C. Weber [ID](#)²⁹, H.A. Weber [ID](#)¹⁸, M.S. Weber [ID](#)¹⁹, S.M. Weber [ID](#)^{63a}, C. Wei [ID](#)^{62a}, Y. Wei [ID](#)¹²⁶,
 A.R. Weidberg [ID](#)¹²⁶, E.J. Weik [ID](#)¹¹⁷, J. Weingarten [ID](#)⁴⁹, M. Weirich [ID](#)¹⁰⁰, C. Weiser [ID](#)⁵⁴,
 C.J. Wells [ID](#)⁴⁸, T. Wenaus [ID](#)²⁹, B. Wendland [ID](#)⁴⁹, T. Wengler [ID](#)³⁶, N.S. Wenke¹¹⁰, N. Wermes [ID](#)²⁴,
 M. Wessels [ID](#)^{63a}, K. Whalen [ID](#)¹²³, A.M. Wharton [ID](#)⁹¹, A.S. White [ID](#)⁶¹, A. White [ID](#)⁸,
 M.J. White [ID](#)¹, D. Whiteson [ID](#)¹⁵⁹, L. Wickremasinghe [ID](#)¹²⁴, W. Wiedenmann [ID](#)¹⁶⁹, C. Wiel [ID](#)⁵⁰,
 M. Wielers [ID](#)¹³⁴, C. Wiglesworth [ID](#)⁴², L.A.M. Wiik-Fuchs [ID](#)⁵⁴, D.J. Wilbern¹²⁰, H.G. Wilkens [ID](#)³⁶,
 D.M. Williams [ID](#)⁴¹, H.H. Williams¹²⁸, S. Williams [ID](#)³², S. Willocq [ID](#)¹⁰³, B.J. Wilson [ID](#)¹⁰¹,
 P.J. Windischhofer [ID](#)³⁹, F. Winklmeier [ID](#)¹²³, B.T. Winter [ID](#)⁵⁴, J.K. Winter [ID](#)¹⁰¹, M. Wittgen¹⁴³,
 M. Wobisch [ID](#)⁹⁷, R. Wölker [ID](#)¹²⁶, J. Wollrath¹⁵⁹, M.W. Wolter [ID](#)⁸⁶, H. Wolters [ID](#)^{130a,130c},
 V.W.S. Wong [ID](#)¹⁶³, A.F. Wongel [ID](#)⁴⁸, S.D. Worm [ID](#)⁴⁸, B.K. Wosiek [ID](#)⁸⁶, K.W. Woźniak [ID](#)⁸⁶,
 K. Wraight [ID](#)⁵⁹, J. Wu [ID](#)^{14a,14e}, M. Wu [ID](#)^{64a}, M. Wu [ID](#)¹¹³, S.L. Wu [ID](#)¹⁶⁹, X. Wu [ID](#)⁵⁶, Y. Wu [ID](#)^{62a},
 Z. Wu [ID](#)^{135,62a}, J. Wuerzinger [ID](#)¹¹⁰, T.R. Wyatt [ID](#)¹⁰¹, B.M. Wynne [ID](#)⁵², S. Xella [ID](#)⁴², L. Xia [ID](#)^{14c},
 M. Xia^{14b}, J. Xiang [ID](#)^{64c}, X. Xiao [ID](#)¹⁰⁶, M. Xie [ID](#)^{62a}, X. Xie [ID](#)^{62a}, S. Xin [ID](#)^{14a,14e}, J. Xiong [ID](#)^{17a},
 I. Xiotidis¹⁴⁶, D. Xu [ID](#)^{14a}, H. Xu [ID](#)^{62a}, H. Xu [ID](#)^{62a}, L. Xu [ID](#)^{62a}, R. Xu [ID](#)¹²⁸, T. Xu [ID](#)¹⁰⁶, Y. Xu [ID](#)^{14b},
 Z. Xu [ID](#)^{62b}, Z. Xu [ID](#)^{14a}, B. Yabsley [ID](#)¹⁴⁷, S. Yacoob [ID](#)^{33a}, N. Yamaguchi [ID](#)⁸⁹, Y. Yamaguchi [ID](#)¹⁵⁴,
 H. Yamauchi [ID](#)¹⁵⁷, T. Yamazaki [ID](#)^{17a}, Y. Yamazaki [ID](#)⁸⁴, J. Yan [ID](#)^{62c}, S. Yan [ID](#)¹²⁶, Z. Yan [ID](#)²⁵,
 H.J. Yang [ID](#)^{62c,62d}, H.T. Yang [ID](#)^{62a}, S. Yang [ID](#)^{62a}, T. Yang [ID](#)^{64c}, X. Yang [ID](#)^{62a}, X. Yang [ID](#)^{14a},
 Y. Yang [ID](#)⁴⁴, Z. Yang [ID](#)^{62a,106}, W.-M. Yao [ID](#)^{17a}, Y.C. Yap [ID](#)⁴⁸, H. Ye [ID](#)^{14c}, H. Ye [ID](#)⁵⁵, J. Ye [ID](#)⁴⁴,
 S. Ye [ID](#)²⁹, X. Ye [ID](#)^{62a}, Y. Yeh [ID](#)⁹⁶, I. Yeletsikh [ID](#)³⁸, B.K. Yeo [ID](#)^{17a}, M.R. Yexley [ID](#)⁹¹, P. Yin [ID](#)⁴¹,
 K. Yorita [ID](#)¹⁶⁷, S. Younas [ID](#)^{27b}, C.J.S. Young [ID](#)⁵⁴, C. Young [ID](#)¹⁴³, Y. Yu [ID](#)^{62a}, M. Yuan [ID](#)¹⁰⁶,
 R. Yuan [ID](#)^{62b,k}, L. Yue [ID](#)⁹⁶, M. Zaazoua [ID](#)^{35e}, B. Zabinski [ID](#)⁸⁶, E. Zaid⁵², T. Zakareishvili [ID](#)^{149b},
 N. Zakharchuk [ID](#)³⁴, S. Zambito [ID](#)⁵⁶, J.A. Zamora Saa [ID](#)^{137d,137b}, J. Zang [ID](#)¹⁵³, D. Zanzi [ID](#)⁵⁴,

O. Zaplatilek ¹³², C. Zeitnitz ¹⁷⁰, H. Zeng ^{14a}, J.C. Zeng ¹⁶¹, D.T. Zenger Jr ²⁶,
O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁴, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e},
B. Zhang ^{14c}, D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{14c},
P. Zhang ^{14a,14e}, R. Zhang ¹⁶⁹, S. Zhang ¹⁰⁶, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b},
Y. Zhang ^{62c,5}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸, P. Zhao ⁵¹, T. Zhao ^{62b},
Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, K. Zheng ¹⁶¹, X. Zheng ^{62a}, Z. Zheng ¹⁴³,
D. Zhong ¹⁶¹, B. Zhou ¹⁰⁶, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁶,
Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸,
J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶,
T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing; ^(d) School of Science, Shenzhen Campus of Sun Yat-sen University; ^(e) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ ^(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA; United States of America

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom

²¹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul; ^(d) Istinye University, Sariyer, Istanbul; Türkiye

²² ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia

²³ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany

²⁵ Department of Physics, Boston University, Boston MA; United States of America

²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America

²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics

- Department, Cluj-Napoca;^(e) University Politehnica Bucharest, Bucharest;^(f) West University in Timisoara, Timisoara;^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; United States of America
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
- ³³ ^(a) Department of Physics, University of Cape Town, Cape Town;^(b) iThemba Labs, Western Cape;^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;^(d) National Institute of Physics, University of the Philippines Diliman (Philippines);^(e) University of South Africa, Department of Physics, Pretoria;^(f) University of Zululand, KwaDlangezwa;^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies — Université Hassan II, Casablanca;^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra;^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;^(e) Faculté des sciences, Université Mohammed V, Rabat;^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- ³⁶ CERN, Geneva; Switzerland
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
- ⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende;^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
- ⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ ^(a) Department of Physics, Stockholm University;^(b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; United States of America
- ⁵² SUPA — School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova;^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA — School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
- ⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
- ⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University,

- Qingdao;^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d) Tsung-Dao Lee Institute, Shanghai; China
- ⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;^(b) Department of Physics, University of Hong Kong, Hong Kong;^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain
- ⁶⁸ Department of Physics, Indiana University, Bloomington IN; United States of America
- ⁶⁹ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;^(b) ICTP, Trieste;^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁷⁰ ^(a) INFN Sezione di Lecce;^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷¹ ^(a) INFN Sezione di Milano;^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷² ^(a) INFN Sezione di Napoli;^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷³ ^(a) INFN Sezione di Pavia;^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷⁴ ^(a) INFN Sezione di Pisa;^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma;^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁶ ^(a) INFN Sezione di Roma Tor Vergata;^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁷ ^(a) INFN Sezione di Roma Tre;^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁸ ^(a) INFN-TIFPA;^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁹ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁸⁰ University of Iowa, Iowa City IA; United States of America
- ⁸¹ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- ⁸² ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c) Instituto de Física, Universidade de São Paulo, São Paulo;^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- ⁸³ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸⁴ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁵ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow;^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁶ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁷ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁸ Kyoto University of Education, Kyoto; Japan
- ⁸⁹ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁹⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹¹ Physics Department, Lancaster University, Lancaster; United Kingdom
- ⁹² Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- ⁹³ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹⁴ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- ⁹⁵ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- ⁹⁶ Department of Physics and Astronomy, University College London, London; United Kingdom
- ⁹⁷ Louisiana Tech University, Ruston LA; United States of America
- ⁹⁸ Fysiska institutionen, Lunds universitet, Lund; Sweden
- ⁹⁹ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- ¹⁰⁰ Institut für Physik, Universität Mainz, Mainz; Germany

- ¹⁰¹ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- ¹⁰² CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰³ Department of Physics, University of Massachusetts, Amherst MA; United States of America
- ¹⁰⁴ Department of Physics, McGill University, Montreal QC; Canada
- ¹⁰⁵ School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰⁶ Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- ¹⁰⁷ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- ¹⁰⁸ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- ¹¹⁰ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- ¹¹¹ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- ¹¹² Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- ¹¹³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- ¹¹⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- ¹¹⁵ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- ¹¹⁶ ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) United Arab Emirates University, Al Ain; ^(c) University of Sharjah, Sharjah; United Arab Emirates
- ¹¹⁷ Department of Physics, New York University, New York NY; United States of America
- ¹¹⁸ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁹ Ohio State University, Columbus OH; United States of America
- ¹²⁰ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- ¹²¹ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- ¹²² Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²³ Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- ¹²⁴ Graduate School of Science, Osaka University, Osaka; Japan
- ¹²⁵ Department of Physics, University of Oslo, Oslo; Norway
- ¹²⁶ Department of Physics, Oxford University, Oxford; United Kingdom
- ¹²⁷ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁸ Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- ¹²⁹ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- ¹³⁰ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas — LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹³¹ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³² Czech Technical University in Prague, Prague; Czech Republic
- ¹³³ Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³⁴ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- ¹³⁵ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁶ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- ¹³⁷ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación,

- Universidad de Tarapacá, Arica,^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁸ Department of Physics, University of Washington, Seattle WA; United States of America
- ¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
- ¹⁴⁰ Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴¹ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴² Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴³ SLAC National Accelerator Laboratory, Stanford CA; United States of America
- ¹⁴⁴ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁵ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
- ¹⁴⁶ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
- ¹⁴⁷ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁸ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi;^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c) University of Georgia, Tbilisi; Georgia
- ¹⁵⁰ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
- ¹⁵¹ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵² Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵³ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵⁴ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁵ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁶ ^(a) TRIUMF, Vancouver BC;^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- ¹⁵⁷ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁸ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
- ¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- ¹⁶⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America
- ¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia — CSIC, Valencia; Spain
- ¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
- ¹⁶⁶ Department of Physics, University of Warwick, Coventry; United Kingdom
- ¹⁶⁷ Waseda University, Tokyo; Japan
- ¹⁶⁸ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁶⁹ Department of Physics, University of Wisconsin, Madison WI; United States of America
- ¹⁷⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
- ¹⁷¹ Department of Physics, Yale University, New Haven CT; United States of America

^a Also Affiliated with an institute covered by a cooperation agreement with CERN

^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America

^c Also at Bruno Kessler Foundation, Trento; Italy

^d Also at Center for High Energy Physics, Peking University; China

^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece

^f Also at Centro Studi e Ricerche Enrico Fermi; Italy

^g Also at CERN, Geneva; Switzerland

- ^h Also at *Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland*
- ⁱ Also at *Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain*
- ^j Also at *Department of Financial and Management Engineering, University of the Aegean, Chios; Greece*
- ^k Also at *Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America*
- ^l Also at *Department of Physics, California State University, East Bay; United States of America*
- ^m Also at *Department of Physics, California State University, Sacramento; United States of America*
- ⁿ Also at *Department of Physics, King's College London, London; United Kingdom*
- ^o Also at *Department of Physics, University of Fribourg, Fribourg; Switzerland*
- ^p Also at *Department of Physics, University of Thessaly; Greece*
- ^q Also at *Department of Physics, Westmont College, Santa Barbara; United States of America*
- ^r Also at *Hellenic Open University, Patras; Greece*
- ^s Also at *Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain*
- ^t Also at *Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany*
- ^u Also at *Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco*
- ^v Also at *Institute of Particle Physics (IPP); Canada*
- ^w Also at *Institute of Physics and Technology, Ulaanbaatar; Mongolia*
- ^x Also at *Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan*
- ^y Also at *Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia*
- ^z Also at *Lawrence Livermore National Laboratory, Livermore; United States of America*
- ^{aa} Also at *The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China*
- ^{ab} Also at *TRIUMF, Vancouver BC; Canada*
- ^{ac} Also at *Università di Napoli Parthenope, Napoli; Italy*
- ^{ad} Also at *University of Colorado Boulder, Department of Physics, Colorado; United States of America*
- ^{ae} Also at *Washington College, Maryland; United States of America*
- ^{af} Also at *Physics Department, An-Najah National University, Nablus, Palestine*
- * Deceased