

This is a repository copy of *Learning to select SAT encodings for pseudo-Boolean and linear integer constraints*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/204334/>

Version: Published Version

Article:

Ulrich-Oltean, Felix, Nightingale, Peter orcid.org/0000-0002-5052-8634 and Walker, James Alfred orcid.org/0000-0003-2174-7173 (2023) Learning to select SAT encodings for pseudo-Boolean and linear integer constraints. *Journal of Constraints*. ISSN 1383-7133

<https://doi.org/10.1007/s10601-023-09364-1>

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Learning to select SAT encodings for pseudo-Boolean and linear integer constraints

Felix Ulrich-Oltean¹ · Peter Nightingale¹ · James Alfred Walker¹

Accepted: 27 September 2023
© The Author(s) 2023

Abstract

Many constraint satisfaction and optimisation problems can be solved effectively by encoding them as instances of the Boolean Satisfiability problem (SAT). However, even the simplest types of constraints have many encodings in the literature with widely varying performance, and the problem of selecting suitable encodings for a given problem instance is not trivial. We explore the problem of selecting encodings for pseudo-Boolean and linear constraints using a supervised machine learning approach. We show that it is possible to select encodings effectively using a standard set of features for constraint problems; however we obtain better performance with a new set of features specifically designed for the pseudo-Boolean and linear constraints. In fact, we achieve good results when selecting encodings for unseen problem classes. Our results compare favourably to AutoFolio when using the same feature set. We discuss the relative importance of instance features to the task of selecting the best encodings, and compare several variations of the machine learning method.

Keywords Constraint programming · SAT encodings · Machine learning · Global constraints · Pseudo-Boolean constraints · Linear constraints

1 Introduction

Many constraint satisfaction and optimisation problems can be solved effectively by encoding them as instances of the Boolean Satisfiability problem (SAT). Modern SAT solvers are remarkably effective even with large formulas, and have proven to be competitive with (and often faster than) CP solvers (including those with conflict learning). However, even the simplest types of constraints have many encodings in the literature with widely varying performance, and the problem of predicting suitable encodings is not trivial.

✉ Felix Ulrich-Oltean
felix.ulrich-oltean@york.ac.uk
Peter Nightingale
peter.nightingale@york.ac.uk
James Alfred Walker
james.walker@york.ac.uk

¹ Department of Computer Science, University of York, Deramore Lane, York YO10 5GH, UK

We explore the problem of selecting encodings for constraints of the form $\sum_{i=1}^n q_i e_i \diamond k$ where $\diamond \in \{<, \leq, =, \neq, \geq, >\}$, $q_1 \dots q_n$ are integer coefficients, k is an integer constant and e_i are decision variables or simple expressions containing a single decision variable (such as negation). We separate these constraints into two classes: *pseudo-Boolean* (PB) when all e_i are Boolean; and *linear integer* (LI) when there exists an integer expression e_i . We treat these two classes separately, selecting one encoding for each class when encoding an instance.

We select from a set of state-of-the-art encodings, including all eight encodings of Bofill et al. [1–3] which are extensions of the Generalized Totalizer [4], Binary Decision Diagram [5], Global Polynomial Watchdog [6], Local Polynomial Watchdog [6], Sequential Weight Counter [7], and n-Level Modulo Totalizer [8]. All eight of these encodings are for pseudo-Boolean constraints combined with at-most-one (AMO) sets of terms (where at most one of the corresponding e_i Boolean expressions are true in a solution). The AMO sets come from an integer variable or are detected automatically [9] as described in Section 2.1. We also use an encoding named *Tree* which is described in this paper.

The context for this work is SAVILE ROW [10], a constraint modelling tool that takes the modelling language Essence Prime and can produce output for various types of solver, including CP, SAT, and recently SMT [11]. When encoding a constraint to SAT, two different approaches may be taken depending on the type of constraint. Some constraint types are decomposed into simpler constraints prior to encoding (e.g. allDifferent is decomposed into a set of at-most-one constraints, stating that each relevant domain value appears at most once). Other constraint types are encoded to SAT directly, in which case SAVILE ROW will apply the encoding chosen on the command-line (or the default if no choice is made).

We use a supervised machine learning approach, trained with a corpus of 614 instances from 49 problem classes (constraint models). We show that it is possible to select encodings effectively, approaching the performance of the virtual best encoding (i.e. the best possible choice for each instance), using an existing set of features for constraint problem instances. Also we obtain better performance by adding a new set of features specifically designed for the pseudo-Boolean and linear integer constraints, especially when selecting encodings for unseen problem classes.

We study two versions of the encoding selection problem: *split-by-instance* and *split-by-class*. In the first, the set of all instances is split into training and test sets with no reference to the problem classes (in common with earlier work [12, 13]). For any given test instance, the model may have been trained on other instances of the same class. In *split-by-class*, each test instance belongs to a problem class that was not seen in training. We would argue that *split-by-class* is a realistic and useful version of the encoding selection problem because it is desirable for constraint modelling tools to be robust for new problem classes. Even when the encoding and solver settings will be hand-optimised for an important new problem class, a good initial configuration is likely to be useful.

1.1 Contributions

In summary, our contributions are as follows:

- We address the problem of selecting SAT encodings for instances of *unseen* problem classes, which we argue is a realistic version of the encoding selection problem. To our knowledge, all previous approaches (such as [12, 13]) train and test their machine learning models on instances drawn from the same set of problem classes.
- We describe a machine learning approach that produces very good results, and that performs much better than the mature, self-tuning algorithm selection tool AUTOFOLIO [14].

- We present a new set of features for pseudo-Boolean and linear integer constraints, and show improved overall performance and robustness when using them.
- We evaluate our machine learning method thoroughly, and present an analysis of feature importance.
- We describe SAVILE ROW's *Tree* encoding in detail, expanding on the summary given in [15].

Note

This paper extends the earlier conference paper [15] in several ways. First, the set of encodings has been extended from 5 to 9, and now includes all 8 from a very recent work on encoding pseudo-Boolean constraints [3]. Secondly, we give a more precise and complete background regarding the SAT encodings, including a full description of the *Tree* encoding that is only summarised elsewhere. Finally, we have substantially extended the analysis and discussion of experimental results.

1.2 Preliminaries

A *constraint satisfaction problem* (CSP) is defined as a set of variables X , a function that maps each variable to its domain, $D : X \rightarrow 2^Z$ where each domain is a finite set, and a set of constraints C . A *constraint* $c \in C$ is a relation over a subset of the variables X . The *scope* of a constraint c , named $\text{scope}(c)$, is the set of variables that c constrains. A *constraint optimisation problem* (COP) also minimises or maximises the value of one variable. A *solution* is an assignment to all variables that satisfies all constraints $c \in C$.

Boolean Satisfiability (SAT) is a subset of CSP with only Boolean variables and only constraints (*clauses*) of the form $(l_1 \vee \dots \vee l_k)$ where each l_i is a literal x_j or $\neg x_j$. A *SAT encoding* of a CSP variable x is a set of SAT variables and set of clauses with exactly one solution for each value in $D(x)$. A SAT encoding of a constraint c is a set of clauses and additional Boolean variables A , where the clauses contain only literals of A and of the encodings of variables in $\text{scope}(c)$. An encoding of c has *at least* one solution corresponding to each solution of c . Also, an encoding of c has *no* solutions corresponding to a non-solution of c . Literals of A may only appear within the encoding of c . A more sophisticated definition of constraint encoding would allow variables in A to be shared among multiple constraint encodings, however none of the encodings used in this paper share additional variables.

Generalised arc consistency (GAC) for a constraint c means that for a given partial assignment, all values are removed from the domain of each variable in $\text{scope}(c)$ if they cannot appear in any extended assignment satisfying c . A SAT encoding of c has the property *GAC* iff unit propagation of the SAT encoding of c results in the following correspondence: for each variable $x_i \in \text{scope}(c)$, the set of remaining solutions of the encoding of x_i corresponds to the set of values in $D(x_i)$ after GAC has been enforced on c .

A SAT encoding of c has the *Consistency Checker* (CC) property [3] iff unit propagation of the SAT encoding of c will derive *false* when the SAT partial assignment corresponds to a CSP partial assignment that cannot be extended to a full assignment that satisfies c .

2 Learning to choose SAT encodings

First we describe the palette of encodings for PB and LI constraints, then our approach to selecting encodings using instance features and machine learning.

2.1 SAT encodings

Recall that we are considering constraints of the following form where $q_1 \dots q_n$ are integer coefficients, k is an integer constant and e_i are decision variables or simple expressions containing one variable.

$$\sum_{i=1}^n q_i e_i \diamond k \quad \text{where } \diamond \in \{<, \leq, =, \neq, \geq, >\}$$

An expression e_i may be: an integer or Boolean variable x_i ; a negated Boolean variable $\neg x_i$; or a comparison $(x_i \# k_i)$ where $\# \in \{<, \leq, =, \neq, \geq, >\}$, x_i is an integer variable or Boolean literal, and k_i is a constant. We refer to the set of values that e_i can take as $D(e_i)$, extending the notation $D(x_i)$. We distinguish between *top-level* constraints that must be satisfied in all solutions, and *nested* constraints that are contained in a logic operator such as \vee or \rightarrow .

Initial normalisation steps are applied to all constraints of this form, regardless of the choice of encoding. All $<$ constraints are converted to \leq , and $>$ constraints to \geq by adjusting k . If the coefficients q have a greatest common divisor (GCD) greater than 1 then all coefficients are divided by the GCD. When the comparator is \leq then $k \leftarrow \lfloor k/\text{GCD} \rfloor$, and when the comparator is \geq then $k \leftarrow \lceil k/\text{GCD} \rceil$. When $\diamond \in \{=, \neq\}$, $k \leftarrow k/\text{GCD}$ unless k/GCD is non-integer in which case the constraint is evaluated to *true* or *false* as appropriate.

If the comparator \diamond is \neq then a new auxiliary variable a is created whose domain is the set of all values the sum may take. A new top-level LI equality constraint is introduced, as follows.

$$\sum_{i=1}^n q_i e_i - a = 0$$

The original constraint is replaced with $a \neq k$, and if it is top-level then k will be removed from the domain of a .

Any constraints that are not top-level (i.e. are nested in another expression such as a disjunction) are always encoded with the *Tree* encoding in SAVILE ROW, described in Section 2.1.3. For top-level constraints, we have nine encodings available and each can be applied to either PB or LI constraints, producing 81 configurations.

2.1.1 SAT encoding preliminaries

First we describe the encoding of CSP variables in SAVILE ROW. Boolean variables and integer variables that have two values are encoded with a single SAT variable. For other integer variables, SAVILE ROW generates the *direct* [16] or *order* [17] encoding (or both) as required to encode the constraints on that variable. We provide these details for completeness and without claiming novelty.

The direct encoding of a variable x has one SAT variable representing each value in $D(x)$. It provides a SAT literal, or a constant *true* or *false*, for a proposition $(x = a)$ or $(x \neq a)$ for any integer a , with the literal denoted $\llbracket x = a \rrbracket$ or $\llbracket x \neq a \rrbracket$. We use the 2-product encoding [18] to ensure x is assigned at most one (AMO) value, and a single clause to ensure x is assigned at least one (ALO) value.

The order encoding of x introduces one SAT variable for each of the following propositions.

$$(x \leq v) \quad \forall v \in (D(x) \setminus \{\max(D(x))\})$$

The order encoding provides a SAT literal (or constant *true* or *false*) for a proposition ($x \leq a$) or its negation ($x > a$) for any integer a , with the literal denoted $\llbracket x \leq a \rrbracket$ or $\llbracket x > a \rrbracket$. For each pair of values $\{v_1, v_2\} \subseteq (D(x) \setminus \{\max(D(x))\})$ where $v_1 < v_2$ and $\nexists v' \in D(x) : v_1 < v' < v_2$, a clause is generated to ensure coherence of the encoding:

$$\llbracket x \leq v_1 \rrbracket \rightarrow \llbracket x \leq v_2 \rrbracket$$

When the direct and order encodings are both required they are channelled together with the following set of clauses. The AMO constraint of the direct encoding is omitted in this case.

$$\begin{aligned} &\llbracket x \leq v \rrbracket \wedge \llbracket x > v - 1 \rrbracket \rightarrow \llbracket x = v \rrbracket, \\ &\llbracket x = v \rrbracket \rightarrow \llbracket x \leq v \rrbracket, \quad \llbracket x = v \rrbracket \rightarrow \llbracket x > v - 1 \rrbracket \quad \forall v \in D(x) \end{aligned}$$

There are two equivalences that can be used to slightly improve the direct-order encoding: $\llbracket x \leq a \rrbracket \leftrightarrow \llbracket x = a \rrbracket$ for minimum value a , and $\llbracket x > b - 1 \rrbracket \leftrightarrow \llbracket x = b \rrbracket$ for maximum value b . By using these two equivalences we can remove two SAT variables so $2|D(x)| - 3$ variables are generated.

2.1.2 PB(AMO) encodings

SAVILE ROW implements nine SAT encodings for linear and pseudo-Boolean constraints. Eight of these are encodings of PB(AMO) constraints [1–3], which are pseudo-Boolean constraints with non-intersecting at-most-one (AMO) groups of terms (where at most one of the corresponding e_i expressions are true in any solution). Encodings of PB(AMO) constraints can be substantially smaller and more efficient to solve than the corresponding PB constraints [1–3, 9].

For the eight PB(AMO) encodings the constraints must be placed in a normal form where all coefficients are positive, only \leq is allowed, and each e_i must be a Boolean expression. The first normalisation step is to decompose equality into two inequalities \leq and \geq . Second, any \geq constraints are converted to \leq by negating all q_i coefficients and k . At this stage, all constraints are in \leq form.

Non-trivial integer terms $q_i e_i$ (where e_i is not Boolean and $D(e_i) \neq \{0, 1\}$) are dealt with as follows. If $q_i < 0$ then $q_i \leftarrow -q_i$ and $e_i \leftarrow \neg e_i$. The integer variable contained in e_i is required to have a *direct* SAT encoding. Finally, $q_i e_i$ is replaced with an AMO group of $|D(e_i)| - 1$ terms representing each value of $q_i e_i$ except the smallest (which is cancelled out by adjusting k). For example, if $q_i = 2$ and e_i has values $\{1, 2, 3\}$ then $k \leftarrow k - 2$ and $q_i e_i$ would be replaced with the following AMO group of two terms.

$$2(e_i = 2) + 4(e_i = 3)$$

At this point all terms $q_i e_i$ in the constraint must be Boolean or have domain $D(e_i) = \{0, 1\}$. If $q_i < 0$, the term is replaced with $-q_i(e_i = 0)$ or $-q_i(\neg e_i)$ (as appropriate for the type of e_i) and $k \leftarrow k - q_i$. Otherwise, the term is replaced with $q_i(e_i = 1)$ or remains unchanged (as appropriate for the type).

Automatic AMO detection [9] (which applies constraint propagation to find AMO groups among the Boolean terms of the original constraint) is enabled in our experiments. Automatic AMO detection has been shown to substantially improve solving time in some cases [9]. It partitions the Boolean terms of the constraint into AMO groups, and (as described above) each integer term becomes an AMO group also. Finally, we exactly follow the PB(AMO) normalisation rules of Boffill et al. [3] prior to encoding.

The PB(AMO) encodings are as follows:

- MDD** The Multi-valued Decision Diagram encoding [1] (a generalisation of the BDD encoding for PB constraints [5]) uses an MDD to encode the PB(AMO) constraint. Each layer of the MDD corresponds to one AMO group. BDDs and MDDs are a popular choice for encoding sums to SAT since they can compress equivalent states in each layer.
- GGPW** The Generalized Global Polynomial Watchdog encoding [2] (generalising GPW [6]) is based on bit arithmetic and is polynomial in size. It has the CC property but not GAC.
- GLPW** The Generalized Local Polynomial Watchdog encoding [3] (generalising LPW [6]) is similar to GGPW but has the GAC property. However, while being polynomial in size, it is often too large to be practical.
- GGT** The Generalized Generalized Totalizer [2] encodes the PB(AMO) constraint with a binary tree, where the leaves represent the AMO groups and each internal node represents the sum of all leaves beneath it. GGT extends the Generalized Totalizer [4]. The binary tree is constructed using the minRatio heuristic [3] that aims to minimise the numbers of values of internal nodes.
- GGTd** is identical to GGT except that a balanced binary tree is used.
- RGGT** The Reduced Generalized Generalized Totalizer [3] attempts to improve on GGT by compressing equivalent states at its internal nodes. The minRatio heuristic is used to construct the tree.
- GSWC** The Generalized Sequential Weight Counter [2] (based on the Sequential Weight Counter [7]) encodes the sum of each prefix sub-sequence of the AMO groups.
- GMTO** The Generalized n-Level Modulo Totalizer [3] (based on the n-Level Modulo Totalizer [8]) is an extension of the Generalized Totalizer that represents values of the internal nodes in a mixed-radix base. GMTO can be substantially more compact than other PB(AMO) encodings.

The MDD, GLPW, GGT, GGTd, RGGT, and GSWC encodings all have the GAC property (described in Section 1.2). Where the original constraint c contains no integer terms and the comparator of the original constraint is neither $=$ nor \neq then these six encodings will enforce GAC on c . GGPW has the CC property. Where the original constraint c contains no integer terms and the comparator of the original constraint is not $=$ or \neq then GGPW will have the CC property for c .

2.1.3 Tree encoding

The *Tree* encoding is related to the Generalized Totalizer (GT) [4] encoding of PB constraints. However, Tree is able to natively encode equalities (in addition to inequalities), and it natively supports integer variables and negative coefficients. Tree does not support arbitrary AMO groups of terms (i.e. it is not a PB(AMO) encoding) so it does not benefit from automatic AMO detection [9].

Given a constraint $c : \sum_{i=1}^n q_i e_i \diamond k$ where $\diamond \in \{\leq, =, \geq\}$, the first step is to normalise each term to have a lower bound of 0. Each term $q_i e_i$ is shifted such that its smallest value becomes 0, and k is adjusted accordingly. Shifting a term $q_i e_i$ is implemented with a linear view that introduces no SAT variables or clauses when c is encoded.

The encoding process has two main stages. In the first stage, a tree is constructed from c , with each term (integer or Boolean) represented by a leaf. The tree is binary with the




Fig. 1 The tree generated for the *Tree* encoding of $20x_1 + 30x_2 + 20x_3 + 40x_4 + 10x_5 + 20x_6 + x_7 \leq 55$

exception of the root node which may have three children. Each internal non-root node has a corresponding auxiliary integer variable that represents the sum of its two child nodes. A constraint is generated to connect each internal non-root node to its two children. The process to construct the tree maintains a set S of terms, initially containing all terms in the original sum. While S contains more than three terms, two terms $w_i y_i$ and $w_j y_j$ are removed from S and replaced with one new term a , where a is a new auxiliary variable. A constraint $w_i y_i + w_j y_j - a \diamond 0$ is generated. Finally S contains at most three terms and the last constraint is generated: $\sum S \diamond k$.

For each new variable a (introduced for the sum of $w_i y_i$ and $w_j y_j$), the domain of a is the set of values obtainable by adding any value of $w_i y_i$ to any value of $w_j y_j$. If $\diamond \in \{\leq, =\}$, values greater than k are removed from the domain of a . The shape of the tree and domain sizes of the internal variables are determined by the choice of terms to remove from S at each step. *Tree* uses a simple heuristic that chooses a term with the smallest number of possible values, breaking ties in favour of the smallest range from minimum to maximum value. The aim of the heuristic is to minimise the number of values of the auxiliary variables. To complete the first stage, if \diamond is $=$ then each equality constraint is broken down into one \leq and one \geq constraint.

As an example, consider the following constraint (where each variable x_i is Boolean):

$$20x_1 + 30x_2 + 20x_3 + 40x_4 + 10x_5 + 20x_6 + x_7 \leq 55 \tag{1}$$

The tree generated for this constraint is shown in Fig. 1. In this case the terms all have two possible values and the heuristic generates a balanced tree. Four auxiliary variables are generated as shown in Fig. 1, and five constraints are generated as follows.

$$\begin{aligned} x_7 + 10x_5 - a_0 &\leq 0 \\ 20x_1 + 20x_6 - a_1 &\leq 0 \\ 20x_3 + 30x_2 - a_2 &\leq 0 \\ 40x_4 + a_1 - a_3 &\leq 0 \\ a_0 + a_2 + a_3 &\leq 55 \end{aligned}$$

The second stage is to encode the variables and constraints to SAT. The order encoding is required for integer leaf nodes and is used for all a_i variables on the internal nodes. Constraints are encoded using an improved version of the original order encoding of Tamura et al. [19]. The original order encoding builds a set of clauses from the intervals $\{\min(D(q_i e_i)) - 1 \dots \max(D(q_i e_i))\}$ (for all i). Tamura, Banbara, and Soh [20] presented an improved order encoding that uses the sets $D(q_i e_i)$ and is more compact than the original version. The version presented here also uses the sets $D(q_i e_i)$, and by taking the entire set into account it avoids generating redundant clauses compared to the original version. First, terms are sorted

by increasing number of possible values. For a constraint of arity r , the set of clauses is as follows:

$$\bigwedge_{\langle b_1 \dots b_r \rangle \in B} \bigvee_i \left\{ \begin{array}{ll} \llbracket e_i \leq (b_i/q_i) - 1 \rrbracket & \text{when } (q_i > 0 \wedge i < r) \\ \llbracket e_i > (b_i/q_i) \rrbracket & \text{when } (q_i < 0 \wedge i < r) \\ \llbracket e_i \leq \lfloor b_i/q_i \rfloor \rrbracket & \text{when } (q_i > 0 \wedge i = r) \\ \llbracket e_i > \lceil b_i/q_i \rceil - 1 \rrbracket & \text{when } (q_i < 0 \wedge i = r) \end{array} \right\}$$

where the set of tuples B is defined as follows.

$$B = \left\{ \langle b_1 \dots b_r \rangle \mid \forall_{i=1}^{r-1} b_i \in D(q_i e_i) \wedge b_r = k - \sum_{i=1}^{r-1} b_i \right\}$$

For example, we encode the first constraint as follows (where false literals and one trivially true clause have been removed).

$$\begin{aligned} & \llbracket x_7 \leq 0 \rrbracket \vee \llbracket a_0 > 0 \rrbracket \\ & \llbracket x_5 \leq 0 \rrbracket \vee \llbracket a_0 > 1 \rrbracket \\ & \llbracket x_7 \leq 0 \rrbracket \vee \llbracket x_5 \leq 0 \rrbracket \vee \llbracket a_0 > 10 \rrbracket \end{aligned}$$

The original order encoding [19] would generate two additional (redundant) clauses, as follows.

$$\begin{aligned} & \llbracket x_5 \leq 0 \rrbracket \vee \llbracket a_0 > 0 \rrbracket \\ & \llbracket x_7 \leq 0 \rrbracket \vee \llbracket x_5 \leq 0 \rrbracket \vee \llbracket a_0 > 1 \rrbracket \end{aligned}$$

When applied to a $PB \leq$ constraint, Tree is similar to GT in most respects. The main difference occurs at the root node, which for Tree has 3 children and no auxiliary SAT variables, while for GT the root node has 2 children and an auxiliary SAT variable for each possible value of the sum that lies between 0 and $k + 1$. On the example constraint, Tree generates 10 SAT variables (in addition to the original $x_1 \dots x_7$) and 30 clauses. GT with the minRatio heuristic generates 20 SAT variables and 36 clauses, while GT with a balanced binary tree produces 21 SAT variables and 54 clauses.

When applied to an equality constraint, Tree generates one set of auxiliary variables at each internal (non-root) node and these are used to encode both \leq and \geq parts of the constraint. In contrast, when using any PB(AMO) encoding, the constraint is decomposed into two inequalities which are then encoded entirely separately. As a result Tree can be more compact in terms of SAT variables. Replacing \leq with $=$ in (1), the Tree encoding introduces 10 variables and 53 clauses, whereas GT with minRatio generates 48 variables and 82 clauses.

Tree has the GAC property when the comparator of the original constraint is neither $=$ nor \neq .

2.1.4 Discussion

The set of 9 encodings is diverse but not exhaustive. Abío et al. proposed a BDD-based encoding for linear constraints [21], however it has been directly related to the MDD encoding [22]. In addition to MDD-based encodings, Abío et al. propose two further encodings for linear constraints [23]: one based on sorting networks (SN), which is related to the GPW encoding, and another log-based encoding BDD-Dec. Other log encodings such as the one used by Picat-SAT [24] may also be more effective in some cases.

For our experiments we use an extended version of SAVILE ROW 1.9.1 [25]. All constraints other than PB and LI use the default encoding as described in the SAVILE ROW manual.

2.2 Instance features

Our task of selecting the best SAT encodings relies on extracting features of constraint problems in order to predict a performant encoding configuration. We initially use existing generic CSP instance features, and then go on to define features which relate directly to the PB and LI constraints in a given CSP instance. The resulting featuresets are described below.

f2f We use the `fzn2feat` tool [26] to extract 95 static instance features relating to the number and types of variables and their domains, the types and sizes of constraints and features of the objective in optimisation problems. The full list of features can be found at <https://github.com/CP-Unibo/mzn2feat>; some features were not applicable, e.g. there are no float variables in Essence Prime and SAVILE ROW does not produce all the same annotations. The `fzn2feat` tool requires FlatZinc models as input – we generate these using SAVILE ROW’s standard FlatZinc back-end.

f2fsr We also re-implement the `f2f` features as closely as possible within SAVILE ROW, applied to the model directly before encoding to SAT.

lipb We introduce a new set of 45 features describing the PB constraints in a problem instance. We also extract these for LI constraints, giving 90 new features in total. These features are listed in Table 1.

combi We combine the `f2fsr` and `lipb` features.

The rationale behind the `lipb` features listed in Table 1 is to represent the distribution and partitioning of coefficients within LI and PB constraints. For example, by inspecting averages, quartiles and measures of skew, we can distinguish between PBs with terms mostly similar in weight and ones where one or two coefficients dominate. Additionally, because most encodings we use make use of AMO groups, our features also consider the characteristics of the AMO groups in a constraint. Of course we lose the individual detail when we aggregate over all constraints in the instance, but by using a variety of aggregation functions we hope to represent both the characteristics of the individual constraints and how they are distributed within the instance as a whole.

2.3 Problem corpus

We begin with the 65 constraint models with a total of 757 instances from a recent paper [11] in order to work with a wide variety of problem classes. An added advantage is that the models are written in Essence Prime, SAVILE ROW’s input language. Unfortunately this collection has a very skewed distribution of instances per problem class, ranging from just 1 to 100. We mitigate this in two ways: firstly, we limit the number of instances per class to 50 by taking a random sample where more instances are available; secondly, we add instances to existing classes where it is easy, such as when instance parameters are just a few integers. We also add two problem classes from recent XCSP3 competitions [27]: the Balanced Academic Curriculum Problem (BACP) and the Hamiltonian Cycle Problem (HCP). Some of the problems are filtered out during the data cleaning phase; we give details of this process and the resulting corpus in Section 3.1.2 and Table 2.

Table 1 New features for pseudo-Boolean and linear integer constraints

Aspect of constraint	Aggregate
Number of (PB or LI) constraints (<code>count</code>)	none
Number of terms (<code>n</code>)	min, max, mean, median, IQR, skew, ent, sum
Sum of coefficients (<code>wsum</code>)	sum, skew, IQR
Minimum coefficient (<code>q0</code>)	min, mean
Maximum coefficient (<code>q4</code>)	max, median, mean
Median coefficient (<code>q2</code>)	median, skew, ent
IQR of coefficients (<code>iqr</code>)	median, skew
Coefficients' quartile skew (<code>skew</code>)	mean, min, max, ent
Distinct coefficient values (<code>sep</code>)	mean, max
Ratio of distinct coeff. values to num. of coeffs. (<code>sepr</code>)	mean, max
Number of At-Most-One groups (AMOGs) (<code>amogs</code>)	mean
Mean size of AMO group (<code>asize_mn</code>)	mean
Mean AMO size ÷ number of terms (<code>asize_r2n</code>)	mean
Mean maximum coeff. size in AMOGs (<code>amaxw_mn</code>)	mean
Skew of maximum coeff. in AMOGs (<code>amaxw_skew</code>)	mean, ent
Upper limit (<code>k</code>) (<code>k</code>)	mean, median, max, IQR, ent, skew
$k \times$ number of AMOGs (<code>k_amo_prod</code>)	mean, IQR, ent

For each aspect of a constraint listed in the left column, we calculate the aggregates in the right column. In the aggregation functions, *IQR* means inter-quartile range, *skew* refers to the non-parametric skew and *ent* is Shannon's entropy. The identifier for each aspect is given in brackets

2.4 Training

We evaluated several classifier models from the `scikit-learn` library [28], including decision trees and forests of extremely randomised trees, as well as the XGBoost classifier [29]. We also investigated training various regressors to predict runtime. We found that a random forest classifier performs best for our purposes. The `scikit-learn` implementation is based on Breiman's random forests [30], but uses an average of predicted probabilities from its decision trees rather than a simple vote.

We follow the method of Probst et al. [31] who investigated hyperparameter tuning for random forests and concluded that the number of estimators should be set sufficiently high (we use 200) and that it is worth tuning the *number of features*, *maximum tree depth*, and *sample size*. We use randomised search with 50 iterations and 5-fold cross-validation to tune the hyperparameters. We experimented with more tuning iterations but it did not lead to improved prediction quality.

If a classifier makes a poor prediction, the consequences vary. It is possible that the chosen encodings lead to a running time which is very close to that of the ideal choice; the opposite is also true and misclassification can be very expensive. To address this issue, we follow a similar approach to the *pairwise classification* used in AUTOFOLIO [14]: we train a random forest model for each of the possible pairs of encoding configurations. When making predictions, each model chooses between its two candidates. The configuration with most votes is chosen; if two or more configurations have equal votes, we select the one which produced the shortest total running time over the training set. This approach effectively creates a predicted ranking

Table 2 Number of instances (#), mean number of PB constraints (*PBs*) and mean number of LI constraints (*LIs*) per instance for each problem class in the eventual corpus

Problem Class	#	PBs	LIs	Problem Class	#	PBs	LIs
killerSudoku2	50	1811.2	129.9	carSequencing	49	435.7	0.0
knights	44	170.5	336.9	langford	39	146.2	0.0
opd	36	21.9	76.2	knapsack	28	1.0	1.0
sonet2	24	10.0	1.0	immigration	23	0.0	1.0
bibd-implied	22	410.6	0.0	efpa	21	162.8	0.0
handball7	20	705.0	1206.0	mrcpsp-pb	20	90.0	45.7
n_queens	20	1593.0	0.0	bibd	19	338.7	0.0
briansBrain	16	0.0	1.0	life	16	0.0	438.9
molnars	16	0.0	4.0	n_queens2	16	309.0	0.0
bpmp	14	14.0	0.0	blackHole	11	202.2	0.0
pegSolitaireTable	8	59.9	0.0	pegSolitaireState	8	59.9	0.0
pegSolitaireAction	8	59.9	0.0	magicSquare	7	136.0	36.0
peaceArmyQueens1	7	0.0	1008.0	peaceArmyQueens3	6	0.0	4.0
quasiGrp5Idem	6	586.7	0.0	golomb	6	59.2	38.7
quasiGrp7	6	410.7	0.0	quasiGrp6	6	410.7	0.0
quasiGrp4NonIdem	4	1067.5	208.0	quasiGrp3NonIdem	4	1067.5	208.0
quasiGrp5NonIdem	4	389.0	0.0	quasiGrp4Idem	4	416.0	208.0
bacp	4	0.0	25.0	quasiGrp3Idem	4	458.0	208.0
waterBucket	4	0.0	46.0	discreteTomography	2	240.0	0.0
solitaire_battleship	2	72.0	16.0	plotting	1	1.0	28.0
nurse	1	27.0	42.0	grocery	1	0.0	2.0
farm_puzzle1	1	0.0	2.0	diet	1	0.0	6.0
sokoban	1	0.0	24.0	sonet	1	3.0	1.0
contrived	1	0.0	4.0	sportsScheduling	1	166.0	64.0
tickTackToe	1	6.0	14.0				

of configurations from the features and often leads to better prediction performance than using a single random forest classifier.

To facilitate the pairwise training and prediction approach, we reduce our selection of encoding combinations from 81 (9 PB encodings \times 9 LI encodings) to a portfolio of 6, thus needing to train just 15 models (rather than 3240 if we had used all 81 choices). We seek to retain performance complementarity as described in [32] from a much reduced portfolio size. The portfolio is built from the timings in the training set using a greedy approach as follows. We begin with a single encoding configuration in the portfolio and then successively add the remaining configuration which would lower the virtual best PAR10 time by the biggest margin (PAR10 is defined in Section 3.1.2). We do this until we have a portfolio of 6. We repeat the process using each of the 81 configurations as the starting element and finally select the best-performing portfolio from these 81. Figure 2 shows that this portfolio reduction has a small impact on the virtual best performance across our corpus – the virtual best time for a portfolio of size 6 is within 16% of the time achievable with all configurations.

In addition to the pairwise voting scheme, we implement two further customisations when training the classifiers:




Fig. 2 The virtual best PAR10 run-time on our whole corpus for a range of portfolio sizes, as a multiple of the overall virtual best; the resulting portfolios (of *li_pb* configurations) are shown for sizes 1 to 6

Sample Weights Firstly we aim to give more importance to instances which are harder (with a longer virtual best runtime) and where the encoding choice makes a bigger difference. Each instance is given a positive integer weight *w* according to the formula

$$w = \lfloor \log_{10} (10 + t_{VB} \times \frac{t_{VW}}{t_{VB}}) \rfloor$$

where *t_{VB}* and *t_{VW}* are the very best and very worst runtimes respectively for the instance.

Custom Loss Secondly, we provide a custom loss function for the cross-validation used during hyperparameter tuning. The custom loss function simply returns the difference in time between the runtime of the chosen encoding configuration and the virtual best for that instance.

To conduct a more complete comparison we also implement two additional alternative setups.

Single Classifier We try using a single random forest classifier with the same portfolio of 6 configurations (combining PB and LI encodings). In terms of hyperparameter tuning, we try it both with a generous allowance of 15 times the iterations allocated to each classifier in the pairwise setup, and with a more restricted budget of 60 iterations.

Separate LI/PB Choice Secondly we modify the pairwise setup to make a separate prediction for LI and PB constraints, choosing a portfolio of 6 encodings for each encoding type. This approach has its difficulties because when labelling the dataset with the best encoding for one type of constraint, the encoding of the other constraint type must be chosen somehow. We address this by setting the other constraint type to the single best for the training set. This setup is more expensive in terms of training time, effectively repeating the entire process for each constraint type under consideration, rather than taking advantage of a complementary portfolio across two (or more) encodings.




Fig. 3 An overview of the steps involved in our experimental investigation. The white boxes with solid borders represent data; the grey boxes represent processes

3 Empirical investigation

3.1 Method

We provide an overview of our experimental process in Fig. 3. Briefly, the method consists of:

- Running SAVILE ROW with different encoding choices in order to collect runtime information and to extract features.
- Cleaning the resulting dataset.
- Carrying out 50 *split, train, predict* cycles with each of our machine learning setups, using the same train/test splits in order to allow fair comparison across the setups.
- Using the predicted encoding choices to identify the resulting runtimes.
- Aggregating the “predicted” runtimes and calculating reference times for comparison.

The experimental design is described in more detail below.

3.1.1 Solving problem instances and extracting features

We run SAVILE ROW on each instance in the corpus with each of the 81 encoding configurations. The CNF clause limit is set to 5 million and the SAVILE ROW time-out to 1 hour. We

switch on automatic detection of At-Most-One constraints [9]. We choose Kissat as our SAT solver as it formed the basis of the top three performers in the 2021 SAT competition [33]. We use the latest release available at the time, `sc2021-sweep` [34], with default settings and separate time limit of 1 hour. The experiment is run on the Viking research cluster with Intel Xeon 6138 20-core 2.0 GHz processors; we set the memory limit for each job to 8 GB. We carry out 5 runs (with distinct random seeds) for each configuration to average out stochastic behaviour of the solver.

To extract the features we run each problem instance once with the SAVILE ROW feature extractor and once to generate standard FlatZinc (using the `-flatzinc` flag) followed by `fzn2feat` [26]. We record the time taken to extract the features.

3.1.2 Cleaning the dataset

We calculate the median runtime over 5 runs for each instance and encoding configuration. We mark a result as timed out if the total runtime (SAVILE ROW + Kissat) exceeds 1 hour. To decide what penalty to apply to runs which time out, we consider all instances for whom every configuration finishes within the allocated time. The mean *worst/best* ratio is 13.06 and the median ratio is 4.91. When we consider only those problem instances which are not solved with any encoding configuration in less than 1 minute, then the *worst/best* mean ratio is 9.18 so we believe it fair to penalise a time-out by a factor of 10. We therefore choose to use PAR10, i.e. assigning 10 hours to any result which takes longer than our 1 hour time-out limit. This is the same penalty applied in other related literature [12–14] which addresses the problem of selecting SAT encodings for CSPs.

Having applied PAR10, we filter the corpus as follows. We drop instances if they contain no PB or LI constraints. We also exclude any instances which end up requiring no SAT solving – SAVILE ROW can sometimes solve a problem in pre-processing through its automatic reformulation and domain filtering. Finally we exclude instances for which all configurations time out. At this point, 614 instances of 49 problem classes remain in the corpus; Table 2 shows the number of instances for each problem class and the mean number of PB and LI constraints per instance.

3.1.3 Splitting the corpus, training and predicting

For each of our classifier setups and our four featuresets, we run a *split, train, predict* cycle 50 times. We use seeds 1 to 50 to co-ordinate the splits so that we compare the prediction power of the different feature sets and setups using the same training and test sets.

For each cycle, we aim for an 80:20 train to test split using two approaches. The *split-by-instance* approach simply selects instances at random with uniform probability – with this approach, instances of any given problem class are usually found in both the training and test sets. The *split-by-class* approach also splits problems randomly but ensures that all instances of a problem class end up either in the training or the test set, meaning that predictions are being made on unseen problem classes. This second method can lead to the test set being slightly larger than 20%.

Prior to training the classifiers, the portfolio of available configurations is built based on the runtimes of the training set. Then the training instances are labelled for each pairwise classifier with the configuration that has the shorter runtime. For each pairwise classifier, we search the hyperparameter space and fit the model to the training set. Finally, we make predictions using the test set ready for evaluation.

3.1.4 Evaluating the performance of predicted encodings

To evaluate the impact of using the learnt encoding choices, we calculate two benchmarks commonly used in algorithm selection [32]: the *Virtual Best (VB)* time is the total time taken to solve the instances in a test set if we always made the best possible choice from all 81 configurations; and the *Single Best (SB)* time is the total time taken to solve the instances in a test set when using the single configuration that minimises the total solving time on the training set. In addition we refer to: the time taken using SAVILE ROW's *default (Def)* configuration, which is the *Tree* encoding for both PB and LI constraints, and finally the *Virtual Worst (VW)* time to indicate the overall variation in performance of the encoding configurations in the portfolio.

3.2 Results and discussion

In Table 3 we report the total PAR10 runtime across all 50 test sets for the predicted encoding configurations from each of the six classifier setups, four feature sets and two splitting methods. The predicted runtimes include the time taken to extract the features.¹ For ease of comparison, we report the runtime as a multiple of the virtual best time. For example, a figure of 2.00 in Table 3 means that the predictions across the 50 test sets led to a total runtime which was twice as long as the runtime achieved if we always chose the best available configuration. We remind the reader that the two splitting strategies (by class vs. by instance) yield different test sets for the 50 seeds, as explained in Section 3.1.3.

3.2.1 On performance and features

We found that the machine learning predictors work well, clearly outperforming the *SB* and *Def* configurations. These performance improvements can be achieved with predictions based on the generic CSP feature sets *f2f* and *f2fsr*, but are even better when using the new specialised features (*lipb*) for the majority of ML setups we implement and especially so when predicting encodings for unseen problem classes. Sometimes the best results are obtained by the combined featureset *combi*, again more often for unseen problem classes.

We argue that the *split-by-class* approach is both a more difficult challenge and closer to a real-world deployment, where a new instance to solve may belong to an unseen problem class. However, both approaches are realistic, so we choose the *Pairwise-Voting Combined-Encoding Classifier with Sample Weighting and Custom Loss* as our preferred setup for the rest of this paper because it is the best in the *split-by-class* task and performs competitively in the *split-by-instance* setting.

In a recent survey, Kerschke et al. state that “State-of-the-art per-instance algorithm selectors for combinatorial problems have demonstrated to close between 25% and 96% of the VBS-SBS gap” [32]. In these terms, our preferred setup using *lipb* features closes 59% of the VB-SB gap for unseen classes and 73% for seen classes.

Because the distribution of runtimes in the *split-by-class* trials is skewed, we use a non-parametric statistical test to report on the significance of the improvement achieved by using our classifier. We apply the Wilcoxon Signed-Rank test for paired samples on the mean times from the SB selector choices and our preferred selector using the *lipb* features. We obtain a

¹ For features extracted directly from SAVILE ROW (*f2fsr*, *lipb*, *combi*), the feature extraction time added a median of 9% (mean 21%) to the overall running time. The features extracted via `fzn2feat` added 66% (median), 72% (mean).

Table 3 Total PAR10 times over the 50 test sets as a multiple of the virtual best configuration time

<i>Split-by-Instance Reference Times</i>								
Virtual Best	Single Best	Default	Virtual Worst					
1.00	13.87	17.84	123.70					
<i>Split-by-Instance Predicted Times</i>								
Selector	Setup Details				Relative Times by Featureset			
	Co/Sep	SW	CL	Tuning	f2f	f2fsr	lipb	combi
Pairwise Voting	co	-	-	50 × 15	7.99	5.63	5.87	5.86
Pairwise Voting	co	✓	-	50 × 15	6.33	5.36	5.10	4.99
Pairwise Voting	co	-	✓	50 × 15	6.01	4.74	4.57	4.75
Pairwise Voting	co	✓	✓	50 × 15	5.40	4.69	4.43	4.57
Single Classifier	co	✓	✓	750	3.91	3.70	3.77	3.81
Single Classifier	co	✓	✓	60	3.95	3.70	3.98	3.83
Single Classifier	co	-	-	750	10.34	9.64	9.11	8.90
Pairwise Voting	sep	✓	✓	50 × 15 × 2	6.53	6.67	5.60	5.81
AUTOFOLIO	co	n/a	n/a	1 hour	22.19	24.18	20.63	21.02
AUTOFOLIO	co	n/a	n/a	2 hours	26.71	27.59	22.63	22.19
AUTOFOLIO	co	n/a	n/a	4 hours	22.76	25.40	22.45	23.47
<i>Split-by-Class Reference Times</i>								
Virtual Best	Single Best	Default	Virtual Worst					
1.00	25.40	17.15	160.96					
<i>Split-by-Class Predicted Times</i>								
Selector	Setup Details				Relative Times by Featureset			
	Co/Sep	SW	CL	Tuning	f2f	f2fsr	lipb	combi
Pairwise Voting	co	-	-	50 × 15	15.07	15.01	14.17	12.55
Pairwise Voting	co	✓	-	50 × 15	16.80	14.90	13.21	12.77
Pairwise Voting	co	-	✓	50 × 15	16.42	15.30	14.97	11.16
Pairwise Voting	co	✓	✓	50 × 15	15.69	15.19	11.00	11.84
Single Classifier	co	✓	✓	750	20.59	19.15	13.17	14.53
Single Classifier	co	✓	✓	60	22.01	19.49	13.67	13.52
Single Classifier	co	-	-	750	19.72	19.93	15.18	16.50
Pairwise Voting	sep	✓	✓	50 × 15 × 2	16.91	14.10	12.02	12.71
AUTOFOLIO	co	n/a	n/a	1 hour	24.28	27.31	24.21	26.79
AUTOFOLIO	co	n/a	n/a	2 hours	26.90	31.85	25.26	25.84
AUTOFOLIO	co	n/a	n/a	4 hours	24.88	25.36	23.66	30.22

The best time for each combination of setup, features and splitting method is shown in **bold**. The predicted runtimes include feature extraction time. In the setup details, *Co/Sep* shows whether LI and PB encodings were selected separately or as a combined choice; *SW* means sample weighting is used; *CL* indicates custom loss used in cross-validation; *Tuning* refers to the number of cycles of hyperparameter tuning, or the time budget in the case of AUTOFOLIO




Fig. 4 Prediction performance using different featuresets against reference times. We show mean runtime (left) and number of timeouts (right) per test set across the 50 cycles, when using our preferred setup (*pairwise combined, sample weights, custom loss*). Outliers are indicated with crosses and represent values more than $1.5 \times$ IQR outside the quartiles

p value of 6.5×10^{-5} (well below even a 1% significance level) and an effect size of -0.62 using the rank-biserial correlation method which would usually be interpreted as a medium to large effect.

Figure 4 summarises the performance for our preferred setup, showing the distribution of mean predicted PAR10 times per test set. The mean values are marked with diamonds and correspond to the numbers reported in Table 3, albeit not scaled. We note that when splitting by instance, the performance across test sets is fairly symmetrical, with very similar means and medians for all selectors. However, when it comes to splitting by class, the distributions show positive skew – this likely comes from test sets where there are many instances from an unseen problem class for which the classifier struggles to make the best choices.

We present an additional visualisation of selector performance in Fig. 5, showing the number of instances solved as time is increased. With both splitting strategies we observe that the featuresets emerge in the order *lipb, combi, f2fsr, f2f* with the *lipb*-predicted encodings enabling the largest number of instances to be solved within the timeout. When splitting by instance, the four featuresets follow a very similar trajectory; however when splitting by class a clear advantage is shown for the specialised featuresets. The single best (SB) performs very differently in the two settings. When splitting by class, there are occasions when SB (derived from the training set) performs considerably worse than the *Tree_Tree* default configuration, leading to the default configuration outperforming SB.

All featuresets lead to similar performance in the split-by-instance setting. However, when predicting for unseen problem classes, the mean runtimes are clearly better when using the specialised featuresets. This is also reflected in the number of timeouts, where the *lipb* featureset gives the most robust predictions. It is interesting that when splitting by class the




Fig. 5 The number of problem instances individually solved within a given time for the reference selectors and our preferred predictor using different feature sets. The figures on the left show the full performance profile; on the right we zoom in to see how many instances are solved by the selectors as we approach our timeout limit of 1 hour

generic featureset $f2f$ leads to a low median runtime and low median number of timeouts but is strongly outperformed by the specialised $lipb$ features in terms of means, suggesting that the specialised features help to avoid more costly misclassifications; i.e. the generic features help to “win” on easier problems, but don’t do so well on harder ones.

A further insight is provided by Fig. 6 which shows the accuracy of predictions across the 50 training and test sets – in this figure we see how often the pairwise classifier ends up making exactly the “right” decision. In the split-by-instance scenario the prediction accuracy is fairly consistent across feature sets; however, for unseen classes we observe something unexpected. The $f2f$ features lead to the most accurate predictions, but, as discussed above, the overall performance in terms of the resulting runtimes is considerably worse. This means that the specialised features enable the pairwise classifier to produce a safer prediction, so that even when the prediction made is not the absolute best encoding choice, the selected encoding provides performance closer to the best on average.




Fig. 6 Distributions of prediction accuracy across the 50 *split, train, predict* cycles using our preferred setup

3.2.2 On encoding choices

In Fig. 7 we show the frequency with which different encoding configurations are predicted. Recall that although we use a portfolio of 6 encodings, the portfolio is generated from the training set; consequently the portfolios are different across the 50 sets. The VB column shows a smooth distribution of ideal encoding choices from the full range of encodings available. In both splitting scenarios we observe five configurations preferred by the classifiers:




Fig. 7 Frequency of each configuration (*li_pb*) selected across the 50 test sets when using each feature set with our preferred setup. We also show the virtual best (VB) configuration distribution for comparison. The colour indicates the LI encoding and the fill pattern shows the PB encoding. Only the top 12 most used configs (of 81 in total) are shown in the legend

RGGT_Tree, *GGPW_GGPW*, *Tree_MDD*, *GGPW_GGTd* and *GGT_MDD*. Additionally, in the split-by-class task *GGPW_Tree* is also used very often. The *GGPW* encoding for LI constraints features heavily in these choices and can therefore be considered a very good single choice in many settings; remember that when illustrating the building of a portfolio using the whole corpus, the single-choice winning configuration in Fig. 2 was *GGPW_Tree*. In the distribution of predictions made, there is more variety in the PB encoding selected, with five different choices featuring in the six top configurations mentioned.

Predictions can only be made from the portfolio determined at training time, so in each of the 50 cycles the classifier has to choose between 6 encoding configurations, and therefore it follows that not all configurations feature in the predictions; in contrast the virtual best can include even edge cases where a configuration wins only once. Of all the encoding distributions in the split-by-class task, it appears that the predictions made using the *lipb* features are closest to the VB in the sense of having the most even spread amongst the configuration predictions it produces. This is not immediately clear from Fig. 7. However, when a χ^2 test is carried out with the frequencies of configuration predictions from each featureset against the VB, the test statistics point to *lipb* having the most similar spread of choices – the divergence measures are 27017 for *lipb*, 29827 for *f2fsr*, 30277 for *f2f*, and 30321 for *combi*. We suggest that using the specialised features allows our machine learning setup to remain safe (i.e. not choose encodings which lead to very bad performance) while taking enough “risks” to leverage the complementarity of the portfolios by spreading out the prediction choices more.

3.3 Comparison with AUTOFOLIO

To further assess the value of our approach, we compare with AUTOFOLIO [14], a sophisticated algorithm selection approach which automatically configures algorithm selectors and “can be applied out-of-the-box to previously unseen algorithm selection scenarios.” We use the latest version of AUTOFOLIO (the 2020-03-12 commit which adds a CSV API to the 2.1.2 release) with its default settings. We use the algorithm selection component of AUTOFOLIO to make a single prediction per instance, turning on the hyperparameter tuning option; we do not use its pre-solving schedule generation.

To compare as fairly as possible, we train AUTOFOLIO on exactly the same training data, and test on the same test sets as our method. Our system takes less than 5 minutes to train using 8 cores on the cluster, so we allow AUTOFOLIO 1 hour on one core to tune and train. We also run it with a more generous budget of 2 hours and 4 hours to see if its performance improves. The runtime performance based on AUTOFOLIO’s predictions is included in our main table of results (Table 3), in the final three rows of each main section.

Our system’s predictions lead to better runtimes than AUTOFOLIO’s. AUTOFOLIO is designed to be a good general algorithm selection and configuration system able to make good predictions when choosing between different solvers. It is likely that AUTOFOLIO’s sophisticated decision-making is better suited to problems that run much longer or to algorithms for which the likelihood of timeouts or non-termination is more of an issue. It is interesting to note that AUTOFOLIO performs better with the *lipb* features than the generic instance features. Allowing AUTOFOLIO more time for tuning leads to marginal improvement with some feature sets, but in some cases actually results in worse performance, for example with *split-by-instance* and the *combi* features.

3.4 Feature importance

We investigate the relative importance of instance features by computing the permutation feature importance. Breiman [30] calculates “variable importance” in random forests by recording the percentage increase in misclassification when each variable (feature) has its values randomly permuted compared to when all features are used. Permuting the values means that the distribution is preserved but the feature effectively becomes noise. This method is applied at prediction time to the test set, unlike the Gini (entropy) feature importance measure which is calculated during training. We implement this analysis but record the mean increase in PAR10 time when each feature is permuted, effectively giving us the extra runtime cost when the feature is lost. Each feature is randomly permuted 5 times and the mean time increase recorded. The distribution of feature importance thus calculated is shown in Fig. 8. We report on the *lipb* features and on the *combi* feature set which additionally contains the generic features from *f2fsr*. We only show the top 20 features ordered by mean importance.




Fig. 8 Permutation feature importance: increase in PAR10 time over 50 *split, train, predict* cycles when each feature’s data is permuted. We show the top 20 features according to mean importance. We omit outliers, which are defined as being beyond $1.5 \times$ IQR away from the box. The mean importance over the 50 cycles is shown by a diamond. Features beginning *li_* or *pb_* refer to our LI/PB features as listed in Table 1; the other feature names refer to the generic instance features from the *combi* feature set




Fig. 9 The mean permutation feature importance across the 50 cycles for every feature in the *lipb* and *combi* featuresets, from most to least important

We can see in Fig. 8 that for both feature sets the median feature importance in the majority of cases is close to zero, but the mean importance varies considerably. This suggests that there are no features which are dominant on their own – most of the time a missing feature incurs no loss of prediction performance. Indeed sometimes removing a feature can improve performance, as shown by some negative costs in most box plots. However, the means of the distributions show that there are cases where each of the top features shown is able to prevent a costly wrong choice. The full extent of the variation of the mean feature importance is shown in Fig. 9.

In the top 20 *combi* features we find a roughly equal mix of generic features and features specific to PB/LI constraints (the names of these features have prefixes *pb_* and *li_*), when it comes to predicting for known problem classes (i.e. split by instance). This is in keeping with the similar performance of the *f2fsr* and *lipb* featuresets as shown previously in Table 3. We suspect that when splitting by instance the system is, to a large extent, recognising problem classes rather than picking out traits of PB/LI constraints.

When we predict for unseen problem classes, the proportion of PB/LI to generic features in the top 20 rises to 14:6, supporting the hypothesis that making choices about which encodings to choose for certain constraint types is better served by using features relating to those constraints in the problem instance.

Let us consider the importance of features related to PBs as distinct to LIs. Considering the *split-by-instance* case in Fig. 8 we note that most of the top features relate to LIs (17 to 3); this is almost entirely reversed when splitting by class (16 to 4 in favour of PB features). If the classifiers are just recognising problem classes in the *split-by-instance* case (hence predicting an encoding which has worked well for other instances in that class), then the LI features are just as suitable as the PB features. In fact we saw that the generic features performed competitively in this setting. However, when it comes to predicting for unseen problem classes, we know that the LI/PB related features are more discriminating as shown in the performance results (Table 3). We have also seen that there is more variation in the best PB encoding than the best LI encoding (with GGPW often winning for LI) and therefore the PB-related features are more prominent in this harder setting.

As a final discussion point relating to feature importance, we look in more detail at the top 20 features from the *lipb* featureset when used on unseen problem classes. We have commented already on the disparity between the mean and median of the permutation feature importance. In Table 4 we list the top 20 features by mean and by median. A positive median

Table 4 The 20 most important features in our *lipb* feature set by their mean and median permutation feature importance (PFI)

Top 20 by Mean			Top 20 by Median		
Feature	PFI (seconds)		Feature	PFI (seconds)	
	Mean	Median		Mean	Median
pb_amogs_mn	8899.11	2.15	pb_n_sum	6573.40	114.78
pb_count	8190.50	3.33	pb_k_max	5412.10	68.36
pb_n_iqr	7889.19	0.69	pb_amogs_size_mn_mn	4661.48	30.20
pb_n_sum	6573.40	114.78	pb_k_amogs_prod_ent	1435.01	19.70
pb_k_max	5412.10	68.36	pb_wsum_sum	591.30	11.05
pb_k_amogs_prod_mn	5048.18	-0.36	li_skew_ent	2118.24	4.61
pb_amogs_size_mn_mn	4661.48	30.20	pb_n_min	0323.83	3.66
pb_wsum_iqr	4462.16	-0.29	li_sepr_max	-1823.14	3.43
li_amogs_mn	4313.62	1.70	pb_count	8190.50	3.33
pb_n_ent	3048.54	3.01	pb_n_ent	3048.54	3.01
pb_skew_mn	2950.82	0.00	li_n_med	-164.57	2.22
pb_n_max	2703.56	-0.21	pb_amogs_mn	8899.11	2.15
pb_q4_mn	2390.52	-0.05	li_amogs_size_mn_mn	1168.76	2.11
pb_k_med	2337.28	-0.27	pb_k_amogs_prod_iqr	226.67	1.76
pb_skew_ent	2237.81	0.84	li_amogs_mn	4313.62	1.70
pb_k_skew	2192.99	-1.11	li_skew_mn	1213.57	1.13
li_skew_ent	2118.24	4.61	pb_k_ent	516.36	1.07
li_sep_mn	2055.11	0.05	li_count	422.29	0.87
li_k_med	1748.99	0.26	pb_skew_ent	2237.81	0.84
pb_k_mn	1513.33	0.04	pb_n_iqr	7889.19	0.69

Features which appear in both top-20 lists are highlighted in **bold**. These PFI values were obtained in the *split-by-class* task and are averaged over the 50 *split, train, predict* cycles

value tells us that a feature is more often than not valuable in making good predictions. The mean indicates the overall contribution in a different way, i.e. how much time is lost on average per prediction batch across the 50 cycles. The features highlighted in bold type appear in both top-20 lists and so can help to explain what kinds of features are most helpful. We note that these mostly pertain to size, e.g. *pb_n_sum* is the total number of terms across all PBs, *pb_k_max* is the highest upper bound *k*, *pb_amogs_size_mn_mn* is the mean of the mean size of the AMO groups in PBs, *pb_count* is the number of PB constraints.

There are limitations to how much we can read into the permutation feature importance (PFI), in particular because of two factors: PFI considers features in isolation and we have quite a large number of features. A feature α may be discriminating but could be masked by another feature β with which it is highly correlated, so when we permute α 's values, there may not be a great loss in prediction performance while the information from β remains. Thus we could wrongly conclude that α is not very valuable. We have also shown that the features in *lipb* and *f2fsr* can give comparable prediction performance (especially when splitting by instance) even though they consider different aspects of a CSP.

It is very difficult to draw strong conclusions about which features are the most significant. Many algorithms exist to aid feature selection before applying machine learning methods. Although further work in reducing the featuresets could be of value, we have shown that

Table 5 Summary of the 20 best encoding configurations across the problem corpus by two different criteria

Most Frequent Winners			Biggest Contributions to VB	
Encodings (LI_PB)	Wins	Mean Time	Encodings (LI_PB)	% of VB
Tree_Tree	73	46	GGPW_GGPW	23.2
RGGT_Tree	31	127	RGGT_Tree	5.7
GGPW_GGPW	26	611	GPW_Tree	5.4
MDD_Tree	26	30	GGPW_GGT	5.3
GPW_Tree	25	148	GGT_MDD	5.0
GGTd_Tree	24	28	Tree_Tree	5.0
GLPW_Tree	21	7	Tree_MDD	4.3
GGT_Tree	21	29	GGPW_RGGT	3.3
GSWC_Tree	19	17	GSWC_GGT	2.8
Tree_MDD	19	153	GGPW_GMTO	2.7
GGPW_MDD	18	16	GLPW_MDD	2.6
Tree_RGGT	15	21	GSWC_GSWC	2.6
GMTO_MDD	14	57	GLPW_GGTd	2.3
Tree_GPW	13	77	GGT_RGGT	1.6
Tree_GGTd	11	76	GSWC_GGPW	1.6
GGPW_GGTd	11	76	MDD_GGTd	1.6
Tree_GSWC	11	43	GGT_GGPW	1.5
GGPW_RGGT	10	223	GGTd_GSWC	1.5
GGPW_GGT	10	362	Tree_GPW	1.5
RGGT_GGPW	10	7	MDD_GMTO	1.4

Left: the encodings which are best most frequently, showing the number of “wins” and the mean runtime for the instances on which it wins; the mean is rounded to the nearest second. *Right*: the encodings whose allocated instances in the virtual best selection have the highest total runtimes, and their contribution as a percentage of the total VB runtime. Encodings appearing in both top 20 lists are highlighted in **bold** type

better predictions are achievable when using only the constraint-specific features in the split-by-class setting.

3.5 Analysis of the configuration space

We end our account of the empirical investigation with a brief analysis of the configuration space in which we are making encoding choices. We have argued already that the task of selecting suitable SAT encodings is not just a simple classification task. We hope the observations in this section shed some light on important considerations when selecting encodings for a set of problems.

In Table 5 we list the 20 best performing encoding configurations across the entire cleaned corpus² using two different criteria. Firstly, according to how often an encoding configuration is the best available; secondly, calculating the proportion of the total VB runtime allocated to a configuration. For instance, we see that *Tree_Tree* is the clear winner in the former league

² Here we are considering each problem instance in the corpus once, not sampling repeatedly. Recall also that the cleaned corpus only contains instances for which at least one encoding configuration terminates before the timeout, so the PAR10 penalty does not apply here.




Fig. 10 Performance profile of selected encodings on the entire corpus, showing how many problems can be individually solved within a given time, up to the timeout of 1 hour. The LI encoding is represented by the line colours and the PB encoding by the marker shape. We show the encoding configurations which appear in the top 20 both in terms of their contribution to VB and the number of times they are the best (see Table 5)

table, with more than twice as many wins as the next entry (73 vs. 31). However, the instances on which it wins have a mean runtime of 46 seconds. We can calculate its contribution to the VB as roughly $73 \times 46 \approx 3400s$, approximate because the mean is rounded. On the other hand, *RGGT_Tree* wins fewer times but the relevant instances are almost three times harder with a mean runtime of 127 seconds, making a contribution to the VB of approximately $31 \times 127 \approx 3900s$.

Figure 10 shows the performance profile of the encoding configurations which appear in both top 20 lists, and highlighted in bold in Table 5. As before, we see that GGPW is a great choice for LI constraints, appearing in 4 of the top 8 combined performers, whereas there is greater variety in the PB encodings in the best configurations. Figure 10 also demonstrates that these “top” encoding choices are excellent all-rounders – the top 2 are each able to solve over 600 of the 614 instances in the cleaned corpus (in which every instance is solvable within the timeout by at least one encoding configuration from the full set of 81).

In terms of prediction accuracy, choosing *Tree_Tree* most often makes sense, and indeed this is the default encoding provided by SAVILE ROW. This is an excellent choice if the task is to solve very many problems, each of which are individually relatively easy, i.e. would solve in under a minute on our hardware. If, instead, the task is to solve “harder” problems, then, at least according to our corpus of problems, GGPW is a good choice for both LI and PB constraints. Recall that all encodings except *Tree* take advantage of AMO groups to reduce the size of the SAT encoding – another important consideration when selecting an encoding.

4 Related work

In recent work, new or improved SAT encodings of linear constraints [23] and pseudo-Boolean constraints (combined with AMO constraints) [2, 3] have been devised and their

performance compared on several benchmark problems. The scaling properties of encodings are studied, and it is suggested that smaller encodings should be used when coefficients or values of integer variables are large. However, to the best of our knowledge the problem of selecting an encoding (particularly for a previously-unseen problem class) has not been systematically addressed for LI or PB constraints. We use the full set of encodings from one recent paper [3] combined with automatic AMO detection [9].

MeSAT [13] and Proteus [12] both select SAT encodings using machine learning. MeSAT has two encodings of LI constraints: the order encoding [19]; and an encoding based on enumeration of allowed tuples of values (which uses a direct encoding of the CSP variables). It is not clear whether high-arity sums are broken up before encoding. MeSAT selects from three configurations using a k-nearest neighbour classifier using 70 CSP instance features. They report high accuracy (within 4% of the virtual best configuration), however the single best configuration is only 18% slower than the virtual best. Proteus makes a sequence of decisions: whether to use CSP or SAT; the SAT encoding; and the SAT solver to use. The portfolio contains three SAT encodings: direct, support, and a hybrid direct-order, however the encoding of LI constraints is not specified [12]. Proteus generates each candidate SAT encoding and extracts features of the SAT formula to inform its selection – scaling this approach would be difficult when several constraint types are involved, each with many encoding choices. Results show that the choice of encoding (combined with the choice of SAT solver) is important and that machine learning methods can be effective in their context.

Soh et al. [35] have proposed a hybrid encoding of CSP to SAT in which each variable may have the log or order encoding (but not both). A hand-crafted heuristic is used to automatically select one of the two encodings for each variable. A new encoding is defined for linear inequalities that contain a mix of log and order encoded integer variables. The hybrid encoding is shown to outperform both log and order encodings, demonstrating the potential of selecting encodings for individual variables or constraints rather than for an instance. Log encodings have been shown to give good performance, with the Picat-SAT solver [24] placing highly in recent CP challenges – Picat-SAT uses a log encoding for integer variables. Our set of encodings includes two that use log arithmetic internally (GGPW and GMTO), however none employ a log encoding of integer variables. Appendix A contains a brief comparison to Picat-SAT using selected instances with large domains from our benchmark set.

5 Conclusions and future work

We have shown that it is possible to close much of the performance gap between the single best and virtual best SAT encodings by using machine learning to select encoding configurations based on instance features. We have studied the problem of selecting encodings for instances of previously-unseen classes, a problem that is more challenging and arguably more realistic than the usual setting where training and test instances are drawn from the same set of problem classes. General instance features such as those provided by `fn2feat` [26] perform well; however the introduction of features specific to linear integer and pseudo-Boolean constraints has enabled us to improve the quality of predictions.

We describe a machine learning method that performs well, and investigate several variations of it. We presented a thorough experimental analysis of the method. Our comparison with AUTOFOLIO shows that our method is much more effective on the specific task in hand than the competition-winning algorithm selector with its more generalised capabilities.

We calculate feature importance values and discuss the relative importance of features from different featuresets as well as within the specialised *lipb* featureset. We find that in these specialised features, the features of PB encodings made more difference than those of LI encodings, partly because the GGPW encoding was a frequent best choice for LI, whereas the best PB encoding varied more.

We intend to build on these results by considering other constraint types for which multiple SAT encodings exist. It may also be beneficial to expand the problem corpus to have a more even distribution of problem instances per class and to broaden the range of constraint models represented.

Appendix A: On log encodings

Logarithmic encodings have been shown to be competitive for encoding linear constraints to SAT, in particular faring well when large domains are involved [24]. Two of the encodings considered here (GGPW and GMTO) use some form of log encoding internally, however the domains of decision variables are not log encoded.

We carried out a small informal experiment to investigate the potential benefits of using a log encoding for both variables and constraints, as implemented in Picat-SAT [24] in Picat 3.5. We chose two problem classes with potentially large integer domains and solved them using Picat-SAT, both by writing the model in the Picat language and by exporting a FlatZinc file from Savile Row. The experiment was run on a PC laptop with a i5-1135G7 2.40GHz processor and 16GB RAM. The results are shown in Table 6. Details of models and instances can be found in the experimental repository.

The Grocery problem contains large integer domains with both sum and product constraints, and the log encoding clearly performs much better in this case. For Knapsack, the GGPW and Tree encodings are competitive and perform better except on the 30-large instance where all item weights and values have been artificially scaled up by a factor of 10 for this experiment. In summary, log encoding of domains would seem to be a valuable additional encoding choice to consider in future work.

Table 6 Total runtime in seconds for six problem instances using different solvers and SAT encodings: *Picat* uses the model description in the Picat language with the *sat* module, *Fzn-Pi* uses Savile Row to produce a FlatZinc file which is solved using the *fzn_picat_sat* program, *GGPW-GGPW* uses Savile Row with Kissat and encodes both linear and PB constraints using the GGPW encoding, *GGPW-Tree* uses Savile Row with Kissat and encodes linear constraints with GGPW and PB constraints using the default Tree encoding

Problem	$ D _{\max}$	Total runtime (seconds)			
		Picat	Fzn-Pi	GGPW-GGPW	GGPW-Tree
grocery, target-644	1380001	0.42	0.04	3.87	—
grocery, target-675	6270665	0.09	0.24	30.99	—
grocery, target-713	5562469	0.30	0.05	18.30	—
knapsack, 30-large	1189	16.17	19.30	73.33	49.38
knapsack, 59-items	1457	13.99	14.37	7.82	9.31
knapsack, 81-items	2497	84.75	93.69	72.75	52.31

Note that in the grocery problem there are no PB constraints, so the choice of PB encoding is irrelevant and we show only *GGPW-GGPW*. $|D|_{\max}$ indicates the largest domain size in each instance

Acknowledgements We are very grateful to Nguyen Dang for helpful conversations about portfolio approaches. This project was undertaken on the Viking Cluster, a high performance compute facility provided by the University of York. We are grateful for computational support from the University of York High Performance Computing service, Viking and the Research Computing team.

Author Contributions Felix Ulrich-Oltean: conceptualization, data curation, formal analysis, investigation, methodology, project administration, software, visualization, writing - original draft, review & editing; Peter Nightingale: conceptualization, formal analysis, funding acquisition, methodology, project administration, software, supervision, writing - original draft, review & editing; James Alfred Walker: formal analysis, methodology, supervision, writing - review & editing.

Funding This research was supported by EPSRC grants EP/W001977/1 and EP/R513386/1.

Availability of data and materials The constraint models and experimental results are available at <https://github.com/felixvuo/lease-data>.

Code Availability The source code for running the experiments and evaluating the results is also available at <https://github.com/felixvuo/lease-data>.

Declarations

Ethics approval We have reviewed ethical concerns and no further action is required.

Consent to participate Not applicable.

Consent for publication Not applicable.

Conflict of interest Not applicable.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

1. Boffill, M., Coll, J., Suy, J., & Villaret, M. (2017). Compact MDDs for Pseudo-Boolean Constraints with At-Most-One Relations in Resource-Constrained Scheduling Problems. In Proceedings of the twenty-sixth international joint conference on artificial intelligence, pp. 555–562. International Joint Conferences on Artificial Intelligence Organization, Melbourne, Australia. <https://doi.org/10.24963/ijcai.2017/78>
2. Boffill, M., Coll, J., Suy, J., & Villaret, M. (2019). SAT encodings of pseudo-boolean constraints with at-most-one relations. In International conference on integration of constraint programming, artificial intelligence, and operations research, Springer, pp. 112–128. <https://doi.org/10.1007/978-3-030-19212-9>
3. Boffill, M., Coll, J., Nightingale, P., Suy, J., Ulrich-Oltean, F., & Villaret, M. (2022). SAT encodings for Pseudo-Boolean constraints together with at-most-one constraints. *Artificial Intelligence.*, 302, 103604. <https://doi.org/10.1016/j.artint.2021.103604>
4. Joshi, S., Martins, R., & Manquinho, V. (2015). Generalized Totalizer Encoding for Pseudo-Boolean Constraints. In G. Pesant (Ed.), Principles and practice of constraint programming. lecture notes in computer science, pp. 200–209. Springer International Publishing, Cham. https://doi.org/10.1007/978-3-319-23219-5_15

5. Abío, I., Nieuwenhuis, R., Oliveras, A., Rodríguez-Carbonell, E., & Mayer-Eichberger, V. (2012). A New Look at BDDs for Pseudo-Boolean Constraints. *Journal of Artificial Intelligence Research*, 45, 443–480. <https://doi.org/10.1613/jair.3653>
6. Bailleux, O., Bouffkhad, Y., & Roussel, O. (2009). New Encodings of Pseudo-Boolean Constraints into CNF. In O. Kullmann (Ed.), *Theory and applications of satisfiability testing - SAT 2009. Lecture Notes in Computer Science*, pp. 181–194. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-02777-2_19
7. Hölldobler, S., Manthey, N., & Steinke, P. (2012). A Compact Encoding of Pseudo-Boolean Constraints into SAT. In B. Glimm, A. Krüger (Eds.), *KI 2012: Advances in artificial intelligence. Lecture Notes in Computer Science*, pp. 107–118. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-33347-7_10
8. Zha, A., Koshimura, M., & Fujita, H. (2019). N-level modulo-based CNF encodings of pseudo-Boolean constraints for MaxSAT. *Constraints.*, 24(2), 133–161.
9. Ansótegui, C., Bofill, M., Coll, J., Dang, N., Esteban, J. L., Miguel, I., Nightingale, P., Salamon, A. Z., Suy, J., & Villaret, M. (2019). Automatic detection of at-most-one and exactly-one relations for improved SAT encodings of pseudo-boolean constraints. In *International conference on principles and practice of constraint programming*, Springer, pp. 20–36. <https://doi.org/10.1007/978-3-030-30048-7>
10. Nightingale, P., Akgün, Ö., Gent, I. P., Jefferson, C., Miguel, I., & Spracklen, P. (2017). Automatically improving constraint models in Savile Row. *Artificial Intelligence*, 251, 35–61. <https://doi.org/10.1016/j.artint.2017.07.001>
11. Davidson, E., Akgün, Ö., Espasa, J., & Nightingale, P. (2020). Effective Encodings of Constraint Programming Models to SMT. In H. Simonis (Ed.), *Principles and practice of constraint programming. Lecture Notes in Computer Science*, pp. 143–159. Springer International Publishing, Cham. https://doi.org/10.1007/978-3-030-58475-7_9
12. Hurley, B., Kotthoff, L., Malitsky, Y., & O’Sullivan, B. (2014). Proteus: A Hierarchical Portfolio of Solvers and Transformations. In H. Simonis (Ed.), *Integration of AI and OR techniques in constraint programming. Lecture Notes in Computer Science*, pp. 301–317. Springer International Publishing, Cham. <https://doi.org/10.1007/978-3-319-07046-9>
13. Stojadinović, M., & Marić, F. (2014). meSAT: Multiple encodings of CSP to SAT. *Constraints*, 19(4), 380–403. <https://doi.org/10.1007/s10601-014-9165-7>
14. Lindauer, M., Hoos, H. H., Hutter, F., & Schaub, T. (2015). AutoFolio: An Automatically Configured Algorithm Selector. *Journal of Artificial Intelligence Research*, 53, 745–778. <https://doi.org/10.1613/jair.4726>
15. Ulrich-Oltean, F., Nightingale, P., & Walker, J. A. (2022). Selecting SAT Encodings for Pseudo-Boolean and Linear Integer Constraints. In C. Solnon (Ed.), *28th International conference on principles and practice of constraint programming (CP 2022). Leibniz International Proceedings in Informatics (LIPIcs)*, vol. 235, pp. 38–13817. Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl, Germany. <https://doi.org/10.4230/LIPIcs.CP.2022.38>
16. De Kleer, J. (1989). A comparison of ATMS and CSP techniques. In *Proceedings of the eleventh international joint conference on artificial intelligence (IJCAI-89)*, pp. 290–296
17. Crawford, J. M., Baker, A. B. (1994). Experimental results on the application of satisfiability algorithms to scheduling problems. In *Proceedings of the 12th national conference on artificial intelligence (AAAI-94)*, pp. 1092–1097
18. Chen, J. (2010). A new sat encoding of the at-most-one constraint. *Constraint Modelling and Reformulation: Proc.*
19. Tamura, N., Taga, A., Kitagawa, S., & Banbara, M. (2009). Compiling finite linear CSP into SAT. *Constraints*, 14(2), 254–272. <https://doi.org/10.1007/s10601-008-9061-0>
20. Tamura, N., Banbara, M., & Soh, T. (2013). Compiling pseudo-Boolean constraints to SAT with order encoding. In *Proceedings IEEE 25th International conference on tools with artificial intelligence*, pp. 1020–1027
21. Abío, I., Mayer-Eichberger, V., & Stuckey, P. J. (2015). Encoding linear constraints with implication chains to CNF. In *International conference on principles and practice of constraint programming*, Springer, pp. 3–11. https://doi.org/10.1007/978-3-319-23219-5_1
22. Bofill, M., Coll, J., Suy, J., & Villaret, M. (2020). An MDD-based SAT encoding for pseudo-Boolean constraints with at-most-one relations. *Artificial Intelligence Review*, 53(7), 5157–5188. <https://doi.org/10.1007/s10462-020-09817-6>
23. Abío, I., Mayer-Eichberger, V., & Stuckey, P. (2020). Encoding Linear Constraints into SAT. [arXiv:2005.02073](https://arxiv.org/abs/2005.02073) [cs].

24. Zhou, N. -F., & Kjellerstrand, H. (2017). Optimizing SAT encodings for arithmetic constraints. In International conference on principles and practice of constraint programming, Springer, pp. 671–686. https://doi.org/10.1007/978-3-319-66158-2_43
25. Nightingale, P.: Savile Row 1.9.0 Manual. <https://savilerow.cs.st-andrews.ac.uk/index.html>
26. Amadini, R., Gabbriellini, M., & Mauro, J. (2014). An enhanced features extractor for a portfolio of constraint solvers. In Proceedings of the 29th annual ACM symposium on applied computing. SAC '14, pp. 1357–1359. Association for Computing Machinery, New York, NY, USA. <https://doi.org/10.1145/2554850.2555114>
27. Lecoutre, C., & Roussel, O. (2019). XCSP3 Competition. <http://www.cril.univ-artois.fr/XCSP19/>
28. Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D., Brucher, M., Perrot, M., & Duchesnay, E. (2011). Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research*, 12, 2825–2830.
29. Chen, T., & Guestrin, C. (2016). XGBoost: A Scalable Tree Boosting System. In Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining, ACM, San Francisco California USA, pp. 785–794. <https://doi.org/10.1145/2939672.2939785>
30. Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
31. Probst, P., Wright, M. N., & Boulesteix, A.-L. (2019). Hyperparameters and tuning strategies for random forest. *WIREs Data Mining and Knowledge Discovery*, 9(3), 1301. <https://doi.org/10.1002/widm.1301>
32. Kerschke, P., Hoos, H. H., Neumann, F., & Trautmann, H. (2019). Automated Algorithm Selection: Survey and Perspectives. *Evolutionary Computation*, 27(1), 3–45. https://doi.org/10.1162/evco_a_00242
33. Heule, M., Jarvisalo, M., Suda, M., Iser, M., Balyo, T., & Froleyks, N.: SAT Competitions. <https://satcompetition.github.io/>
34. University of Helsinki, H. I. f. I. T., Balyo, T., Froleyks, N., Heule, M., Iser, M., Jarvisalo, M., & Suda, M. (2021). Proceedings of SAT Competition 2021: Solver and Benchmark Descriptions. In proceedings of SAT competition 2021. <http://hdl.handle.net/10138/333647>
35. Soh, T., Barbara, M., & Tamura, N. (2015). A hybrid encoding of CSP to SAT integrating order and log encodings. In Proceedings IEEE 27th international conference on tools with artificial intelligence (ICTAI), pp. 421–428

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.