



UNIVERSITY OF LEEDS

This is a repository copy of *Intrusion Response Systems for the 5G Networks and Beyond: A New Joint Security-vs-QoS Optimization Approach*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/209280/>

Version: Accepted Version

Article:

Bozorgchenani, A. orcid.org/0000-0003-1360-6952, Zarakovitis, C.C. orcid.org/0000-0001-8729-0378, Chien, S.F. orcid.org/0000-0001-7637-9158 et al. (4 more authors) (2024) *Intrusion Response Systems for the 5G Networks and Beyond: A New Joint Security-vs-QoS Optimization Approach*. IEEE Transactions on Network Science and Engineering. ISSN 2327-4697

<https://doi.org/10.1109/tNSE.2024.3358170>

© 2024 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Intrusion Response Systems for the 5G Networks and Beyond: A new Joint Security-vs-QoS Optimization Approach

Arash Bozorgchenani, *Member, IEEE*, Charilaos C. Zarakovitis, *Member, IEEE*, Su Fong Chien, Qiang Ni, *Senior Member, IEEE*, Antonios Gouglidis, Wissam Mallouli, Heng Siong Lim, *Senior Member, IEEE*

Abstract—Network connectivity exposes the network infrastructure and assets to vulnerabilities that attackers can exploit. Protecting network assets against attacks requires the application of security countermeasures. Nevertheless, employing countermeasures incurs costs, such as monetary costs, along with time and energy to prepare and deploy the countermeasures. Thus, an Intrusion Response System (IRS) shall consider security and QoS costs when dynamically selecting the countermeasures to address the detected attacks. This has motivated us to formulate a joint Security-vs-QoS optimization problem to select the best countermeasures in an IRS. The problem is then transformed into a matching game-theoretical model. Considering the monetary costs and attack coverage constraints, we first derive the theoretical upper bound for the problem and later propose stable matching-based solutions to address the trade-off. The performance of the proposed solution, considering different settings, is validated over a series of simulations.

Index Terms—countermeasure selection, quality of service, optimization, matching game, intrusion response mechanisms.

1 INTRODUCTION

BY blending different types of technologies and advances, 5G offers various types of services such as smart home, vehicular communication, smart parking, air-ground integrated communication, fog/edge computing, industry 4.0, and blockchain-based services to name some [1]. Even though the new technologies pave the way for a fully connected people and things era by enabling many 5G services with various demands such as eMBB, mMTC, and uRLLC, they introduce new security challenges too [2]. On one hand, this includes the utilization of 5G enabling technologies such as software-defined networking, network function virtualization, mobile edge computing, network slicing, etc. On the other hand, the heterogeneity of the 5G network brings new security challenges too, including the internet of things and end-user devices, service requests, new stakeholders and mission-critical applications, etc. [3].

Needless to say that the pre-5G security threats still need to be addressed as well.

Cyberattacks target the network infrastructure to undermine the services' availability, and information confidentiality and integrity. The continuous rise in the number and complexity of attacks made it difficult to keep track of the large number of alerts generated by Intrusion Detection Systems (IDSs) and made security teams worldwide seek effective remediation tools. Potential tools to counteract ongoing threats are the Intrusion Response Systems (IRSs), which are capable of reacting against suspicious activities in real or near real-time by continuously monitoring the IDS alerts [4]. These reactions in a 5G network can include any of the atomic countermeasures of notifying the network operator, notifying the vendor, filtering the traffic, re-launching a node, re-configuring a virtual network function, replacing one node with another, providing a patch to prevent/remedy the identified attacks, and etc. The effectiveness of different countermeasures can be evaluated by their ability to mitigate the risk the assets of the network are exposed. One solution is applying a combination of different atomic countermeasures to address the affected nodes. On the one hand, from the orchestrator/provider's side, it is essential to address as many detected attacks as possible to minimize the impact of the threats in the network. On the other hand, applying countermeasures can have some potential consequences in terms of costs too. The remediation actions affect the system's QoS requirements such as time, energy, and monetary costs required to prepare and deploy the countermeasures, to name a few.

In the context of emerging intrusion detection challenges within 5G network systems, it is essential to acknowledge the intricate relationship between cybersecurity optimiza-

- Arash Bozorgchenani is with the School of Computing, University of Leeds, e-mail: a.bozorgchenani@leeds.ac.uk.
- Qiang Ni and Antonios Gouglidis are with the School of Computing and Communications, Lancaster University, UK, email: {q.ni, a.gouglidis}@lancaster.ac.uk.
- Charilaos C. Zarakovitis is with National Center For Scientific Research "Demokritos", Greece, e-mail: c.zarakovitis@iit.demokritos.gr.
- Su Fong Chien is with Multidisciplinary Research and Innovation Centre, MIMOS Berhad, Kuala Lumpur, Malaysia, e-mail: sf.chien@mimos.my.
- Wissam Mallouli is with Montimage EURL, France, e-mail: wissam.mallouli@montimage.com.
- Heng Siong Lim is with Faculty of Engineering and Technology, Multimedia University, Jalan Ayer Keroh Lama, 75450 Melaka, Malaysia, e-mail: hslim@mmu.edu.my.

This research is supported by the H2020 SANCUS project under agreement number 952672. More details can be found at: <https://www.sancus-project.eu>.

tion and critical system performance metrics such as latency, energy efficiency, and monetary costs. Addressing these complex trade-offs is at the heart of our exploration. In the future, automating the fine-tuning of these metrics, traditionally performed manually by cybersecurity response teams and network operators, becomes a key objective. This automation aims to achieve faster and more precise optimization compared to human-driven decision-making.

Thereby, we formulate a joint security-vs-QoS countermeasure selection problem to optimize the Intrusion Response Mechanisms (IRMs) in network systems. To address this problem, we propose a Gale-Shapley stable matching-based approach to select the best set of countermeasures. Such a selection needs to balance the inherent trade-off between the effectiveness of the risk mitigation policy and its potential negative QoS impact. Such a balance is performed by the security administrator that has to maintain an adequate level of protection with a limited budget. Our contribution¹ can be summarized as follows:

- 1) Formulating a joint security-vs-QoS problem for the optimal selection of countermeasures considering time, energy, and monetary cost as the QoS factors;
- 2) Transforming the problem into a single objective problem by an ϵ -constraint method and reformulating the problem in a two-sided matching game;
- 3) Designing a Hospital/Resident (HR) model for the problem and proposing two Stable Matching (SM) countermeasure-oriented and attack-oriented algorithms to solve the problem from the security and QoS perspectives, which are unique.
- 4) Deriving the upper bound for the problem by employing the decomposition and Branch-and-Bound (BB) techniques;
- 5) Performing extensive simulation experiments to demonstrate the impact of different parameters on the performance of the two proposed algorithms.

The rest of the paper is organized as follows. In Section 2, we review the state of the art. In Section 3 the model is described. Section 4 first shows the reformulated problem based on the HR model and later introduces our proposed algorithms. In Section 5, we present the simulation results. Section 6 concludes the paper.

2 RELATED WORKS

In this section, we have conducted a thorough literature review and presented the most related works in the area of countermeasures selection.

A diverse range of solution methodologies has been employed to address the challenge of countermeasure selection across various domains. In the following sub-sections, we initially organize related works by categorizing them based on specific domains, encompassing countermeasure selection within Cyber-Physical Systems (CPS), as well as studies delving into cost analysis, risk assessment, and government investment. Subsequently, we examine common methodologies widely employed to address the problem.

1. This research has been conducted as part of the H2020 SANCUS project whose architecture and engines are elaborated in [5].

2.1 Domain-specific Overview

Numerous studies have focused on the Cyber-Physical Systems (CPS) domain. For instance, an Autonomous Response Controller (ARC) is presented in [6] to react against cyberattacks with a focus on Cyber-Physical Power Systems (CPPS). The ARC can autonomously evaluate the security improvement resulting from applying certain remediations and it covers the uncertainty of the IDS alerts by using the Competitive Markov Decision Processes. The efficiency of the framework is demonstrated in a real sub-station in the CPPS with an acceptable response time. However, their cost model only includes the CPU and RAM costs. Authors in [7] developed a method to achieve minimum cost defense in the context of CPS. Specifically, such a procedure chooses optimal defense nodes using their developed Atom Attack Defense Trees (A2DT), which is a variant of the more conventional Attack-Defense Tree (ADT) model. Then, the authors used an ad-hoc methodology to solve the path calculation over the A2DT and demonstrated its efficiency through 2 use cases: Automated Teller Machine, and Supervisory Control and Data Acquisition systems.

On the line of CPS protection, a method is proposed in [8] to identify the security control to protect large-scale CPSs. By leveraging a model to calculate and aggregate the risk among the different CPSs components, the authors used an ad-hoc version of the Genetic Algorithm (GA) to select the adequate remediations that minimize the risk at the lowest cost. Finally, a real case scenario was employed to demonstrate the approach's applicability.

Numerous works have studied both the private and social costs of countermeasures, addressing cybersecurity investment in risk-neutral firms [9], estimating the uncertain risk faced by an organization under cyberattack [10], optimal cybersecurity investment in supply chains and firms [11], and the balance between prevention, detection and containment safeguards in cybersecurity [12].

Research on decision-making regarding cybersecurity plans by governments and firms is offered in [13]. Bearing in mind the budget limitations, the authors suggested a method to compute optimal decisions on the countermeasures portfolio by a two-stage stochastic programming approach, separating prevention-detection and reaction stages. Moreover, authors in [14] proposed a scheme to determine the security investments that should be implemented by organizations in various risk treatment options. Those investments are connected with specific security controls, generating a model which is later solved as an optimization problem using dynamic programming.

For a more comprehensive literature review on IRSs, you can read the work in [15] which analyzed the major reaction proposals from 2012 to 2017, focusing on their principal advantages and potential deficiencies.

2.2 Methodological Approaches

Exploring diverse methodologies for countermeasure selection, this section briefly reviews varied approaches employed in the literature. From bio-inspired techniques like GAs and Artificial Immune Systems (AISs) to Machine Learning (ML)-based solutions, and graph-based modeling using frameworks such as Probabilistic Attack-Response

Trees and Directed Acyclic Graphs (DAG), researchers have employed a spectrum of strategies to address the countermeasure selection optimization in different domains.

Risk reduction requires the definition and implementation of a security configuration by the deployment of various security mitigation actions to reduce the risk. Hence, an optimization problem should be solved to select the most effective yet cost-efficient security countermeasures. Many researchers apply approximate bio-inspired solutions like GAs to approach this problem. In [16], the authors proposed an AIS to select countermeasures to defeat cyberattacks through cloning and mutation phases. They, however, suggested a context-aware stop condition based on experimental outcomes and authors' subjective beliefs. In [17] the authors further improved the previous work by proposing an AISGA method leveraging a GA to optimize the selection of input parameters of the AIS method by minimizing the global risk and the execution time of the method.

A methodology to generate response policies is presented in [18] addressing four problems of countermeasure selection, countermeasure deployment, the order of deployment, and the duration they last. The authors proposed a decision-making framework for IRS that optimizes the responses based on some attributes namely attack damage, deployment cost, negative impact, and security benefit and proposed a GA with Three-dimensional Encoding to solve the problem. However, solving the four problems altogether by a GA takes a long time to converge considering all the random options that an individual can take. There have also been other GA-based solutions for countermeasure selection problems [19]. However, all these studies applying evolutionary-based methods accept the risk of receiving only near-optimal solutions after going through many iterations.

ML-based solutions for countermeasure selection have also been explored. Authors in [20] studied the applicability of Deep Reinforcement Learning (DRL) for intrusion response control on stationary systems. This work was later extended to a non-stationary system in [21]. The system under protection is modeled as a set of components that possess state variables (i.e., active, updated, new version available, corrupted, vulnerable). The DRL learns from a simulated version of the real system and then is tested on it in a successive phase with a reward function based on execution time and cost of the actions executed. Experiments compare the proposed DRL algorithm with a Q-learning solution to demonstrate its feasibility.

Several studies also considered graph-based modeling for the attacks and countermeasures. In [22], a framework to respond to multi-path attacks is formulated with a proposed greedy algorithm for cost-sensitive countermeasure selection. The authors leveraged the Probabilistic Attack-Response Tree models to represent potential attacker movements and evaluate three metrics of security benefit, deployment cost, and negative impact. Similarly, in [23], authors employed DAGs to formalize ADT, from which they extracted its defense semantics describing how the attacker and defender may interact. They developed an open-source tool to automate the described methodology.

A risk assessment methodology based on the application of an Attack Graph (AG) was proposed in [24], enhancing

the standard AG-based model. Later, a heuristic approach is introduced to compute the optimal countermeasure for deployment while minimizing the overall risk with specific budget constraints.

2.3 Our Observations

The described works take important steps within the reaction strategies ecosystem. However, there are several downsides present in the literature such as a) simplified modeling, b) approximate solutions, c) convergence issues in the learning-based solutions and the accuracy of the data used to train, and d) lack of consideration of different QoS parameters. Moreover, another important consideration in some of the studies in the literature is that the reaction frameworks are applied to specific scenarios leveraging a comprehensive knowledge of the protected system. One could argue that, in order to be generic and applicable to several contexts, the network dynamicity in the selection of countermeasures should be reflected in the model and results. In other words, the security-vs-QoS trade-off should be better reflected in the model and solution such that the operator/security administrator can make a wise decision at different time instants according to the network conditions, available resources, and the threat level.

To this extent, the proposed solution in this work reflects the above shortcomings from the literature by formulating a joint security-vs-QoS optimization problem and strategically selecting the best remediation actions from an effective countermeasure repository by employing a stable matching game. We would like to highlight that the QoS-aware selection problem has attracted attention from the scientific community in different domains such as device-to-device communication in cellular networks, contention-based networks, quantum technology, and also cybersecurity, [25], [26], [27], [28], [29]. Numerous papers in the literature have employed game-theoretical approaches to address joint security and QoS problems [27]. However, the distinctiveness of our paper lies in the novel problem formulation and the utilization of Gale-Shapley Stable Matching to address the Security-vs-QoS problem within the context of IRSs for 5G networks and beyond.

3 SYSTEM MODEL AND PROBLEM FORMULATION

In order to protect a network against attacks, it is vital to design IRSs and make appropriate response decisions to dynamically eliminate potential consequences, reduce security risks, and at the same time consider their impact on the QoS costs [30]. These remediations intend to protect the infrastructure and more specifically the network nodes/assets, which include, the IoT devices, base stations, servers, SDN controller, and network functions, denoted as $\mathcal{U} = \{u_1, \dots, u_n, \dots, u_N\}$. Each of these nodes can be attacked from different layers, i.e., hardware, firmware, operating system, application and etc. In the following, we introduce the security and QoS models separately and later formulate the joint security-vs-QoS problem for countermeasure selection. Please note that in the following sections, the terms mitigation action, remediation, and security countermeasures are used interchangeably.

3.1 Security Model

Let us assume there exist A types of attacks in the system, where ω_a shows attack type a (e.g. DoS or eavesdropping). For each attack type, we consider a mitigation action list that shows the possible countermeasure types that can be taken. To address an attack type across all the affected nodes, different instantiations of a countermeasure type might need to be deployed. For instance, *the reconfiguration of a node for more robustness* is a countermeasure type where this reconfiguration can vary across different nodes. Hence, in the rest of the paper to facilitate ease of writing, the terms *attack* and *countermeasures* refer to attack types and countermeasure types, respectively. Let us define $\mathcal{L}(a)$ as the list of countermeasures that can be taken for attack a as

$$\mathcal{L}(a) = \{\theta_c | \mathbb{U}_c^{na} = 1, \forall u_n \in \mathcal{U}\} \quad (1)$$

where \mathbb{U}_c^{na} is an indicator function which is 1 if countermeasure c addresses the a -th attack on node n and θ_c is the c -th countermeasure that can be taken for the a -th attack. Let us show C as the total number of system countermeasures to address all attacks, i.e., $|\bigcup_{a=1}^A \mathcal{L}(a)| = C$.

Each countermeasure addresses at least one attack. Let us show the attacks the c -th countermeasure can address as

$$\mathcal{W}(\theta_c) = \{\omega_a | \mathbb{U}_c^{na} = 1, \forall u_n \in \mathcal{U}\} \quad (2)$$

where, $|\mathcal{W}(\theta_c)| > 0, \forall \theta_c$. On the other hand, one attack might affect different nodes across the network. We define the list of all of the attacks in the network (across all nodes) that a generic c -th countermeasure can address, as

$$\mathcal{V}(\theta_c) = \{v_n^a | \mathbb{U}_c^{na} = 1, \forall u_n \in \mathcal{U}\} \quad (3)$$

where v_n^a represents an attack of type a detected on the n -th node, that can be addressed by countermeasure θ_c .

Let us define $\bar{\mathcal{L}}$ as the set of selected atomic countermeasures to address the detected attacks in the network, where $|\bar{\mathcal{L}}| \geq 0$. Then the total number of addressed attacks in the network is $|\bigcup_{\theta_c \in \bar{\mathcal{L}}} \mathcal{V}(\theta_c)|$.

IDSs provide risk assessment metrics such as the severity and probability of the attacks. Exploiting this information the Risk Factor (RF) for the a -th attack can be driven as $R_a = S(a) \cdot P(a)$, where $0 \leq P(a) \leq 1$ is the probability/likelihood of occurrence of an attack and $S(a) \in [0, 10]$ is its severity. IDSs can also assess how much security is improved if a specific security enhancement is applied, which in turn assists the IRSs in relatively quantifying the effectiveness of different countermeasures [6]. After taking a countermeasure both severity and probability matrices will be updated to see how effective the selected countermeasure is. In the rest of the paper, we only focus on the RF as it represents how severe and probable an attack is. Let us show $\bar{R}_a(\theta_c)$ as the updated RF of the a -th attack after taking the countermeasure and R_a as the RF before taking the countermeasure. As part of the threat mitigation process, we would like to reduce the updated RF as much as possible by taking the most suitable countermeasure, hence we define $\Delta R_a(\theta_c) = R_a - \bar{R}_a(\theta_c)$ as the gap between the initial value of RF and the updated RF that should be maximized. It should be noted that $\Delta R_a(\theta_c) > 0$, i.e., the updated RF

for those addressed attacks after taking a countermeasure is always reduced.

On the other hand, since the nodes in the network have different importance, we consider a priority-aware security utility function and define the overall security utility function for those selected atomic countermeasures as

$$\frac{\sum_{\theta_c \in \bar{\mathcal{L}}} \sum_{n=1}^N \sum_{a=1}^A \alpha_n \Delta R_a(\theta_c)}{\sum_{n=1}^N \sum_{a=1}^A \alpha_n R_a} \quad (4)$$

The nodes' coefficients ($0 < \alpha_n \leq 1$) show the importance of each of the network nodes, e.g., an SDN controller has a higher coefficient than an IoT device. This ensures we prioritize reducing the RF for more important network nodes. Eq. (4) calculates the weighted reduced RF of those addressed attacks across the nodes over the weighted initial RF values.

3.2 Time and Energy Considerations

The implementation of countermeasures exhausts some resources. For instance, the response *dropping the malicious commands* consumes computer CPU and memory resources to analyze protocol data units of communication messages, along with consuming storage resources for recording all known attack signatures [6]. Hence, there will be some energy consumption and time spent in both the preparation and deployment phases of applying countermeasures. Assuming the countermeasures are deployed sequentially, we define time as the time duration spent for applying the c th countermeasure and formulate it as $T^{\text{tot}}(\theta_c) = T^{\text{pre}}(\theta_c) + T^{\text{dep}}(\theta_c)$, where $T^{\text{pre}}(\theta_c)$ is the time spent for the preparation of the countermeasure (officially termed as *service preparation time*), and $T^{\text{dep}}(\theta_c)$ is the time spent for the deployment of the countermeasure (commonly termed as *service deployment time*). Countermeasure deployment can be manual or automatic (deployed by the system); however, here we focus on the automatic deployment of countermeasures. Thus, the overall *time* for those selected atomic countermeasures can be written as

$$\sum_{\theta_c \in \bar{\mathcal{L}}} T^{\text{tot}}(\theta_c) \quad (5)$$

On the other hand, the total energy consumption by the system for the l th countermeasure can be written as $E^{\text{tot}}(\theta_c) = E^{\text{pre}}(\theta_c) + E^{\text{dep}}(\theta_c)$, where $E^{\text{pre}}(\theta_c)$ is the system energy consumption for preparation of the countermeasure and $E^{\text{dep}}(\theta_c)$ is the system energy consumption for the deployment of the countermeasure. Hence, we can define the overall energy consumption for those selected atomic countermeasures as

$$\sum_{\theta_c \in \bar{\mathcal{L}}} E^{\text{tot}}(\theta_c) \quad (6)$$

3.3 Monetary Cost Consideration

The defense cost is an important reference index in security countermeasure selection problems. For instance, the defense cost for the ADTree of a small network system with 15 attack nodes can reach \$300,000, which is a heavy burden for small and mid-sized enterprises [7]. Thus, the monetary

cost of a reaction (including fixed and variable costs) is an important metric, which can include hardware equipment, software development, labor, license, or loss resulting from users' dissatisfaction. In this regard, deprivation cost is also defined as the economic valuation of the post-disaster (i.e., cyber attacker) human suffering (i.e., attacked firms' loss) associated with a lack of access to a good/service [31]. For instance, a DoS attack can cause a degradation of service on an ISP's network, resulting in service level agreements being violated. A cost could be reimbursements to customer networks. The same incident might lead to a loss of reputation for the ISP, which is a qualitative impact². Let us denote $\Psi^{\text{tot}}(\theta_c)$ as the monetary cost of taking c th countermeasure including the above-mentioned factors.

3.4 Problem Formulation

Having defined the security and QoS models, the joint security-vs-QoS utility function for an atomic countermeasure is defined as

$$\Upsilon(\theta_c) = \frac{\sum_{n=1}^N \sum_{a=1}^A \alpha_n \Delta R_a(\theta_c)}{\beta_1 T^{\text{tot}}(\theta_c) + \beta_2 E^{\text{tot}}(\theta_c) + \beta_3 \Psi^{\text{tot}}(\theta_c)} \quad (7)$$

where β_* refers to the coefficient of the QoS parameters such that $\sum_{i=1}^3 \beta_i = 1$. As the countermeasure selection problem is restricted by QoS costs, the IRS might not always be able to address all the attacks at once in a large network. On the other hand, best efforts should be made to minimize the assets' exposure to threats. The goal of the joint security-vs-QoS optimization problem is to optimize the IRMs by selecting the most suitable countermeasures in order to maximize **(a) the joint utility function, and (b) the number of addressed attacks across the nodes**. Hence, we define

$$\mathbf{P1} : \max_{\mathcal{L}} \left\{ \sum_{\forall \theta_c \in \mathcal{L}} \Upsilon(\theta_c), \left| \bigcup_{\forall \theta_c \in \mathcal{L}} \mathcal{V}(\theta_c) \right| \right\} \quad (8)$$

subject to

$$\mathbf{C1.1} : \sum_{\forall \theta_c \in \mathcal{L}} \Psi^{\text{tot}}(\theta_c) < \xi \quad (9)$$

The objective function (8) targets to find the best countermeasures to be selected in the decision vector \mathcal{L} to jointly maximize the utility function and the number of addressed attacks across the nodes. Constraint (9) represents the maximum monetary budget for taking countermeasures.

Problem **P1** is a bi-objective optimization problem. In order to solve the problem we employ an ϵ -constraint method. The ϵ -constraint method generates single objective sub-problems by transforming all but one objective into constraints [32]. As our problem is a bi-objective optimization problem, this is a good method, as it can generate the exact Pareto front by varying the upper-bound of the new constraint³. This method has been broadly used in the literature [33]. Hence, by following the ϵ -constraint approach we transform **P1** to **P2** as below:

2. More detailed modeling can be considered to extend the monetary cost representation, however, this is out of the scope of this research.

3. The impact of varying upper-bounds will be studied in the simulation results section

$$\mathbf{P2} : \max_{\mathcal{L}} \left\{ \sum_{\forall \theta_c \in \mathcal{L}} \Upsilon(\theta_c) \right\} \quad (10)$$

subject to

$$\mathbf{C2.1} : \sum_{\forall \theta_c \in \mathcal{L}} \Psi^{\text{tot}}(\theta_c) < \xi \quad (11)$$

$$\mathbf{C2.2} : \left| \bigcup_{\forall \theta_c \in \mathcal{L}} \mathcal{V}(\theta_c) \right| \geq \bar{M} \quad (12)$$

In **P2**, a new bounded constraint **C2.2** is defined which was one of the objectives in **P1**, indicating the number of addressed attacks across all nodes shall be larger than the threshold \bar{M} .

The optimization problem aims at taking the most suitable set of countermeasures from the mitigation action list in order to maximize the joint utility function of the system and addresses a minimum of a certain number of attacks by a maximum defined monetary budget. Different coefficients for QoS parameters in (7) enforce to outweigh some of the objectives (based on the network condition), which can be set dynamically at different time instants according to our priorities/preferences of the objectives.

4 MANY-TO-ONE-STABLE MATCHING SOLUTION

In this section, we propose assigning/matching the countermeasures to the attacks by a framework that considers stability as the solution concept instead of optimality. The applied framework involves a two-sided matching game. A Stable Matching Problem (SMP) is produced by a distributed process that matches together preference relations of the two sides that are of the same size. The order of preferences is given by the strictly ranked rate utilities of the two sides [34]. SM solutions have been broadly used in wireless networks for problem-solving [35]. In our problem, however, the number of detected attacks might be different from the number of countermeasures (i.e., different set sizes), which means we need to seek a many-to-one generalization of SMP called the HR problem [36].

4.1 Hospital/Residents Model

In the HR problem, each hospital has one or more posts to be filled, and a preference list ranking a subset of the residents. Likewise, each resident has a preference list ranking a subset of the hospitals. The capacity of a hospital is its number of available posts. We need to match each resident to at most one hospital such that no hospital exceeds its capacity threshold while observing the stability conditions [36]. We can map the residents to the attacks and the hospitals to the countermeasures, and design an SM between the two sides in order to mitigate the attacks' impact on the system.

The SMP is modeled by the tuple $\langle \mathcal{A}, \mathcal{C}, \{U_a\}_{a \in \mathcal{A}}, \{U_c\}_{c \in \mathcal{C}}, \{q_c\}_{c \in \mathcal{C}} \rangle$, where \mathcal{A} is the set of attacks, \mathcal{C} is the set of countermeasures, $\{U_a\}$ and $\{U_c\}$ are the utility functions of attacks and countermeasures, and $\{q_c\}$ are the quotas associated with each countermeasure representing the maximum number of attacks they can address, where in our work is equal to the $\mathcal{W}(\theta_c)$, i.e.,

no limitations on capacity. Let us introduce the following definitions [37]:

Definition 1. A Matching M is from the set $\mathcal{A} \cup \mathcal{C}$ into the set of unordered family of elements $\mathcal{A} \cup \mathcal{C}$ such that:

- 1) $|M(a)| = 1, \forall a \in \mathcal{A}$
- 2) $1 \leq |M(c)| \leq q_c, \forall c \in \mathcal{C}$
- 3) $M(a) = c$ if and only if $a \in M(c)$.

In Definition 1, the first criterion means each attack (resident) is matched to one countermeasure⁴ (hospital), and the second one means each countermeasure has a maximum capacity of q_c as the number of attacks it can address, and the last criterion means a countermeasure c is the match for attack a , iff the attack a is in the preference list of countermeasure c (i.e., a is acceptable to c). It should be noted that we have set $q_c = \mathcal{W}(\theta_c)$ and this guarantees that no countermeasure will be over-subscribed.

Definition 2. The matching M is blocked by the pair $(a, c) \in \mathcal{A} \times \mathcal{C}$ if the following conditions are satisfied

- 1) a and c find each other acceptable
- 2) $U_a(c) > U_a(M(a))$
- 3) either $|M(c)| < q_c$ and $U_c(a) > 0$
- 4) or $U_c(a) > U_c(a')$ for some $a' \in M(c)$

According to Definition 2 if conditions (1), (2), and either of (3) or (4) occur that means either of the sides prefers each other over their current matching.

Definition 3. A Matching M is stable if it admits no blocking pair.

The stability as a criterion for matching ensures that neither side of the game has the incentive to improve outside of the matching scheme.

Let us define the cost function of an attack as:

$$U_a(c) = \beta_1 \left(\frac{T_{ca}^{\text{tot}} - x_{\min}}{x_{\max} - x_{\min}} \right) + \beta_2 \left(\frac{E_{ca}^{\text{tot}} - x_{\min}}{x_{\max} - x_{\min}} \right) + \beta_3 \left(\frac{\Psi_{ca}^{\text{tot}} - x_{\min}}{x_{\max} - x_{\min}} \right) \quad (13)$$

and the utility function of a countermeasure as

$$U_c(a) = \frac{\sum_{n=1}^{N_a} \alpha_n \Delta R_{ca}}{\sum_{n=1}^{N_a} \alpha_n R_a} \quad (14)$$

where x_{\max} and x_{\min} denote the maximum and minimum value of the respective QoS parameter (provided in Table 1), $\sum_{i=1}^3 \beta_i = 1$, and N_a is the number of nodes with attack a .

Let us define $x_{ca} \in \{0, 1\}$ as a decision variable meaning if countermeasure c and attack a are matched. Then the problem **P2** can be reformulated in the form of an SMP as

$$\mathbf{P3} : \max_{\mathbf{x}} \left\{ \sum_{c=1}^C \sum_{a=1}^A \left(\frac{U_c(a)}{U_a(c)} \right) x_{ca} \right\} \quad (15)$$

4. We would like to emphasize that our proposed HR model is inherently flexible and allows accommodating scenarios involving the combination of multiple countermeasures to address a single attack by considering them as a separate countermeasure.

subject to

$$\mathbf{C3.1} : \sum_{c=1}^C \sum_{a=1}^A \Psi^{\text{tot}}(\theta_c) x_{ca} < \xi \quad (16)$$

$$\mathbf{C3.2} : \sum_{c=1}^C \sum_{a=1}^A N_a x_{ca} \geq \bar{M} \quad (17)$$

$$\mathbf{C3.3} : \sum_{c=1}^C x_{ca} = 1, \quad \forall a \in \mathcal{A} \quad (18)$$

$$\mathbf{C3.4} : x_{ca} \in \{0, 1\} \quad (19)$$

where \mathbf{x} is the matching decision vector identifying the selected atomic countermeasures. Constraint (16) and (17) represent the monetary cost and the minimum number of attacks to be addressed across all nodes. Constraint (18) assures that an attack is matched with only one countermeasure. Constraint (19) indicates that a countermeasure and an attack are either matched or not (binary value). It should be noted that $U_a(c) > 0 \quad \forall c$ in order to get a feasible solution. Please note the difference between A and \bar{M} , where the first shows the number of attacks and the latter the minimum number of addressed attacks across all nodes in the network.

Remark 1. *Weighting the two sides of the SMP (i.e., security and QoS) does not have any impact on the preference list formation. Hence, it does not yield different solutions in **P3**.*

Remark 2. *The existence of different weights on each side of the game (if applicable) can result in different matching; hence, different solutions in **P3**.*

In order to solve the above SMP, we first present its upper bound through theoretical analysis, and later propose distributed solutions.

4.2 Theoretical Analysis

One of the most famous challenges in Combinatorial optimization is the Knapsack problem, which has been proven to be *NP-Hard* [38]. One of the variants of the Knapsack problem is called the Multiple Knapsack Problem (MKP). In MKP, there exist multiple Knapsacks each with a certain capacity. The decision is whether an item should be selected and if yes, to which Knapsack it should be allocated to. **P3** resembles a Multiple Multi-dimensional Knapsack Problem (MMKP), where the two dimensions are (16) and (17) and C represents the number of Knapsacks. As MMKP is also *NP-hard*, similar to [39], we derive the upper bound and discuss the exact solution by employing the decomposition and BB techniques as the dynamic alternative approaches require huge memory requirements.

As the main challenge in BB algorithm is the determination of the upper bound, we only focus on the derivation of the upper bound of **P3**. The upper bound for the standard Knapsack problem has been calculated by greedy algorithms [38]. Hence we decompose the MMKP into several simple standard Knapsack problems and the upper bound of the original **P3**, which is an MMKP, can be obtained by solving the sub-problems in parallel. We first relax two of the constraints in **P3** and rewrite it as

$$\begin{aligned} \mathbf{P4} : \max_{\mathbf{x}} \mathcal{L}(x, \rho, \vartheta) &= \sum_{c=1}^C \sum_{a=1}^A \left(\frac{U_c(a)}{U_a(c)} \right) x_{ca} \quad (20) \\ &+ \rho \left(\sum_{c=1}^C \sum_{a=1}^A N_a x_{ca} - \bar{M} \right) + \sum_{a=1}^A \vartheta_a \left(\sum_{c=1}^C x_{ca} - 1 \right) \end{aligned}$$

subject to **C3.1** and **C3.4**, where ρ and $\vartheta = [\vartheta_1, \dots, \vartheta_A]$ are the dual variables associated with constraints **C3.2** and **C3.3**, respectively. The optimum value of **P4** is an upper bound of the optimum value of **P3** for arbitrary non-negative ρ and $\vartheta \in R^A$. To further gain a tight upper bound, we have to optimize **P4** for the dual variables as

$$\mathbf{P5} : g(\rho, \vartheta) = \min_{\rho > 0, \vartheta} \mathcal{L}(x, \rho, \vartheta) \quad (21)$$

subject to **C3.1** and **C3.4**. Considering **P4** we can rewrite $\mathcal{L}(x, \rho, \vartheta)$ as

$$\begin{aligned} \mathcal{L}(x, \rho, \vartheta) &= \sum_{c=1}^C \sum_{a=1}^A \frac{U_c(a)}{U_a(c)} x_{ca} + \rho \sum_{c=1}^C \sum_{v=1}^A N_a x_{cv} \quad (22) \\ &- \rho \bar{M} + \sum_{c=1}^C \sum_{a=1}^A \vartheta_a x_{ca} - \sum_{a=1}^A \vartheta_a \\ &= \sum_{c=1}^C \left\{ \sum_{a=1}^A \left(\frac{U_c(a)}{U_a(c)} + \rho N_a + \vartheta_a \right) x_{ca} \right\} \\ &- \rho \bar{M} - \sum_{a=1}^A \vartheta_a \end{aligned}$$

Obviously, the upper bound of the original MMKP can be computed by decomposing equation (22) into C standard Knapsack problems in parallel that can significantly reduce the computing power. In the simplest case, a sub-problem for each countermeasure c can be written as the following minimization problem

$$\mathbf{P6} : \min_{\mathbf{x}} \sum_{a=1}^A \left(\frac{U_c(a)}{U_a(c)} + \rho N_a + \vartheta_a \right) x_{ca} \quad (23)$$

subject to **C3.1** and **C3.4**

Denote the minimum value of each c -th sub-problem as μ_c , the summation of each minimum value of the c -th sub-problem of **P6** plus the last two terms in (22) gives the upper bound of the original MMKP in **P3** as

$$\sum_{c=1}^C \mu_c - \rho \bar{M} - \sum_{a=1}^A \vartheta_a \quad (24)$$

The solution to (24) can be calculated efficiently due to the greedy choice property possessed by the standard Knapsack problem; hence, convergence is guaranteed. Now we can rewrite **P5** as

$$\mathbf{P7} : g(\rho, \vartheta) = \min_{\rho > 0, \vartheta} \left(\sum_{c=1}^C \mu_c - \rho \bar{M} - \sum_{a=1}^A \vartheta_a \right) \quad (25)$$

subject to **C3.1** and **C3.4**. Please note that the process of obtaining the optimal dual variables for **P7** and the rest of

the BB algorithm follow the standard procedure, and thus will not be discussed here.

4.3 Distributed Stable Matching-based Solution

In this section, we propose two algorithms to solve the formulated SMP by considering the constraints in our problem. Each of these algorithms considers the preference of one side of the game. Hence, we introduce an Attack-oriented SM (ASM) algorithm and a Countermeasure-oriented SM (CSM) algorithm.

In order to respect the constraint **C3.2** in our SM solutions, we first consider a pre-processing step. As illustrated in Alg. 1 among all the possible countermeasures sets (that form a solution) combination that can be taken for addressing the attacks, we select those solutions that can cover a minimum of a certain number of attacks in the network as feasible solutions. This allows us to ensure the constraint **C3.2** is always respected and the complexity of the SM solution algorithms will be reduced by solving the problem only for the feasible solutions instead of all solutions. Then these feasible solutions, \mathcal{S} , are passed to the SM algorithms to find the matching solutions.

Algorithm 1 Feasible Solution Formation

Input: C, \bar{M}

Output: \mathcal{S}

```

1: for each  $i = 1$  to  $C$  do
2:    $Y \leftarrow$  all  $\binom{C}{i}$  countermeasure solution combinations
3:   for each solution  $j$  in  $Y$  do
4:     if  $\sum_{c \in Y_j} \sum_{a=1}^A x_{ca} N_a \geq \bar{M}$  then
5:        $\mathcal{S} \leftarrow Y_j$ 
6:     end if
7:   end for
8: end for

```

We adopt the *Gale-Shapley* algorithms [36], [40] and propose two algorithms which are namely ASM and CSM. The difference between the two algorithms lies in the fact that which side's preference is considered for the matching. The preference lists of ASM and CSM are composed using (13) and (14), respectively. Alg. 2 shows the ASM solution which finds the matching for each feasible solution in \mathcal{S} . The algorithm continues matching each attack with its highest preferences until the required number of attacks across the nodes is covered.

Algorithm 2 Attack-oriented SM Algorithm

Input: Preference list of \mathcal{V} and \mathcal{C}

Output: ASM solution covering a minimum of \bar{M} attacks

Initialization phase:

1: initialize all of the $a \in \mathcal{A}$ and $c \in \mathcal{C}$ to be free

Matching evaluation:

2: while $\left(\sum_{c=1}^C \sum_{a=1}^A x_{ca} N_a \right) < \bar{M}$ do

3: $c :=$ first countermeasure on a 's list

4: $M = M \cup \{(a, c)\}$

5: end while

In Alg.3, on the other hand, after a countermeasure proposes an attack and they are matched, any successor countermeasure is removed from the attack's list. This is due to the fact that the newly matched attack will not prefer any of the successor countermeasures in the future over the one to which it is matched (as it has lower preferences for them). This shortens the SM solution space, as each

countermeasure does not propose those attacks to which it cannot match. The CSM Algorithm is performed vertically, i.e., matching the first preference of each of the countermeasures, then their second preference and etc., as it results in better performance and it is more fair w.r.t. the horizontal matching when the coverage of the attacks is supposed to be performed partially, i.e., **C3.2**. However, when the percentage of the covered attacks across the nodes is 100% both perspectives (i.e., vertical and horizontal matching) result in the same solution.

Algorithm 3 Countermeasure-oriented SM Algorithm

Input: Preference list of \mathcal{A} and \mathcal{C}

Output: CSM solution covering a minimum of \bar{M} attacks

Initialization phase:

1: initialize all of the $a \in \mathcal{A}$ and $c \in \mathcal{C}$ to be free

Matching evaluation:

2: **while** $\left(\sum_{c=1}^C \sum_{a=1}^A x_{ca} N_a\right) < \bar{M}$ **do**
 3: $a :=$ first attack on c 's list
 4: **if** a is already assigned to c' **then**
 5: $M = M \setminus \{(a, c')\}$;
 6: **end if**
 7: $M = M \cup \{(a, c)\}$
 8: **for each** successor of c' of c on a 's list **do**
 9: delete the pair (a, c') ;
 10: **end for**
 11: **end while**

The overall steps for our proposed solution is shown in Alg. 4. First the feasible solution set is formed, then the result of the SM (either ASM or CSM) is stored and after performing this process for all the feasible solutions, the one that respects **C3.1** and maximizes **P3** is the final solution.

Algorithm 4 The proposed Solution

Input: C, \bar{M} , preference lists

Output: Solution of **P3**

1: Run Alg.1 to obtain the set \mathcal{S}

2: **for each** i in \mathcal{S} **do**

3: Run Alg.2 or to Alg.3 to solve the SM problem

4: $\mathcal{M} \leftarrow M_i$

5: **end for**

6: return $\operatorname{argmax}_{M \in \mathcal{M}} \left\{ \sum_{c=1}^C \sum_{a=1}^A x_{ca} \left(\frac{U_c(a)}{U_a(c)} \right) \right\}$ s.t. **C3.1**

The time complexity of Alg. 4 is $O(C|Y| + |\mathcal{S}|CA)$. The complexity of Line 1 (i.e., Alg.1) is $O(C|Y|)$. The complexity of Alg.2 or Alg.3 is $O(CA)$, which shows the dimension of the preference lists [41]. The SM algorithms provide a good sub-optimal solution as has been demonstrated in the literature [42].

The outcomes of the two algorithms are not necessarily equal. In the ASM solution, the attacks are allocated to their most preferred countermeasure as the countermeasures do not become over-subscribed, hence, the ASM algorithm gives the best QoS-wise SM solution. However, in the CSM solution, the countermeasures propose the attacks according to their preferences (i.e., security) and they are matched if this is the best proposal it has received (in terms of QoS). Hence, the solution of CSM is more balanced in terms of security and QoS.

Proposition 1. *ASM and CSM respect all the criteria of a matching game.*

Proof. We need to ensure the three criteria in Definition 1 are respected. **C3.3** guarantees that the first criterion in Definition 1 is respected for both ASM and CSM algorithms. Moreover, as we assume the number of attacks matched with a countermeasure cannot exceed the capacity of the countermeasure, criterion 2 is also respected. Finally, the third criterion in Definition 1 is also respected as each matching pair is performed following the preference lists of the two sides, i.e., they are in each other's preference list *iff* the two sides are acceptable to each other. Thus, the proposition is proved. \square

Proposition 2. *The ASM and CSM algorithms are stable for full attack coverage.*

Proof. In order to prove the stability of the two algorithms, the blocking situations defined in Definition 2 need to be avoided. Suppose (a_1, c_1) and (a_2, c_2) are the results of the CSM algorithm. Let us assume c_2 prefers a_1 over its matching (which is a_2). This means c_2 must have proposed to a_1 before proposing to a_2 due to the functionality of the *Gale-Shapley* algorithm. Since c_2 proposed to a_2 at some point, a_1 must have rejected c_2 . This signifies at the time of rejection, a_1 preferred some c' over c_2 . From the output of this matching example, it can be observed that a_1 has chosen c_1 over the rest of its matching preferences including c_2 . Thus, a_1 would not break up with c_1 to match with c_2 . As the proposed algorithm terminates either when all countermeasures are matched to attacks or every unmatched countermeasure has been rejected by every acceptable attack. Therefore, the algorithm terminates after a finite number of steps. A similar example can be provided for ASM algorithm. As ASM and CSM algorithms respect Definition 2, the proposed algorithms result in a stable matching for full attack coverage. Thus, the proof is completed. \square

As demonstrated in Propositions 1 and 2, the proposed algorithms meet all the criteria of a matching game, with the absence of blocking pairs; hence, the matching solution is stable for full attack coverage. In this paper, the preference lists of the attacks and countermeasures are based on specific payoffs or objectives (i.e., (13) and (14)) that individuals aim to maximize. These preferences can be seen as a strategy within the framework of a non-cooperative game. In other words, participants' preferences are not only static rankings but rather strategic decisions, such as rejecting a match, aimed at optimizing the overall payoffs within the constraints of the stable matching algorithm. This allows for analyzing stable matching as a non-cooperative game where individuals strategically choose their preferences to achieve more favourable outcomes. It is well known that a Nash equilibrium is a theoretical solution to a non-cooperative game [43], [44]. In this particular problem, a Nash equilibrium, within the defined game, is a stable matching between countermeasures and attacks [40], [44].

The partial coverage case may lead to an unstable matching but with higher coverage percentage, this will be significantly reduced. However, this problem can still be addressed, which is discussed in Section 5.5.

Proposition 3. *There can be multiple potential matching solutions when $\sum_a N_a > \bar{M}$*

Countermeasures Preference List	Attacks Preference List
C_1 $A_5 A_3 A_2 A_1 A_9$	$A_1 A_2 A_3 A_4 A_5 A_6 A_7 A_8 A_9 A_{10}$
C_2 $A_8 A_4 A_6 A_7 A_9 A_3$	$C_1 C_1 C_1 C_3 C_1 C_2 C_2 C_2 C_1 C_3$
C_3 $A_4 A_3 A_{10} A_7$	$C_3 C_2 C_3 C_2$
	C_2

Fig. 1. Preference Lists of Countermeasures and attacks

M_1	M_2	M_3
C_1 $A_5 A_3 A_2 A_1$	C_1 $A_5 A_3 A_2$	C_1 $A_5 A_3 A_2$
C_2 $A_8 A_6$	C_2 $A_8 A_6 A_7$	C_2 $A_8 A_6$
C_3 $A_4 A_{10}$	C_3 $A_4 A_{10}$	C_3 $A_4 A_{10} A_7$

Fig. 2. Matching Solutions

Proof. Due to the nature of partial attack coverage of **C3.2** (i.e., the case $\sum_a N_a > \bar{M}$) and the fact that the SM algorithms can be executed in different orders (i.e., starting the game from a different attack or countermeasure), the outcome can form a Pareto set of solutions.


Here we provide an example to prove this. Let us assume $A = 10$, $C = 3$ and $\bar{M} = 80\%$. Let us for simplicity consider there are 10 nodes in the network that have each of these attacks. Fig. 1 shows the preference lists of the attacks and countermeasures. Solving the problem with different starting points (starting from c_1 , c_2 and c_3) using Alg. 3 we obtain the matching results as shown in Fig. 2. As seen there can be three possible matchings of M_1 , M_2 , and M_3 . It should be noted that Alg. 3 stops when the number of covered attacks across the nodes reaches a minimum of 80%. As seen, starting the CSM algorithm from different starting points results in different matching solutions. The same applies to the ASM algorithm. \square

5 SIMULATION RESULTS


We evaluate the performance of the proposed game theoretical-based methods by simulations performed in *MATLAB*. Table 1 summarizes the simulation parameters. By analyzing several attack types targeting different networks (IP network, IoT, mobile networks, among others), their impact in terms of security, and the potential countermeasures to mitigate their impact, we noticed the presence of variability in the data. Therefore, in order to reflect this variability of inputs, we consider randomly generated values as given in Table 1 to avoid unrealistic scenarios for the evaluation of the proposed solutions. Furthermore, in Section 5.6, we assess the effectiveness of the proposed solution by comparing its performance against other benchmarks. This evaluation involves aligning attack scenarios, countermeasures, and QoS and security values with realistic 5G scenarios. In the following, the performance of the two algorithms is evaluated by the impact of different parameters on the joint utility function, security utility, or QoS cost values. Please note that in the following sub-sections, we differentiate the terms *attack* which is on a specific node, and the *attack types* (e.g., DoS).

TABLE 1
Simulation Setting

Parameter	Value
# of devices (N)	100
# of attack types (A)	[20 25 30 35 40]
# of countermeasure types (C)	[4 6 8 10 12]
Time, Energy, Monetary cost, Security	[0 1]
% of covered attacks (\bar{M})	[50 60 70 80 90 100]%
Monetary budget (ξ)	[4-12]



(a) ASM Alg.



(b) CSM Alg.

Fig. 3. Impact of β on the QoS cost of the two algorithms

5.1 Impact of β on the QoS costs parameters

Fig. 3 shows the impact of QoS coefficients on the cost of each of the QoS parameters (see Remark 2). This figure is the average result of 1000 simulation runs, where we relax $A = 10$, $C = 4$, $\bar{M} = 90\%$, and $\xi = 6$, respectively. As seen, in both Figs. 3a and 3b when β_1 , β_2 and β_3 are set the highest value, i.e., 0.9, the lowest value of time, energy, and monetary cost, respectively, can be obtained. This is due to the impact of the coefficient in the matching result. For instance, when $\beta_1 = 0.9$, each attack type prioritizes *time* more than the other QoS parameters for their preference list formation, which results in a more *time-aware* matching solution. The same energy and cost minimization can be observed by setting β_2 and β_3 to the highest weight. However, when the coefficients are equal (the last set of bars), the obtained SM solutions have the same time, energy, and monetary cost values too. Finally, the SM solutions obtained from the ASM algorithm have slightly lower (i.e., better) QoS costs than the CSM algorithm. This is because the CSM algorithm prioritizes security more than QoS.

5.2 Impact of monetary budget on the QoS/Monetary Costs and Security Utility

Figs. 4a and 4b depict the impact of the monetary budget (see Constraint (16)) on the QoS/Monetary costs and security utility, respectively, of the two ASM and CSM algorithms. This figure is the average result of 200 simulation




Fig. 4. Impact of monetary budget on the joint objective function, QoS, and security of the two algorithms

runs, where we relax $A = 20$, $C = 10$, $\beta_i = 0.33$, and $\bar{M} = 100\%$.

The first observation is that the ASM algorithm has lower QoS costs than the CSM algorithm as it prioritizes the QoS for the matching (Figs. 4a). On the other hand, the CSM Algorithm outperforms the ASM Algorithm in terms of security utility as it prioritizes security for the matching Figs. 4b. The impact of monetary costs is directly reflected in both QoS costs and security utility as it restricts the optimization in finding a solution that optimizes the joint objective function in **P3**. As seen in Fig. 4b as the monetary budget increases it brings higher options (larger solution pool) for the **P3**; thus, higher security utility can also be obtained, however, it also increases the QoS costs, as seen in Fig. 4a. Therefore, this is a trade-off to be considered. Please note that the QoS costs, as defined in Eq.(13), include time, energy, and monetary costs where each parameter is multiplied by a $\beta_* = 0.33$. The other observation is that even though the monetary costs are increasing up to 12, the matching algorithms do not select solutions with a cost higher than 8/10 for ASM/CSM algorithm as those solutions do not optimize **P3** (due to the higher QoS costs). These figures indicate that in order to cover 100% of the attacks across the nodes while there are 20 different attack types and 10 countermeasures in hand, a monetary cost in the [4 10] range is needed, a higher monetary cost⁵ is not necessary. This implies if the monetary budget is restricted to 4, the maximum security that can be obtained from the solution is 13.7 and 14.7 for ASM and CSM algorithms.

5.3 Impact of number of attack types and countermeasure types on the utility and cost values

Figs. 5a and 5b depict the average joint utility per attack (across the nodes) when impacted by various numbers of attack and countermeasure types. Each of the points in these figures represents the average of 200 simulation experiments where in each experiment random security and QoS values

5. A lower monetary cost does not allow for finding a feasible solution most of the times; thus, not suitable to consider

are generated for fairness. In order to focus on the impact of the number of attack and countermeasure types, we relax the $\beta_i = 0.33$, $\bar{M} = 90\%$, and $\xi = 15$. This experiment answers the question "Do we receive a higher joint utility for each attack (across nodes) if there are more countermeasure and attack types in the network?". As seen, increasing the number of countermeasure types increases the average attack (across the nodes) utility and by the increase in the number of attack types, the average attack (across nodes) utility remains quite stable. In order to better understand the reason we have plotted Fig. 6.

Fig 6 depicts the impact of the number of attack and countermeasure types on the security and QoS of the solutions obtained by the two algorithms, where the results show the average of 200 simulation experiments. By taking a closer observation on fig 6a and 6b we can see that as the number of countermeasure types increases, there will be lower QoS costs per attack. This is because each attack type has wider options to choose from (or be chosen for the CSM algorithm); hence, a higher chance to match to a countermeasure type with lower QoS cost. Increasing the number of countermeasure types also increases the security per attack for the same reason.

On the other hand, as the number of attack types in the system increases, the average security utility per attack in the system slightly decreases and QoS remains quite stable. This is because there are a fixed number of countermeasure types to address more attack types. However, as seen when the number of countermeasure types is 12, the QoS cost is the least, and security utility is the most in both Figs. 6a and 6b. Finally, it can be observed that Fig.6b depicts a higher security value as it is obtained by a CSM algorithm and Fig.6a has lower QoS costs as it is obtained by the ASM algorithm.

5.4 Impact of the percentage of covered attacks on objective function

Fig. 7 depicts the impact of Constraint (17) on the joint objective, QoS, and security of the two ASM and CSM algorithms. This figure is the average result of 500 simulation experiments, where we relax $A = 10$, $C = 4$, $\xi = 6$, and $\beta_i = 0.33$.

There are mainly two points that can be observed from the figures. First, as the percentage of covered attacks (across the nodes) increases, there is higher QoS costs, higher security utility, and higher joint utility value, which is expected. Second, the ASM algorithm has lower QoS costs due to the priority given to the QoS when performing the matching, and the CSM algorithm has higher security utility due to the priority given to the security objective when performing the matching. In the joint objective figure, however, the CSM algorithm performs better when it considers the ratio of security utility and QoS costs. Remarkably, the trade-off can be clearly observed as the graph in Fig.7b (QoS costs) complements the graph in Fig.7c (security Utility), resulting in a perfect matching. Finally, an SM is guaranteed for the case of $\bar{M} = 100\%$.

5.5 Pareto Front Solutions

As discussed in Proposition 3, for the case of partial attack coverage (across the nodes), the obtained solution might not







Fig. 5. Impact of number of attack and countermeasure types on the utility (Per attack) of the two algorithms

Fig. 6. Impact of number of attack and countermeasure types on per attack security and QoS of the two algorithms

be stable; hence, the algorithms might produce several solutions each by executing **P3** from different starting points. Each of these solutions might result in a better objective than the other (i.e., security or QoS). In this sub-section, we perform simulation results for this special case. In such a case, the quality of a solution can be determined by its Pareto-dominance with respect to other solutions [45]. In particular, let $\Phi = \{\Phi_1, \Phi_2, \dots, \Phi_Z\}$ be the set of solutions (from the z th starting point), where Φ_z is the z th solution, and Z is the total number of generated solutions. Considering two solutions, say Φ_1 and Φ_2 , for a given problem with S conflicting objectives, say O_s (for all $s \in [1, S]$), we define Pareto-dominance as follows:

Definition 4. Let $O_s(\Phi)$ be the value of the objective function for the s -th objective evaluated at some solution Φ . Then Φ_1 is said to Pareto-dominate Φ_2 (i.e., $\Phi_1 \succ \Phi_2$) if $O_s(\Phi_1) \leq O_s(\Phi_2)$ for all $s \in [1, S]$, and there exists some $p \in [1, S]$ such that $O_p(\Phi_1) < O_p(\Phi_2)$.

In our problem, $S = 2$ represents the two security and QoS objectives, and O_s represents the value of the objectives as defined in (13) and (14). We have set $A = 20$, $C = 4$, $\xi = 7$, and $M = 80\%$. Fig.8 depicts three solution sets (for **P3**) composed of different atomic countermeasures, i.e., $\{1,2,4\}$, $\{2,3,4\}$ and $\{1,2,3,4\}$ to be taken to address the attacks. These are the only feasible solution sets to

cover a minimum of 80% of the attacks (across the nodes) with different objective values, where each of these feasible solution sets can result in different solutions when executing **P3** from different starting points.

The red and blue points represent these different solutions (i.e., Φ_z as defined in Def.4) for ASM and CSM algorithms. Fig.8 represents only those solutions whose monetary cost does not violate the monetary budget in **C3.1**. As seen the countermeasure-oriented solutions have the highest security utility and the attack-oriented solutions have the best QoS. Please note that QoS costs are negated in this figure for a better representation of the goodness of the Pareto Fronts. The solutions shown in the orange circle are the (strong) Pareto optimal solutions (any change makes at least one objective worse off), where they offer either lower QoS cost or higher security utility.

5.6 Comparison

In this sub-section, we assess the performance of our proposed solution in comparison to two benchmark scenarios. It is essential to acknowledge that the unique problem formulation in our work makes it challenging to identify




Fig. 7. Impact of % of covered attacks on the joint objective function, QoS costs, and security utility of the two algorithms

directly comparable models in the existing literature. Nevertheless, we have selected the following two benchmarks for our comparative analysis:

- *SecCost*: This benchmark is derived from a study in [46], focusing on security and monetary costs. Countermeasures with the highest effectiveness are chosen based on the metric:

$$\frac{|\mathcal{W}(\theta_c)|P(\theta_c)}{\Psi^{\text{tot}}(\theta_c)} \quad (26)$$

where $P(\theta_c)$ represents the probability of preventing an attack, normalized to a percentage. In the benchmark, countermeasures are selected in descending order of their effectiveness until all attacks are covered. Subsequently, the time, energy, monetary costs and security of the obtained solution are calculated.

- *Rule-based*: This benchmark represents a classical approach commonly used as a baseline, where countermeasure selection is based solely on maximizing security.

In this section, we present experimental results conducted using data collected within the framework of the H2020 SANCUS project [47]. The experiment incorporates a diverse set of attacks and countermeasures, including both atomic and non-atomic measures, tailored to 5G scenarios. The considered attacks encompass AMF-targeted attacks, PCF-related attacks, and API patching, along with improper asset management attacks. The corresponding countermeasures

TABLE 2
List of Countermeasures

Abbr.	Countermeasure(s)
C1	Notify the network operator/provider
C2	Block the attacker
C3	Isolate the device
C4	Relaunch the infected node
C5	Reconfigure the VNF
C6	Replace the infected node
C7	Change the network topology
C8	Block the attacker & isolate the device
C9	Notify the network operator/provider & block the attacker
C10	Notify the network operator/provider & isolate the device
C11	Notify the network operator/provider & block the attacker & isolate the device

addressing these attacks are detailed in Table 2. It is noteworthy that countermeasures C8 to C11 are non-atomic. The attacks can be detected based on different IDMs and the algorithm is containerized as a Virtual Machine (VM) using Docker/Kubernetes. More information about the IDM selection and deployment scheme of the VM within the Management and Orchestration (MANO) framework of the 5G core can be found in [48].

We compare the selected countermeasures of our solution, denoted as SM^6 , with *SecCost* and a rule-based approach, denoted as *Rule*. Specifically, the selected countermeasures are C2, C3 for *SM*, C7 for *SecCost*, and C11 for the *Rule*-based approach. Fig.9 illustrates the comparison of these three approaches in terms of security and QoS metrics associated with the selected countermeasures and the approaches with the best performance in each metric are encircled in red.

The *Rule* selects C11, incorporating three atomic countermeasures simultaneously to achieve the highest security gain. This is evident from the first set of bars in Figure 9. However, the chosen countermeasures under the *Rule* approach exhibit a substantial QoS cost, when compared to our solution. On the other hand, *SecCost* factors in security and monetary costs in its countermeasure selection, resulting in commendable performance in terms of security and monetary cost-effectiveness. However, it demonstrates the least favourable outcomes concerning time and energy consumption. Our proposed *SM* solution strikes a balance between security and all the QoS metrics. This results in a security level and monetary costs comparable to those achieved in *SecCost* but with significantly lower time and energy consumption. The strength of our *SM* solution lies in its ability to match each attack with a countermeasure by considering the utility of both aspects—security and QoS. Please note that in this experiment, the coefficients of QoS objectives are set equally. By adjusting the associated β_* values to favour specific QoS metrics, the selected countermeasures may vary. This offers additional flexibility for the operator to adapt the importance of each objective based on specific requirements.

6. For this experiment we employ the CSM algorithm.




Fig. 8. Pareto set of Fronts of the two algorithms for each feasible solution




Fig. 9. Matching Solutions

6 CONCLUSION

This work studies the countermeasure selection problem as part of an Intrusion Response System (IRS) by considering a trade-off between Security and QoS. The joint problem is formulated considering the constraints on monetary costs and the percentage of covered detected attacks. The problem is transformed into a stable matching model and addressed with a Gale-Shapley solution that considers the utility of two sides of the game, which are the attack and countermeasure types. We first derived the upper bound for the problem and later proposed algorithms to solve the game. Extensive simulation results are carried out to validate the performance of the game-theoretical solutions to see the impact of monetary costs, percentage of covered attacks, number of attack and countermeasure types on the joint utility function. Moreover, the Pareto front solutions are plotted to show the diverse feasible solutions with respect to security and QoS objectives for the special case of non-stable solutions.

In the future, we wish to extend this work by investigating the deployment order of countermeasures. This not only impacts the response effectiveness in terms of risk reduction

but also impacts the time model. We also plan to study the execution duration of the selected countermeasures and the network area they are applied as they will impact the system costs/utility too.

REFERENCES

- [1] M. A. Ferrag, L. Maglaras, A. Argyriou, D. Kosmanos, and H. Janicke, "Security for 4g and 5g cellular networks: A survey of existing authentication and privacy-preserving schemes," *Journal of Network and Computer Applications*, vol. 101, pp. 55–82, 2018.
- [2] A. Bozorgchenani, C. C. Zarakovitis, S. F. Chien, H. S. Lim, Q. Ni, A. Gouglidis, and W. Mallouli, "Joint security-vs-qos framework: Optimizing the selection of intrusion detection mechanisms in 5g networks," in *Proceedings of the 17th International Conference on Availability, Reliability and Security*, ser. ARES '22. Association for Computing Machinery, 2022.
- [3] R. Khan, P. Kumar, D. N. K. Jayakody, and M. Liyanage, "A survey on security and privacy of 5g technologies: Potential solutions, recent advancements, and future directions," *IEEE Communications Surveys Tutorials*, vol. 22, no. 1, pp. 196–248, 2020.
- [4] S. A. Zonouz, H. Khurana, W. H. Sanders, and T. M. Yardley, "Rre: A game-theoretic intrusion response and recovery engine," *IEEE Transactions on Parallel and Distributed Systems*, vol. 25, no. 2, pp. 395–406, 2014.
- [5] C. Zarakovitis, D. Klonidis, Z. Salazar, A. Prudnikova, A. Bozorgchenani, Q. Ni, C. Klitis, G. Guirgjis, A. Cavalli, N. Sgouros, E. Makri, A. Lalas, K. Votis, G. Amponis, and W. Mallouli, "Sancus: Multi-layers vulnerability management framework for cloud-native 5g networks," ser. ARES 21. New York, NY, USA: Association for Computing Machinery, 2021.
- [6] H. A. Kholidy, "Autonomous mitigation of cyber risks in the cyber-physical systems," *Future Generation Computer Systems*, vol. 115, pp. 171–187, 2021.
- [7] B. Xu, Z. Zhong, and G. He, "A minimum defense cost calculation method for attack defense trees," *Security and Communication Networks*, 2020.
- [8] Kavallieratos, Georgios and Spathoulas, Georgios and Katsikas, Sokratis, "Cyber Risk Propagation and Optimal Selection of Cybersecurity Controls for Complex Cyberphysical Systems," *Sensors*, vol. 21, no. 5, 2021.
- [9] M. Lelarge, "Coordination in network security games: A monotone comparative statics approach," *IEEE Journal on Selected Areas in Communications*, vol. 30, no. 11, p. 2210 – 2219, 2012, cited by: 29; All Open Access, Green Open Access.
- [10] L. P. Rees, J. K. Deane, T. R. Rakes, and W. H. Baker, "Decision support for cybersecurity risk planning," *Decision Support Systems*, vol. 51, no. 3, pp. 493–505, 2011.
- [11] J. Simon and A. Omar, "Cybersecurity investments in the supply chain: Coordination and a strategic attacker," *European Journal of Operational Research*, vol. 282, no. 1, pp. 161–171, 2020.

- [12] J. A. Paul and X. J. Wang, "Socially optimal investment for cybersecurity," *Decision Support Systems*, vol. 122, p. 113069, 2019.
- [13] Jomon A. Paul and Minjiao Zhang, "Decision support model for cybersecurity risk planning: A two-stage stochastic programming framework featuring firms, government, and attacker," *European Journal of Operational Research*, vol. 291, no. 1, pp. 349–364, 2021.
- [14] Ganbayar Uuganbayar and Artsiom Yautsiukhin and Fabio Martinelli and Fabio Massacci, "Optimisation of cyber insurance coverage with selection of cost effective security controls." *Computers & Security*, vol. 101, p. 102121, 2021.
- [15] P. Nespoli, D. Papamartzivanos, F. Gómez Mármol, and G. Kambourakis, "Optimal countermeasures selection against cyber attacks: A comprehensive survey on reaction frameworks," *IEEE Communications Surveys & Tutorials*, vol. 20, no. 2, pp. 1361–1396, 2018.
- [16] P. Nespoli, F. G. Mármol, and J. M. Vidal, "A bio-inspired reaction against cyberattacks: Ais-powered optimal countermeasures selection," *IEEE Access*, vol. 9, pp. 60971–60996, 2021.
- [17] Nespoli, Pantaleone and Gomez Marmol, Felix and Kambourakis, Georgios, "AISGA: Multi-Objective Parameters Optimization for Countermeasures Selection through Genetic Algorithm," in *Proceedings of the 16th International Conference on Availability, Reliability and Security*, ser. ARES 21. New York, NY, USA: Association for Computing Machinery, 2021.
- [18] Y. Guo, H. Zhang, Z. Li, F. Li, L. Fang, L. Yin, and J. Cao, "Decision-making for intrusion response: Which, where, in what order, and how long?" in *ICC 2020 - 2020 IEEE International Conference on Communications (ICC)*, 2020, pp. 1–6.
- [19] Li, Xuan and Zhou, Chunjie and Tian, Yu-Chu and Qin, Yuanqing, "A Dynamic Decision-Making Approach for Intrusion Response in Industrial Control Systems," *IEEE Transactions on Industrial Informatics*, vol. 15, no. 5, pp. 2544–2554, 2019.
- [20] S. Iannucci, O. D. Barba, V. Cardellini, and I. Banicescu, "A performance evaluation of deep reinforcement learning for model-based intrusion response," in *2019 IEEE 4th International Workshops on Foundations and Applications of Self* Systems*, 2019, pp. 158–163.
- [21] S. Iannucci, V. Cardellini, O. D. Barba, and I. Banicescu, "A hybrid model-free approach for the near-optimal intrusion response control of non-stationary systems," *Future Generation Computer Systems*, vol. 109, pp. 111–124, 2020.
- [22] F. Li, Y. Li, S. Leng, Y. Guo, K. Geng, Z. Wang, and L. Fang, "Dynamic countermeasures selection for multi-path attacks," *Computers & Security*, vol. 97, p. 101927, 2020.
- [23] B. Fila and W. Widel, "Exploiting attack–defense trees to find an optimal set of countermeasures," in *2020 IEEE 33rd Computer Security Foundations Symposium (CSF)*, 2020, pp. 395–410.
- [24] O. Stan, R. Bitton, M. Ezrets, M. Dadon, M. Inokuchi, Y. Ohta, T. Yagy, Y. Elovici, and A. Shabtai, "Heuristic approach for countermeasure selection using attack graphs," in *2021 IEEE 34th Computer Security Foundations Symposium (CSF)*, 2021, pp. 1–16.
- [25] Chen, Yichao and He, Shibo and Hou, Fen and Shi, Zhiguo and Chen, Jiming, "Promoting Device-to-Device Communication in Cellular Networks by Contract-based Incentive Mechanisms," *IEEE Network*, vol. 31, no. 3, pp. 14–20, 2017.
- [26] Larsen-Scalia, Theresa A., "Use of quality tools for managing change during mandated process revisions: A case study of naval nuclear propulsion information security compliance," Ph.D. dissertation, California State University, 2007.
- [27] Rass, Stefan, "On Game-Theoretic Network Security Provisioning," *Journal of Network and Systems Management*, vol. 21, p. 47–64, 2013.
- [28] Ghazvini, Mahdieh and Movahedinia, Naser and Jamshidi, Kamal, "GITXOP: a game theoretic approach for QoS provisioning using transmission opportunity tuning," *PloS one*, vol. 8, no. 5, 2013.
- [29] Mehic, Miralem and Rass, Stefan and Fazio, Peppino and Voznak, Miroslav, *Quantum Key Distribution Networks, A Quality of Service Perspective*. Springer Cham, 2022.
- [30] C.-J. Chung, P. Khatkar, T. Xing, J. Lee, and D. Huang, "Nice: Network intrusion detection and countermeasure selection in virtual network systems," *IEEE Transactions on Dependable and Secure Computing*, vol. 10, no. 4, pp. 198–211, 2013.
- [31] J. Holguín-Veras, N. Pérez, M. Jaller, L. N. Van Wassenhove, and F. Aros-Vera, "On the appropriate objective function for post-disaster humanitarian logistics models," *Journal of Operations Management*, vol. 31, no. 5, pp. 262–280, 2013.
- [32] J.-F. Bérubé, M. Gendreau, and J.-Y. Potvin, "An exact ϵ -constraint method for bi-objective combinatorial optimization problems: Application to the traveling salesman problem with profits," *European Journal of Operational Research*, vol. 194, no. 1, pp. 39–50, 2009.
- [33] A. Nikas, F. Angelos, F. Aikaterini, and D. Haris, "A robust augmented ϵ -constraint method (augmecon-r) for finding exact solutions of multi-objective linear programming problems," *Operational Research*, vol. 22, p. 1291–1332, 2020.
- [34] R. Mochaourab, B. Holfeld, and T. Wirth, "Distributed channel assignment in cognitive radio networks: Stable matching and walrasian equilibrium," *IEEE Transactions on Wireless Communications*, vol. 14, no. 7, pp. 3924–3936, 2015.
- [35] E. A. Jorswieck, "Stable matchings for resource allocation in wireless networks," in *2011 17th International Conference on Digital Signal Processing (DSP)*, 2011, pp. 1–8.
- [36] G. O'Malley, "Algorithmic aspects of stable matching problems," Ph.D. dissertation, Faculty of Information and Mathematical Sciences at the University of Glasgow, 2007.
- [37] A. E. Roth and M. A. O. Sotomayor, *Two-Sided Matching: A Study in Game-Theoretic Modeling and Analysis*, ser. Econometric Society Monographs. Cambridge University Press, 1990.
- [38] T. H. Cormen, C. Leiserson, R. Rivest, and C. Stein, *Introduction to Algorithms*. McGraw-Hill, 2001.
- [39] Y. Song, C. Zhang, and Y. Fang, "Multiple multidimensional knapsack problem and its applications in cognitive radio networks," in *MILCOM 2008 - 2008 IEEE Military Communications Conference*, 2008, pp. 1–7.
- [40] D. Gale and L. S. Shapley, "College admissions and the stability of marriage," *The American Mathematical Monthly*, vol. 69, no. 1, pp. 9–15, 1962.
- [41] N. Suvonvorn and B. Zavidovique, "Globally satisfying and equitable stable marriages and their complexity," *International Journal of Pure and Applied Mathematics*, vol. 53, pp. 439–466, 2009.
- [42] A. Leshem, E. Zehavi, and Y. Yaffe, "Multichannel opportunistic carrier sensing for stable channel access control in cognitive radio systems," *IEEE Journal on Selected Areas in Communications*, vol. 30, no. 1, pp. 82–95, 2012.
- [43] John Nash, "Non-cooperative games," *Annals of Mathematics*, vol. 54, pp. 286–295, 1951.
- [44] Zhang, Nian and Liu, Zhixue and Li, Feng and Xu, Zhou and Chen, Zhihao, "Stable Matching for Crowdsourcing Last-Mile Delivery," *IEEE Transactions on Intelligent Transportation Systems*, vol. 24, no. 8, pp. 8174–8187, 2023.
- [45] A. Bozorgchenani, F. Mashhadi, D. Tarchi, and S. A. Salinas Monroy, "Multi-objective computation sharing in energy and delay constrained mobile edge computing environments," *IEEE Transactions on Mobile Computing*, vol. 20, no. 10, pp. 2992–3005, 2021.
- [46] Tamjidi, Sina and Shamelli-Sendi, Alireza, "Intelligence in security countermeasures selection," *Journal of Computer Virology and Hacking Techniques*, vol. 19, 2023.
- [47] "Sancus project," 2023. [Online]. Available: <https://sancus-project.eu/>
- [48] Arash Bozorgchenani and Charilaos C. Zarakovitis and Su Fong Chien and Tiew On Ting and Qiang Ni and Wissam Mallouli, "Novel modeling and optimization for joint Cybersecurity-vs-QoS Intrusion Detection Mechanisms in 5G networks," *Computer Networks*, vol. 237, p. 110051, 2023.