

This is a repository copy of *Methods used to conceptualise dimensions of health equity impacts of public health interventions in systematic reviews*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/209715/>

Version: Published Version

---

**Article:**

Hollands, Gareth J, South, Emily [orcid.org/0000-0003-2187-4762](https://orcid.org/0000-0003-2187-4762), Shemilt, Ian et al. (3 more authors) (2024) Methods used to conceptualise dimensions of health equity impacts of public health interventions in systematic reviews. *Journal of Clinical Epidemiology*. 111312. ISSN: 0895-4356

<https://doi.org/10.1016/j.jclinepi.2024.111312>

---

**Reuse**

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.

**METHODOLOGICAL CONSIDERATIONS RELATED TO EQUITY, DIVERSITY, AND  
INCLUSION IN CLINICAL EPIDEMIOLOGY****Methods used to conceptualize dimensions of health equity impacts of  
public health interventions in systematic reviews**

Gareth J. Hollands<sup>a,1,\*</sup>, Emily South<sup>b,1</sup>, Ian Shemilt<sup>a</sup>, Sandy Oliver<sup>a</sup>, James Thomas<sup>a</sup>,  
Amanda J. Sowden<sup>b</sup>

<sup>a</sup>EPPI Centre, UCL Social Research Institute, University College London, London, UK

<sup>b</sup>Centre for Reviews and Dissemination, University of York, York, UK

Accepted 25 February 2024; Published online 1 March 2024

---

**Abstract**

**Objectives:** Our aims were to, first, identify and summarize the use of methods, frameworks, and tools as a conceptual basis for investigating dimensions of equity impacts of public health interventions in systematic reviews including an equity focus. These include PROGRESS-Plus, which identifies key sociodemographic characteristics that determine health outcomes. Second, we aimed to document challenges and opportunities encountered in the application of such methods, as reported in systematic reviews.

**Study Design and Setting:** We conducted a methodological study, comprising an overview of systematic reviews with a focus on, or that aimed to assess, the equity impacts of public health interventions. We used electronic searches of the Cochrane Database of Systematic Reviews, the Database of Promoting Health Effectiveness Reviews (DoPHER), and the Finding Accessible Inequalities Research in Public Health Database, supplemented with automated searches of the OpenAlex dataset. An active learning algorithm was used to prioritize title-abstract records for manual screening against eligibility criteria. We extracted and analyzed a core dataset from a purposively selected sample of reviews, to summarize key characteristics and approaches to conceptualizing investigations of equity.

**Results:** We assessed 322 full-text reports for eligibility, from which we included 120 reports of systematic reviews. PROGRESS-Plus was the only formalized framework used to conceptualize dimensions of equity impacts. Most reviews were able to apply their intended methods to at least some degree. Where intended methods were unable to be applied fully, this was usually because primary research studies did not report the necessary information. A general rationale for focusing on equity impacts was often included, but few reviews explicitly justified their focus on (or exclusion of) specific dimensions. In addition to practical challenges such as data not being available, authors highlighted significant measurement and conceptual issues with applying these methods which may impair the ability to investigate and interpret differential impacts within and between studies. These issues included investigating constructs that lack standardized operationalization and measurement, and the complex nature of differential impacts, with dimensions that may interact with one another, as well as with particular temporal, personal, social or geographic contexts.

**Conclusion:** PROGRESS-Plus is the predominant framework used in systematic reviews to conceptualize differential impacts of public health interventions by dimensions of equity. It appears sufficiently broad to encompass dimensions of equity examined in most investigations of this kind. However, PROGRESS-Plus does not necessarily ensure or guide critical thinking about more complex pathways, including interactions between dimensions of equity, and with wider contextual factors, and important practical, measurement and conceptual challenges remain. The findings from investigations of equity impacts in systematic reviews could be made more useful through more explicitly rationalized and considered approaches to the design, conduct and reporting of both primary research and the reviews themselves. © 2024 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

**Keywords:** Public health; Intervention; Equity; Inequalities; Differential impacts; Systematic reviews

---

---

Registration: Registered on PROSPERO (CRD42022371805).

Funding: Funding support for this review was received from the Research England Policy Support Fund via the University of York.

<sup>1</sup> Joint lead authors contributing equally to this paper.

\* Corresponding author. EPPI Centre, UCL Social Research Institute, University College London, London, UK.

E-mail address: [gareth.hollands@ucl.ac.uk](mailto:gareth.hollands@ucl.ac.uk) (G.J. Hollands).

### What is new?

#### Key findings

- PROGRESS-Plus is predominant for conceptualizing dimensions of equity impacts..
- Primary research studies often do not report the information necessary for analysis.

#### What this adds to what was known?

- Few reviews justify their focus on (or exclusion of) specific dimensions of impacts.

#### What is the implication and what should change now?

- PROGRESS-Plus does not ensure critical thinking about more complex mechanisms.
- More explicitly rationalized and considered approaches to investigations are needed

## 1. Introduction

Health inequities are unfair, socially produced, and systematic disparities in health outcomes between population subgroups, associated with their social, economic or personal characteristics [1,2]. To better understand and justly improve the health of the whole population, the practice and reporting of research must take account of such health inequities. Successfully achieving this requires careful consideration of the wide range of factors or characteristics including the ways in which these interact or intersect [3] that potentially function as determinants of health outcomes. In the context of interventions to improve public health, these characteristics act as the dimensions (and combinations thereof) along which unequal impacts can be observed, assessed, and potentially remediated to ensure inequalities are reduced or at least not exacerbated [4,5]. While equity considerations are similarly important in conducting both primary and secondary research, our focus is on how health inequity is addressed in systematic reviews. While systematic reviews can and do inform policy and practice, they often fail to adequately consider equity, impairing their ability to optimally inform decision-making [6].

Health equity impacts can be examined in systematic reviews by applying methods developed for investigating the differential impacts of interventions more generally. From a ‘complex adaptive systems’ perspective,

differential impacts occur when effects of interventions are modified by characteristics of the: intervention; implementation process; setting or context; individuals receiving the intervention; and/or the interactions between these characteristics [7]. Systematic reviews assessing the impact of public health interventions commonly apply some form of description and/or analysis relating to specific dimensions of possible inequity. These include analyzing differences in impacts between specified groups, or along gradients of disadvantage, of disadvantage (gradient approaches), and targeted approaches that analyze effects in specified population subgroups subject to inequity. In addition to, or instead of, formal analysis of differential impacts, systematic reviews may describe, to varying degrees, the populations or contexts within, or the findings of, the included primary studies in relation to their equity-related characteristics. Such descriptions enable the coverage of existing literature to be mapped or patterns of impacts to be identified, both between and within included studies.

This study specifically concerns the methods, frameworks, or tools<sup>2</sup> used as a conceptual basis for investigating dimensions of health equity impacts in systematic reviews of public health interventions. These can be used, for example, to inform research questions and the factors and pathways depicted within logic models, determine characteristics of eligible interventions and populations, and guide the relevant data to be sought. PROGRESS-Plus (see Box 1) is a prominent example of such a framework that is endorsed by the Campbell and Cochrane Equity Methods Group and within relevant guidance such as PRISMA-Equity and the Cochrane Handbook as a basis for considering equity impacts [10,11].

PROGRESS-Plus built on PROGRESS—an acronym for: Place of residence, Race/ethnicity, Occupation, Gender/sex, Religion, Education, Socioeconomic status, and Social networks and capital—which was originally used in the context of the multiple dimensions by which road traffic deaths are distributed [12], and for which studies have supported its utility including in the conduct of systematic reviews [13]. PROGRESS-Plus was initially a pragmatic response that expanded PROGRESS to include factors that were pertinent to particular contexts, such as age, disability and sexual orientation, and other vulnerabilities. This was later developed into a more coherent extension of PROGRESS including three dimensions: personal characteristics associated with discrimination (eg, age, disability, sexual orientation); features of relationships, such as characteristics of members of familial or occupational networks; as well as time-dependent circumstances, such as times where a person may be subject to disadvantage [8].

or harnessing a conceptualisation of equity impacts, which could be at varying levels of explanation and/or practical applicability. At the center of this meaning were formalised structures or systems intended to serve as a support or guide for how to conceptualise the different dimensions of equity.

<sup>2</sup> Our focus on methods, frameworks, and tools, reflects the broad and nebulous meanings of these terms both within and across different contexts and applications. As such, while we did not apply a comprehensive definition of each of these terms, instead making consensus judgements about relevance, we considered them collectively to mean ways of operationalising

### Box 1 Meaning of the PROGRESS-Plus acronym (adapted from [8,9])

Place of residence
Race/ethnicity/culture/language
Occupation
Gender/sex
Religion
Education
Socioeconomic status
Social capital
Plus
Personal characteristics
Features of relationships
Time-dependent circumstances

#### 1.1. Aims

Our principal aims were:

- i) To identify and summarize the use of methods, frameworks, and tools (eg, PROGRESS-Plus) as a conceptual basis for investigating dimensions of health equity impacts of public health interventions in systematic reviews that included some investigation of equity.
- ii) To document challenges and opportunities encountered in their application, as reported in systematic reviews.

## 2. Methods

### 2.1. Study design and registration

We conducted a methodological study, comprising an overview of systematic reviews [14], reported in accordance with the PRIOR statement [15]. The review was registered on PROSPERO (CRD42022371805) as well as as a project on the Open Science Framework (OSF) (<https://osf.io/vzdxj/>). The OSF project page contains the study's full protocol and datasets.

### 2.2. Inclusion and exclusion criteria

#### 2.2.1. Study design

We included systematic reviews of interventions reported in accordance with PRISMA [16] or QUORUM [17] guidance including a flow diagram and/or that were described

as a systematic review. Eligible systematic reviews could include primary research studies with any study design or (quantitative or qualitative) analytic approach.

#### 2.2.2. Populations

Eligible systematic reviews could include any population or population subgroup(s) in any geographical area, with no restrictions.

#### 2.2.3. Interventions

We included systematic reviews focused on public health intervention(s), defined as any intervention(s) intended to prevent disease or promote health, including by modifying social or commercial determinants of health, but not aimed at treating or managing an identified or diagnosed health condition or status [1,4,18,19]. Further details are provided in [Supplementary Material](#) (Section 1a).

#### 2.2.4. Comparators

No restrictions were applied (ie, any or no comparator).

#### 2.2.5. Outcomes

Eligible systematic reviews were those that included a focus on or aimed to investigate (ie, describe and/or analyze) differential impacts of interventions in relation to one or more dimensions of health equity or disadvantage. This equity focus had to be expressed in the review's Abstract, Introduction, Objective/Aims, or Methods. Such a focus or aim could be more (eg, clearly specified), or less explicit or central (eg, not constituting a main focus or stated aim but a relevant analysis was included in the review and was framed in relation to equity), and we determined whether review authors had framed the relevant group(s) as being at any kind of disadvantage compared to another group or the general population<sup>3</sup>. We excluded systematic reviews that merely described characteristics of included populations that were potentially relevant to equity, and excluded systematic reviews that focused solely on specific disadvantaged population subgroup(s) if no differential impacts within those subgroup(s) were assessed. Any measure(s) of health-related outcomes, including both beneficial and adverse effects (impacts) was considered relevant.

#### 2.2.6. Publication date, type, and language

We included systematic reviews reported in English language journal articles since 1st January 2000. This is due to focusing particularly on identifying those using either QUORUM, which was published in late November 1999, or its successor PRISMA (see 'Study design'). Conference abstracts, dissertations, preprints and other publication types were excluded.

groups were framed in relation to lower socio-economic status and closely related constructs (eg, income, education, occupation), we considered this to be inherently related to concepts of equity and disadvantage, even if it was not further emphasised that this characteristic conferred disadvantage.

<sup>3</sup> For example, if a systematic review reported separate results for women (or men) and the authors explained that women (or men) experience specific disadvantages or inequalities, such as worsened health outcomes, we considered it to have an equity focus because women (or men) are a disadvantaged group in this context. The slight exception to this was when

### 2.3. Study identification, data extraction and synthesis

#### 2.3.1. Data sources

Articles reporting eligible systematic reviews were identified from electronic searches of the Cochrane Database of Systematic Reviews, the Database of Promoting Health Effectiveness Reviews (DoPHER), and the Finding Accessible Inequalities Research in Public Health (FAIR) Database, supplemented with automated searches of the OpenAlex dataset. Full details are provided in [Supplementary Material](#) (Section 1b).

#### 2.3.2. Selecting eligible systematic reviews

An active learning algorithm in EPPI Reviewer was used to prioritize title-abstract records for manual screening against eligibility criteria. Title-abstract screening was principally conducted by a single researcher, with a second researcher involved as necessary to provide a second opinion and reach a joint consensus on any uncertain decisions. At the full-text screening stage, a second researcher verified all exclusion decisions and again consensus was reached following discussion of any uncertainties. It is important to note that the study identification process was purposefully not exhaustive that is, we sought only to include a limited sample of eligible reviews. As such, it was truncated once we had identified a sample of studies that we judged likely to be able to characterize the scope of the wider body of literature adequately. In particular, we were aware we could not be exhaustive in identifying eligible systematic reviews that did not use PROGRESS-Plus, as this would likely have led to including an impractical number given eligibility criteria that were not overly restrictive. Instead, the extent to which these studies were sampled was relative to the size of the set of records using PROGRESS-Plus that were purposefully targeted (primarily via the FAIR database). For further details, see [Supplementary Material](#) (Sections 1c and 1d).

#### 2.3.3. Data collection and synthesis

We extracted data on the following: year of publication; country of review authors; the methods, frameworks, tools, or sets of dimensions, that were used or intended to be used to conceptualize dimensions of equity; whether these methods were able to be used as intended in examining (ie, describing and/or analyzing) evidence concerning differential impacts, and if not, why; how these methods were adapted or supplemented with complementary or alternative methods; reflections on a method's use including its strengths and limitations, and justifications or criteria for using or not using a method; authors' rationale for using or focusing on their specified dimensions in investigating equity; and, finally, whether the review included a broader focus on differential impacts or modifiers of intervention effects beyond equity.

<sup>4</sup> As explained in Supplementary Methods ([Supplementary Material](#), section 1b), the set of 45 reviews that used PROGRESS-Plus technically comprised 30 that specified use of PROGRESS-Plus and 15 that specified

Data were extracted by a single researcher, with a second researcher checking the accuracy of all extracted data. Review authors' reflections on their use of methods was synthesized by extracting verbatim information from the report and identifying commonalities we judged to have a shared meaning. We assessed whether an emergent classification scheme was able to accommodate all our data, refined the scheme as necessary, and agreed the structure by consensus. This method was similar to an approach we used previously in identifying emergent sets of clusters of data within bodies of scientific literature [20,21].

## 3. Results

### 3.1. Results of the search

Details of the search and study identification processes are shown in the PRISMA flow diagram ([Figure 1](#)) [22]. Screening of 2060 title-abstract records identified 322 full-text reports that were potentially eligible for inclusion and were subjected to full-text screening. Following assessment of full-text reports, 120 studies (reports of systematic reviews) met the inclusion criteria and were included before the process of identifying new reviews was stopped as planned. Key characteristics of the included reviews are reported in a 'Table of included reviews' in [Supplementary Material](#) (Section 2b).

### 3.2. Publication characteristics of included studies


The year of publication ranged from 2002 to 2021 but most reviews tended to have been published more recently. 107 out of the 120 included reviews (89%) were published in the most recent 10 years of that range (2012–2021), and the majority (64/120; 53%) was published in the last 5 years (2017–2021).

The range of country of origin of the reviews – as determined by the locations of corresponding authors – included the UK (56 reviews), Australia (16), USA (10), Germany (9), Switzerland (6), Netherlands (5), Canada (3), New Zealand (4), Belgium (3), Sweden (2), and one review from each of India, Italy, Nepal, Pakistan, Portugal, and Sri Lanka. Therefore reviews mostly originated from European countries (83/120; 69%) with the UK being predominant (56/120; 47%), with these patterns similar for reviews using and not using PROGRESS-Plus.

### 3.3. Methods used for conceptualizing dimensions of equity impacts

Our sample purposefully included reviews that explicitly used or intended to use PROGRESS-Plus<sup>4</sup> (see [Box 1](#)) (45/120; 37.5%), as well as reviews that did not (75/120; use of its predecessor, PROGRESS, but we did not otherwise distinguish between these.





**Figure 1.** PRISMA flow diagram. (For interpretation of the references to color in this figure legend, the reader is referred to the Web version of this article.).

62.5%). Of those that did not use PROGRESS-Plus, the vast majority (68/75; 91%) used dimensions within or equivalent to those outlined by PROGRESS-Plus, but without citing this. In many cases this involved investigating differential impacts by socioeconomic status only.

Several authors using PROGRESS-Plus reported adapting or supplementing it, primarily by specifying a range of additional dimensions linked to equity, considered to be embedded within the ‘Plus’ component [23–34]. Examples of these additional dimensions included depression and low social support [23], caregiver work hours and civil status [28], substance abuse [30], and sexual health characteristics [34].

A small number of reviews that did not use PROGRESS-Plus included dimensions not typically specified within the scope of PROGRESS-Plus [35–41] but that could be viewed as consistent with the ‘Plus’ component. Examples included mental health dimensions linked to equity, such as parental level of depression and children’s level of disruptive behavior [35], BMI [36] and a range of factors concerning family status and home environment, such as access to literature [36], single

parent families, and rented accommodation [37]. No authors of included reviews solely focused on dimensions that are not specified within the broad scope of PROGRESS-Plus.

Importantly, no comparable pre-existing formalized method or framework other than PROGRESS-Plus was used by authors for conceptualizing dimensions of equity impacts for subsequent investigation. While three reviews [42–44] used a sex and gender coding scheme to assess the extent to which this had been considered in primary studies, the coding scheme was not used to investigate inequalities. Also, while some other reviews drew on wider theories or conceptual frameworks (eg, Bronfenbrenner’s ecological framework in [45]), these frameworks were used for aspects such as framing or contextualizing the review, rather than for specifying the methods for describing or analyzing differential impacts.

Forty-seven of 120 reviews (39%) investigated equity as part of (either within or alongside) a wider focus on differential impacts. For example, dimensions linked to equity were considered among a wider range of potential intervention effect modifiers, categorized as study, intervention, and

participant characteristics and assessed using metaregression analyses [46,47].

### 3.4. Whether and why planned methods for conceptualizing dimensions of equity impacts were able or unable to be used

Whichever method was selected by review authors, it could only be applied as intended in examining (ie, describing and/or analyzing) evidence concerning differential impacts in relation to specified dimensions, in less than half of the included reviews (52/120; 43%). In an additional 44 reviews (37%), methods were able to be applied to some extent but not fully as intended, this being either stated explicitly or inferred due to the absence of reporting of differential impacts relative to the review's stated intentions. In the remaining reviews (24/120; 20%), differential impacts in relation to specified dimensions were unable to be examined as intended to any appreciable extent.

Among these systematic reviews, the primary reason why planned methods were unable to be applied fully as intended, was because primary research studies included in the reviews did not report the necessary information (55/68; 81%). Other data-related reasons why methods could not be applied as planned included a lack of included studies, inadequate study quality, or low heterogeneity by key dimensions to enable assessment of differential impacts [40,47–58]. Other reviews, eg, [59,60], were in part prevented from conducting their planned investigations by the absence of universal and standardized definitions, operationalization and measurement of socioeconomic status and its components, and ethnicity (see also 'Broader reflections on methods for conceptualizing dimensions of equity impacts').

### 3.5. Rationales for investigating equity impacts

Most reviews (87/120; 73%) stated an explicit rationale or justification for including a focus on equity impacts in general. Examples included explaining why equity is important, or highlighting existing inequities in relation to the particular equity dimensions they investigated (eg, existing evidence for inequalities in intervention impacts by socioeconomic status). However, only 7% (8/120) of reviews provided an explicit rationale or justification for focusing (or not focusing) on specific dimensions of equity. Examples included explaining why each domain investigated is particularly important and linking this to the relevant evidence base, and/or providing a rationale for not investigating domains that could have been examined [31,35,61–66]. Twenty-four reviews (20%) provided no clear rationale for a focus on equity impacts.

<sup>5</sup> This merits qualification, in that while the framework now has a relatively clear and consistent structure when described and presented, including by organisations such as the Cochrane and Campbell Collaborations, its

### 3.6. Broader reflections on methods for conceptualizing dimensions of equity impacts

A third of reviews (40/120) included explicit discussion, commentary or reflection on the process of applying these types of methods, with no notable differences between reviews that used PROGRESS-Plus and those that did not. From these reflections of authors we identified four common themes, concerning: the lack of consistent and coherent measurement; the complex and contextual nature of differential impacts; potential improvements via applying existing or new methods; and, the inadequacies of primary research (See Table 1 (with a full unabridged version of Table 1 in Supplementary Material, Section 2a)).

## 4. Discussion

### 4.1. Principal findings

We found that PROGRESS-Plus was the only formalized<sup>5</sup> framework used in systematic reviews to conceptualize differential impacts of public health interventions by dimensions of equity, and that it was rarely extended or supplemented. In reviews not using PROGRESS-Plus, equivalent dimensions were typically adopted. These findings suggest the PROGRESS-Plus framework is sufficiently broad and applicable to encompass the scope of typical investigations of equity impacts in reviews, at least in terms of the dimensions they consider. In part this is likely because the additional 'Plus' dimensions<sup>6</sup> are highly inclusive in terms of the diverse ranges of factors they can accommodate. The apparent usefulness of PROGRESS-Plus accords with other assessments of its utility by those using it in methodological studies and systematic reviews assessing a range of health care interventions [13].

Although most reviews were able to apply intended methods to investigate equity impacts to at least some degree, they were often unable to fully. Furthermore, investigations were commonly descriptive in nature, such as describing any differential impacts reported within primary studies, rather than conducting formal statistical analysis across studies. The failure to fully apply intended methods was usually because primary studies did not report the necessary information. This reflects similar observations reported elsewhere, including health-equity focused trials rarely reporting data disaggregated for socially disadvantaged populations [79]. Furthermore, beyond insufficient reporting and use of collected data, primary research may even be purposefully excluding more disadvantaged populations from participation for example, due to disability or language [75]. In addition to the practical challenge of such data not being available, authors highlighted significant measurement and conceptual

conception involved pragmatic development of a list of factors without a formal or planned development process (see 'Introduction').

<sup>6</sup> personal characteristics associated with discrimination', 'features of relationships', and 'time-dependent circumstances'

**Table 1.** Authors' reflections on conceptualizing dimensions of equity impacts

Theme	Details
Lack of consistent and coherent measurement	Measurement issues related to dimensions of equity impact were a notable problem, eg, [29,35,36,43,58,59,61,62,65,66]. Of primary concern was the difficulty of investigating constructs that lack standardized definitions, operationalization and ultimately measurement, with this being highlighted particularly for socioeconomic status (SES) and closely-related concepts including socioeconomic position, deprivation, and disadvantage. These results in these constructs being reported in widely varying ways by authors of primary research studies, and in them being treated inconsistently within reviews. For example, some reviews opted to generate simpler composite outcomes to integrate a wider range of reported constructs and measures [29,35,36], although harmonizing data in this way risks losing the nuance and explanatory power of different indicators [36]. Other reviews addressed the multidimensional nature of SES by considering constituent parts separately [25], or including data from only a small set of measures of the wider construct [58]. Other examples included authors selecting what they considered the most relevant measure on a by-study basis [61], categorizing primary studies into high or low SES context [46], and asking primary research authors to categorize their own study according to a hierarchy presented by the review authors [65]. Another aspect of this issue [61,62,66] is that dimensions of equity impact are not necessarily distinct or mutually exclusive from one another and so any one measure could apply to more than one dimension.
Complex and contextual nature of differential impacts	Beyond challenges with measuring such dimensions, several reviews highlighted that dimensions of equity impacts exert effects in a complex manner, interacting with one another, as well as with particular temporal, personal, social or geographic contexts or factors, and which also may not always be measured or reported, eg, [35,44,58,64]. As such they cannot necessarily be assumed to be or interpreted as comparable between included primary studies even when they have been measured in a comparable way.
Potential improvements via applying existing or new methods	Reviews advocated applying existing methods to improve the investigation of equity issues [31,40,42–44,58,62,65,67–69]. This included highlighting the benefits of applying PROGRESS-Plus, such as aiding in disentangling the effects of determinants of health that have often been treated in combination (eg, within concepts of SES ([31,62]) and improving treatment of equity within qualitative syntheses [67]. Further examples include support for the use of Health Equity Impact Assessment approaches [68], and highlighting the value of initial scoping reviews to identify the nature of equity evidence to then inform the harmonization of analysis within subsequent reviews [65]. Other authors made specific suggestions about expanding the set of measures to be considered (eg, [40] suggesting incorporating household size and gender of household head into PROGRESS-Plus), or advise the use of particular scales to improve the treatment of particular constructs. Reviews also emphasized or advocated methodological developments with the potential to improve the treatment of equity issues. Several authors propose specific methodological development work that is needed, often concerning standardization of operationalization and measurement of SES and related variables [35,37,58,59,61,62,64,67,70–72].
Inadequacies of primary research	Reports highlighted issues with the conduct and reporting of primary research. This included the absence of a specific rationale(s) or justification in the investigation of equity in primary research studies [58,73] reflecting our finding that this is also an issue within reporting of systematic reviews. As previously mentioned, the lack of availability of necessary data was also emphasized, whether in terms of being potentially available but not reported in primary research studies, or as regards these data not even being assessed or generated in the first place [37,42,43,52,58,59,61,62,64,65,67,68,70,72,74–78].

challenges, including investigating constructs that lack standardized operationalisation and measurement, and the complex and specific nature of differential impacts.

We also found that while most reviews included an explicit general rationale for focusing on equity impacts, few justified their focus on (or exclusion of) specific dimensions. This is a concern because PROGRESS-Plus is not intended to be applied in an invariant and unthinking way, but rather as a means to carefully identify specific factors relevant to the focus of the research [13]. Whilst in many reviews not all equity-relevant dimensions will be relevant, such as when the population is homogenous along a given dimension [80], rarely making explicit the reasons for a

particular focus means the reader cannot determine if this is justifiable. The scarcity of clear rationales for analyzing specific dimensions of equity appears inconsistent with PRISMA-Equity guidance, which specifies that assumptions about mechanisms and pathways underpinning impacts should be described [11].

A final observation is that included reviews tended to have been published more recently: in a range from 2002 to 2021, over half were published between 2017 and 2021. This may suggest increasing interest in investigating equity in systematic reviews. However, as our sampling was not exhaustive, it could reflect a similar recent trajectory of growth in the production of systematic reviews [81].



#### 4.2. Strengths and limitations

This review complements previous research on the methods available for assessing equity impacts in systematic reviews, with the potential to inform improvements to evidence synthesis methods, as well as to the conduct and reporting of primary research. Our focus on how dimensions of health equity (which are then subject to those methods) are conceptualized complements recent work mapping the nature and prevalence of descriptive and analytic methods used in relation to PROGRESS-Plus [6]. Our review also complements a study [82] which examined the use of formal guidance for informing the conduct and reporting of investigations of equity in evidence syntheses. This study included PROGRESS-Plus, but also PRISMA-Equity which, as a reporting guideline, was outside the scope of our review. Our review also documents researchers' reflections on why equity impacts were or were not able to be addressed in the ways conceptualized, as well as examining authors' rationales for their focus on equity. Notably, despite differences in our specific review foci and methods, we derive similar and complementary conclusions to previous reviews (eg, [6,82]), including highlighting a lack of thorough justification and definitional clarity in the investigation of equity, and the insufficiency of PROGRESS-Plus for prompting the consideration of more complex pathways.

Our review has several limitations. First, it is not exhaustive, as it was not feasible to identify all reviews with a focus on equity impacts of public health interventions. We attempted to minimize risk by purposefully gathering reviews using PROGRESS-Plus and a deliberately larger sample of reviews not using PROGRESS-Plus, to ensure the broadest range of approaches were captured. However, we cannot be certain our findings are representative of the wider body of potentially eligible reviews. Relatedly, because we included reviews with a clear equity focus or aim, we cannot infer how frequently and adequately equity considerations are included within systematic reviews of public health interventions more generally. We note, however, that authors of other overviews suggest this may be very limited [83].

Second, our review may be unrepresentative in reflecting the reality of dealing with equity issues in systematic reviews because we were necessarily reliant on the often limited information that was included in published reports. It is likely that the challenges encountered are under-reported by review authors and this will be reflected in our review. Relatedly, the widespread use and apparent adequacy of PROGRESS-Plus for helping to conceptualize dimensions of equity impact may merely reflect its utility relative to an absence of alternative frameworks, rather than any indication of its absolute value. Because the richness of authors' reflections in published reports is limited, gaining a fuller understanding of the challenges faced in conceptualizing equity and applying available methods, as well as

potential solutions, may require additional research, such as interviews with systematic reviewers, policymakers and other stakeholders.

Third, because reporting of relevant data was often inconsistent or lacking in detail, it was sometimes necessary to make judgements based not on explicit statements, but on inferences from data that were not reported. Where this was the case, we reached consensus through discussion between reviewers, and even accounting for some subjectivity in data extraction, we judge it unlikely that this could modify our findings.

#### 4.3. Implications for research and practice

This review highlighted significant challenges with applying available methods, but also potential solutions by which they could be addressed. We focus on three key implications which apply particularly to evidence synthesis, but necessarily also pertain to primary research.

##### 4.3.1. Addressing a lack of availability of equity data

As noted, the data necessary to facilitate evidence syntheses are often lacking in primary studies. While these data may not have been collected, it is also possible that even if available they are not reported in a useable form or are not accessible. This could be addressed through expanding current initiatives to support and motivate researchers conducting primary studies to collect, report or make available these data, including from research funders and regulators [84–86], related organizational support structures [87], and scientific journals [88]. Increased curation of data from primary studies as individual participant level data, able to be queried remotely, without needing to be shared, could produce a range of benefits. These include increasing the potential to apply more consistent, as well as more granular and powerful analyses. Adopting the use of formal reporting guidelines for primary research such as CONSORT-Equity 2017 [89] and the continued development of guidance to encourage systematic consideration of equity (eg, [90]) should facilitate durable norms and standards within the research community for consistent and high-quality collection and reporting of equity-related measures.

##### 4.3.2. Addressing varying conceptualization and measurement

Second, there is significant variation in how dimensions of equity, such as socioeconomic status, are conceptualized and assessed. In part this reflects inconsistencies in defining, operationalizing and measuring constructs within primary research. Such inconsistency is difficult to address, because standardization or harmonization of measurement — such as via formalized core outcome sets — is not necessarily practicable or appropriate at the primary study level [73] across all key characteristics and geographic settings. For example, assessment of socio-economic status and related constructs may not be consistently applicable and

comparable between countries [91]. Furthermore, PROGRESS-Plus does not guide authors to consider or account for the possible relationships between multiple dimensions of equity (including those that overlap such as socioeconomic status, education, and occupation) and the wide variety of indices used to operationalize and measure these [82]. Systematic reviews, particularly those with a substantive equity focus, may therefore benefit from the development of detailed practical guidance on how to more consistently operationalize and analyze the array of data and measures that may be encountered for key dimensions of equity [92]. This could usefully for example, guide when and how different measures of a given construct should be selected between, combined, or focused on separately [36,77,93] and provide concrete examples given a multitude of scenarios. Relatedly, there is also an important complementary role for tools to support consistent basic assessment of equity considerations across all systematic reviews, not just those with an equity focus, for example the ongoing development of the PRO-EDI tool for use in Cochrane reviews [94].

#### 4.3.3. *Incorporating complexity perspectives*

Third, while our review suggests PROGRESS-Plus is sufficiently broad to encompass the dimensions of equity impacts that are typically examined, several included reviews highlighted that these dimensions often interact with one another, as well as with wider sets of temporal, personal, social and geographic contexts or factors, consistent with applying an intersectionality lens [3]. PROGRESS-Plus is not designed to, and so does not necessarily ensure or guide critical thinking about—nor conceptualization of—complex processes and pathways by which inequities can exert their influence on the outcomes of interventions.<sup>7</sup> To what extent explicit consideration of these complexities needs to be incorporated as part of the systematic review process will depend on the review's purpose and specific questions, as well as its epistemological or disciplinary focus. It may be most important for configurative reviews that seek to build theory through explaining and contextualizing impacts in systems operating over time (for which PROGRESS-Plus can aid in identifying dimensions along which inequity is expressed). For aggregative reviews assessing relatively narrow or static relationships between intervention exposures and outcomes, consideration of such complexities will still usefully inform contextualization and interpretation of the findings.

Increased engagement with the complex nature of equity impacts may be encouraged through incentivizing more detailed and transparent treatment of equity in accordance with PRISMA-Equity, including the use of visualisations and logic models [10], and explicitly defining, rationalizing, and limiting analyses in accordance with GRADE

guidance [95]. This could involve, for example, justifying why and how each PROGRESS-Plus dimension has or has not been conceptualized or investigated. A simple and readily achievable action would be the inclusion of standardized separate headings or sections in reports of systematic reviews to make the handling of equity issues more explicit. More fundamentally, however, it may also require moving beyond an approach solely rooted in applying PROGRESS-Plus, acknowledging that this framework is conceptually incomplete, and is unlikely to be similarly applicable, or indeed applicable at all, to all investigations — indeed, as mentioned, it was never intended to be applied in an unthinking, unchanging manner [96]. Adopting elements from broader conceptual frameworks that explicitly represent links and interactions between factors related to equity, and which account for different levels and points of influence, may be beneficial [82]. This could, for example, involve applying more theoretical socio-ecological models, such as those of Bronfenbrenner [97], and Dahlgren and Whitehead [2], alongside PROGRESS-Plus, to enable explicit consideration and visualization of multiple extended pathways [96,98,99]. It could also involve developing new conceptual frameworks, potentially with a more explicit focus on the complex and intersectional nature of equity processes, to supplement or provide an alternative to PROGRESS-Plus, as suggested by other authors [82].

It should be emphasized that, in the main, the issues we have identified are neither unique to frameworks like PROGRESS-Plus, nor to dimensions of equity. Instead they reflect challenges inherent to investigating complex relationships between any constructs that lack standardized definition, operationalization, measurement, or interpretation, potentially exacerbated by inconsistent application of existing guidance for analysis of differential impacts. However, these issues may be more marked or more visible a problem for equity-related dimensions due to the relatively large amount of research and policy attention the topic of inequality receives. Moreover, unlike for some effect modifiers that have highly specific relevance (eg, for particular types of interventions or review questions), equity impacts usually have complex underlying mechanisms with important and wide-ranging implications.

## 5. Conclusion

PROGRESS-Plus is the predominant framework used in systematic reviews to conceptualize differential impacts of public health interventions by dimensions of equity. It appears sufficiently broad to encompass dimensions of equity examined in most investigations of this kind. However, PROGRESS-Plus does not necessarily ensure or guide critical thinking about more complex pathways or interactions

<sup>7</sup> Albeit the aforementioned breadth of the 'Plus' component means these complexities can potentially be represented within it.

between dimensions of equity, or with wider contextual factors, and important practical, measurement and conceptual challenges remain. The findings from investigations of equity impacts in systematic reviews could be made more useful through more explicitly rationalized and considered approaches to the design, conduct and reporting of both primary research and the reviews themselves.

### CRedit authorship contribution statement

**Gareth J. Hollands:** Writing – review & editing, Writing – original draft, Project administration, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Emily South:** Writing – review & editing, Project administration, Methodology, Investigation, Conceptualization. **Ian Shemilt:** Writing – review & editing, Software, Resources, Methodology, Conceptualization. **Sandy Oliver:** Writing – review & editing, Conceptualization. **James Thomas:** Writing – review & editing, Software, Resources, Methodology, Conceptualization. **Amanda J. Sowden:** Writing – review & editing, Resources, Methodology, Funding acquisition, Conceptualization.

### Data availability

We have shared our data at the study's Open Science Framework project page, linked in the 'Study design and registration' section

### Declaration of competing interest

All authors declare no conflicts of interest.

### Supplementary data

Supplementary data to this article can be found online at DOI: <https://doi.org/10.1016/j.jclinepi.2024.111312>.

### References

- [1] Whitehead M, Dahlgren G. Levelling up (part 1) : a discussion paper on concepts and principles for tackling social inequities in health, in World Health Organization: Studies on social and economic determinants of population health. 2006, WHO Regional Office for Europe: Copenhagen. Available at: <https://iris.who.int/handle/10665/107790>. Accessed February 1, 2024.
- [2] Dahlgren G, Whitehead M. Levelling up (part 2) : a discussion paper on European strategies for tackling social inequities in health, in World Health Organization: Studies on social and economic determinants of population health. 2006, WHO Regional Office for Europe: Copenhagen. Available at: <https://iris.who.int/handle/10665/107791>. Accessed February 1, 2024.
- [3] Alvidrez J, Greenwood GL, Johnson TL, Parker KL. Intersectionality in public health research: a view from the national institutes of health. *Am J Publ Health* 2021;111:95–7.

- [4] Lorenc T, Petticrew M, Welch V, Tugwell P. What types of interventions generate inequalities? Evidence from systematic reviews. *J Epidemiol Community* 2013;67:190–3.
- [5] Marteau TM, et al. Changing behaviour at scale to prevent NCDs. In: Banatvala N, Bovet P, editors. *Noncommunicable Diseases: A Compendium*. New York, NY: Routledge; 2023.
- [6] Welch V, Tugwell P, Petticrew M, de Montigny J, Ueffing E, Kristjansson B, et al. How effects on health equity are assessed in systematic reviews of interventions. *Cochrane Database Syst Rev* 2022;1:MR000028.
- [7] Anderson LM, Oliver SR, Michie S, Rehfuss E, Noyes J, Shemilt I. Investigating complexity in systematic reviews of interventions by using a spectrum of methods. *J Clin Epidemiol* 2013;66:1223–9.
- [8] Oliver S, Dickson K, Newman M. Getting started with a review. In: *An Introduction to Systematic Reviews*. London: Sage; 2012:66–82.
- [9] Campbell and Cochrane Equity Methods Group. PROGRESS-Plus. 2023. Available at: <https://methods.cochrane.org/equity/projects/evidence-equity/progress-plus>. Accessed February 1, 2024.
- [10] Welch VA, et al. Chapter 16: equity and specific populations. In: Higgins JPT, et al, editors. *Cochrane Handbook for Systematic Reviews of Interventions* version 6.4 (updated August 2023). Cochrane; 2023. Available at: <https://www.training.cochrane.org/handbook>. Accessed February 1, 2024.
- [11] Welch V, Petticrew M, Petkovic J, Moher D, Waters E, White H, et al. Extending the PRISMA statement to equity-focused systematic reviews (PRISMA-E 2012): explanation and elaboration. *J Clin Epidemiol* 2016;70:68–89.
- [12] Evans T, Brown H. Road traffic crashes: operationalizing equity in the context of health sector reform. *Inj Control Saf Promot* 2003;10:11–2.
- [13] O'Neill J, Tabish H, Welch V, Petticrew M, Pottie K, Clarke M, et al. Applying an equity lens to interventions: using PROGRESS ensures consideration of socially stratifying factors to illuminate inequities in health. *J Clin Epidemiol* 2014;67:56–64.
- [14] Pollock M, et al. Chapter V: overviews of reviews. In: Higgins JPT, et al, editors. *Cochrane Handbook for Systematic Reviews of Interventions* version 6.4 (updated August 2023). Cochrane; 2022. Available at: <https://www.training.cochrane.org/handbook>. Accessed February 1, 2024.
- [15] Gates M, Gates A, Pieper D, Fernandes RM, Tricco AC, Moher D, et al. Reporting guideline for overviews of reviews of healthcare interventions: development of the PRIOR statement. *BMJ* 2022;378:e070849.
- [16] Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gøtzsche PC, Ioannidis JPA, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *Br Med J* 2009;339:b2700.
- [17] Moher D, Cook DJ, Eastwood S, Olkin I, Rennie D, Stroup DF. Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. *Quality of Reporting of Meta-analyses*. *Lancet* 1999;354:1896–900.
- [18] McGill E, Er V, Penney T, Egan M, White M, Meier P, et al. Evaluation of public health interventions from a complex systems perspective: a research methods review. *Soc Sci Med* 2021;272:113697.
- [19] WHO. Public Health Services [webpage]. 2023. Available at: <https://www.euro.who.int/en/health-topics/Health-systems/public-health-services>. Accessed February 1, 2024.
- [20] Hollands GJ, Shemilt I, Marteau TM, Jebb SA, Kelly MP, Nakamura R, et al. Altering micro-environments to change population health behaviour: towards an evidence base for choice architecture interventions. *BMC Publ Health* 2013;13:1218.
- [21] Hollands GJ, et al. Altering choice architecture to change population health behaviour: a large-scale conceptual and empirical scoping review of interventions within micro-environments. Cambridge: University of Cambridge; 2013.
- [22] Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.



- [23] Chamberlain C, O'Mara-Eves A, Oliver S, Caird JR, Perlen SM, Eades SJ, Thomas J. Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database Syst Rev* 2017;2:CD001055.
- [24] Feteira-Santos R, Fernandes J, Virgolino A, Alarcão V, Sena C, Vieira CP, et al. Effectiveness of interpretive front-of-pack nutritional labelling schemes on the promotion of healthier food choices: a systematic review. *Int J Evid Based Healthc* 2020;18:24–37.
- [25] Lehne G, Bolte G. Impact of universal interventions on social inequalities in physical activity among older adults: an equity-focused systematic review. *Int J Behav Nutr Phys Act* 2017;14:20.
- [26] McCollum R, Gomez W, Theobald S, Taegtmeier M. How equitable are community health worker programmes and which programme features influence equity of community health worker services? A systematic review. *BMC Publ Health* 2016;16:419.
- [27] Mölenberg FJM, Panter J, Burdorf A, van Lenthe FJ. A systematic review of the effect of infrastructural interventions to promote cycling: strengthening causal inference from observational data. *Int J Behav Nutr Phys Act* 2019;16:93.
- [28] Morgan EH, Schoonees A, Sriram U, Faure M, Seguin-Fowler RA. Caregiver involvement in interventions for improving children's dietary intake and physical activity behaviors. *Cochrane Database Syst Rev* 2020;1:CD012547.
- [29] Nanninga S, Lehne G, Ratz T, Bolte G. Impact of public smoking Bans on social inequalities in children's exposure to tobacco smoke at home: an equity-focused systematic review. *Nicotine Tob Res* 2018;21:1462–72.
- [30] Nittas V, Ameli V, Little M, Humphreys DK. Exploring the equity impact of mobile health-based human immunodeficiency virus interventions: a systematic review of reviews and evidence synthesis. *Digit Health* 2020;6:2055207620942360.
- [31] O'Mara-Eves A, Brunton G, McDaid D, Oliver S, Kavanagh J, Jamal F, et al. Community engagement to reduce inequalities in health: a systematic review, meta-analysis and economic analysis. *Public Health Res* 2013;1(4).
- [32] Pega F, Carter K, Blakely T, Lucas PJ. In-work tax credits for families and their impact on health status in adults. *Cochrane Database Syst Rev* 2013;2013(8):CD009963.
- [33] Pega F, Liu SY, Walter S, Pabayo R, Saith R, Lhachimi SK. Unconditional cash transfers for reducing poverty and vulnerabilities: effect on use of health services and health outcomes in low- and middle-income countries. *Cochrane Database Syst Rev* 2017;11:CD011135.
- [34] Shepherd J, Kavanagh J, Picot J, Cooper K, Harden A, Barnett-Page E, et al. The effectiveness and cost-effectiveness of behavioural interventions for the prevention of sexually transmitted infections in young people aged 13–19: a systematic review and economic evaluation. *Health Technol Assess* 2010;14:1–206.
- [35] Gardner F, Leijten P, Mann J, Landau S, Harris V, Beecham J, et al. Could scale-up of parenting programmes improve child disruptive behaviour and reduce social inequalities? Using individual participant data meta-analysis to establish for whom programmes are effective and cost-effective. *Publ Health Res* 2017;5(10).
- [36] Hartwig TB, Sanders T, Vasconcellos D, Noetel M, Parker PD, Lubans DR, et al. School-based interventions modestly increase physical activity and cardiorespiratory fitness but are least effective for youth who need them most: an individual participant pooled analysis of 20 controlled trials. *Br J Sports Med* 2021;55:721–9.
- [37] Kendrick D, Young B, Mason-Jones AJ, Ilyas N, Achana FA, Cooper NJ, et al. Home safety education and provision of safety equipment for injury prevention. *Cochrane Database Syst Rev* 2012;2012:CD005014.
- [38] Liu J, Davidson E, Bhopal R, White M, Johnson M, Netto G, et al. Adapting health promotion interventions to meet the needs of ethnic minority groups: mixed-methods evidence synthesis. *Health Technol Assess* 2012;16:1–469.
- [39] Ndumbe-Eyoh S, Moffatt H. Intersectoral action for health equity: a rapid systematic review. *BMC Publ Health* 2013;13:1056.
- [40] Owusu-Addo E, Renzaho AMN, Smith BJ. The impact of cash transfers on social determinants of health and health inequalities in sub-Saharan Africa: a systematic review. *Health Policy Plan* 2018;33(5):675–96.
- [41] Perski O, Szinay D, Corker E, Shahab L, West R, Michie S. Interventions to increase personal protective behaviours to limit the spread of respiratory viruses: a rapid evidence review and meta-analysis. *Br J Health Psychol* 2022;27(1):215–64.
- [42] Schlund A, Reimers AK, Bucksch J, Linder S, Demetriou Y. Sex/gender considerations in school-based interventions to promote children's and adolescents' physical activity. *Ger J Exerc Sport Res* 2021;51(3):257–68.
- [43] Schulze C, Bucksch J, Demetriou Y, Emmerling S, Linder S, Reimers AK. Considering sex/gender in interventions to promote children's and adolescents' leisure-time physical activity: a systematic review and meta-analysis. *J Publ Health* 2022;30(11):2547–60.
- [44] Vondung C, Demetriou Y, Reimers AK, Schlund A, Bucksch J. A sex/gender perspective on interventions to reduce sedentary behaviour in girls and Boys: results of the genEffects systematic review. *Int J Environ Res Public Health* 2020;17(14):5231.
- [45] Coren E, Hossain R, Pardo Pardo J, Bakker B. Interventions for promoting reintegration and reducing harmful behaviour and lifestyles in street-connected children and young people. *Cochrane Database Syst Rev* 2016;2016(1):CD009823.
- [46] Hollands GJ, Shemilt I, Marteau TM, Jebb SA, Lewis HB, Wei Y, et al. Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *Cochrane Database Syst Rev* 2015;2015(9):CD011045.
- [47] Hollands GJ, Carter P, Anwer S, King SE, Jebb SA, Ogilvie D, et al. Altering the availability or proximity of food, alcohol, and tobacco products to change their selection and consumption. *Cochrane Database Syst Rev* 2019;2019(9):CD012573.
- [48] Alagiawanna A, Townsend N, Mytton O, Scarborough P, Roberts N, Rayner M. Studying the consumption and health outcomes of fiscal interventions (taxes and subsidies) on food and beverages in countries of different income classifications: a systematic review. *BMC Publ Health* 2015;15:887.
- [49] Beauchamp A, Backholer K, Magliano D, Peeters A. The effect of obesity prevention interventions according to socioeconomic position: a systematic review. *Obes Rev* 2014;15(7):541–54.
- [50] Bonell C, Dickson K, Hinds K, Melendez-Torres G, Stansfield C, Fletcher A, et al. The effects of positive youth development interventions on substance use, violence and inequalities: systematic review of theories of change, processes and outcomes. *Publ Health Res* 2016;4(5).
- [51] Brown T, Platt S, Amos A. Equity impact of European individual-level smoking cessation interventions to reduce smoking in adults: a systematic review. *Eur J Public Health* 2014;24:551–6.
- [52] Guillaumier A, Bonevski B, Paul C. Anti-tobacco mass media and socially disadvantaged groups: a systematic and methodological review. *Drug Alcohol Rev* 2012;31(5):698–708.
- [53] Hill S, Amos A, Clifford D, Platt S. Impact of tobacco control interventions on socioeconomic inequalities in smoking: review of the evidence. *Tobac Control* 2014;23(e2):e89–97.
- [54] Priest N, Armstrong R, Doyle J, Waters E. Interventions implemented through sporting organisations for increasing participation in sport. *Cochrane Database Syst Rev* 2008;2008(3):CD004812.
- [55] Raison H, Harris RV. Interventions to reduce socio-economic inequalities in dental service utilisation - a systematic review. *Community Dent Health* 2019;36(1):39–45.
- [56] Tan JY, Huedo-Medina TB, Warren MR, Carey MP, Johnson BT. A meta-analysis of the efficacy of HIV/AIDS prevention interventions in Asia, 1995–2009. *Soc Sci Med* 2012;75:676–87.
- [57] Tancred T, Melendez-Torres G, Paparini S, Fletcher A, Stansfield C, Thomas J, et al. Interventions integrating health and academic education in schools to prevent substance misuse and violence: a systematic review. *Publ Health Res* 2019;7(17).

- [58] Tinner L, Caldwell D, Hickman M, MacArthur GJ, Gottfredson D, Lana Perez A, et al. Examining subgroup effects by socioeconomic status of public health interventions targeting multiple risk behaviour in adolescence. *BMC Publ Health* 2018;18:1180.
- [59] Hayba N, Partridge SR, Nour MM, Grech A, Allman Farinelli M. Effectiveness of lifestyle interventions for preventing harmful weight gain among young adults from lower socioeconomic status and ethnically diverse backgrounds: a systematic review. *Obes Rev* 2018;19(3):333–46.
- [60] Owen R, Kendrick D, Mulvaney C, Coleman T, Royal S. Non-legislative interventions for the promotion of cycle helmet wearing by children. *Cochrane Database Syst Rev* 2011;2011:CD003985.
- [61] Attwood S, van Sluijs E, Sutton S. Exploring equity in primary-care-based physical activity interventions using PROGRESS-Plus: a systematic review and evidence synthesis. *Int J Behav Nutr Phys Act* 2016;13(1):60.
- [62] Kavanagh J, Oliver S, Lorenc T, Caird J, Tucker H, Harden A, et al. School-based cognitive-behavioural interventions: a systematic review of effects and inequalities. *Health Sociol Rev* 2009;18(1):61–78.
- [63] Joyce K, Pabayo R, Critchley JA, Bambra C. Flexible working conditions and their effects on employee health and wellbeing. *Cochrane Database Syst Rev* 2010;2010:CD008009.
- [64] Kock L, Brown J, Hiscock R, Tattan-Birch H, Smith C, Shahab L. Individual-level behavioural smoking cessation interventions tailored for disadvantaged socioeconomic position: a systematic review and meta-regression. *Lancet Public Health* 2019;4(12):e628–44.
- [65] Love R, Adams J, van Sluijs EMF. Are school-based physical activity interventions effective and equitable? A meta-analysis of cluster randomized controlled trials with accelerometer-assessed activity. *Obes Rev* 2019;20(6):859–70.
- [66] Niederdeppe J, Kuang X, Crock B, Skelton A. Media campaigns to promote smoking cessation among socioeconomically disadvantaged populations: what do we know, what do we need to learn, and what should we do now? *Soc Sci Med* 2008;67:1343–55.
- [67] Bhaumik S, Hunter K, Matzopoulos R, Prinsloo M, Ivers RQ, Peden M. Facilitators and barriers to child restraint use in motor vehicles: a qualitative evidence synthesis. *Inj Prev* 2020;26(5):478–93.
- [68] Benmarhnia T, Rey L, Cartier Y, Clary CM, Deguen S, Brousselle A. Addressing equity in interventions to reduce air pollution in urban areas: a systematic review. *Int J Publ Health* 2014;59(6):933–44.
- [69] McAllister A, Fritzell S, Almoth M, Harber-Aschan L, Larsson S, Burström B. How do macro-level structural determinants affect inequalities in mental health? - a systematic review of the literature. *Int J Equity Health* 2018;17(1):180.
- [70] Harbers MC, Beulens JWI, Rutters F, de Boer F, Gillebaart M, Sluijs I, van der Schouw YT. The effects of nudges on purchases, food choice, and energy intake or content of purchases in real-life food purchasing environments: a systematic review and evidence synthesis. *Nutr J* 2020;19(1):103.
- [71] McGill R, Anwar E, Orton L, Bromley H, Lloyd-Williams F, O'Flaherty M, et al. Are interventions to promote healthy eating equally effective for all? Systematic review of socioeconomic inequalities in impact. *BMC Publ Health* 2015;15:457.
- [72] Smith M, Hosking J, Woodward A, Witten K, MacMillan A, Field A, et al. Systematic literature review of built environment effects on physical activity and active transport - an update and new findings on health equity. *Int J Behav Nutr Phys Act* 2017;14(1):158.
- [73] Moore GF, Littlecott HJ, Turley R, Waters E, Murphy S. Socioeconomic gradients in the effects of universal school-based health behaviour interventions: a systematic review of intervention studies. *BMC Publ Health* 2015;15:907.
- [74] Brown T, Moore TH, Hooper L, Gao Y, Zayegh A, Ijaz S, et al. Interventions for preventing obesity in children. *Cochrane Database Syst Rev* 2019;7:CD001871.
- [75] Hunter RF, Cleland C, Cleary A, Droomers M, Wheeler BW, Sinnott D, et al. Environmental, health, wellbeing, social and equity effects of urban green space interventions: a meta-narrative evidence synthesis. *Environ Int* 2019;130:104923.
- [76] Boelsen-Robinson T, Peeters A, Beauchamp A, Chung A, Gearon E, Backholer K. A systematic review of the effectiveness of whole-of-community interventions by socioeconomic position. *Obes Rev* 2015;16(9):806–16.
- [77] Ijaz S, Nobles J, Johnson L, Moore T, Savović J, Jago R. Preventing childhood obesity in primary schools: a realist review from UK perspective. *Int J Environ Res Public Health* 2021;18(24):13395.
- [78] Lagarde M, Haines A, Palmer N. The impact of conditional cash transfers on health outcomes and use of health services in low and middle income countries. *Cochrane Database Syst Rev* 2009;2009:CD008137.
- [79] Petkovic J, Jull J, Yoganathan M, Dewidar O, Baird S, Grimshaw JM, et al. Reporting of health equity considerations in cluster and individually randomized trials. *Trials* 2020;21(1):308.
- [80] Evans J, Mwangi N, Burn H, Ramke J. Equity was rarely considered in Cochrane Eyes and Vision systematic reviews and primary studies on cataract. *J Clin Epidemiol* 2020;125:57–63.
- [81] Hoffmann F, Allers K, Rombey T, Helbach J, Hoffmann A, Mathes T, Pieper D. Nearly 80 systematic reviews were published each day: observational study on trends in epidemiology and reporting over the years 2000–2019. *J Clin Epidemiol* 2021;138:1–11.
- [82] Kunonga TP, Hanratty B, Bower P, Craig D. A systematic review finds a lack of consensus in methodological approaches in health inequality/inequity focused reviews. *J Clin Epidemiol* 2023;156:76–84.
- [83] Madani MT, Madani L, Ghogomu ET, Dahrouge S, Hébert PC, Juando-Prats C, et al. Is equity considered in systematic reviews of interventions for mitigating social isolation and loneliness in older adults? *BMC Publ Health* 2022;22:2241.
- [84] NIHR. National Institute of Health and Care Research Policy Research Programme - Health Inequalities (version 2.0). 2023. Available at: <https://www.nihr.ac.uk/documents/policy-research-programme-health-inequalities/31336>. Accessed February 1, 2024.
- [85] Wellcome. Wellcome Trust - open research (Webpage). 2023. Available at: <https://wellcome.org/what-we-do/our-work/open-research>. Accessed February 1, 2024.
- [86] Wise J. Clinical trials: streamlined framework aims to boost UK research. *BMJ* 2023;380:p696.
- [87] UK Reproducibility Network Steering Committee. From grassroots to global: a blueprint for building a reproducibility network. *PLoS Biol* 2021;19(11):e3001461.
- [88] PLOS Medicine. Data availability. 2023. Available at: <https://journals.plos.org/plosmedicine/s/data-availability>. Accessed February 1, 2024.
- [89] Welch VA, Norheim OF, Jull J, Cookson R, Sommerfelt H, Tugwell P, CONSORT-Equity and Boston Equity Symposium. CONSORT-Equity 2017 extension and elaboration for better reporting of health equity in randomised trials. *BMJ* 2017;359:j5085.
- [90] Popay J, Chekar CK, Griffiths A, Halliday E, Kaloudis H, Leiper R, et al. Strengthening the equity focus of applied public health research: introducing the FOR EQUITY platform. *Publ Health* 2023;215:12–6.
- [91] Psaki SR, Seidman JC, Miller M, Gottlieb M, Bhutta ZA, Ahmed T, et al. Measuring socioeconomic status in multicountry studies: results from the eight-country MAL-ED study. *Popul Health Metrics* 2014;12(1):8.
- [92] Maden M. Consideration of health inequalities in systematic reviews: a mapping review of guidance. *Syst Rev* 2016;5(1):202.
- [93] Pechey R, Hollands GJ, Reynolds JP, Jebb SA, Marteau TM. Is altering the availability of healthier vs. less-healthy options effective across socioeconomic groups? A mega-analysis. *Int J Behav Nutr Phys Act* 2022;19(1):88.
- [94] Bruhn H, Treweek S. Tools to help reviewers make equality, diversity and inclusion assessments (PRO-EDI). Available at: <https://www.abdn.ac.uk/hsrc/what-we-do/research/projects/tools-to-help-reviewers-make-equality-diversity-and-inclusion-assessments-339>. Accessed February 1, 2024.



- [95] Guyatt G, Zhao Y, Mayer M, Briel M, Mustafa R, Izcovich A, et al. GRADE guidance 36: updates to GRADE's approach to addressing inconsistency. *J Clin Epidemiol* 2023;158:70–83.
- [96] Oliver S. Getting started with a review. In: *An Introduction to Systematic Reviews*. Second edition. London: Sage; 2017:71–92.
- [97] Bronfenbrenner U. *The ecology of human development: experiments by nature and design*. Cambridge, MA: Harvard University Press; 1979.
- [98] D'Souza P, Bailey JV, Stephenson J, Oliver S. Factors influencing contraception choice and use globally: a synthesis of systematic reviews. *Eur J Contracept Reprod Health Care* 2022;27(5):364–72.
- [99] D'Souza P, Phagdol T, D'Souza SRB, Anupama DS, Nayak BS, Velayudhan B, et al. Interventions to support contraceptive choice and use: a global systematic map of systematic reviews. *Eur J Contracept Reprod Health Care* 2023;28(2):83–91.