



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/212481/>

Version: Published Version

Article:

Aad, G., Abbott, B., Abeling, K. et al. (2024) A search for R-parity-violating supersymmetry in final states containing many jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2024 (5). 3. ISSN: 1126-6708

[https://doi.org/10.1007/jhep05\(2024\)003](https://doi.org/10.1007/jhep05(2024)003)

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

A search for R-parity-violating supersymmetry in final states containing many jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for R-parity-violating supersymmetry in final states with high jet multiplicity is presented. The search uses 140 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV collected by the ATLAS experiment during Run 2 of the Large Hadron Collider. The results are interpreted in the context of R-parity-violating supersymmetry models that feature prompt gluino-pair production decaying directly to three jets each or decaying to two jets and a neutralino which subsequently decays promptly to three jets. No significant excess over the Standard Model expectation is observed and exclusion limits at the 95% confidence level are extracted. Gluinos with masses up to 1800 GeV are excluded when decaying directly to three jets. In the cascade scenario, gluinos with masses up to 2340 GeV are excluded for a neutralino with mass up to 1250 GeV.

KEYWORDS: Supersymmetry, Hadron-Hadron Scattering , Jets, Beyond Standard Model

ARXIV EPRINT: [2401.16333](https://arxiv.org/abs/2401.16333)

Contents

1	Introduction	1
2	ATLAS detector	3
3	Data and simulated event samples	3
4	Event reconstruction	4
5	Analysis strategy	6
5.1	Jet counting method	7
5.2	Mass resonance method	10
6	Systematic uncertainties	14
7	Results and interpretation	15
8	Conclusion	20
	The ATLAS collaboration	27

1 Introduction

Supersymmetry (SUSY) [1–6] is a theoretical extension of the Standard Model (SM) which proposes a fundamental symmetry that relates fermions and bosons and predicts a partner particle for each SM particle. It is a promising theoretical possibility given its potential to solve the hierarchy problem [7–10]. An ad-hoc conserved quantity, R-parity [11], is often introduced in SUSY models to avoid rapid proton decay, rendering the lightest supersymmetric particle (LSP) stable and therefore a potential dark-matter candidate [12, 13]. However, there is no fundamental theoretical reason to impose strict R-parity conservation. R-parity-violating (RPV) SUSY models are well motivated and generally have fewer experimental constraints than many R-parity-conserving (RPC) models [14, 15]. This suggests that the ATLAS Run 2 data sample could contain thousands of events where the supersymmetric partner of the gluon, the gluino ($\tilde{g}$) is present. This is plausible because gluino pairs are produced predominantly through the strong interaction, a process that can lead to a significantly large cross-section, depending on the gluino mass.

A search is presented for supersymmetric gluino pair production with subsequent RPV decays into quarks in events with many jets using 140 fb^{-1} of proton-proton (pp) collision data collected at $\sqrt{s} = 13\text{ TeV}$ by the ATLAS detector during Run 2 of the Large Hadron Collider (LHC). Such a final state is predicted in RPV models with a non-zero baryon-number-violating $U\bar{D}\bar{D}$ coupling [16, 17]. The dominant SM background process originates from multijet production, with a cross-section several orders of magnitude higher than the targeted signals. Two approaches are implemented to distinguish between the SM




Figure 1. Signal diagrams for the (a) gluino direct decay and (b) cascade decay models.

background and potential SUSY signal. The first, “jet counting” method, defines several signal regions, SR, requiring many high- p_T jets. The background is estimated from events containing low jet multiplicities and low momenta extrapolated to higher jet-momenta and multiplicities. To compensate the limitations of the simulated multi-jet background, data are used to normalize the simulation in several control regions. The second, “mass resonance”, approach aims to reconstruct the gluino mass with machine-learning methods, solving the combinatorial assignment challenge to correctly identify which jets belong to a given gluino. A mass-resonance search is then performed on the gluino-candidate mass spectrum. A fully data-driven approach is used to estimate the background, with a functional fit to the smoothly decreasing gluino-candidate mass distribution.

Two RPV SUSY simplified signal models [18–20] featuring gluino-pair production are targeted. Figure 1(a) presents the gluino direct decay model, where the gluino decays into three quarks via a $\lambda''_{ijk} U\bar{D}\bar{D}$ RPV coupling, leading to final states containing at least six jets. The indices i, j, k denote the generations of the quarks involved in the interaction. The gluino cascade decay model is presented in figure 1(b), in which the gluino decays into two quarks and neutralino, $\tilde{\chi}_1^0$, where the neutralinos result from the mixing between the supersymmetric partners of the neutral SM bosons. The neutralino then decays into three quarks, again via the $\lambda''_{ijk} U\bar{D}\bar{D}$ coupling, leading to at least ten jets in the final state. Both the scenarios assume that λ''_{ijk} is large enough to ensure prompt SUSY decays. Two couplings are considered, λ''_{112} and λ''_{113} , leading to the RPV decays $\tilde{g}/\tilde{\chi}_1^0 \rightarrow uds$ referred to as the UDS-decay or $\tilde{g}/\tilde{\chi}_1^0 \rightarrow udb$ referred to as the UDB-decay respectively. The results of this article apply equally to other couplings, λ''_{ij2} , λ''_{ij3} , with $i, j \in 2, 3$, since it has the same experimental final state. The UDB-decay has a unique signal phenomenology containing bottom quarks and a dedicated event selection is employed to specifically target this scenario.

Previous searches in this final state were performed by the ATLAS [21, 22] and CMS collaborations [23]. New methods are used here for both the jet counting and mass resonance approaches, dramatically improving the sensitivity beyond the expected gains due to the larger data sample.

2 ATLAS detector

The ATLAS experiment [24] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range of $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range of $(|\eta| < 1.7)$. The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. The muon spectrometer includes a system of precision tracking chambers and fast detectors for triggering. A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate of less than 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. An extensive software suite [25] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The data analysed were collected between 2015 and 2018 at a centre-of-mass energy of 13 TeV with a 25 ns proton bunch crossing interval. The average number of pp interactions per bunch crossing, referred to as pile-up, ranged from 13 in 2015 to around 38 in 2017–2018. After applying conditions on the beam, detector and data-quality [26] the data sample has a total integrated luminosity of 140 fb^{-1} .

Monte Carlo (MC) samples are primarily used in the analysis to estimate the expected number of events for a given signal scenario. MC samples are also used to aid in the modelling of the SM backgrounds in the signal regions, or as a cross-check of the data-driven methods used to model the expected background yield.

Signal samples were simulated at leading-order (LO) accuracy with up to two additional partons using the MADGRAPH5_AMC@NLO event generator [27] interfaced with PYTHIA 8.235 [28]. The A14 [29] set of tuned parameters was used for the underlying event together with the NNPDF2.3LO [30] parton distribution function (PDF) set. The EVTGEN program [31] was used to model the decays of heavy-flavour hadrons. The generated events

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

are then passed through a simulation [32] of the ATLAS detector geometry and response using GEANT4 [33]. The signal cross-sections were calculated at next-to-next-to-leading-order (NNLO) in the strong coupling constant, adding the resummed soft gluon emission at next-to-next-to-leading-logarithm accuracy (NNLO+NNLL) [34–41].

Multijet events constitute the dominant background in the search region. Multijet production in the SM was simulated using PYTHIA 8.230 [28] with LO matrix elements for dijet production which are matched to the parton shower. The renormalisation and factorisation scales were set to the geometric mean of the squared transverse masses of the two outgoing particles in the matrix element. The NNPDF2.3LO PDF set was used in the matrix element generation, the parton shower, and the simulation of the multi-parton interactions. The A14 set of tuned parameters is used. Perturbative uncertainties were estimated through event weights [42] that encompass variations of the scales at which the strong coupling constant is evaluated in the initial- and final-state shower and the PDF uncertainty in the shower and the non-singular part of the splitting functions. A similar method was used to estimate the uncertainties for the signal modelling.

In the regions requiring the presence of a jet containing b -hadrons (b -tagged), there is a contribution from top-quark pair production ($t\bar{t}$). The production of fully hadronic decays of $t\bar{t}$ events, was modelled at NLO using the POWHEG BOX [43] generator. Additional $t\bar{t}$ samples were simulated with MADGRAPH5_AMC@NLO interfaced with PYTHIA 8, and with POWHEG BOX interfaced with HERWIG 7 [44, 45], for the evaluation of systematic uncertainties.

The effect of pile-up interactions was modelled by overlaying the simulated hard-scattering event with inelastic pp events simulated with PYTHIA 8.186 [46] using the NNPDF2.3LO set of parton distribution functions (PDF) and the A3 set of tuned parameters [47]. The simulated events are weighted to reproduce the distribution of the average number of interactions per bunch crossing ($\langle\mu\rangle$) observed in the data. The $\langle\mu\rangle$ value in data is rescaled by a factor of 1.03 ± 0.04 to improve agreement between data and simulation in the visible inelastic pp cross-section [48].

4 Event reconstruction

As the signal scenarios under investigation have a general event phenomenology with many energetic jets, an identical trigger strategy and a set of common object definitions can be used for both the analysis strategies.

Events are required to satisfy an H_T trigger, where H_T is defined as the scalar sum of the transverse momentum (p_T) of the jets, identified on the trigger level, in the event. To ensure the trigger is fully efficient, a selection of $H_T > 1100$ GeV and a selection on the p_T of the leading jet, $p_T(j_1) > 200$ GeV, and the 4th leading jet, $p_T(j_4) > 50$ GeV, are applied. The H_T trigger has an efficiency exceeding 95% for signal events satisfying the selection for all the data-taking periods.

The constituents for the analysis-level jet reconstruction are identified by combining measurements from both the inner-detector system (ID) and calorimeter using a particle flow (PFlow) algorithm [49], which suppresses calorimeter energy deposits arising from charged pile-up particles and takes the momentum estimate from tracks whenever the tracker

resolution is better than the calorimeter resolution. These jets are defined using the anti- k_T algorithm [50, 51] with a size parameter of $R = 0.4$. They are calibrated using simulation with corrections obtained by using in situ techniques in data [52]. Jets containing a large particle momentum contribution from pile-up vertices, as measured by the jet vertex tagger (JVT) discriminant [53] are rejected if they have $p_T \in [20, 60]$ GeV, $|\eta| < 2.4$ and a discriminant value of $\text{JVT} < 0.5$. Two classes of jets are defined: “baseline” jets and “signal” jets. Baseline jets require $p_T > 20$ GeV and $|\eta| < 4.8$. Signal jets are used for the computation of kinematic variables and for the final event selections and require $p_T > 50$ GeV and $|\eta| < 2.8$.

Selected jets are tagged as b -jets if they are within the inner tracking detector acceptance of $|\eta| = 2.5$ and are identified by a multivariate algorithm (DL1r) which uses a selection of inputs including information about the impact parameter of tracks, the presence of displaced secondary vertices and the reconstructed flight paths of b - and c -hadrons inside the jet [54]. The b -tagging algorithm uses a working point with an efficiency of 77% to tag a b -quark jet, determined with a sample of simulated $t\bar{t}$ events. The corresponding misidentification (mis-tag) rate is 20% for c -jets and 0.9% for light-flavour jets. Differences between data and MC simulation for the efficiency and mis-tag rate are taken into account with correction factors as described in ref. [55].

As the signal scenarios considered do not contain any light leptons (e, μ) signal sensitivity can be increased by rejecting events containing leptons. Electron candidates are reconstructed from an isolated electromagnetic calorimeter energy deposit matched to an inner detector track [56] and are required to have $p_T > 10$ GeV and $|\eta| < 2.47$, and to satisfy the “Loose” likelihood-based identification criteria described in ref. [56]. Muon candidates are formed by combining information from the muon spectrometer and inner detector as described in ref. [57] and are required to have $p_T > 10$ GeV and $|\eta| < 2.7$. Furthermore, muon candidates must satisfy the “Medium” identification requirements described in ref. [57]. In both the cases lepton candidates must additionally have a longitudinal impact parameter relative to the primary vertex with $|z_0 \sin \theta| < 0.5$ mm.

Scale factors are applied to simulated events to account for differences between data and simulation for reconstruction, identification and isolation efficiencies. Similar corrections are also applied to the probability of mis-tagging jets originating from the hard scattering as pile-up jets with the JVT discriminant, and the corrections related to the efficiency of identifying jets arising from b -hadrons.

After the object selection step, a procedure to avoid double counting of tracks and energy deposits matched to overlapping reconstructed jets, electrons, and muons is implemented. This procedure applies the following actions to the baseline jets and leptons in a sequential order. If an electron lies within $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$ of the jet axis, then the jet is removed, whereas if jet and an electron are within $\Delta R = 0.4$, then the electron is removed. If a jet and a muon are within $\Delta R = 0.2$, or the muon track is matched to the jet, then the jet is considered for removal. If the number of tracks within the jet is fewer than three and if the jet and total track p_T is consistent with the muon energy, then the jet is removed. Finally, if a muon and a jet are within $\Delta R = 0.4$ then the muon is removed.




Figure 2. Comparison between distributions, normalised to unity, of the observed data, the QCD multijet background and signal models. Figure (a): n_{jets} spectrum with $p_{\text{T}} \geq 100$ GeV. Figure (b): distribution of the C variable for events with at least six jets with $p_{\text{T}} \geq 100$ GeV.

5 Analysis strategy

Two complementary analysis methods are used for the signal scenarios. In addition to possessing common object and trigger requirements, similar kinematic variables are employed to do a simple discrimination between signal and background, which the two methods build upon.

Events are required to satisfy the H_{T} trigger, and all of the requirements needed to assure the trigger is fully efficient as discussed in section 4. All accepted events are required to have no leptons (e, μ), and are required to contain at least four jets with $p_{\text{T}} > 50$ GeV.

For both the methods, the event-shape variable C [58] derived from the linearized sphericity tensor of the event is used to distinguish between signal and background. The sphericity tensor, which captures the momentum distributions in an event, can be reduced to three eigenvalues, λ_1, λ_2 , and λ_3 , representing the shape of this distribution along three orthogonal directions. The C variable is calculated as a combination of these eigenvalues:

$$C = 3(\lambda_1\lambda_2 + \lambda_1\lambda_3 + \lambda_2\lambda_3). \quad (5.1)$$

For events consisting of two back-to-back jets, which dominate the multijet background from quantum chromodynamic interactions, QCD, the C value tends to be smaller than for gluino decays where the energy is distributed more uniformly or isotropically and the C value tends to larger values. A selection on the C variable and a selection requiring high multiplicity of jets with p_{T} above a given threshold (n_{jets}) are employed by both the analysis methods as key variables to discriminate between the signal and the SM background. Figure 2 presents unit-area-normalised comparisons of these discriminating variables, showing the significant differences between the signal models and the background.

The following two sections describe the signal optimisation strategy and background estimation techniques for the *jet counting* and *mass resonance method* respectively. While both the methods target the direct decay scenario, the jet counting method provides a more model-independent approach which could detect a general excess in events with large jet

multiplicities and also investigates the cascade decay scenario; the mass resonance method is more model specific, and focuses exclusively on the direct decay scenario, seeking to reconstruct the gluino mass directly from the decay products.

5.1 Jet counting method

The jet counting method is built on the fact that the signal scenarios considered produce a large multiplicity of high- p_T jets, a feature that was already exploited in previous analyses targeting similar models [21, 59]. In this approach, signal regions are defined by requiring a high jet multiplicity and a tight requirement on the p_T of the jets. The expected number of background events in this region is estimated by using control regions (CRs) which are defined with lower jet p_T requirements, which are then extrapolated to the SRs. To check the validity of this extrapolation, the background expectation (extrapolated from the CR) is compared with the observed data in intermediate validation regions (VRs), which are tighter than the CR requirements, but looser than the SRs.

In total seven SRs are defined to target different regions of the SUSY parameter space under consideration. The SRs are sensitive to both the direct gluino decay scenario and the cascade scenario. Table 1 presents the SR selections. All SRs require at least seven high- p_T jets, and tight selections on the C variable. A selection of at least seven jets is chosen, instead of six as suggested by the signal diagram from figure 1(a), as the inclusion an extra jet which arises from initial- or final-state radiation is found to increase the sensitivity to the signal scenarios and further reject background events. Two SRs are defined with a requirement on the number of b -tagged jets present to specifically target the scenarios where the UDB-coupling allows b -quarks in the decay.

Background estimation. The primary source of background arises from QCD multijet events. In large jet multiplicities, the MC simulation alone cannot provide accurate descriptions of the event kinematics. The $2 \rightarrow 2$ LO matrix element calculations and the parton shower method are limited in the modelling of the absolute rate as a function of the number of jets. However, thanks to the tunings performed [60], the shape of the n_{jets} distribution and the event shape variables in data are reasonably well described [58, 61]. Also, a minimal set of analysis selection variables is used, as shown in table 1, reducing the reliance on the MC. To further address simulation shortcomings, we employ a semi-data-driven approach, following a background determination method similar to previous searches [21, 59]. The expected number of events with a given jet multiplicity $n_{\text{jets}} = i$ above a certain jet- p_T threshold X (denoted by N_{i,p_T^X}) can be evaluated as:

$$N_{i,p_T^X} = w_i \cdot N_{4,p_T^X}^{\text{Data}} \cdot \frac{N_{i,p_T^X}^{\text{MC}}}{N_{4,p_T^X}^{\text{MC}}}, \quad (5.2)$$

$$w_i = \frac{N_{i,p_T^{60}}^{\text{Data}}}{N_{4,p_T^{60}}^{\text{Data}}} \bigg/ \frac{N_{i,p_T^{60}}^{\text{MC}}}{N_{4,p_T^{60}}^{\text{MC}}}.$$

Multijet MC is employed to compute transfer factors across different jet multiplicities ($N_{i,p_T^X}^{\text{MC}}/N_{4,p_T^X}^{\text{MC}}$). The prediction is normalised using a signal-free data region ($N_{4,p_T^X}^{\text{Data}}$). To

	n_{jets}	$p_{\text{T}}(j)$ [GeV]	C	$n_{b\text{-jets}}$
SR1	≥ 7	≥ 180	≥ 0.90	–
SR2	≥ 7	≥ 220	≥ 0.90	–
SR3	≥ 7	≥ 240	≥ 0.90	–
SR4	≥ 8	≥ 180	≥ 0.85	–
SR5	≥ 8	≥ 210	≥ 0.85	–
SR1bj	≥ 7	≥ 180	≥ 0.85	≥ 2
SR2bj	≥ 8	≥ 180	≥ 0.85	≥ 2

Table 1. SR definitions for the jet counting method, where n_{jets} represents the number of jets above the given p_{T} threshold ($p_{\text{T}}(j)$). The common analysis selections on the H_{T} , $p_{\text{T}}(j_1)$ and trigger selection are also applied.

address potential biases in the MC modelling of the jet multiplicity, correction factors (w_i) are obtained from CRs, based on the ratio of transfer factors computed separately in data and MC. In these CRs, the jet p_{T} threshold is reduced to 60 GeV, to avoid eventual signal contamination. However, the same selection on the variable C as in the corresponding SR is used. The SRs are inclusive in jet multiplicity ($\geq n_{\text{jets}}$); event yields are then estimated by summing exclusive jet multiplicities up to $n + 2$, as successive terms of the series have negligible contributions ($\leq 0.1\%$):

$$N_{\geq n, p_{\text{T}}^X} = \sum_{i=n}^{n+2} N_{i, p_{\text{T}}^X}. \quad (5.3)$$

When introducing the selection on the number of b -tagged jets ($n_{b\text{-jets}}$), as in SR1bj and SR2bj, there is a sizeable contribution from the $t\bar{t}$ SM process, with up to 30% of the total background consisting of $t\bar{t}$. In this case, the N^{MC} terms in eq. (5.2) are treated as the combined sum of multijet and $t\bar{t}$ events. Figure 3 shows two examples of the background estimation method with and without the selection on b -tagged jets. The latter figure also shows the small impact of the correction factors w_i .

Signal injection tests were conducted to study the effect of signal contamination in the CRs. The latter would bias the background estimate but have a minor impact on the analysis sensitivity. The amount of bias is inversely proportional to the gluino mass. However, it is always smaller than the other systematic uncertainties associated with the method and vanishes rapidly to less than 1% for models with masses above 1.1 TeV.

Background validation. To evaluate the background modelling several VR sets are defined. They are presented in tables 2 and 3. The VRAs and VRBs are designed to validate the method at high values of C , but with lower jet multiplicities to negate signal contamination. The VRCs and VRDs validate the method in a high jet multiplicity and jet momenta region, utilising an inverted C requirement compared with minimal signal contamination. The individual regions in a given VR set are not orthogonal, as the regions only differ in the p_{T} selection and can therefore be considered to be subsets of each other. Four dedicated VRs (VR-A-bj, VR-B-bj, VR-C-bj and VR-D-bj) are defined to validate the background modelling for the selections requiring at least two b -tagged jets, due to the




Figure 3. Test of the background estimation for different minimum jet p_T requirements (a) without and (b) with b -tagging selections. The solid red line is the prediction using correction factors estimated in the CR, while the orange line is obtained without such corrections. The bottom panels show the ratio of the data to the predicted yields, with (red dots) and without (orange dots) the CR. The hatched pattern in the bottom panels represents the total systematic uncertainty in the background estimate when the CR is used.

	n_{jets}	$p_T(j)$ [GeV]	C	Background Expectation	Data
VR-A1		≥ 180	≥ 0.80	73000^{+1800}_{-2400}	70184
VR-A2	5	≥ 160	≥ 0.85	65000^{+1800}_{-2200}	64985
VR-A3		≥ 150	≥ 0.90	30000^{+2100}_{-1000}	30360
VR-B1		≥ 120	≥ 0.80	80000^{+2100}_{-2800}	80271
VR-B2	6	≥ 110	≥ 0.85	58000^{+3900}_{-1800}	59997
VR-B3		≥ 100	≥ 0.90	28000^{+1000}_{-2000}	30212
VR-C1		≥ 180		350^{+37}_{-72}	372
VR-C2	≥ 7	≥ 220	≤ 0.60	47^{+6}_{-10}	35
VR-C3		≥ 240		18^{+4}_{-3}	14
VR-D1	≥ 8	≥ 180	≤ 0.60	23^{+5}_{-6}	16

Table 2. VR definitions and yields, for the regions used to validate the background strategy without an explicit selection on the number of b -tagged jets. The common analysis selections on the H_T , $p_T(j_1)$ and trigger selection are also applied. The uncertainties shown contain both the statistical and systematic uncertainties.

different background composition when b -jets are present in the final state. Figure 3 shows the agreement between the background estimate in the VR-C and VR-C-bj as a function of the jet p_T threshold used to count the jets. It is seen that there is generally acceptable

	n_{jets}	$p_T(j)$ [GeV]	C	Background Expectation	Data
VR-A-bj	5	≥ 180	≥ 0.85	2100^{+600}_{-100}	1973
VR-B-bj	6	≥ 120	≥ 0.85	3700^{+500}_{-300}	3425
VR-C-bj	≥ 7	≥ 180	≤ 0.60	34^{+13}_{-6}	39
VR-D-bj	≥ 8	≥ 160	≤ 0.60	8^{+6}_{-5}	6

Table 3. VR definitions and yields, for the regions used to validate the background strategy with at least two b -tagged jets. The common analysis selections on the H_T , $p_T(j_1)$ and trigger selection are also applied. The uncertainties shown contain both the statistical and systematic uncertainties.




Figure 4. Comparison of event yields between the observed data and the background expectation in the VRs. Figure (a): VRs containing no explicit requirement on the number of b -tagged jets. Figure (b): VRs containing at least two b -tagged jets. The bottom panel presents the ratio of data to the background prediction. The hatched pattern represents the combined statistical and systematic uncertainty in the background estimate.

agreement between the data and the background estimate while increasing the threshold to the highest values used in the SRs. Figure 4 presents the yields of the VRs, displaying the agreement between the background expectation from the jet counting method and the observed data. A slight discrepancy is observed in VR-B3; this inconsistency is used to define an additional non-closure uncertainty of 5% on the expected background yields in the SRs.

5.2 Mass resonance method

The objective of the mass resonance method is to observe a resonance in the reconstructed candidate gluino mass spectrum. In contrast to the jet counting method, which could have an excess from a variety of high energy contributions, this search would be an unambiguous sign of new physics from resonant production at the probed energy scale. For the direct gluino

decay model, the combinatorial issue of correctly identifying which jets should be matched to each gluino candidate is a significant problem and the main objective of the design of the method. A dedicated neural network (NN) is developed to correctly group together the jets from each individual gluino candidate decay. Machine-learning techniques were applied previously to the combinatorial assignment problem focusing on the reconstruction of standard model processes [62–64] and with less focus on beyond Standard Model scenarios [65] given the additional unknown of the exotic particle masses. The invariant mass $m_{\tilde{g},i}$ of the two gluino candidates is built from the jets that are selected by the NN and the average of the two masses $m_{\text{avg}} = \frac{1}{2} (m_{\tilde{g},1} + m_{\tilde{g},2})$ is used as the key discriminating variable. The method searches for a localised excess on the m_{avg} spectrum where the background is estimated through a functional fit to a smooth decreasing spectrum.

Events used by the mass resonance method require at least six jets with p_T above 100 GeV, and $C \geq 0.9$. A second selection is defined requiring in addition at least one b -tagged jet, which is used to improve the sensitivity to the UDB model. Further to the previously introduced selections, which are used for the model-dependent interpretation, a set of model-independent SRs are defined using single bins in the invariant mass distribution with a width of 300 GeV, and assume no signal contribution outside of the SR.

Jet assignment model. A NN is built based on the attention mechanism [66], taking inspiration from the transformer model and implemented in PyTorch [67]. The input to the network is the jet four-momentum of the leading eight signal jets, where jets are zero-padded if the event has less than eight jets. The first layer consists of an embedding block where each jet is mapped to a latent space. The embedded jets are passed to an encoder block consisting of a jet self-attention block, a gluino-candidate self-attention block, and a jet-candidate cross-attention block. The outputs of the model are three scores per jet, representing the probability of the jet to originate from each of the two gluino candidates or a non-signal source such as initial-state radiation or pile-up. The highest score per jet is used to assign jets in the event to each gluino or non-signal contribution.

The NN is trained using a categorical cross-entropy loss, where the jets are labelled based on $\Delta R < 0.4$ matching with MC generated partons from the gluino decay. Only events with exactly three jets matched per gluino are used in the training, which represents approximately 50% of the total available events. A tighter preselection than introduced at the start of this section is applied to the training set to obtain a sample representative of the final kinematic selections while retaining large enough sample size, requiring at least six jets with p_T above 100 GeV, and $C \geq 0.8$. All the available signal masses are used in the training, combining both the UDS and UDB models. The inclusion of all mass points was shown to mitigate the background sculpting by shifting the multijet average mass spectrum to roughly 650 GeV, below the start of the search window at 700 GeV. The model is trained for 500,000 steps with a warm-up phase which increases the learning rate linearly to 10^{-3} during the first 5% of the training steps and is then decayed exponentially. Hyper-parameters were tuned through a population scan and the model with lowest validation loss was retained [68, 69].

The performance of the NN is illustrated in figure 5. The reconstructed mass matches the target with a small loss in resolution as expected. Target signals show a low-mass tail, especially at higher masses, which originates from the restriction that exactly three




Figure 5. Normalised average mass spectrum comparing the shapes of the reconstructed (solid) and target (light) distributions for different masses. The reconstructed distribution is produced using the NN assignments, whereas the target distribution is built assigning jets to gluinos based on their MC generated labels.

jets are matched. This requirement misses additional final state radiation jets which are significant for the highest masses.

Background estimation. The largest SM background for this search is non-resonant QCD processes, which result in multijet systems with smoothly decreasing m_{avg} distributions. To estimate this background, a parametric function is fit to the observed data distributions, which are binned in 100 GeV-wide bins:

$$f(x) = p_1 (1 - x)^{p_2} x^{p_3 + p_4 \ln x},$$

where $x = m_{\text{avg}}/\sqrt{s}$ and $p_{1,2,3,4}$ are the fitted parameters. This function is successfully used in a wide variety of resonance dijet and multijet searches by the CDF, CMS, and ATLAS experiments [70–78]. For the background estimate, a three-parameter fit is used, where p_4 is set to zero, while the four-parameter fit is used to produce pseudodata to validate the fit strategy.

The fit to the background distribution uses a binned maximum-likelihood method that is implemented in the HistFitter framework [79]. In background-only fits, the signal strength is set to zero, while in the signal-plus-background fits, the signal strength is left as a free parameter. The fit region is between 0.7 TeV and 3 TeV.

The data-driven background fitting procedure was validated with MC simulation and a small 3.2 fb^{-1} sample of data from 2015 with a loose selection of $C \geq 0.7$ and at least six jets with p_T above 70 GeV such that the number of events is similar to that of the full data sample with nominal selections. The validity of the background model was tested by checking for a small $\chi^2/N_{\text{D.O.F.}}$ and by performing ‘spurious signal tests’ and ‘signal injection tests’.

The spurious signal test evaluates whether the fitting procedure is biased in a manner that will produce a non-zero extracted signal when fitting a data sample with no true signal.




Figure 6. Observed data and the fit to the background model in the (a) nominal and (b) b -tagged regions using a loose selection and 3.2 fb^{-1} of data, which matches roughly the number of events expected in the full selection and full data sample. The grey and blue bands present the combined statistical and systematic uncertainty in the background estimate for the data and MC fit functions respectively. The red arrow denotes points which lie above the range of the ratio plot.

This test is performed for the nominal 3-parameter fit function by performing a signal-plus-background fit to a pseudodata distribution that is generated from a background-only fit to the data distribution with a 4-parameter function. For each pseudodata distribution, the number of extracted signal events per signal model, n_{spur} , is determined. To satisfy the spurious signal requirement, n_{spur} is required to be less than 20% of the nominal signal events and the ratio of the number of spurious signal events to its statistical uncertainty, $n_{\text{spur}}/\sigma(n_{\text{spur}})$ is required to be less than 0.2. The 3-parameter fit function passed the spurious signal test for all signal samples.

The signal injection test is performed to ensure that the background fit is able to extract a signal component with the expected signal events. Simulated signal models are included together with the background template to form a pseudodata distribution. The injected signals were extracted through the fit to pseudodata and confirmed that the extracted signal event yields were in agreement with the injected ones.

Figure 6 shows the validation of the fit model in the 2015 data sample with loose selection and additionally with a multijet MC background sample scaled to 140 fb^{-1} . The function with the best fit parameters has an acceptable agreement with both the MC and data.

When considering the model-independent SRs the background is estimated through a fit to the reconstructed average mass distribution excluding the 300 GeV wide signal region bin. This is contrary to the model-dependent fits which are performed using the full average-mass distribution with 100 GeV bins.

6 Systematic uncertainties

Three categories of systematic uncertainties are considered in both the methods: theoretical modelling uncertainties, experimental uncertainties, and uncertainties in the assumptions and methodologies used for the background estimate. The statistical uncertainty due to the limited data sample is the dominant source of uncertainties for both the methods and for all of the mass range considered.

Modelling uncertainties related to the simulation of background events arise from missing higher orders in the simulation, as well as PDF and strong coupling constant α_s uncertainties. They are included in the jet counting method as simulation is used to support the background prediction, but not in the mass resonance method. The effect of these uncertainties in the multijet background yields, used to calculate the correction factors in the jet counting method, is evaluated through variations of the renormalisation and factorisation scale by factors of two, and variations of the shower tune, PDF and, α_s parameters within their uncertainties. Additional uncertainties are included on the $t\bar{t}$ background comparing the nominal MC sample with other simulations: an alternative matrix-element generator (MADGRAPH5_AMC@NLO) and an alternative parton shower (HERWIG 7). The modelling of the QCD multijet background is the leading systematic uncertainty in the jet counting method. In the SRs this uncertainty ranges from roughly 20% up to almost 40% in SR5.

Experimental uncertainties arise from the imperfect calibrations and the uncertainties in the reconstructed objects used in the search. The leading experimental uncertainties arise from the jet energy scale and jet energy resolution. Uncertainties in the pile-up modelling, suppression of pile-up jets, b -tagging efficiencies and mis-tagging rates are included but have a negligible impact on the sensitivity. The impact of experimental uncertainties is also considered for signal samples and correlated with the background variation. The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [80], obtained using the LUCID-2 detector [81] for the primary luminosity measurements, complemented by measurements using the inner detector and calorimeters.

Dedicated additional uncertainties due the background estimate methodology are included. In the jet counting method the observed level of agreement in the VRs is used to derive an uncertainty due to possible imperfections in the method. The level of disagreement is below one standard deviation in all VRs except for VR-B3. As previously mentioned, an additional non-closure systematic of 5% is added to all SRs with $C > 0.9$, which is required to cover the maximum non-closure in the VRs.

In the mass resonance method a spurious signal uncertainty is derived by fitting the distribution obtained from a 4-parameter background fit to a signal plus background hypothesis using the nominal 3-parameter model. The size of the fitted signal is included as a systematic uncertainty due to possible limitations of the 3-parameter model to capture the correct background distribution. The uncertainty varies from roughly 300 events for a reconstructed average mass of 900 GeV to five events at 2500 GeV. The spurious signal uncertainty is the largest systematic in the mass resonance method. However, the overall largest uncertainty is the statistical uncertainty from the background prediction.




Figure 7. Observed and predicted event yields in the signal regions of the jet counting method for the (a) b -tagging inclusive, and (b) ≥ 2 b -tags regions. The bottom panel presents the ratio of data to the background prediction. The hatched pattern represents the combined statistical and systematic uncertainty in the background estimate.




Figure 8. Background-only fits to the reconstructed average mass spectrum of the candidate gluinos, in (a) the nominal and (b) b -tagged regions of the mass resonance method. The grey bands include both the statistical and systematic uncertainties. The red arrow denotes points that lie above the range of the ratio plot.

7 Results and interpretation

The observed data event yields and the corresponding estimates for the backgrounds in the SRs are shown in figures 7 and 8 for the jet counting and mass resonance methods. No significant excess of data over the expected event yields is observed in any of the SRs.

Signal region	$\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$ [fb]	S_{obs}^{95}	S_{exp}^{95}	CL_B	p_0 (Z)
SR1	0.32	45	57^{+18}_{-14}	0.51	0.50 (0.00)
SR2	0.09	13	$14.1^{+5.7}_{-4.1}$	0.56	0.50 (0.00)
SR3	0.07	10	$9.5^{+4.1}_{-2.7}$	0.52	0.42 (0.20)
SR4	0.16	22	$17.4^{+6.5}_{-4.7}$	0.26	0.21 (0.79)
SR5	0.07	9.4	$7.4^{+3.6}_{-2.4}$	0.42	0.32 (0.46)
SR1bj	0.08	11	$17.0^{+6.9}_{-4.8}$	0.55	0.50 (0.00)
SR2bj	0.03	4.4	$6.6^{+2.9}_{-1.9}$	0.66	0.50 (0.00)

Table 4. The upper limit table for the signal regions for the jet counting method. Left to right: 95% CL upper limits on the visible cross-section ($\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). The third column (S_{exp}^{95}) shows the 95% CL upper limit on the number of signal events, given the expected number (and $\pm 1\sigma$ excursions on the expectation) of background events. The last two columns indicate the CL_B value, i.e., the confidence level observed for the background-only hypothesis, and the discovery p -value (p_0), with its corresponding Gaussian significance (Z). The p_0 measures the compatibility of the observed data with the background-only (zero signal strength) hypothesis, relative to fluctuations of the background. Larger values indicate greater relative compatibility. In signal regions with a deficit relative to the nominal background prediction, the p_0 value is capped at 0.50.

The profile likelihood-ratio test statistic [82] is used to establish 95% confidence intervals using the CL_s prescription [83]. The uncertainties introduced in the previous section are included as nuisance parameters described by a Gaussian distribution. The asymptotic approximation [82] of the CL_s is used for all statistical tests except for the high-mass model-independent bins of the mass resonance method, where the expected number of events is small. In this case the CL_s is computed using pseudo-experiments generated from simulated events. The asymptotic approximation is validated for other regions with moderately small yields for both the methods using toys. Upper limits on the product of cross-section, acceptance, and efficiency are shown in table 4 for the jet counting method, and in tables 5 and 6 for the mass resonance method. The upper limits range from 7.9 fb to 0.03 fb, depending on the signal region considered.

Exclusion limits as a function of the gluino mass for the gluino direct decay are shown in figure 9. Both the individual limits and the limit resulting from taking the best expected limit from each method are illustrated. Figure 10 shows the exclusion contours for the gluino cascade decay using the jet counting method. For the jet counting method, the SR which provides the best expected sensitivity for a given gluino mass is used to set the limit. Deriving the best expected limits from jet counting and mass resonance methods, gluinos with masses up to 1730 and 1800 GeV are excluded in the gluino direct-decay models where the gluinos decay with 100% BR into qqq (UDS coupling) and qq̄b (UDB coupling), respectively. For the gluino cascade decay model the limits are provided exclusively by the jet counting approach, where again the SR with the best expected sensitivity to a given signal mass scenario is used to set the limit. Gluinos with masses up to 2230 (2340) GeV are excluded for a neutralino with 1250 GeV mass and UDS (UDB) coupling. These results represent a significant improvement compared to previous analyses.

m_{avg}	range [GeV]	$\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$ [fb]	S_{obs}^{95}	S_{exp}^{95}	CL_B	p_0 (Z)
	700–1000	7.3	1000	1300^{+460}_{-300}	0.22	0.50 (0.00)
	800–1100	5.7	800	360^{+150}_{-49}	0.99	0.01 (2.5)
	900–1200	2.1	290	210^{+88}_{-25}	0.81	0.18 (0.91)
	1000–1300	1.5	210	160^{+50}_{-34}	0.80	0.18 (0.90)
	1100–1400	0.54	76	120^{+45}_{-30}	0.09	0.50 (0.00)
	1200–1500	0.27	37	85^{+33}_{-24}	0.00	0.50 (0.00)
	1300–1600	0.16	23	63^{+37}_{-18}	0.00	0.50 (0.00)
	1400–1700	0.16	22	47^{+19}_{-13}	0.00	0.50 (0.00)
	1500–1800	0.24	33	39^{+16}_{-10}	0.25	0.50 (0.00)
	1600–1900	0.26	37	38^{+15}_{-10}	0.47	0.50 (0.00)
	1700–2000	0.30	42	34^{+12}_{-7}	0.71	0.29 (0.55)
	1800–2100	0.25	35	28^{+12}_{-8}	0.72	0.28 (0.57)
	1900–2200	0.29	41	25^{+11}_{-4}	0.93	0.06 (1.5)
	2000–2300	0.19	27	$21.5^{+7.6}_{-4.4}$	0.78	0.19 (0.89)
	2100–2400	0.15	21	$15.5^{+6.2}_{-2.3}$	0.74	0.20 (0.84)
	2200–2500	0.08	11	$10.5^{+3.2}_{-1.9}$	0.57	0.40 (0.26)
	2300–2600	0.08	11	$9.2^{+3.9}_{-1.2}$	0.66	0.27 (0.61)
	2400–2700	0.05	6.9	$6.8^{+2.1}_{-1.4}$	0.51	0.48 (0.05)
	2500–2800	0.02	2.3	$3.1^{+2.1}_{-1.2}$	0.26	0.50 (0.01)
	2600–2900	0.04	5.3	$5.2^{+2.2}_{-1.3}$	0.52	0.46 (0.10)
	2700–3000	0.06	8.3	$8.2^{+0.4}_{-0.7}$	0.53	0.44 (0.16)

Table 5. The upper limit table for the ≥ 0 b -tagged jets region of the mass resonance method. Left to right: 95% CL upper limits on the visible cross-section ($\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). The third column (S_{exp}^{95}) shows the 95% CL upper limit on the number of signal events, given the expected number (and $\pm 1\sigma$ excursions on the expectation) of background events. The last two columns indicate the CL_B value, i.e., the confidence level observed for the background-only hypothesis, and the discovery p -value (p_0), with its corresponding Gaussian significance (Z). The p_0 measures the compatibility of the observed data with the background-only (zero signal strength) hypothesis, relative to fluctuations of the background. Larger values indicate greater relative compatibility. In signal regions with a deficit relative to the nominal background prediction, the p_0 value is capped at 0.50.

m_{avg}	range [GeV]	$\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$ [fb]	S_{obs}^{95}	S_{exp}^{95}	CL_B	p_0 (Z)
	700–1000	5.7	800	960^{+330}_{-240}	0.31	0.50 (0.00)
	800–1100	3.3	460	320^{+100}_{-65}	0.89	0.11 (1.20)
	900–1200	1.1	150	130^{+38}_{-31}	0.74	0.24 (0.71)
	1000–1300	0.92	130	92^{+40}_{-13}	0.81	0.18 (0.91)
	1100–1400	0.36	51	70^{+27}_{-20}	0.17	0.50 (0.00)
	1200–1500	0.16	23	52^{+21}_{-15}	0.00	0.50 (0.00)
	1300–1600	0.11	16	39^{+15}_{-11}	0.00	0.50 (0.00)
	1400–1700	0.12	17	29^{+12}_{-8}	0.04	0.50 (0.00)
	1500–1800	0.20	27	25^{+25}_{-7}	0.61	0.38 (0.29)
	1600–1900	0.25	35	30^{+10}_{-7}	0.68	0.45 (0.13)
	1700–2000	0.21	30	28^{+10}_{-8}	0.58	0.42 (0.20)
	1800–2100	0.17	24	$24.0^{+5.9}_{-6.2}$	0.51	0.49 (0.03)
	1900–2200	0.18	25	$21.6^{+5.9}_{-5.8}$	0.71	0.26 (0.65)
	2000–2300	0.13	18	$17.1^{+5.3}_{-2.1}$	0.63	0.32 (0.47)
	2100–2400	0.10	13	$12.4^{+3.3}_{-2.6}$	0.63	0.30 (0.51)
	2200–2500	0.05	6.4	$6.4^{+2.5}_{-1.5}$	0.50	0.50 (0.00)
	2300–2600	0.05	6.8	$6.7^{+2.6}_{-0.8}$	0.54	0.42 (0.20)
	2400–2700	0.03	4.0	$3.9^{+2.2}_{-1.2}$	0.52	0.45 (0.14)
	2500–2800	0.01	2.0	$2.1^{+1.8}_{-0.9}$	0.47	0.49 (0.02)
	2600–2900	0.04	5.4	$5.3^{+2.2}_{-1.3}$	0.53	0.43 (0.19)
	2700–3000	0.04	6.1	$6.0^{+2.3}_{-0.6}$	0.53	0.42 (0.20)

Table 6. The upper limit table for the ≥ 1 b -tagged jets region of the mass resonance method. Left to right: 95% CL upper limits on the visible cross-section ($\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). The third column (S_{exp}^{95}) shows the 95% CL upper limit on the number of signal events, given the expected number (and $\pm 1\sigma$ excursions on the expectation) of background events. The last two columns indicate the CL_B value, i.e., the confidence level observed for the background-only hypothesis, and the discovery p -value (p_0), with its corresponding Gaussian significance (Z). The p_0 measures the compatibility of the observed data with the background-only (zero signal strength) hypothesis, relative to fluctuations of the background. Larger values indicate greater relative compatibility. In signal regions with a deficit relative to the nominal background prediction, the p_0 value is capped at 0.50.




Figure 9. Observed and expected 95% CL upper limits on the signal cross-section times branching ratio ($\sigma \times \text{BR}$) as a function of the gluino mass for the gluino direct decay model with (a) UDS and (b) UDB decays. The expected limits for the jet counting and mass resonance methods are shown in red and blue, respectively. The best expected limit per mass point between the methods is chosen (dashed black) and corresponding observed limit reported (solid black). The green and yellow bands around the expected limit correspond to the $\pm 1\sigma$ and $\pm 2\sigma$ variations including both the systematic and statistical uncertainties, respectively. The theoretical prediction is also shown, with the uncertainties in the prediction shown as a coloured band.




Figure 10. Observed and expected exclusion contours for the gluino cascade decay model with (a) UDS and (b) UDB decays using the jet counting method. The contours of the band around the expected limit are the $\pm 1\sigma$ variations, including all uncertainties. The dotted lines around the observed limit illustrate the change in the observed limit as the nominal signal cross-section is scaled up and down by the theoretical uncertainty. The diagonal line indicates the kinematic limit for the decay of the gluino.

8 Conclusion

A search for R-parity-violating SUSY signals in events with multiple jets is performed with 140 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ collected by the ATLAS detector at the LHC. Two methods are used, a jet counting method searching for excess events in single-bin signal regions defined at high jet multiplicity and high C , and a mass resonance approach, which searches for a localised excess in the reconstructed gluino mass spectrum. A novel machine-learning approach is employed to address the combinatorial assignment problem and successfully reconstruct the gluino mass. No significant excess is found in any signal region. Limits are set on the production of gluinos in the gluino direct decay and cascade decay models in $U\bar{D}\bar{D}$ scenarios of RPV SUSY. In the gluino direct decay model, gluinos with masses up to 1800 GeV are excluded at 95% CL. In the gluino cascade decay model, gluinos with masses as high as 2340 GeV are excluded for a neutralino with 1250 GeV mass. Model-independent limits are also set on the visible cross-section times branching ratio in five overlapping signal regions. These results improve upon the previously existing LHC limits owing to the larger luminosity, the introduction of event shape variables to suppress background, and the development of machine-learning techniques to assign jets to gluinos and reconstruct their mass.

Acknowledgments

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [84].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions,

European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230987); China: National Natural Science Foundation of China (NSFC — 12175119, NSFC 12275265); European Union: European Research Council (ERC — 948254), Horizon 2020 Framework Programme (MUCCA — CHIST-ERA-19-XAI-00), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU), Marie Skłodowska-Curie Actions (EU H2020 MSC IF GRANT NO 101033496); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0022), Investissements d’Avenir Idex (ANR-11-LABX-0012), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG — CR 312/5-1); Italy: Istituto Nazionale di Fisica Nucleare (FELLINI G.A. n. 754496, ICSC, NextGenerationEU); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI 22H01227, JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H04944); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 — VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: BBVA Foundation (LEO22-1-603), Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), La Caixa Banking Foundation (LCF/BQ/PI20/11760025), Ministry of Science and Innovation (RYC2019-028510-I, RYC2020-030254-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEAGENT/2019/023, CIDEAGENT/2019/027); Sweden: Swedish Research Council (VR 2022-03845), Knut and Alice Wallenberg Foundation (KAW 2017.0100, KAW 2018.0157, KAW 2019.0447); Switzerland: Swiss National Science Foundation (SNSF — PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004); United States of America: Neubauer Family Foundation.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] Y.A. Golfand and E.P. Likhtman, *Extension of the Algebra of Poincare Group Generators and Violation of p Invariance*, *JETP Lett.* **13** (1971) 323 [*Pisma Zh. Eksp. Teor. Fiz.* **13** (1971) 452] [[INSPIRE](#)].

- [2] D.V. Volkov and V.P. Akulov, *Is the Neutrino a Goldstone Particle?*, *Phys. Lett. B* **46** (1973) 109 [INSPIRE].
- [3] J. Wess and B. Zumino, *Supergauge Transformations in Four-Dimensions*, *Nucl. Phys. B* **70** (1974) 39 [INSPIRE].
- [4] J. Wess and B. Zumino, *Supergauge Invariant Extension of Quantum Electrodynamics*, *Nucl. Phys. B* **78** (1974) 1 [INSPIRE].
- [5] S. Ferrara and B. Zumino, *Supergauge Invariant Yang-Mills Theories*, *Nucl. Phys. B* **79** (1974) 413 [INSPIRE].
- [6] A. Salam and J.A. Strathdee, *Supersymmetry and Nonabelian Gauges*, *Phys. Lett. B* **51** (1974) 353 [INSPIRE].
- [7] N. Sakai, *Naturalness in Supersymmetric Guts*, *Z. Phys. C* **11** (1981) 153 [INSPIRE].
- [8] S. Dimopoulos, S. Raby and F. Wilczek, *Supersymmetry and the Scale of Unification*, *Phys. Rev. D* **24** (1981) 1681 [INSPIRE].
- [9] L.E. Ibanez and G.G. Ross, *Low-Energy Predictions in Supersymmetric Grand Unified Theories*, *Phys. Lett. B* **105** (1981) 439 [INSPIRE].
- [10] S. Dimopoulos and H. Georgi, *Softly Broken Supersymmetry and SU(5)*, *Nucl. Phys. B* **193** (1981) 150 [INSPIRE].
- [11] G.R. Farrar and P. Fayet, *Phenomenology of the Production, Decay, and Detection of New Hadronic States Associated with Supersymmetry*, *Phys. Lett. B* **76** (1978) 575 [INSPIRE].
- [12] H. Goldberg, *Constraint on the Photino Mass from Cosmology*, *Phys. Rev. Lett.* **50** (1983) 1419 [Erratum *ibid.* **103** (2009) 099905] [INSPIRE].
- [13] J.R. Ellis et al., *Supersymmetric Relics from the Big Bang*, *Nucl. Phys. B* **238** (1984) 453 [INSPIRE].
- [14] J.A. Evans, Y. Kats, D. Shih and M.J. Strassler, *Toward Full LHC Coverage of Natural Supersymmetry*, *JHEP* **07** (2014) 101 [arXiv:1310.5758] [INSPIRE].
- [15] B. Batell, T. Lin and L.-T. Wang, *Flavored Dark Matter and R-Parity Violation*, *JHEP* **01** (2014) 075 [arXiv:1309.4462] [INSPIRE].
- [16] G. D'Ambrosio, G.F. Giudice, G. Isidori and A. Strumia, *Minimal flavor violation: An Effective field theory approach*, *Nucl. Phys. B* **645** (2002) 155 [hep-ph/0207036] [INSPIRE].
- [17] C. Csaki, Y. Grossman and B. Heidenreich, *MFV SUSY: A Natural Theory for R-Parity Violation*, *Phys. Rev. D* **85** (2012) 095009 [arXiv:1111.1239] [INSPIRE].
- [18] J. Alwall, M.-P. Le, M. Lisanti and J.G. Wacker, *Searching for Directly Decaying Gluinos at the Tevatron*, *Phys. Lett. B* **666** (2008) 34 [arXiv:0803.0019] [INSPIRE].
- [19] J. Alwall, P. Schuster and N. Toro, *Simplified Models for a First Characterization of New Physics at the LHC*, *Phys. Rev. D* **79** (2009) 075020 [arXiv:0810.3921] [INSPIRE].
- [20] LHC NEW PHYSICS WORKING GROUP collaboration, *Simplified Models for LHC New Physics Searches*, *J. Phys. G* **39** (2012) 105005 [arXiv:1105.2838] [INSPIRE].
- [21] ATLAS collaboration, *Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV*, *Phys. Rev. D* **91** (2015) 112016 [Erratum *ibid.* **93** (2016) 039901] [arXiv:1502.05686] [INSPIRE].

- [22] ATLAS collaboration, *Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p-p collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Phys. Lett. B* **785** (2018) 136 [[arXiv:1804.03568](#)] [[INSPIRE](#)].
- [23] CMS collaboration, *Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **99** (2019) 012010 [[arXiv:1810.10092](#)] [[INSPIRE](#)].
- [24] ATLAS collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [25] ATLAS collaboration, *The ATLAS Collaboration Software and Firmware*, [ATL-SOFT-PUB-2021-001](#), CERN, Geneva (2021).
- [26] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [27] J. Alwall et al., *MadGraph 5: Going Beyond*, *JHEP* **06** (2011) 128 [[arXiv:1106.0522](#)] [[INSPIRE](#)].
- [28] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [29] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, [ATL-PHYS-PUB-2014-021](#), CERN, Geneva (2014).
- [30] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [[INSPIRE](#)].
- [31] D.J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152 [[INSPIRE](#)].
- [32] ATLAS collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [33] A. Ribon et al., *Status of Geant4 hadronic physics for the simulation of LHC experiments at the start of the LHC physics program*, <https://lcgapp.cern.ch/project/docs/noteStatusHadronic2010.pdf> (2010).
- [34] W. Beenakker et al., *NNLL-fast: predictions for coloured supersymmetric particle production at the LHC with threshold and Coulomb resummation*, *JHEP* **12** (2016) 133 [[arXiv:1607.07741](#)] [[INSPIRE](#)].
- [35] W. Beenakker et al., *NNLL resummation for squark and gluino production at the LHC*, *JHEP* **12** (2014) 023 [[arXiv:1404.3134](#)] [[INSPIRE](#)].
- [36] W. Beenakker et al., *Towards NNLL resummation: hard matching coefficients for squark and gluino hadroproduction*, *JHEP* **10** (2013) 120 [[arXiv:1304.6354](#)] [[INSPIRE](#)].
- [37] W. Beenakker et al., *NNLL resummation for squark-antisquark pair production at the LHC*, *JHEP* **01** (2012) 076 [[arXiv:1110.2446](#)] [[INSPIRE](#)].
- [38] W. Beenakker et al., *Soft-gluon resummation for squark and gluino hadroproduction*, *JHEP* **12** (2009) 041 [[arXiv:0909.4418](#)] [[INSPIRE](#)].
- [39] A. Kulesza and L. Motyka, *Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC*, *Phys. Rev. D* **80** (2009) 095004 [[arXiv:0905.4749](#)] [[INSPIRE](#)].
- [40] A. Kulesza and L. Motyka, *Threshold resummation for squark-antisquark and gluino-pair production at the LHC*, *Phys. Rev. Lett.* **102** (2009) 111802 [[arXiv:0807.2405](#)] [[INSPIRE](#)].

- [41] W. Beenakker, R. Hopker, M. Spira and P.M. Zerwas, *Squark and gluino production at hadron colliders*, *Nucl. Phys. B* **492** (1997) 51 [[hep-ph/9610490](#)] [[INSPIRE](#)].
- [42] S. Mrenna and P. Skands, *Automated Parton-Shower Variations in Pythia 8*, *Phys. Rev. D* **94** (2016) 074005 [[arXiv:1605.08352](#)] [[INSPIRE](#)].
- [43] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043 [[arXiv:1002.2581](#)] [[INSPIRE](#)].
- [44] M. Bahr et al., *Herwig++ Physics and Manual*, *Eur. Phys. J. C* **58** (2008) 639 [[arXiv:0803.0883](#)] [[INSPIRE](#)].
- [45] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196 [[arXiv:1512.01178](#)] [[INSPIRE](#)].
- [46] T. Sjostrand, S. Mrenna and P.Z. Skands, *A Brief Introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [[INSPIRE](#)].
- [47] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, [ATL-PHYS-PUB-2016-017](#), CERN, Geneva (2016).
- [48] ATLAS collaboration, *Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC*, *Phys. Rev. Lett.* **117** (2016) 182002 [[arXiv:1606.02625](#)] [[INSPIRE](#)].
- [49] ATLAS collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466 [[arXiv:1703.10485](#)] [[INSPIRE](#)].
- [50] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [51] M. Cacciari, G.P. Salam and G. Soyez, *FastJet User Manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [52] ATLAS collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689 [[arXiv:2007.02645](#)] [[INSPIRE](#)].
- [53] ATLAS collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581 [[arXiv:1510.03823](#)] [[INSPIRE](#)].
- [54] ATLAS collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, *Eur. Phys. J. C* **83** (2023) 681 [[arXiv:2211.16345](#)] [[INSPIRE](#)].
- [55] ATLAS collaboration, *Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV*, *Eur. Phys. J. C* **75** (2015) 303 [[arXiv:1412.7086](#)] [[INSPIRE](#)].
- [56] ATLAS collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data*, *2019 JINST* **14** P12006 [[arXiv:1908.00005](#)] [[INSPIRE](#)].
- [57] ATLAS collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292 [[arXiv:1603.05598](#)] [[INSPIRE](#)].

- [58] ATLAS collaboration, *Measurement of hadronic event shapes in high- p_T multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **01** (2021) 188 [Erratum *ibid.* **12** (2021) 053] [[arXiv:2007.12600](#)] [[INSPIRE](#)].
- [59] ATLAS collaboration, *Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC*, *JHEP* **12** (2012) 086 [[arXiv:1210.4813](#)] [[INSPIRE](#)].
- [60] ATLAS collaboration, *Multijet simulation for 13 TeV ATLAS Analyses*, [ATL-PHYS-PUB-2019-017](#), CERN, Geneva (2019).
- [61] ATLAS collaboration, *Measurements of multijet event isotropies using optimal transport with the ATLAS detector*, *JHEP* **10** (2023) 060 [[arXiv:2305.16930](#)] [[INSPIRE](#)].
- [62] A. Shmakov et al., *SPANet: Generalized permutationless set assignment for particle physics using symmetry preserving attention*, *SciPost Phys.* **12** (2022) 178 [[arXiv:2106.03898](#)] [[INSPIRE](#)].
- [63] S. Qiu et al., *Holistic approach to predicting top quark kinematic properties with the covariant particle transformer*, *Phys. Rev. D* **107** (2023) 114029 [[arXiv:2203.05687](#)] [[INSPIRE](#)].
- [64] L. Ehrke et al., *Topological reconstruction of particle physics processes using graph neural networks*, *Phys. Rev. D* **107** (2023) 116019 [[arXiv:2303.13937](#)] [[INSPIRE](#)].
- [65] A. Badea et al., *Solving combinatorial problems at particle colliders using machine learning*, *Phys. Rev. D* **106** (2022) 016001 [[arXiv:2201.02205](#)] [[INSPIRE](#)].
- [66] A. Vaswani et al., *Attention Is All You Need*, [arXiv:1706.03762](#) [[INSPIRE](#)].
- [67] A. Paszke et al., *PyTorch: An Imperative Style, High-Performance Deep Learning Library*, [arXiv:1912.01703](#) [[INSPIRE](#)].
- [68] M. Jaderberg et al., *Population Based Training of Neural Networks*, [arXiv:1711.09846](#).
- [69] R. Liaw et al., *Tune: A Research Platform for Distributed Model Selection and Training*, [arXiv:1807.05118](#) [[INSPIRE](#)].
- [70] CDF collaboration, *Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **79** (2009) 112002 [[arXiv:0812.4036](#)] [[INSPIRE](#)].
- [71] ATLAS collaboration, *Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC*, *Phys. Rev. Lett.* **105** (2010) 161801 [[arXiv:1008.2461](#)] [[INSPIRE](#)].
- [72] CMS collaboration, *Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS*, *Phys. Lett. B* **704** (2011) 123 [[arXiv:1107.4771](#)] [[INSPIRE](#)].
- [73] ATLAS collaboration, *Search for new phenomena in the dijet mass distribution using $p - p$ collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector*, *Phys. Rev. D* **91** (2015) 052007 [[arXiv:1407.1376](#)] [[INSPIRE](#)].
- [74] ATLAS collaboration, *Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Lett. B* **754** (2016) 302 [[arXiv:1512.01530](#)] [[INSPIRE](#)].
- [75] CMS collaboration, *Search for dijet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models*, *Phys. Lett. B* **769** (2017) 520 [[arXiv:1611.03568](#)] [[INSPIRE](#)].
- [76] ATLAS collaboration, *Search for new phenomena in multi-body invariant masses in events with at least one isolated lepton and two jets using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector*, *JHEP* **07** (2023) 202 [[arXiv:2211.08945](#)] [[INSPIRE](#)].

- [77] ATLAS collaboration, *Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector*, *JHEP* **03** (2020) 145 [[arXiv:1910.08447](#)] [[INSPIRE](#)].
- [78] CMS collaboration, *Search for resonant and nonresonant production of pairs of dijet resonances in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$* , *JHEP* **07** (2023) 161 [[arXiv:2206.09997](#)] [[INSPIRE](#)].
- [79] M. Baak et al., *HistFitter software framework for statistical data analysis*, *Eur. Phys. J. C* **75** (2015) 153 [[arXiv:1410.1280](#)] [[INSPIRE](#)].
- [80] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982 [[arXiv:2212.09379](#)] [[INSPIRE](#)].
- [81] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, 2018 *JINST* **13** P07017 [[INSPIRE](#)].
- [82] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [[arXiv:1007.1727](#)] [[INSPIRE](#)].
- [83] A.L. Read, *Presentation of search results: The CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [84] ATLAS collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, CERN, Geneva (2023).

The ATLAS collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, B.S. Acharya ^{69a,69b,m}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, S.V. Addepalli ²⁶, M.J. Addison ¹⁰¹, J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,y}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ^{62a}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶³, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, S. Aktas ^{21a}, K. Al Houry ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², Z.L. Alegria ¹²¹, M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³², H.M.J. Ali ⁹¹, S. Ali ¹⁴⁸, S.W. Alibocus ⁹², M. Aliev ¹⁴⁵, G. Alimonti ^{71a}, W. Alkakhri ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰, C. Alpigiani ¹³⁸, M. Alvarez Estevez ⁹⁹, A. Alvarez Fernandez ¹⁰⁰, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰¹, Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰¹, C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ab}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, N. Aranzabal ³⁶, S.J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹², J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴, G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, K. Assamagan ²⁹, R. Astalos ^{28a}, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², H. Atmani ^{35f}, P.A. Atlasiddha ¹²⁸, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰¹, G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,af}, D. Babal ^{28b}, H. Bachacou ¹³⁵, K. Bachas ^{152,p}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, T.M. Baer ¹⁰⁶, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, D. Bahner ⁵⁴, K. Bai ¹²³, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, L. Baines ⁹⁴, O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²⁰, R. Balasubramanian ¹¹⁴, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵, D. Barberis ^{57b,57a}, M. Barbero ¹⁰², M.Z. Barel ¹¹⁴, K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹, M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a}, A. Basan ¹⁰⁰, M. Baselga ⁴⁹, A. Bassalat ^{66,b}, M.J. Basso ^{156a}, C.R. Basson ¹⁰¹, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Bauce ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁷, J.Y. Beaucamp ⁹⁰, P.H. Beauchemin ¹⁵⁸, F. Becherer ⁵⁴, P. Bechtle ²⁴, H.P. Beck ^{19,o}, K. Becker ¹⁶⁷, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵,

T.A. Beermann^{[136](#)}, M. Begalli^{[83d](#)}, M. Begel^{[29](#)}, A. Behera^{[145](#)}, J.K. Behr^{[48](#)}, J.F. Beirer^{[36](#)}, F. Beisiegel^{[24](#)}, M. Belfkir^{[159](#)}, G. Bella^{[151](#)}, L. Bellagamba^{[23b](#)}, A. Bellerive^{[34](#)}, P. Bellos^{[20](#)}, K. Beloborodov^{[37](#)}, D. Benchebkroun^{[35a](#)}, F. Bendebba^{[35a](#)}, Y. Benhammou^{[151](#)}, M. Benoit^{[29](#)}, J.R. Bensinger^{[26](#)}, S. Bentvelsen^{[114](#)}, L. Beresford^{[48](#)}, M. Beretta^{[53](#)}, E. Bergeaas Kuutmann^{[161](#)}, N. Berger^{[4](#)}, B. Bergmann^{[132](#)}, J. Beringer^{[17a](#)}, G. Bernardi^{[5](#)}, C. Bernius^{[143](#)}, F.U. Bernlochner^{[24](#)}, F. Bernon^{[36,102](#)}, A. Berrocal Guardia^{[13](#)}, T. Berry^{[95](#)}, P. Berta^{[133](#)}, A. Berthold^{[50](#)}, I.A. Bertram^{[91](#)}, S. Bethke^{[110](#)}, A. Betti^{[75a,75b](#)}, A.J. Bevan^{[94](#)}, N.K. Bhalla^{[54](#)}, M. Bhamjee^{[33c](#)}, S. Bhatta^{[145](#)}, D.S. Bhattacharya^{[166](#)}, P. Bhattacharai^{[143](#)}, V.S. Bhopatkar^{[121](#)}, R. Bi^{[29,ai](#)}, R.M. Bianchi^{[129](#)}, G. Bianco^{[23b,23a](#)}, O. Biebel^{[109](#)}, R. Bielski^{[123](#)}, M. Biglietti^{[77a](#)}, M. Bindi^{[55](#)}, A. Bingul^{[21b](#)}, C. Bini^{[75a,75b](#)}, A. Biondini^{[92](#)}, C.J. Birch-sykes^{[101](#)}, G.A. Bird^{[20,134](#)}, M. Birman^{[169](#)}, M. Biros^{[133](#)}, S. Biryukov^{[146](#)}, T. Bisanz^{[49](#)}, E. Bisceglie^{[43b,43a](#)}, J.P. Biswal^{[134](#)}, D. Biswas^{[141](#)}, A. Bitadze^{[101](#)}, K. Bjørke^{[125](#)}, I. Bloch^{[48](#)}, A. Blue^{[59](#)}, U. Blumenschein^{[94](#)}, J. Blumenthal^{[100](#)}, G.J. Bobbink^{[114](#)}, V.S. Bobrovnikov^{[37](#)}, M. Boehler^{[54](#)}, B. Boehm^{[166](#)}, D. Bogavac^{[36](#)}, A.G. Bogdanchikov^{[37](#)}, C. Bohm^{[47a](#)}, V. Boisvert^{[95](#)}, P. Bokan^{[48](#)}, T. Bold^{[86a](#)}, M. Bomben^{[5](#)}, M. Bona^{[94](#)}, M. Boonekamp^{[135](#)}, C.D. Booth^{[95](#)}, A.G. Borbély^{[59](#)}, I.S. Bordulev^{[37](#)}, H.M. Borecka-Bielska^{[108](#)}, G. Borissov^{[91](#)}, D. Bortoletto^{[126](#)}, D. Boscherini^{[23b](#)}, M. Bosman^{[13](#)}, J.D. Bossio Sola^{[36](#)}, K. Bouaouda^{[35a](#)}, N. Bouchhar^{[163](#)}, J. Boudreau^{[129](#)}, E.V. Bouhova-Thacker^{[91](#)}, D. Boumediene^{[40](#)}, R. Bouquet^{[165](#)}, A. Boveia^{[119](#)}, J. Boyd^{[36](#)}, D. Boye^{[29](#)}, I.R. Boyko^{[38](#)}, J. Bracinik^{[20](#)}, N. Brahimi^{[62d](#)}, G. Brandt^{[171](#)}, O. Brandt^{[32](#)}, F. Braren^{[48](#)}, B. Brau^{[103](#)}, J.E. Brau^{[123](#)}, R. Brenner^{[169](#)}, L. Brenner^{[114](#)}, R. Brenner^{[161](#)}, S. Bressler^{[169](#)}, D. Britton^{[59](#)}, D. Britzger^{[110](#)}, I. Brock^{[24](#)}, G. Brooijmans^{[41](#)}, W.K. Brooks^{[137f](#)}, E. Brost^{[29](#)}, L.M. Brown^{[165](#)}, L.E. Bruce^{[61](#)}, T.L. Bruckler^{[126](#)}, P.A. Bruckman de Renstrom^{[87](#)}, B. Brüers^{[48](#)}, A. Bruni^{[23b](#)}, G. Bruni^{[23b](#)}, M. Bruschi^{[23b](#)}, N. Bruscino^{[75a,75b](#)}, T. Buanes^{[16](#)}, Q. Buat^{[138](#)}, D. Buchin^{[110](#)}, A.G. Buckley^{[59](#)}, O. Bulekov^{[37](#)}, B.A. Bullard^{[143](#)}, S. Burdin^{[92](#)}, C.D. Burgard^{[49](#)}, A.M. Burger^{[40](#)}, B. Burghgrave^{[8](#)}, O. Burlayenko^{[54](#)}, J.T.P. Burr^{[32](#)}, C.D. Burton^{[11](#)}, J.C. Burzynski^{[142](#)}, E.L. Busch^{[41](#)}, V. Büscher^{[100](#)}, P.J. Bussey^{[59](#)}, J.M. Butler^{[25](#)}, C.M. Buttar^{[59](#)}, J.M. Butterworth^{[96](#)}, W. Buttinger^{[134](#)}, C.J. Buxo Vazquez^{[107](#)}, A.R. Buzykaev^{[37](#)}, S. Cabrera Urbán^{[163](#)}, L. Cadamuro^{[66](#)}, D. Caforio^{[58](#)}, H. Cai^{[129](#)}, Y. Cai^{[14a,14e](#)}, Y. Cai^{[14c](#)}, V.M.M. Cairo^{[36](#)}, O. Cakir^{[3a](#)}, N. Calace^{[36](#)}, P. Calafiura^{[17a](#)}, G. Calderini^{[127](#)}, P. Calfayan^{[68](#)}, G. Callea^{[59](#)}, L.P. Caloba^{[83b](#)}, D. Calvet^{[40](#)}, S. Calvet^{[40](#)}, T.P. Calvet^{[102](#)}, M. Calvetti^{[74a,74b](#)}, R. Camacho Toro^{[127](#)}, S. Camarda^{[36](#)}, D. Camarero Munoz^{[26](#)}, P. Camarri^{[76a,76b](#)}, M.T. Camerlingo^{[72a,72b](#)}, D. Cameron^{[36](#)}, C. Camincher^{[165](#)}, M. Campanelli^{[96](#)}, A. Camplani^{[42](#)}, V. Canale^{[72a,72b](#)}, A. Canesse^{[104](#)}, J. Cantero^{[163](#)}, Y. Cao^{[162](#)}, F. Capocasa^{[26](#)}, M. Capua^{[43b,43a](#)}, A. Carbone^{[71a,71b](#)}, R. Cardarelli^{[76a](#)}, J.C.J. Cardenas^{[8](#)}, F. Cardillo^{[163](#)}, G. Carducci^{[43b,43a](#)}, T. Carli^{[36](#)}, G. Carlino^{[72a](#)}, J.I. Carlotto^{[13](#)}, B.T. Carlson^{[129,q](#)}, E.M. Carlson^{[165,156a](#)}, L. Carminati^{[71a,71b](#)}, A. Carnelli^{[135](#)}, M. Carnesale^{[75a,75b](#)}, S. Caron^{[113](#)}, E. Carquin^{[137f](#)}, S. Carrá^{[71a](#)}, G. Carratta^{[23b,23a](#)}, F. Carrio Argos^{[33g](#)}, J.W.S. Carter^{[155](#)}, T.M. Carter^{[52](#)}, M.P. Casado^{[13,i](#)}, M. Caspar^{[48](#)}, F.L. Castillo^{[4](#)}, L. Castillo Garcia^{[13](#)}, V. Castillo Gimenez^{[163](#)}, N.F. Castro^{[130a,130e](#)}, A. Catinaccio^{[36](#)}, J.R. Catmore^{[125](#)}, V. Cavaliere^{[29](#)}, N. Cavalli^{[23b,23a](#)}, V. Cavasinni^{[74a,74b](#)}, Y.C. Cekmecelioglu^{[48](#)}, E. Celebi^{[21a](#)}, F. Celli^{[126](#)}, M.S. Centonze^{[70a,70b](#)}, V. Cepaitis^{[56](#)}, K. Cerny^{[122](#)}, A.S. Cerqueira^{[83a](#)},

A. Cerri ¹⁴⁶, L. Cerrito ^{76a,76b}, F. Cerutti ^{17a}, B. Cervato ¹⁴¹, A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸², D. Chakraborty ¹¹⁵, J. Chan ¹⁷⁰, W.Y. Chan ¹⁵³, J.D. Chapman ³², E. Chapon ¹³⁵, B. Chargeishvili ^{149b}, D.G. Charlton ²⁰, M. Chatterjee ¹⁹, C. Chauhan ¹³³, S. Chekanov ⁶, S.V. Chekulaev ^{156a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁶, B. Chen ¹⁵¹, B. Chen ¹⁶⁵, H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ¹⁴², M. Chen ¹²⁶, S. Chen ¹⁵³, S.J. Chen ^{14c}, X. Chen ^{62c,135}, X. Chen ^{14b,ae}, Y. Chen ^{62a}, C.L. Cheng ¹⁷⁰, H.C. Cheng ^{64a}, S. Cheong ¹⁴³, A. Cheplakov ³⁸, E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁴, R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵, L. Chevalier ¹³⁵, V. Chiarella ⁵³, G. Chiarelli ^{74a}, N. Chiedde ¹⁰², G. Chiodini ^{70a}, A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶³, M.V. Chizhov ³⁸, K. Choi ¹¹, A.R. Chomont ^{75a,75b}, Y. Chou ¹⁰³, E.Y.S. Chow ¹¹³, T. Chowdhury ^{33g}, K.L. Chu ¹⁶⁹, M.C. Chu ^{64a}, X. Chu ^{14a,14e}, J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, K.M. Ciesla ^{86a}, V. Cindro ⁹³, A. Cicio ^{17a}, F. Ciotto ^{72a,72b}, Z.H. Citron ^{169,k}, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b}, A. Clark ⁵⁶, P.J. Clark ⁵², C. Clarry ¹⁵⁵, J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸, Y. Coadou ¹⁰², M. Cobal ^{69a,69c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{130a}, R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a}, A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{130a,130g}, M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶, F. Conventi ^{72a,ag}, H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷, L.D. Corpe ⁴⁰, M. Corradi ^{75a,75b}, F. Corriveau ^{104,w}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³, F. Costanza ⁴, D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁵, K. Cranmer ¹⁷⁰, D. Cremonini ^{23b,23a}, S. Crépé-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹, M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁴, J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ⁹⁹, T. Cuhadar Donszelmann ¹⁶⁰, H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a}, P. Czodrowski ³⁶, M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedas De Sousa ^{57b,57a}, J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰¹, W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g}, T. Dai ¹⁰⁶, D. Dal Santo ¹⁹, C. Dallapiccola ¹⁰³, M. Dam ⁴², G. D’amen ²⁹, V. D’Amico ¹⁰⁹, J. Damp ¹⁰⁰, J.R. Dandoy ³⁴, M.F. Daneri ³⁰, M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶, S.J. Das ^{29,ai}, S. D’Auria ^{71a,71b}, C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴, I. Dawson ⁹⁴, H.A. Day-hall ¹³², K. De ⁸, R. De Asmundis ^{72a}, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴, H. De la Torre ¹¹⁵, A. De Maria ^{14c}, A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, F. De Santis ^{70a,70b}, A. De Santo ¹⁴⁶, J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a}, J. Del Peso ⁹⁹, F. Del Rio ^{63a}, L. Delagrangé ¹²⁷, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶, A. Dell’Acqua ³⁶, L. Dell’Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷², M. Demichev ³⁸, S.P. Denisov ³⁷, L. D’Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁷, P. Dervan ⁹², K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b}, L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶, G. Di Gregorio ³⁶, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, C. Diaconu ¹⁰², M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b}, F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸, C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴, I-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰², T. Djobava ^{149b}, J.I. Djuvsland ¹⁶,

C. Doglioni^{101,98}, A. Dohnalova^{28a}, J. Dolejsi¹³³, Z. Dolezal¹³³, K.M. Dona³⁹,
M. Donadelli^{83c}, B. Dong¹⁰⁷, J. Donini⁴⁰, A. D’Onofrio^{72a,72b}, M. D’Onofrio⁹²,
J. Dopke¹³⁴, A. Doria^{72a}, N. Dos Santos Fernandes^{130a}, P. Dougan¹⁰¹, M.T. Dova⁹⁰,
A.T. Doyle⁵⁹, M.A. Draguet¹²⁶, E. Dreyer¹⁶⁹, I. Drivas-koulouris¹⁰, M. Drnevich¹¹⁷,
A.S. Drobac¹⁵⁸, M. Drozdova⁵⁶, D. Du^{62a}, T.A. du Pree¹¹⁴, F. Dubinin³⁷,
M. Dubovsky^{28a}, E. Duchovni¹⁶⁹, G. Duckeck¹⁰⁹, O.A. Ducu^{27b}, D. Duda⁵²,
A. Dudarev³⁶, E.R. Duden²⁶, M. D’uffizi¹⁰¹, L. Duflot⁶⁶, M. Dührssen³⁶, C. Dülse¹⁷¹,
A.E. Dumitriu^{27b}, M. Dunford^{63a}, S. Dungs⁴⁹, K. Dunne^{47a,47b}, A. Duperrin¹⁰²,
H. Duran Yildiz^{3a}, M. Düren⁵⁸, A. Durglishvili^{149b}, B.L. Dwyer¹¹⁵, G.I. Dyckes^{17a},
M. Dyndal^{86a}, B.S. Dziedzic⁸⁷, Z.O. Earnshaw¹⁴⁶, G.H. Eberwein¹²⁶, B. Eckerova^{28a},
S. Eggebrecht⁵⁵, E. Egidio Purcino De Souza¹²⁷, L.F. Ehrke⁵⁶, G. Eigen¹⁶,
K. Einsweiler^{17a}, T. Ekelof¹⁶¹, P.A. Ekman⁹⁸, S. El Farkh^{35b}, Y. El Ghazali^{35b},
H. El Jarrari³⁶, A. El Moussaouy¹⁰⁸, V. Ellajosyula¹⁶¹, M. Ellert¹⁶¹, F. Ellinghaus¹⁷¹,
N. Ellis³⁶, J. Elmsheuser²⁹, M. Elsing³⁶, D. Emeliyanov¹³⁴, Y. Enari¹⁵³, I. Ene^{17a},
S. Epari¹³, J. Erdmann⁴⁹, P.A. Erland⁸⁷, M. Errenst¹⁷¹, M. Escalier⁶⁶, C. Escobar¹⁶³,
E. Etzion¹⁵¹, G. Evans^{130a}, H. Evans⁶⁸, L.S. Evans⁹⁵, M.O. Evans¹⁴⁶, A. Ezhilov³⁷,
S. Ezzarqtouni^{35a}, F. Fabbri⁵⁹, L. Fabbri^{23b,23a}, G. Facini⁹⁶, V. Fadeyev¹³⁶,
R.M. Fakhrutdinov³⁷, D. Fakoudis¹⁰⁰, S. Falciano^{75a}, L.F. Falda Ulhoa Coelho³⁶,
P.J. Falke²⁴, J. Faltova¹³³, C. Fan¹⁶², Y. Fan^{14a}, Y. Fang^{14a,14e}, M. Fanti^{71a,71b},
M. Faraj^{69a,69b}, Z. Farazpay⁹⁷, A. Farbin⁸, A. Farilla^{77a}, T. Farooque¹⁰⁷,
S.M. Farrington⁵², F. Fassi^{35e}, D. Fassouliotis⁹, M. Fauci Giannelli^{76a,76b}, W.J. Fawcett³²,
L. Fayard⁶⁶, P. Federic¹³³, P. Federicova¹³¹, O.L. Fedin^{37,a}, G. Fedotov³⁷,
M. Feickert¹⁷⁰, L. Feligioni¹⁰², D.E. Fellers¹²³, C. Feng^{62b}, M. Feng^{14b}, Z. Feng¹¹⁴,
M.J. Fenton¹⁶⁰, A.B. Fenyuk³⁷, L. Ferencz⁴⁸, R.A.M. Ferguson⁹¹, S.I. Fernandez Luengo^{137f},
P. Fernandez Martinez¹³, M.J.V. Fernoux¹⁰², J. Ferrando⁴⁸, A. Ferrari¹⁶¹, P. Ferrari^{114,113},
R. Ferrari^{73a}, D. Ferrere⁵⁶, C. Ferretti¹⁰⁶, F. Fiedler¹⁰⁰, P. Fiedler¹³², A. Filipčić⁹³,
E.K. Filmer¹, F. Filthaut¹¹³, M.C.N. Fiolhais^{130a,130c,c}, L. Fiorini¹⁶³, W.C. Fisher¹⁰⁷,
T. Fitschen¹⁰¹, P.M. Fitzhugh¹³⁵, I. Fleck¹⁴¹, P. Fleischmann¹⁰⁶, T. Flick¹⁷¹,
M. Flores^{33d,ac}, L.R. Flores Castillo^{64a}, L. Flores Sanz De Acedo³⁶, F.M. Follega^{78a,78b},
N. Fomin¹⁶, J.H. Foo¹⁵⁵, B.C. Forland⁶⁸, A. Formica¹³⁵, A.C. Forti¹⁰¹, E. Fortin³⁶,
A.W. Fortman⁶¹, M.G. Foti^{17a}, L. Fountas^{9,j}, D. Fournier⁶⁶, H. Fox⁹¹,
P. Francavilla^{74a,74b}, S. Francescato⁶¹, S. Franchellucci⁵⁶, M. Franchini^{23b,23a},
S. Franchino^{63a}, D. Francis³⁶, L. Franco¹¹³, V. Franco Lima³⁶, L. Franconi⁴⁸,
M. Franklin⁶¹, G. Frattari²⁶, A.C. Freegard⁹⁴, W.S. Freund^{83b}, Y.Y. Frid¹⁵¹, J. Friend⁵⁹,
N. Fritzsche⁵⁰, A. Froch⁵⁴, D. Froidevaux³⁶, J.A. Frost¹²⁶, Y. Fu^{62a},
S. Fuenzalida Garrido^{137f}, M. Fujimoto¹⁰², K.Y. Fung^{64a}, E. Furtado De Simas Filho^{83b},
M. Furukawa¹⁵³, J. Fuster¹⁶³, A. Gabrielli^{23b,23a}, A. Gabrielli¹⁵⁵, P. Gadow³⁶,
G. Gagliardi^{57b,57a}, L.G. Gagnon^{17a}, E.J. Gallas¹²⁶, B.J. Gallop¹³⁴, K.K. Gan¹¹⁹,
S. Ganguly¹⁵³, Y. Gao⁵², F.M. Garay Walls^{137a,137b}, B. Garcia²⁹, C. García¹⁶³,
A. Garcia Alonso¹¹⁴, A.G. Garcia Caffaro¹⁷², J.E. García Navarro¹⁶³, M. Garcia-Sciveres^{17a},
G.L. Gardner¹²⁸, R.W. Gardner³⁹, N. Garelli¹⁵⁸, D. Garg⁸⁰, R.B. Garg^{143,n},
J.M. Gargan⁵², C.A. Garner¹⁵⁵, C.M. Garvey^{33a}, P. Gaspar^{83b}, V.K. Gassmann¹⁵⁸,
G. Gaudio^{73a}, V. Gautam¹³, P. Gauzzi^{75a,75b}, I.L. Gavrilenko³⁷, A. Gavriluk³⁷,

C. Gay¹⁶⁴, G. Gaycken⁴⁸, E.N. Gazis¹⁰, A.A. Geanta^{27b}, C.M. Gee¹³⁶, A. Gekow¹¹⁹, C. Gemme^{57b}, M.H. Genest⁶⁰, S. Gentile^{75a,75b}, A.D. Gentry¹¹², S. George⁹⁵, W.F. George²⁰, T. Geralis⁴⁶, P. Gessinger-Befurt³⁶, M.E. Geyik¹⁷¹, M. Ghani¹⁶⁷, M. Ghneimat¹⁴¹, K. Ghorbanian⁹⁴, A. Ghosal¹⁴¹, A. Ghosh¹⁶⁰, A. Ghosh⁷, B. Giacobbe^{23b}, S. Giagu^{75a,75b}, T. Giani¹¹⁴, P. Giannetti^{74a}, A. Giannini^{62a}, S.M. Gibson⁹⁵, M. Gignac¹³⁶, D.T. Gil^{86b}, A.K. Gilbert^{86a}, B.J. Gilbert⁴¹, D. Gillberg³⁴, G. Gilles¹¹⁴, N.E.K. Gillwald⁴⁸, L. Ginabat¹²⁷, D.M. Gingrich^{2,af}, M.P. Giordani^{69a,69c}, P.F. Giraud¹³⁵, G. Giugliarelli^{69a,69c}, D. Giugni^{71a}, F. Giuli³⁶, I. Gkialas^{9,j}, L.K. Gladilin³⁷, C. Glasman⁹⁹, G.R. Gledhill¹²³, G. Glemža⁴⁸, M. Glisic¹²³, I. Gnesi^{43b,f}, Y. Go^{29,ai}, M. Goblirsch-Kolb³⁶, B. Gocke⁴⁹, D. Godin¹⁰⁸, B. Gokturk^{21a}, S. Goldfarb¹⁰⁵, T. Golling⁵⁶, M.G.D. Gololo^{33g}, D. Golubkov³⁷, J.P. Gombas¹⁰⁷, A. Gomes^{130a,130b}, G. Gomes Da Silva¹⁴¹, A.J. Gomez Delegido¹⁶³, R. Gonçalo^{130a,130c}, G. Gonella¹²³, L. Gonella²⁰, A. Gongadze^{149c}, F. Gonnella²⁰, J.L. Gonski⁴¹, R.Y. González Andana⁵², S. González de la Hoz¹⁶³, S. Gonzalez Fernandez¹³, R. Gonzalez Lopez⁹², C. Gonzalez Renteria^{17a}, M.V. Gonzalez Rodrigues⁴⁸, R. Gonzalez Suarez¹⁶¹, S. Gonzalez-Sevilla⁵⁶, G.R. Gonzalvo Rodriguez¹⁶³, L. Goossens³⁶, B. Gorini³⁶, E. Gorini^{70a,70b}, A. Gorišek⁹³, T.C. Gosart¹²⁸, A.T. Goshaw⁵¹, M.I. Gostkin³⁸, S. Goswami¹²¹, C.A. Gottardo³⁶, S.A. Gotz¹⁰⁹, M. Gouighri^{35b}, V. Goumarre⁴⁸, A.G. Goussiou¹³⁸, N. Govender^{33c}, I. Grabowska-Bold^{86a}, K. Graham³⁴, E. Gramstad¹²⁵, S. Grancagnolo^{70a,70b}, M. Grandi¹⁴⁶, C.M. Grant^{1,135}, P.M. Gravila^{27f}, F.G. Gravili^{70a,70b}, H.M. Gray^{17a}, M. Greco^{70a,70b}, C. Greife²⁴, I.M. Gregor⁴⁸, P. Grenier¹⁴³, S.G. Grewe¹¹⁰, C. Grieco¹³, A.A. Grillo¹³⁶, K. Grimm³¹, S. Grinstein^{13,s}, J.-F. Grivaz⁶⁶, E. Gross¹⁶⁹, J. Grosse-Knetter⁵⁵, C. Grud¹⁰⁶, J.C. Grundy¹²⁶, L. Guan¹⁰⁶, W. Guan²⁹, C. Gubbels¹⁶⁴, J.G.R. Guerrero Rojas¹⁶³, G. Guerrieri^{69a,69c}, F. Guescini¹¹⁰, R. Gugel¹⁰⁰, J.A.M. Guhit¹⁰⁶, A. Guida¹⁸, E. Guilloton^{167,134}, S. Guindon³⁶, F. Guo^{14a,14e}, J. Guo^{62c}, L. Guo⁴⁸, Y. Guo¹⁰⁶, R. Gupta⁴⁸, R. Gupta¹²⁹, S. Gurbuz²⁴, S.S. Gurdasani⁵⁴, G. Gustavino³⁶, M. Guth⁵⁶, P. Gutierrez¹²⁰, L.F. Gutierrez Zagazeta¹²⁸, M. Gutsche⁵⁰, C. Gutschow⁹⁶, C. Gwenlan¹²⁶, C.B. Gwilliam⁹², E.S. Haaland¹²⁵, A. Haas¹¹⁷, M. Habedank⁴⁸, C. Haber^{17a}, H.K. Hadavand⁸, A. Hadeef⁵⁰, S. Hadzic¹¹⁰, A.I. Hagan⁹¹, J.J. Hahn¹⁴¹, E.H. Haines⁹⁶, M. Haleem¹⁶⁶, J. Haley¹²¹, J.J. Hall¹³⁹, G.D. Hallewell¹⁰², L. Halser¹⁹, K. Hamano¹⁶⁵, M. Hamer²⁴, G.N. Hamity⁵², E.J. Hampshire⁹⁵, J. Han^{62b}, K. Han^{62a}, L. Han^{14c}, L. Han^{62a}, S. Han^{17a}, Y.F. Han¹⁵⁵, K. Hanagaki⁸⁴, M. Hance¹³⁶, D.A. Hangal^{41,ab}, H. Hanif¹⁴², M.D. Hank¹²⁸, R. Hankache¹⁰¹, J.B. Hansen⁴², J.D. Hansen⁴², P.H. Hansen⁴², K. Hara¹⁵⁷, D. Harada⁵⁶, T. Harenberg¹⁷¹, S. Harkusha³⁷, M.L. Harris¹⁰³, Y.T. Harris¹²⁶, J. Harrison¹³, N.M. Harrison¹¹⁹, P.F. Harrison¹⁶⁷, N.M. Hartman¹¹⁰, N.M. Hartmann¹⁰⁹, Y. Hasegawa¹⁴⁰, R. Hauser¹⁰⁷, C.M. Hawkes²⁰, R.J. Hawkings³⁶, Y. Hayashi¹⁵³, S. Hayashida¹¹¹, D. Hayden¹⁰⁷, C. Hayes¹⁰⁶, R.L. Hayes¹¹⁴, C.P. Hays¹²⁶, J.M. Hays⁹⁴, H.S. Hayward⁹², F. He^{62a}, M. He^{14a,14e}, Y. He¹⁵⁴, Y. He⁴⁸, N.B. Heatley⁹⁴, V. Hedberg⁹⁸, A.L. Heggelund¹²⁵, N.D. Hehir^{94,*}, C. Heidegger⁵⁴, K.K. Heidegger⁵⁴, W.D. Heidorn⁸¹, J. Heilman³⁴, S. Heim⁴⁸, T. Heim^{17a}, J.G. Heinlein¹²⁸, J.J. Heinrich¹²³, L. Heinrich^{110,ad}, J. Hejbal¹³¹, L. Helary⁴⁸, A. Held¹⁷⁰, S. Hellesund¹⁶, C.M. Helling¹⁶⁴, S. Hellman^{47a,47b}, R.C.W. Henderson⁹¹, L. Henkelmann³², A.M. Henriques Correia³⁶,

H. Herde ⁹⁸, Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴,
R. Hertenberger ¹⁰⁹, L. Hervas ³⁶, M.E. Hespings ¹⁰⁰, N.P. Hessey ^{156a}, H. Hibi ⁸⁵, E. Hill ¹⁵⁵,
S.J. Hillier ²⁰, J.R. Hinds ¹⁰⁷, F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷,
D. Hirschbuehl ¹⁷¹, T.G. Hitchings ¹⁰¹, B. Hiti ⁹³, J. Hobbs ¹⁴⁵, R. Hobincu ^{27e}, N. Hod ¹⁶⁹,
M.C. Hodgkinson ¹³⁹, B.H. Hodgkinson ³², A. Hoecker ³⁶, D.D. Hofer ¹⁰⁶, J. Hofer ⁴⁸,
T. Holm ²⁴, M. Holzbock ¹¹⁰, L.B.A.H. Hommels ³², B.P. Honan ¹⁰¹, J. Hong ^{62c},
T.M. Hong ¹²⁹, B.H. Hooberman ¹⁶², W.H. Hopkins ⁶, Y. Horii ¹¹¹, S. Hou ¹⁴⁸,
A.S. Howard ⁹³, J. Howarth ⁵⁹, J. Hoya ⁶, M. Hrabovsky ¹²², A. Hrynevich ⁴⁸, T. Hryn'ova ⁴,
P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ^{62a}, Y.F. Hu ^{14a,14e}, S. Huang ^{64b}, X. Huang ^{14c},
X. Huang ^{14a,14e}, Y. Huang ¹³⁹, Y. Huang ^{14a}, Z. Huang ¹⁰¹, Z. Hubacek ¹³², M. Huebner ²⁴,
F. Huegging ²⁴, T.B. Huffman ¹²⁶, C.A. Hugli ⁴⁸, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶,
R. Hulskens ¹⁰⁴, N. Huseynov ¹², J. Huston ¹⁰⁷, J. Huth ⁶¹, R. Hyneman ¹⁴³, G. Iacobucci ⁵⁶,
G. Iakovidis ²⁹, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{72a,72b}, R. Iguchi ¹⁵³,
T. Iizawa ¹²⁶, Y. Ikegami ⁸⁴, N. Ilic ¹⁵⁵, H. Imam ^{35a}, M. Ince Lezki ⁵⁶,
T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{73a,73b}, M. Iodice ^{77a}, V. Ippolito ^{75a,75b},
R.K. Irwin ⁹², M. Ishino ¹⁵³, W. Islam ¹⁷⁰, C. Issever ^{18,48}, S. Istina ^{21a,ak}, H. Ito ¹⁶⁸,
J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{78a,78b}, A. Ivina ¹⁶⁹, J.M. Izen ⁴⁵, V. Izzo ^{72a},
P. Jacka ^{131,132}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴², C.S. Jagfeld ¹⁰⁹, G. Jain ^{156a},
P. Jain ⁵⁴, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁹, J. Jamieson ⁵⁹, K.W. Janas ^{86a}, M. Javurkova ¹⁰³,
F. Jeanneau ¹³⁵, L. Jeanty ¹²³, J. Jejelava ^{149a,z}, P. Jenni ^{54,g}, C.E. Jessiman ³⁴,
S. Jézéquel ⁴, C. Jia ^{62b}, J. Jia ¹⁴⁵, X. Jia ⁶¹, X. Jia ^{14a,14e}, Z. Jia ^{14c}, S. Jiggins ⁴⁸,
J. Jimenez Pena ¹³, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁴, P. Johansson ¹³⁹,
K.A. Johns ⁷, J.W. Johnson ¹³⁶, D.M. Jones ³², E. Jones ⁴⁸, P. Jones ³², R.W.L. Jones ⁹¹,
T.J. Jones ⁹², H.L. Joos ^{55,36}, R. Joshi ¹¹⁹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ¹⁰³,
T. Junkermann ^{63a}, A. Juste Rozas ^{13,s}, M.K. Juzek ⁸⁷, S. Kabana ^{137e}, A. Kaczmarska ⁸⁷,
M. Kado ¹¹⁰, H. Kagan ¹¹⁹, M. Kagan ¹⁴³, A. Kahn ⁴¹, A. Kahn ¹²⁸, C. Kahra ¹⁰⁰,
T. Kaji ¹⁵³, E. Kajomovitz ¹⁵⁰, N. Kakati ¹⁶⁹, I. Kalaitzidou ⁵⁴, C.W. Kalderon ²⁹,
A. Kamenshchikov ¹⁵⁵, N.J. Kang ¹³⁶, D. Kar ^{33g}, K. Karava ¹²⁶, M.J. Kareem ^{156b},
E. Karentzos ⁵⁴, I. Karkanas ¹⁵², O. Karkout ¹¹⁴, S.N. Karpov ³⁸, Z.M. Karpova ³⁸,
V. Kartvelishvili ⁹¹, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵², J. Katzy ⁴⁸, S. Kaur ³⁴,
K. Kawade ¹⁴⁰, M.P. Kawale ¹²⁰, C. Kawamoto ⁸⁸, T. Kawamoto ^{62a}, E.F. Kay ³⁶,
F.I. Kaya ¹⁵⁸, S. Kazakos ¹⁰⁷, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁵, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁵,
G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁶, J.J. Kempster ¹⁴⁶, K.E. Kennedy ⁴¹,
P.D. Kennedy ¹⁰⁰, O. Kepka ¹³¹, B.P. Kerridge ¹⁶⁷, S. Kersten ¹⁷¹, B.P. Kerševan ⁹³,
S. Keshri ⁶⁶, L. Keszezhova ^{28a}, S. Ketabchi Haghighat ¹⁵⁵, R.A. Khan ¹²⁹, M. Khandoga ¹²⁷,
A. Khanov ¹²¹, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁸, M. Kholodenko ³⁷,
T.J. Khoo ¹⁸, G. Khorauli ¹⁶⁶, J. Khubua ^{149b}, Y.A.R. Khwaira ⁶⁶, A. Kilgallon ¹²³,
D.W. Kim ^{47a,47b}, Y.K. Kim ³⁹, N. Kimura ⁹⁶, M.K. Kingston ⁵⁵, A. Kirchhoff ⁵⁵,
C. Kirfel ²⁴, F. Kirfel ²⁴, J. Kirk ¹³⁴, A.E. Kiryunin ¹¹⁰, C. Kitsaki ¹⁰, O. Kivernyk ²⁴,
M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁶, M.H. Klein ¹⁰⁶, M. Klein ⁹², S.B. Klein ⁵⁶,
U. Klein ⁹², P. Klimek ³⁶, A. Klimentov ²⁹, T. Klioutchnikova ³⁶, P. Kluit ¹¹⁴, S. Kluth ¹¹⁰,
E. Kneringer ⁷⁹, T.M. Knight ¹⁵⁵, A. Knue ⁴⁹, R. Kobayashi ⁸⁸, D. Kobylanskii ¹⁶⁹,
S.F. Koch ¹²⁶, M. Kocian ¹⁴³, P. Kodyš ¹³³, D.M. Koeck ¹²³, P.T. Koenig ²⁴, T. Koffas ³⁴,

O. Kolay ⁵⁰, I. Koletsou ⁴, T. Komarek ¹²², K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁸,
N. Konstantinidis ⁹⁶, P. Kontaxakis ⁵⁶, B. Konya ⁹⁸, R. Kopeliansky ⁶⁸, S. Koperny ^{86a},
K. Korcyl ⁸⁷, K. Kordas ^{152,e}, G. Koren ¹⁵¹, A. Korn ⁹⁶, S. Korn ⁵⁵, I. Korolkov ¹³,
N. Korotkova ³⁷, B. Kortman ¹¹⁴, O. Kortner ¹¹⁰, S. Kortner ¹¹⁰, W.H. Kostecka ¹¹⁵,
V.V. Kostyukhin ¹⁴¹, A. Kotskechagia ¹³⁵, A. Kotwal ⁵¹, A. Koulouris ³⁶,
A. Kourkouveli-Charalampidi ^{73a,73b}, C. Kourkouvelis ⁹, E. Kourlitis ^{110,ad}, O. Kovanda ¹⁴⁶,
R. Kowalewski ¹⁶⁵, W. Kozanecki ¹³⁵, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹³,
P. Kramer ¹⁰⁰, M.W. Krasny ¹²⁷, A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷¹, J.A. Kremer ⁴⁸,
T. Kresse ⁵⁰, J. Kretschmar ⁹², K. Kreul ¹⁸, P. Krieger ¹⁵⁵, S. Krishnamurthy ¹⁰³,
M. Krivos ¹³³, K. Krizka ²⁰, K. Kroeninger ⁴⁹, H. Kroha ¹¹⁰, J. Kroll ¹³¹, J. Kroll ¹²⁸,
K.S. Krowpman ¹⁰⁷, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹,
O. Kuchinskaia ³⁷, S. Kuday ^{3a}, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸,
Y. Kulchitsky ^{37,a}, S. Kuleshov ^{137d,137b}, M. Kumar ^{33g}, N. Kumari ⁴⁸, P. Kumari ^{156b},
A. Kupco ¹³¹, T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁵,
L.L. Kurchaninov ^{156a}, O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵⁴,
A.K. Kvam ¹⁰³, J. Kvita ¹²², T. Kwan ¹⁰⁴, N.G. Kyriacou ¹⁰⁶, L.A.O. Laatu ¹⁰²,
C. Lacasta ¹⁶³, F. Lacava ^{75a,75b}, H. Lacker ¹⁸, D. Lacour ¹²⁷, N.N. Lad ⁹⁶, E. Ladygin ³⁸,
B. Laforge ¹²⁷, T. Lagouri ^{137e}, F.Z. Lahbabi ^{35a}, S. Lai ⁵⁵, I.K. Lakomic ^{86a}, N. Lalloue ⁶⁰,
J.E. Lambert ¹⁶⁵, S. Lammers ⁶⁸, W. Lampl ⁷, C. Lampoudis ^{152,e}, A.N. Lancaster ¹¹⁵,
E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁴, V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰³,
O.K.B. Langrekken ¹²⁵, A.J. Lankford ¹⁶⁰, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a},
A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁵, T. Lari ^{71a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶,
V. Latonova ¹³¹, A. Laudrain ¹⁰⁰, A. Laurier ¹⁵⁰, S.D. Lawlor ¹³⁹, Z. Lawrence ¹⁰¹,
R. Lazaridou ¹⁶⁷, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰¹, E.M. Le Boulicaut ⁵¹, B. Leban ⁹³,
A. Lebedev ⁸¹, M. LeBlanc ¹⁰¹, F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁶, S.C. Lee ¹⁴⁸,
S. Lee ^{47a,47b}, T.F. Lee ⁹², L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁵, M. Lefebvre ¹⁶⁵, C. Leggett ^{17a},
G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰³, W. Leinonen ¹¹³, A. Leisos ^{152,r},
M.A.L. Leite ^{83c}, C.E. Leitgeb ⁴⁸, R. Leitner ¹³³, K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a},
C. Leonidopoulos ⁵², A. Leopold ¹⁴⁴, C. Leroy ¹⁰⁸, R. Les ¹⁰⁷, C.G. Lester ³²,
M. Levchenko ³⁷, J. Levêque ⁴, D. Levin ¹⁰⁶, L.J. Levinson ¹⁶⁹, M.P. Lewicki ⁸⁷,
D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ¹¹⁰, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c},
H. Li ^{14b}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁸, L. Li ^{62c}, M. Li ^{14a,14e}, Q.Y. Li ^{62a}, S. Li ^{14a,14e},
S. Li ^{62d,62c,d}, T. Li ⁵, X. Li ¹⁰⁴, Z. Li ¹²⁶, Z. Li ¹⁰⁴, Z. Li ^{14a,14e}, S. Liang ^{14a,14e},
Z. Liang ^{14a}, M. Liberatore ¹³⁵, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{83b}, H. Lien ⁶⁸,
K. Lin ¹⁰⁷, R.E. Lindley ⁷, J.H. Lindon ², E. Lipeles ¹²⁸, A. Lipniacka ¹⁶, A. Lister ¹⁶⁴,
J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴², D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³²,
K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,138,62c}, X. Liu ^{62a},
X. Liu ^{62b}, Y. Liu ^{14d,14e}, Y.L. Liu ^{62b}, Y.W. Liu ^{62a}, J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴,
E.M. Lobodzinska ⁴⁸, P. Loch ⁷, T. Lohse ¹⁸, K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸,
M. Lokajicek ^{131,*}, J.D. Lomas ²⁰, J.D. Long ¹⁶², I. Longarini ¹⁶⁰, L. Longo ^{70a,70b},
R. Longo ¹⁶², I. Lopez Paz ⁶⁷, A. Lopez Solis ⁴⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹,
G. Lösckce Centeno ¹⁴⁶, O. Loseva ³⁷, X. Lou ^{47a,47b}, X. Lou ^{14a,14e}, A. Lounis ⁶⁶,
J. Love ⁶, P.A. Love ⁹¹, G. Lu ^{14a,14e}, M. Lu ⁸⁰, S. Lu ¹²⁸, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁸,

C. Luci ^{75a,75b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁸, I. Luise ¹⁴⁵,
O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴⁴, B. Lund-Jensen ¹⁴⁴, N.A. Luongo ⁶, M.S. Lutz ¹⁵¹,
A.B. Lux ²⁵, D. Lynn ²⁹, H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸, V. Lyubushkin ³⁸,
T. Lyubushkina ³⁸, M.M. Lyukova ¹⁴⁵, H. Ma ²⁹, K. Ma ^{62a}, L.L. Ma ^{62b}, W. Ma ^{62a},
Y. Ma ¹²¹, D.M. Mac Donell ¹⁶⁵, G. Maccarrone ⁵³, J.C. MacDonald ¹⁰⁰,
P.C. Machado De Abreu Farias ^{83b}, R. Madar ⁴⁰, W.F. Mader ⁵⁰, T. Madula ⁹⁶, J. Maeda ⁸⁵,
T. Maeno ²⁹, H. Maguire ¹³⁹, V. Maiboroda ¹³⁵, A. Maio ^{130a,130b,130d}, K. Maj ^{86a},
O. Majersky ⁴⁸, S. Majewski ¹²³, N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁷,
Pa. Malecki ⁸⁷, V.P. Maleev ³⁷, F. Malek ⁶⁰, M. Mali ⁹³, D. Malito ⁹⁵, U. Mallik ⁸⁰,
S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{73a,73b},
J.P. Mandalia ⁹⁴, I. Mandić ⁹³, L. Manhaes de Andrade Filho ^{83a}, I.M. Maniatis ¹⁶⁹,
J. Manjarres Ramos ^{102,aa}, D.C. Mankad ¹⁶⁹, A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵, S. Manzoni ³⁶,
L. Mao ^{62c}, X. Mapekula ^{33c}, A. Marantis ^{152,r}, G. Marchiori ⁵, M. Marcisovsky ¹³¹,
C. Marcon ^{71a}, M. Marinescu ²⁰, S. Marium ⁴⁸, M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹,
Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶³, T.A. Martin ¹⁶⁷, V.J. Martin ⁵², B. Martin dit Latour ¹⁶,
L. Martinelli ^{75a,75b}, M. Martinez ^{13,s}, P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³,
P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁴, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶,
A. Marzin ³⁶, D. Mascione ^{78a,78b}, L. Masetti ¹⁰⁰, T. Mashimo ¹⁵³, J. Masik ¹⁰¹,
A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b},
A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵³, T. Mathisen ¹⁶¹, J. Matousek ¹³³,
N. Matsuzawa ¹⁵³, J. Maurer ^{27b}, B. Maček ⁹³, D.A. Maximov ³⁷, R. Mazini ¹⁴⁸, I. Maznas ¹⁵²,
M. Mazza ¹⁰⁷, S.M. Mazza ¹³⁶, E. Mazzeo ^{71a,71b}, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰⁴,
S.P. Mc Kee ¹⁰⁶, C.C. McCracken ¹⁶⁴, E.F. McDonald ¹⁰⁵, A.E. McDougall ¹¹⁴,
J.A. Mcfayden ¹⁴⁶, R.P. McGovern ¹²⁸, G. Mchedlidze ^{149b}, R.P. McKenzie ^{33g},
T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁶, S.J. McMahon ¹³⁴, C.M. Mcpartland ⁹²,
R.A. McPherson ^{165,w}, S. Mehlhase ¹⁰⁹, A. Mehta ⁹², D. Melini ¹⁵⁰, B.R. Mellado Garcia ^{33g},
A.H. Melo ⁵⁵, F. Meloni ⁴⁸, A.M. Mendes Jacques Da Costa ¹⁰¹, H.Y. Meng ¹⁵⁵, L. Meng ⁹¹,
S. Menke ¹¹⁰, M. Mentink ³⁶, E. Meoni ^{43b,43a}, G. Mercado ¹¹⁵, C. Merlassino ^{69a,69c},
L. Merola ^{72a,72b}, C. Meroni ^{71a,71b}, G. Merz ¹⁰⁶, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁸,
J-P. Meyer ¹³⁵, R.P. Middleton ¹³⁴, L. Mijović ⁵², G. Mikenberg ¹⁶⁹, M. Mikesstikova ¹³¹,
M. Mikuz ⁹³, H. Mildner ¹⁰⁰, A. Milic ³⁶, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴,
A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b}, T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{149b},
L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{86a}, M. Mineev ³⁸, Y. Mino ⁸⁸, L.M. Mir ¹³,
M. Miralles Lopez ¹⁶³, M. Mironova ^{17a}, A. Mishima ¹⁵³, M.C. Missio ¹¹³, A. Mitra ¹⁶⁷,
V.A. Mitsou ¹⁶³, Y. Mitsumori ¹¹¹, O. Miu ¹⁵⁵, P.S. Miyagawa ⁹⁴, T. Mkrtchyan ^{63a},
M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶, S. Mobius ¹⁹, P. Moder ⁴⁸,
P. Mogg ¹⁰⁹, M.H. Mohamed Farook ¹¹², A.F. Mohammed ^{14a,14e}, S. Mohapatra ⁴¹,
G. Mokgatitswane ^{33g}, L. Moleri ¹⁶⁹, B. Mondal ¹⁴¹, S. Mondal ¹³², K. Mönig ⁴⁸,
E. Monnier ¹⁰², L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ¹³, M. Montella ¹¹⁹,
F. Montekali ^{77a,77b}, F. Monticelli ⁹⁰, S. Monzani ^{69a,69c}, N. Morange ⁶⁶,
A.L. Moreira De Carvalho ^{130a}, M. Moreno Llacer ¹⁶³, C. Moreno Martinez ⁵⁶, P. Morettini ^{57b},
S. Morgenstern ³⁶, M. Morii ⁶¹, M. Morinaga ¹⁵³, A.K. Morley ³⁶, F. Morodei ^{75a,75b},
L. Morvaj ³⁶, P. Moschovakos ³⁶, B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴,

P. Moskvitina ^{[113](#)}, J. Moss ^{[31,l](#)}, E.J.W. Moyse ^{[103](#)}, O. Mtintsilana ^{[33g](#)}, S. Muanza ^{[102](#)}, J. Mueller ^{[129](#)}, D. Muenstermann ^{[91](#)}, R. Müller ^{[19](#)}, G.A. Mullier ^{[161](#)}, A.J. Mullin ^{[32](#)}, J.J. Mullin ^{[128](#)}, D.P. Mungo ^{[155](#)}, D. Munoz Perez ^{[163](#)}, F.J. Munoz Sanchez ^{[101](#)}, M. Murin ^{[101](#)}, W.J. Murray ^{[167,134](#)}, A. Murrone ^{[71a,71b](#)}, M. Muškinja ^{[17a](#)}, C. Mwewa ^{[29](#)}, A.G. Myagkov ^{[37,a](#)}, A.J. Myers ^{[8](#)}, G. Myers ^{[68](#)}, M. Myska ^{[132](#)}, B.P. Nachman ^{[17a](#)}, O. Nackenhorst ^{[49](#)}, A. Nag ^{[50](#)}, K. Nagai ^{[126](#)}, K. Nagano ^{[84](#)}, J.L. Nagle ^{[29,ai](#)}, E. Nagy ^{[102](#)}, A.M. Nairz ^{[36](#)}, Y. Nakahama ^{[84](#)}, K. Nakamura ^{[84](#)}, K. Nakkalil ^{[5](#)}, H. Nanjo ^{[124](#)}, R. Narayan ^{[44](#)}, E.A. Narayanan ^{[112](#)}, I. Naryshkin ^{[37](#)}, M. Naseri ^{[34](#)}, S. Nasri ^{[159](#)}, C. Nass ^{[24](#)}, G. Navarro ^{[22a](#)}, J. Navarro-Gonzalez ^{[163](#)}, R. Nayak ^{[151](#)}, A. Nayaz ^{[18](#)}, P.Y. Nechaeva ^{[37](#)}, F. Nechansky ^{[48](#)}, L. Nedic ^{[126](#)}, T.J. Neep ^{[20](#)}, A. Negri ^{[73a,73b](#)}, M. Negrini ^{[23b](#)}, C. Nellist ^{[114](#)}, C. Nelson ^{[104](#)}, K. Nelson ^{[106](#)}, S. Nemecek ^{[131](#)}, M. Nessi ^{[36,h](#)}, M.S. Neubauer ^{[162](#)}, F. Neuhaus ^{[100](#)}, J. Neundorff ^{[48](#)}, R. Newhouse ^{[164](#)}, P.R. Newman ^{[20](#)}, C.W. Ng ^{[129](#)}, Y.W.Y. Ng ^{[48](#)}, B. Ngair ^{[35e](#)}, H.D.N. Nguyen ^{[108](#)}, R.B. Nickerson ^{[126](#)}, R. Nicolaidou ^{[135](#)}, J. Nielsen ^{[136](#)}, M. Niemeyer ^{[55](#)}, J. Niermann ^{[55,36](#)}, N. Nikiforou ^{[36](#)}, V. Nikolaenko ^{[37,a](#)}, I. Nikolic-Audit ^{[127](#)}, K. Nikolopoulos ^{[20](#)}, P. Nilsson ^{[29](#)}, I. Ninca ^{[48](#)}, H.R. Nindhito ^{[56](#)}, G. Ninio ^{[151](#)}, A. Nisati ^{[75a](#)}, N. Nishu ^{[2](#)}, R. Nisius ^{[110](#)}, J-E. Nitschke ^{[50](#)}, E.K. Nkadimeng ^{[33g](#)}, T. Nobe ^{[153](#)}, D.L. Noel ^{[32](#)}, T. Nommensen ^{[147](#)}, M.B. Norfolk ^{[139](#)}, R.R.B. Norisam ^{[96](#)}, B.J. Norman ^{[34](#)}, M. Noury ^{[35a](#)}, J. Novak ^{[93](#)}, T. Novak ^{[48](#)}, L. Novotny ^{[132](#)}, R. Novotny ^{[112](#)}, L. Nozka ^{[122](#)}, K. Ntekas ^{[160](#)}, N.M.J. Nunes De Moura Junior ^{[83b](#)}, E. Nurse ^{[96](#)}, J. Ocariz ^{[127](#)}, A. Ochi ^{[85](#)}, I. Ochoa ^{[130a](#)}, S. Oerdek ^{[48,t](#)}, J.T. Offermann ^{[39](#)}, A. Ogrodnik ^{[133](#)}, A. Oh ^{[101](#)}, C.C. Ohm ^{[144](#)}, H. Oide ^{[84](#)}, R. Oishi ^{[153](#)}, M.L. Ojeda ^{[48](#)}, M.W. O’Keefe ^{[92](#)}, Y. Okumura ^{[153](#)}, L.F. Oleiro Seabra ^{[130a](#)}, S.A. Olivares Pino ^{[137d](#)}, D. Oliveira Damazio ^{[29](#)}, D. Oliveira Goncalves ^{[83a](#)}, J.L. Oliver ^{[160](#)}, Ö.O. Öncel ^{[54](#)}, A.P. O’Neill ^{[19](#)}, A. Onofre ^{[130a,130e](#)}, P.U.E. Onyisi ^{[11](#)}, M.J. Oreglia ^{[39](#)}, G.E. Orellana ^{[90](#)}, D. Orestano ^{[77a,77b](#)}, N. Orlando ^{[13](#)}, R.S. Orr ^{[155](#)}, V. O’Shea ^{[59](#)}, L.M. Osojnak ^{[128](#)}, R. Ospanov ^{[62a](#)}, G. Otero y Garzon ^{[30](#)}, H. Otono ^{[89](#)}, P.S. Ott ^{[63a](#)}, G.J. Ottino ^{[17a](#)}, M. Ouchrif ^{[35d](#)}, J. Ouellette ^{[29](#)}, F. Ould-Saada ^{[125](#)}, M. Owen ^{[59](#)}, R.E. Owen ^{[134](#)}, K.Y. Oyulmaz ^{[21a](#)}, V.E. Ozcan ^{[21a](#)}, F. Ozturk ^{[87](#)}, N. Ozturk ^{[8](#)}, S. Ozturk ^{[82](#)}, H.A. Pacey ^{[126](#)}, A. Pacheco Pages ^{[13](#)}, C. Padilla Aranda ^{[13](#)}, G. Padovano ^{[75a,75b](#)}, S. Pagan Griso ^{[17a](#)}, G. Palacino ^{[68](#)}, A. Palazzo ^{[70a,70b](#)}, S. Palestini ^{[36](#)}, J. Pan ^{[172](#)}, T. Pan ^{[64a](#)}, D.K. Panchal ^{[11](#)}, C.E. Pandini ^{[114](#)}, J.G. Panduro Vazquez ^{[95](#)}, H.D. Pandya ^{[1](#)}, H. Pang ^{[14b](#)}, P. Pani ^{[48](#)}, G. Panizzo ^{[69a,69c](#)}, L. Paolozzi ^{[56](#)}, C. Papadatos ^{[108](#)}, S. Parajuli ^{[44](#)}, A. Paramonov ^{[6](#)}, C. Paraskevopoulos ^{[10](#)}, D. Paredes Hernandez ^{[64b](#)}, K.R. Park ^{[41](#)}, T.H. Park ^{[155](#)}, M.A. Parker ^{[32](#)}, F. Parodi ^{[57b,57a](#)}, E.W. Parrish ^{[115](#)}, V.A. Parrish ^{[52](#)}, J.A. Parsons ^{[41](#)}, U. Parzefall ^{[54](#)}, B. Pascual Dias ^{[108](#)}, L. Pascual Dominguez ^{[151](#)}, E. Pasqualucci ^{[75a](#)}, S. Passaggio ^{[57b](#)}, F. Pastore ^{[95](#)}, P. Pasuwan ^{[47a,47b](#)}, P. Patel ^{[87](#)}, U.M. Patel ^{[51](#)}, J.R. Pater ^{[101](#)}, T. Pauly ^{[36](#)}, J. Pearkes ^{[143](#)}, M. Pedersen ^{[125](#)}, R. Pedro ^{[130a](#)}, S.V. Peleganchuk ^{[37](#)}, O. Penc ^{[36](#)}, E.A. Pender ^{[52](#)}, K.E. Penski ^{[109](#)}, M. Penzin ^{[37](#)}, B.S. Peralva ^{[83d](#)}, A.P. Pereira Peixoto ^{[60](#)}, L. Pereira Sanchez ^{[47a,47b](#)}, D.V. Perepelitsa ^{[29,ai](#)}, E. Perez Codina ^{[156a](#)}, M. Perganti ^{[10](#)}, L. Perini ^{[71a,71b,*](#)}, H. Pernegger ^{[36](#)}, O. Perrin ^{[40](#)}, K. Peters ^{[48](#)}, R.F.Y. Peters ^{[101](#)}, B.A. Petersen ^{[36](#)}, T.C. Petersen ^{[42](#)}, E. Petit ^{[102](#)}, V. Petousis ^{[132](#)}, C. Petridou ^{[152,e](#)}, A. Petrukhin ^{[141](#)}, M. Pettee ^{[17a](#)}, N.E. Pettersson ^{[36](#)}, A. Petukhov ^{[37](#)}, K. Petukhova ^{[133](#)}, R. Pezoa ^{[137f](#)}, L. Pezzotti ^{[36](#)}, G. Pezzullo ^{[172](#)}, T.M. Pham ^{[170](#)}, T. Pham ^{[105](#)}, P.W. Phillips ^{[134](#)}, G. Piacquadio ^{[145](#)}, E. Pianori ^{[17a](#)},

F. Piazza ^{[123](#)}, R. Piegai ^{[30](#)}, D. Pietreanu ^{[27b](#)}, A.D. Pilkington ^{[101](#)}, M. Pinamonti ^{[69a,69c](#)}, J.L. Pinfold ^{[2](#)}, B.C. Pinheiro Pereira ^{[130a](#)}, A.E. Pinto Pinoargote ^{[100,135](#)}, L. Pintucci ^{[69a,69c](#)}, K.M. Piper ^{[146](#)}, A. Pirttikoski ^{[56](#)}, D.A. Pizzi ^{[34](#)}, L. Pizzimento ^{[64b](#)}, A. Pizzini ^{[114](#)}, M.-A. Pleier ^{[29](#)}, V. Plesanovs ^{[54](#)}, V. Pleskot ^{[133](#)}, E. Plotnikova ^{[38](#)}, G. Poddar ^{[4](#)}, R. Poettgen ^{[98](#)}, L. Poggioli ^{[127](#)}, I. Pokharel ^{[55](#)}, S. Polacek ^{[133](#)}, G. Polesello ^{[73a](#)}, A. Poley ^{[142,156a](#)}, R. Polifka ^{[132](#)}, A. Polini ^{[23b](#)}, C.S. Pollard ^{[167](#)}, Z.B. Pollock ^{[119](#)}, V. Polychronakos ^{[29](#)}, E. Pompa Pacchi ^{[75a,75b](#)}, D. Ponomarenko ^{[113](#)}, L. Pontecorvo ^{[36](#)}, S. Popa ^{[27a](#)}, G.A. Popeneciu ^{[27d](#)}, A. Poreba ^{[36](#)}, D.M. Portillo Quintero ^{[156a](#)}, S. Pospisil ^{[132](#)}, M.A. Postill ^{[139](#)}, P. Postolache ^{[27c](#)}, K. Potamianos ^{[167](#)}, P.A. Potepa ^{[86a](#)}, I.N. Potrap ^{[38](#)}, C.J. Potter ^{[32](#)}, H. Potti ^{[1](#)}, T. Poulsen ^{[48](#)}, J. Poveda ^{[163](#)}, M.E. Pozo Astigarraga ^{[36](#)}, A. Prades Ibanez ^{[163](#)}, J. Pretel ^{[54](#)}, D. Price ^{[101](#)}, M. Primavera ^{[70a](#)}, M.A. Principe Martin ^{[99](#)}, R. Privara ^{[122](#)}, T. Procter ^{[59](#)}, M.L. Proffitt ^{[138](#)}, N. Proklova ^{[128](#)}, K. Prokofiev ^{[64c](#)}, G. Proto ^{[110](#)}, S. Protopopescu ^{[29](#)}, J. Proudfoot ^{[6](#)}, M. Przybycien ^{[86a](#)}, W.W. Przygoda ^{[86b](#)}, J.E. Puddefoot ^{[139](#)}, D. Pudzha ^{[37](#)}, D. Pyatiizbyantseva ^{[37](#)}, J. Qian ^{[106](#)}, D. Qichen ^{[101](#)}, Y. Qin ^{[101](#)}, T. Qiu ^{[52](#)}, A. Quadt ^{[55](#)}, M. Queitsch-Maitland ^{[101](#)}, G. Quetant ^{[56](#)}, R.P. Quinn ^{[164](#)}, G. Rabanal Bolanos ^{[61](#)}, D. Rafanoharana ^{[54](#)}, F. Ragusa ^{[71a,71b](#)}, J.L. Rainbolt ^{[39](#)}, J.A. Raine ^{[56](#)}, S. Rajagopalan ^{[29](#)}, E. Ramakoti ^{[37](#)}, I.A. Ramirez-Berend ^{[34](#)}, K. Ran ^{[48,14e](#)}, N.P. Rapheeha ^{[33g](#)}, H. Rasheed ^{[27b](#)}, V. Raskina ^{[127](#)}, D.F. Rassloff ^{[63a](#)}, A. Rastogi ^{[17a](#)}, S. Rave ^{[100](#)}, B. Ravina ^{[55](#)}, I. Ravinovich ^{[169](#)}, M. Raymond ^{[36](#)}, A.L. Read ^{[125](#)}, N.P. Readioff ^{[139](#)}, D.M. Rebuzzi ^{[73a,73b](#)}, G. Redlinger ^{[29](#)}, A.S. Reed ^{[110](#)}, K. Reeves ^{[26](#)}, J.A. Reidelsturz ^{[171](#)}, D. Reikher ^{[151](#)}, A. Rej ^{[49](#)}, C. Rembser ^{[36](#)}, A. Renardi ^{[48](#)}, M. Renda ^{[27b](#)}, M.B. Rendel ^{[110](#)}, F. Renner ^{[48](#)}, A.G. Rennie ^{[160](#)}, A.L. Rescia ^{[48](#)}, S. Resconi ^{[71a](#)}, M. Ressegotti ^{[57b,57a](#)}, S. Rettie ^{[36](#)}, J.G. Reyes Rivera ^{[107](#)}, E. Reynolds ^{[17a](#)}, O.L. Rezanova ^{[37](#)}, P. Reznicek ^{[133](#)}, N. Ribaric ^{[91](#)}, E. Ricci ^{[78a,78b](#)}, R. Richter ^{[110](#)}, S. Richter ^{[47a,47b](#)}, E. Richter-Was ^{[86b](#)}, M. Ridel ^{[127](#)}, S. Ridouani ^{[35d](#)}, P. Rieck ^{[117](#)}, P. Riedler ^{[36](#)}, E.M. Riefel ^{[47a,47b](#)}, J.O. Rieger ^{[114](#)}, M. Rijssenbeek ^{[145](#)}, A. Rimoldi ^{[73a,73b](#)}, M. Rimoldi ^{[36](#)}, L. Rinaldi ^{[23b,23a](#)}, T.T. Rinn ^{[29](#)}, M.P. Rinnagel ^{[109](#)}, G. Ripellino ^{[161](#)}, I. Riu ^{[13](#)}, P. Rivadeneira ^{[48](#)}, J.C. Rivera Vergara ^{[165](#)}, F. Rizatdinova ^{[121](#)}, E. Rizvi ^{[94](#)}, B.A. Roberts ^{[167](#)}, B.R. Roberts ^{[17a](#)}, S.H. Robertson ^{[104,w](#)}, D. Robinson ^{[32](#)}, C.M. Robles Gajardo ^{[137f](#)}, M. Robles Manzano ^{[100](#)}, A. Robson ^{[59](#)}, A. Rocchi ^{[76a,76b](#)}, C. Roda ^{[74a,74b](#)}, S. Rodriguez Bosca ^{[63a](#)}, Y. Rodriguez Garcia ^{[22a](#)}, A. Rodriguez Rodriguez ^{[54](#)}, A.M. Rodríguez Vera ^{[156b](#)}, S. Roe ^{[36](#)}, J.T. Roemer ^{[160](#)}, A.R. Roepe-Gier ^{[136](#)}, J. Roggel ^{[171](#)}, O. Røhne ^{[125](#)}, R.A. Rojas ^{[103](#)}, C.P.A. Roland ^{[127](#)}, J. Roloff ^{[29](#)}, A. Romaniouk ^{[37](#)}, E. Romano ^{[73a,73b](#)}, M. Romano ^{[23b](#)}, A.C. Romero Hernandez ^{[162](#)}, N. Rompotis ^{[92](#)}, L. Roos ^{[127](#)}, S. Rosati ^{[75a](#)}, B.J. Rosser ^{[39](#)}, E. Rossi ^{[126](#)}, E. Rossi ^{[72a,72b](#)}, L.P. Rossi ^{[57b](#)}, L. Rossini ^{[54](#)}, R. Rosten ^{[119](#)}, M. Rotaru ^{[27b](#)}, B. Rottler ^{[54](#)}, C. Rougier ^{[102,aa](#)}, D. Rousseau ^{[66](#)}, D. Rousso ^{[32](#)}, A. Roy ^{[162](#)}, S. Roy-Garand ^{[155](#)}, A. Rozanov ^{[102](#)}, Z.M.A. Rozario ^{[59](#)}, Y. Rozen ^{[150](#)}, X. Ruan ^{[33g](#)}, A. Rubio Jimenez ^{[163](#)}, A.J. Ruby ^{[92](#)}, V.H. Ruelas Rivera ^{[18](#)}, T.A. Ruggeri ^{[1](#)}, A. Ruggiero ^{[126](#)}, A. Ruiz-Martinez ^{[163](#)}, A. Rummler ^{[36](#)}, Z. Rurikova ^{[54](#)}, N.A. Rusakovich ^{[38](#)}, H.L. Russell ^{[165](#)}, G. Russo ^{[75a,75b](#)}, J.P. Rutherford ^{[7](#)}, S. Rutherford Colmenares ^{[32](#)}, K. Rybacki ^{[91](#)}, M. Rybar ^{[133](#)}, E.B. Rye ^{[125](#)}, A. Ryzhov ^{[44](#)}, J.A. Sabater Iglesias ^{[56](#)}, P. Sabatini ^{[163](#)}, H.F.-W. Sadrozinski ^{[136](#)}, F. Safai Tehrani ^{[75a](#)}, B. Safarzadeh Samani ^{[134](#)}, M. Safdari ^{[143](#)}, S. Saha ^{[165](#)}, M. Sahinsoy ^{[110](#)}, A. Saibel ^{[163](#)}, M. Saimpert ^{[135](#)}, M. Saito ^{[153](#)}, T. Saito ^{[153](#)}, D. Salamani ^{[36](#)}, A. Salnikov ^{[143](#)}, J. Salt ^{[163](#)}, A. Salvador Salas ^{[151](#)},

D. Salvatore ^{[143b,43a](#)}, F. Salvatore ^{[146](#)}, A. Salzburger ^{[36](#)}, D. Sammel ^{[54](#)}, D. Sampsonidis ^{[152,e](#)},
D. Sampsonidou ^{[123](#)}, J. Sánchez ^{[163](#)}, A. Sanchez Pineda ^{[4](#)}, V. Sanchez Sebastian ^{[163](#)},
H. Sandaker ^{[125](#)}, C.O. Sander ^{[48](#)}, J.A. Sandesara ^{[103](#)}, M. Sandhoff ^{[171](#)}, C. Sandoval ^{[22b](#)},
D.P.C. Sankey ^{[134](#)}, T. Sano ^{[88](#)}, A. Sansoni ^{[53](#)}, L. Santi ^{[75a,75b](#)}, C. Santoni ^{[40](#)},
H. Santos ^{[130a,130b](#)}, S.N. Santpur ^{[17a](#)}, A. Santra ^{[169](#)}, K.A. Saoucha ^{[116b](#)}, J.G. Saraiva ^{[130a,130d](#)},
J. Sardain ^{[7](#)}, O. Sasaki ^{[84](#)}, K. Sato ^{[157](#)}, C. Sauer ^{[63b](#)}, F. Sauerburger ^{[54](#)}, E. Sauvan ^{[4](#)},
P. Savard ^{[155,af](#)}, R. Sawada ^{[153](#)}, C. Sawyer ^{[134](#)}, L. Sawyer ^{[97](#)}, I. Sayago Galvan ^{[163](#)},
C. Sbarra ^{[23b](#)}, A. Sbrizzi ^{[23b,23a](#)}, T. Scanlon ^{[96](#)}, J. Schaarschmidt ^{[138](#)}, P. Schacht ^{[110](#)},
U. Schäfer ^{[100](#)}, A.C. Schaffer ^{[66,44](#)}, D. Schaile ^{[109](#)}, R.D. Schamberger ^{[145](#)}, C. Scharf ^{[18](#)},
M.M. Schefer ^{[19](#)}, V.A. Schegelsky ^{[37](#)}, D. Scheirich ^{[133](#)}, F. Schenck ^{[18](#)}, M. Schernau ^{[160](#)},
C. Scheulen ^{[55](#)}, C. Schiavi ^{[57b,57a](#)}, E.J. Schioppa ^{[70a,70b](#)}, M. Schioppa ^{[43b,43a](#)}, B. Schlag ^{[143,n](#)},
K.E. Schleicher ^{[54](#)}, S. Schlenker ^{[36](#)}, J. Schmeing ^{[171](#)}, M.A. Schmidt ^{[171](#)}, K. Schmieden ^{[100](#)},
C. Schmitt ^{[100](#)}, N. Schmitt ^{[100](#)}, S. Schmitt ^{[48](#)}, L. Schoeffel ^{[135](#)}, A. Schoening ^{[63b](#)},
P.G. Scholer ^{[54](#)}, E. Schopf ^{[126](#)}, M. Schott ^{[100](#)}, J. Schovancova ^{[36](#)}, S. Schramm ^{[56](#)},
F. Schroeder ^{[171](#)}, T. Schroer ^{[56](#)}, H-C. Schultz-Coulon ^{[63a](#)}, M. Schumacher ^{[54](#)},
B.A. Schumm ^{[136](#)}, Ph. Schune ^{[135](#)}, A.J. Schuy ^{[138](#)}, H.R. Schwartz ^{[136](#)}, A. Schwartzman ^{[143](#)},
T.A. Schwarz ^{[106](#)}, Ph. Schwemling ^{[135](#)}, R. Schwienhorst ^{[107](#)}, A. Sciandra ^{[136](#)}, G. Sciolla ^{[26](#)},
F. Scuri ^{[74a](#)}, C.D. Sebastiani ^{[92](#)}, K. Sedlaczek ^{[115](#)}, P. Seema ^{[18](#)}, S.C. Seidel ^{[112](#)}, A. Seiden ^{[136](#)},
B.D. Seidlitz ^{[41](#)}, C. Seitz ^{[48](#)}, J.M. Seixas ^{[83b](#)}, G. Sekhniaidze ^{[72a](#)}, S.J. Sekula ^{[44](#)}, L. Selem ^{[60](#)},
N. Semprini-Cesari ^{[23b,23a](#)}, D. Sengupta ^{[56](#)}, V. Senthilkumar ^{[163](#)}, L. Serin ^{[66](#)}, L. Serkin ^{[69a,69b](#)},
M. Sessa ^{[76a,76b](#)}, H. Severini ^{[120](#)}, F. Sforza ^{[57b,57a](#)}, A. Sfyrila ^{[56](#)}, E. Shabalina ^{[55](#)},
R. Shaheen ^{[144](#)}, J.D. Shahinian ^{[128](#)}, D. Shaked Renous ^{[169](#)}, L.Y. Shan ^{[14a](#)}, M. Shapiro ^{[17a](#)},
A. Sharma ^{[36](#)}, A.S. Sharma ^{[164](#)}, P. Sharma ^{[80](#)}, S. Sharma ^{[48](#)}, P.B. Shatalov ^{[37](#)}, K. Shaw ^{[146](#)},
S.M. Shaw ^{[101](#)}, A. Shcherbakova ^{[37](#)}, Q. Shen ^{[62c,5](#)}, D.J. Sheppard ^{[142](#)}, P. Sherwood ^{[96](#)},
L. Shi ^{[96](#)}, X. Shi ^{[14a](#)}, C.O. Shimmin ^{[172](#)}, J.D. Shinner ^{[95](#)}, I.P.J. Shipsey ^{[126](#)}, S. Shirabe ^{[56,h](#)},
M. Shiyakova ^{[38,u](#)}, J. Shlomi ^{[169](#)}, M.J. Shochet ^{[39](#)}, J. Shojaii ^{[105](#)}, D.R. Shope ^{[125](#)},
B. Shrestha ^{[120](#)}, S. Shrestha ^{[119,aj](#)}, E.M. Shrif ^{[33g](#)}, M.J. Shroff ^{[165](#)}, P. Sicho ^{[131](#)},
A.M. Sickles ^{[162](#)}, E. Sideras Haddad ^{[33g](#)}, A. Sidoti ^{[23b](#)}, F. Siegert ^{[50](#)}, Dj. Sijacki ^{[15](#)}, F. Sili ^{[90](#)},
J.M. Silva ^{[20](#)}, M.V. Silva Oliveira ^{[29](#)}, S.B. Silverstein ^{[47a](#)}, S. Simion ^{[66](#)}, R. Simoniello ^{[36](#)},
E.L. Simpson ^{[59](#)}, H. Simpson ^{[146](#)}, L.R. Simpson ^{[106](#)}, N.D. Simpson ^{[98](#)}, S. Simsek ^{[82](#)},
S. Sindhu ^{[55](#)}, P. Sinervo ^{[155](#)}, S. Singh ^{[155](#)}, S. Sinha ^{[48](#)}, S. Sinha ^{[101](#)}, M. Sioli ^{[23b,23a](#)},
I. Siral ^{[36](#)}, E. Sitnikova ^{[48](#)}, S.Yu. Sivoklov ^{[37,*](#)}, J. Sjölin ^{[47a,47b](#)}, A. Skaf ^{[55](#)}, E. Skorda ^{[20](#)},
P. Skubic ^{[120](#)}, M. Slawinska ^{[87](#)}, V. Smakhtin ^{[169](#)}, B.H. Smart ^{[134](#)}, J. Smiesko ^{[36](#)},
S.Yu. Smirnov ^{[37](#)}, Y. Smirnov ^{[37](#)}, L.N. Smirnova ^{[37,a](#)}, O. Smirnova ^{[98](#)}, A.C. Smith ^{[41](#)},
E.A. Smith ^{[39](#)}, H.A. Smith ^{[126](#)}, J.L. Smith ^{[92](#)}, R. Smith ^{[143](#)}, M. Smizanska ^{[91](#)}, K. Smolek ^{[132](#)},
A.A. Snesarev ^{[37](#)}, S.R. Snider ^{[155](#)}, H.L. Snoek ^{[114](#)}, S. Snyder ^{[29](#)}, R. Sobie ^{[165,w](#)}, A. Soffer ^{[151](#)},
C.A. Solans Sanchez ^{[36](#)}, E.Yu. Soldatov ^{[37](#)}, U. Soldevila ^{[163](#)}, A.A. Solodkov ^{[37](#)}, S. Solomon ^{[26](#)},
A. Soloshenko ^{[38](#)}, K. Solovieva ^{[54](#)}, O.V. Solovyanov ^{[40](#)}, V. Solovyev ^{[37](#)}, P. Sommer ^{[36](#)},
A. Sonay ^{[13](#)}, W.Y. Song ^{[156b](#)}, J.M. Sonneveld ^{[114](#)}, A. Sopczak ^{[132](#)}, A.L. Sopio ^{[96](#)},
F. Sopkova ^{[28b](#)}, I.R. Sotarriva Alvarez ^{[154](#)}, V. Sothilingam ^{[63a](#)}, O.J. Soto Sandoval ^{[137c,137b](#)},
S. Sottocornola ^{[68](#)}, R. Soualah ^{[116b](#)}, Z. Soumami ^{[35e](#)}, D. South ^{[48](#)}, N. Soybelman ^{[169](#)},
S. Spagnolo ^{[70a,70b](#)}, M. Spalla ^{[110](#)}, D. Sperlich ^{[54](#)}, G. Spigo ^{[36](#)}, S. Spinali ^{[91](#)}, D.P. Spiteri ^{[59](#)},
M. Spousta ^{[133](#)}, E.J. Staats ^{[34](#)}, A. Stabile ^{[71a,71b](#)}, R. Stamen ^{[63a](#)}, A. Stampekis ^{[20](#)},

M. Standke ²⁴, E. Stanecka ⁸⁷, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸,
 B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁶, J. Stark ^{102,aa}, D.M. Starko ^{156b},
 P. Staroba ¹³¹, P. Starovoitov ^{63a}, S. Stärz ¹⁰⁴, R. Staszewski ⁸⁷, G. Stavropoulos ⁴⁶,
 J. Steentoft ¹⁶¹, P. Steinberg ²⁹, B. Stelzer ^{142,156a}, H.J. Stelzer ¹²⁹, O. Stelzer-Chilton ^{156a},
 H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁶, G.A. Stewart ³⁶, J.R. Stewart ¹²¹, M.C. Stockton ³⁶,
 G. Stoicea ^{27b}, M. Stolarski ^{130a}, S. Stonjek ¹¹⁰, A. Straessner ⁵⁰, J. Strandberg ¹⁴⁴,
 S. Strandberg ^{47a,47b}, M. Stratmann ¹⁷¹, M. Strauss ¹²⁰, T. Strebler ¹⁰², P. Strizenec ^{28b},
 R. Ströhmer ¹⁶⁶, D.M. Strom ¹²³, R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹,
 B. Stugu ¹⁶, J. Stupak ¹²⁰, N.A. Styles ⁴⁸, D. Su ¹⁴³, S. Su ^{62a}, W. Su ^{62d}, X. Su ^{62a,66},
 K. Sugizaki ¹⁵³, V.V. Sulin ³⁷, M.J. Sullivan ⁹², D.M.S. Sultan ^{78a,78b}, L. Sultanaliyeva ³⁷,
 S. Sultansoy ^{3b}, T. Sumida ³⁸, S. Sun ¹⁰⁶, S. Sun ¹⁷⁰, O. Sunneborn Gudnadottir ¹⁶¹,
 N. Sur ¹⁰², M.R. Sutton ¹⁴⁶, H. Suzuki ¹⁵⁷, M. Svtos ¹³¹, M. Swiatlowski ^{156a},
 T. Swirski ¹⁶⁶, I. Sykora ^{28a}, M. Sykora ¹³³, T. Sykora ¹³³, D. Ta ¹⁰⁰, K. Tackmann ^{48,t},
 A. Taffard ¹⁶⁰, R. Tafirout ^{156a}, J.S. Tafoya Vargas ⁶⁶, E.P. Takeva ⁵², Y. Takubo ⁸⁴,
 M. Talby ¹⁰², A.A. Talyshv ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵¹, A. Tanaka ¹⁵³, J. Tanaka ¹⁵³,
 R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, Z. Tao ¹⁶⁴, S. Tapia Araya ^{137f}, S. Tapprogge ¹⁰⁰,
 A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁰, K. Tariq ^{14a}, G. Tarna ^{102,27b},
 G.F. Tartarelli ^{71a}, P. Tas ¹³³, M. Tasevsky ¹³¹, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶², G. Tateno ¹⁵³,
 Y. Tayalati ^{35e,v}, G.N. Taylor ¹⁰⁵, W. Taylor ^{156b}, A.S. Tee ¹⁷⁰, R. Teixeira De Lima ¹⁴³,
 P. Teixeira-Dias ⁹⁵, J.J. Teoh ¹⁵⁵, K. Terashi ¹⁵³, J. Terron ⁹⁹, S. Terzo ¹³, M. Testa ⁵³,
 R.J. Teuscher ^{155,w}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵²,
 T. Theveneaux-Pelzer ¹⁰², O. Thielmann ¹⁷¹, D.W. Thomas ⁹⁵, J.P. Thomas ²⁰,
 E.A. Thompson ^{17a}, P.D. Thompson ²⁰, E. Thomson ¹²⁸, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a},
 Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, D. Timoshyn ¹³³, E.X.L. Ting ¹, P. Tipton ¹⁷²,
 S.H. Tlou ^{33g}, A. Thourji ⁴⁰, K. Todome ¹⁵⁴, S. Todorova-Nova ¹³³, S. Todt ⁵⁰, M. Togawa ⁸⁴,
 J. Tojo ⁸⁹, S. Tokár ^{28a}, K. Tokushuku ⁸⁴, O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{84,111},
 L. Tompkins ^{143,n}, K.W. Topolnicki ^{86b}, E. Torrence ¹²³, H. Torres ^{102,aa}, E. Torró Pastor ¹⁶³,
 M. Toscani ³⁰, C. Toscirci ³⁹, M. Tost ¹¹, D.R. Tovey ¹³⁹, A. Traeet ¹⁶, I.S. Trandafir ^{27b},
 T. Trefzger ¹⁶⁶, A. Tricoli ²⁹, I.M. Trigger ^{156a}, S. Trincas-Duvoid ¹²⁷, D.A. Trischuk ²⁶,
 B. Trocmé ⁶⁰, C. Troncon ^{71a}, L. Truong ^{33c}, M. Trzebinski ⁸⁷, A. Trzupek ⁸⁷, F. Tsai ¹⁴⁵,
 M. Tsai ¹⁰⁶, A. Tsiamis ^{152,e}, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{156a}, A. Tsirigotis ^{152,r},
 V. Tsiskaridze ¹⁵⁵, E.G. Tskhadadze ^{149a}, M. Tsooulou ^{152,e}, Y. Tsujikawa ⁸⁸,
 I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸⁴, K. Tsuru ¹¹⁸, D. Tsybychev ¹⁴⁵, Y. Tu ^{64b},
 A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ⁶¹, S. Turchikhin ^{57b,57a}, I. Turk Cakir ^{3a},
 R. Turra ^{71a}, T. Turtuvshin ^{38,x}, P.M. Tuts ⁴¹, S. Tzamaras ^{152,e}, P. Tzanis ¹⁰,
 E. Tzovara ¹⁰⁰, F. Ukegawa ¹⁵⁷, P.A. Ulloa Poblete ^{137c,137b}, E.N. Umaka ²⁹, G. Unal ³⁶,
 M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰⁵, P. Urrejola ^{137a},
 G. Usai ⁸, R. Ushioda ¹⁵⁴, M. Usman ¹⁰⁸, Z. Uysal ^{21b}, V. Vacek ¹³², B. Vachon ¹⁰⁴,
 K.O.H. Vadla ¹²⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁶, C. Valderanis ¹⁰⁹, E. Valdes Santurio ^{47a,47b},
 M. Valente ^{156a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶³, E. Valiente Moreno ¹⁶³, A. Vallier ^{102,aa},
 J.A. Valls Ferrer ¹⁶³, D.R. Van Arneman ¹¹⁴, T.R. Van Daalen ¹³⁸, A. Van Der Graaf ⁴⁹,
 P. Van Gemmeren ⁶, M. Van Rijnbach ^{125,36}, S. Van Stroud ⁹⁶, I. Van Vulpen ¹¹⁴,
 M. Vanadia ^{76a,76b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁵, E.R. Vandewall ¹²¹,

D. Vannicola ¹⁵¹, L. Vannoli ^{57b,57a}, R. Vari ^{75a}, E.W. Varnes ⁷, C. Varni ^{17b}, T. Varol ¹⁴⁸,
D. Varouchas ⁶⁶, L. Varriale ¹⁶³, K.E. Varvell ¹⁴⁷, M.E. Vasile ^{27b}, L. Vaslin ⁸⁴,
G.A. Vasquez ¹⁶⁵, A. Vasyukov ³⁸, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹,
V. Vecchio ¹⁰¹, M.J. Veen ¹⁰³, I. Veliscek ¹²⁶, L.M. Veloce ¹⁵⁵, F. Veloso ^{130a,130c},
S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, S. Ventura Gonzalez ¹³⁵, A. Verbytskyi ¹¹⁰,
M. Verducci ^{74a,74b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{83b}, W. Verkerke ¹¹⁴,
J.C. Vermeulen ¹¹⁴, C. Vernieri ¹⁴³, M. Vessella ¹⁰³, M.C. Vetterli ^{142,af}, A. Vgenopoulos ^{152,e},
N. Viaux Maira ^{137f}, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁶,
L. Vignani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶³, E.M. Villhauer ⁵², E. Vilucchi ⁵³,
M.G. Vinciter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², A. Visibile ¹¹⁴, C. Vittori ³⁶,
I. Vivarelli ¹⁴⁶, E. Voevodina ¹¹⁰, F. Vogel ¹⁰⁹, J.C. Voigt ⁵⁰, P. Vokac ¹³²,
Yu. Volkotrub ^{86a}, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³³,
K. Vorobev ³⁷, M. Vos ¹⁶³, K. Voss ¹⁴¹, J.H. Vosseveld ⁹², M. Vozak ¹¹⁴, L. Vozdecky ⁹⁴,
N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹⁴, R. Vuillermet ³⁶,
O. Vujanovic ¹⁰⁰, I. Vukotic ³⁹, S. Wada ¹⁵⁷, C. Wagner ¹⁰³, J.M. Wagner ^{17a}, W. Wagner ¹⁷¹,
S. Wahdan ¹⁷¹, H. Wahlberg ⁹⁰, M. Wakida ¹¹¹, J. Walder ¹³⁴, R. Walker ¹⁰⁹,
W. Walkowiak ¹⁴¹, A. Wall ¹²⁸, T. Wamorkar ⁶, A.Z. Wang ¹³⁶, C. Wang ¹⁰⁰, C. Wang ^{62c},
H. Wang ^{17a}, J. Wang ^{64a}, R.-J. Wang ¹⁰⁰, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁸,
S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁸⁰, W. Wang ^{14a}, X. Wang ^{14c}, X. Wang ¹⁶²,
X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁶, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁶,
A. Warburton ¹⁰⁴, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, H. Watson ⁵⁹,
M.F. Watson ²⁰, E. Watton ^{59,134}, G. Watts ¹³⁸, B.M. Waugh ⁹⁶, C. Weber ²⁹,
H.A. Weber ¹⁸, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁶, A.R. Weidberg ¹²⁶,
E.J. Weik ¹¹⁷, J. Weingarten ⁴⁹, M. Weirich ¹⁰⁰, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹,
B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹¹⁰, N. Wermes ²⁴, M. Wessels ^{63a},
A.M. Wharton ⁹¹, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰,
L. Wickremasinghe ¹²⁴, W. Wiedenmann ¹⁷⁰, C. Wiel ⁵⁰, M. Wielers ¹³⁴, C. Wigglesworth ⁴²,
D.J. Wilbern ¹²⁰, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁸, S. Williams ³²,
S. Willocq ¹⁰³, B.J. Wilson ¹⁰¹, P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²³,
B.T. Winter ⁵⁴, J.K. Winter ¹⁰¹, M. Wittgen ¹⁴³, M. Wobisch ⁹⁷, Z. Wolffs ¹¹⁴, J. Wollrath ¹⁶⁰,
M.W. Wolter ⁸⁷, H. Wolters ^{130a,130c}, A.F. Wongel ⁴⁸, E.L. Woodward ⁴¹, S.D. Worm ⁴⁸,
B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, J. Wu ^{14a,14e},
M. Wu ^{64a}, M. Wu ¹¹³, S.L. Wu ¹⁷⁰, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ¹³⁵, J. Wuerzinger ^{110,ad},
T.R. Wyatt ¹⁰¹, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c},
M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, A. Xiong ¹²³, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a},
L. Xu ^{62a}, R. Xu ¹²⁸, T. Xu ¹⁰⁶, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu ^{14c}, B. Yabsley ¹⁴⁷,
S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁴, E. Yamashita ¹⁵³, H. Yamauchi ¹⁵⁷, T. Yamazaki ^{17a},
Y. Yamazaki ⁸⁵, J. Yan ^{62c}, S. Yan ¹²⁶, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a},
S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ³⁶, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang ^{62a}, Z. Yang ^{62a},
W.-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ^{14a}, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁶,
I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁶, P. Yin ⁴¹, K. Yorita ¹⁶⁸, S. Younas ^{27b},
C.J.S. Young ³⁶, C. Young ¹⁴³, C. Yu ^{14a,14e,ah}, Y. Yu ^{62a}, M. Yuan ¹⁰⁶, R. Yuan ^{62b},
L. Yue ⁹⁶, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid ⁵², Z.K. Zak ⁸⁷, T. Zakareishvili ^{149b},

N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{137d,137b}, J. Zang ¹⁵³, D. Zanzi ⁵⁴,
O. Zaplatilek ¹³², C. Zeitnitz ¹⁷¹, H. Zeng ^{14a}, J.C. Zeng ¹⁶², D.T. Zenger Jr ²⁶, O. Zenin ³⁷,
T. Ženiš ^{28a}, S. Zenz ⁹⁴, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, B. Zhang ^{14c},
D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{14c}, P. Zhang ^{14a,14e},
R. Zhang ¹⁷⁰, S. Zhang ¹⁰⁶, S. Zhang ⁴⁴, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b},
Y. Zhang ^{62c,5}, Y. Zhang ⁹⁶, Y. Zhang ^{14c}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸,
T. Zhao ^{62b}, Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶²,
X. Zheng ^{62a}, Z. Zheng ¹⁴³, D. Zhong ¹⁶², B. Zhou ¹⁰⁶, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou⁷,
C.G. Zhu ^{62b}, J. Zhu ¹⁰⁶, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷,
V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵,
A. Zoccoli ^{23b,23a}, K. Zoch ⁶¹, T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶

¹ Department of Physics, University of Adelaide, Adelaide; Australia

² Department of Physics, University of Alberta, Edmonton AB; Canada

³ (a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; U.S.A.

⁷ Department of Physics, University of Arizona, Tucson AZ; U.S.A.

⁸ Department of Physics, University of Texas at Arlington, Arlington TX; U.S.A.

⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX; U.S.A.

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain

¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing; (d) School of Science, Shenzhen Campus of Sun Yat-sen University; (e) University of Chinese Academy of Science (UCAS), Beijing; China

¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia

¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway

¹⁷ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; U.S.A.

¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany

¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland

²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; U.K.

²¹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul; Türkiye

²² (a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia

²³ (a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (b) INFN Sezione di Bologna; Italy

²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany

²⁵ Department of Physics, Boston University, Boston MA; U.S.A.

²⁶ Department of Physics, Brandeis University, Waltham MA; U.S.A.

²⁷ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department,

- Cluj-Napoca;^(e) National University of Science and Technology Politehnica, Bucharest;^(f) West University in Timisoara, Timisoara;^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania
- ²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
- ²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; U.S.A.
- ³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
- ³¹ California State University, CA; U.S.A.
- ³² Cavendish Laboratory, University of Cambridge, Cambridge; U.K.
- ³³ ^(a) Department of Physics, University of Cape Town, Cape Town;^(b) iThemba Labs, Western Cape;^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;^(d) National Institute of Physics, University of the Philippines Diliman (Philippines);^(e) University of South Africa, Department of Physics, Pretoria;^(f) University of Zululand, KwaDlangezwa;^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
- ³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
- ³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra;^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;^(e) Faculté des sciences, Université Mohammed V, Rabat;^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
- ³⁶ CERN, Geneva; Switzerland
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; U.S.A.
- ⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
- ⁴¹ Nevis Laboratory, Columbia University, Irvington NY; U.S.A.
- ⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
- ⁴³ ^(a) Dipartimento di Fisica, Università della Calabria, Rende;^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
- ⁴⁴ Physics Department, Southern Methodist University, Dallas TX; U.S.A.
- ⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; U.S.A.
- ⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
- ⁴⁷ ^(a) Department of Physics, Stockholm University;^(b) Oskar Klein Centre, Stockholm; Sweden
- ⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
- ⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
- ⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
- ⁵¹ Department of Physics, Duke University, Durham NC; U.S.A.
- ⁵² SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; U.K.
- ⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
- ⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
- ⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
- ⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
- ⁵⁷ ^(a) Dipartimento di Fisica, Università di Genova, Genova;^(b) INFN Sezione di Genova; Italy
- ⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
- ⁵⁹ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; U.K.
- ⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
- ⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; U.S.A.
- ⁶² ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d) Tsung-Dao Lee Institute, Shanghai;^(e) School

- of Physics and Microelectronics, Zhengzhou University; China
- ⁶³ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
- ⁶⁴ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
- ⁶⁵ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- ⁶⁶ IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- ⁶⁷ Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain
- ⁶⁸ Department of Physics, Indiana University, Bloomington IN; U.S.A.
- ⁶⁹ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- ⁷⁰ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- ⁷¹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- ⁷² ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- ⁷³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- ⁷⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- ⁷⁵ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- ⁷⁶ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- ⁷⁷ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- ⁷⁸ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
- ⁷⁹ Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- ⁸⁰ University of Iowa, Iowa City IA; U.S.A.
- ⁸¹ Department of Physics and Astronomy, Iowa State University, Ames IA; U.S.A.
- ⁸² Istinye University, Sariyer, Istanbul; Türkiye
- ⁸³ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; ^(d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- ⁸⁴ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- ⁸⁵ Graduate School of Science, Kobe University, Kobe; Japan
- ⁸⁶ ^(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- ⁸⁷ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- ⁸⁸ Faculty of Science, Kyoto University, Kyoto; Japan
- ⁸⁹ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- ⁹⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- ⁹¹ Physics Department, Lancaster University, Lancaster; U.K.
- ⁹² Oliver Lodge Laboratory, University of Liverpool, Liverpool; U.K.
- ⁹³ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- ⁹⁴ School of Physics and Astronomy, Queen Mary University of London, London; U.K.
- ⁹⁵ Department of Physics, Royal Holloway University of London, Egham; U.K.
- ⁹⁶ Department of Physics and Astronomy, University College London, London; U.K.
- ⁹⁷ Louisiana Tech University, Ruston LA; U.S.A.
- ⁹⁸ Fysiska institutionen, Lunds universitet, Lund; Sweden
- ⁹⁹ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- ¹⁰⁰ Institut für Physik, Universität Mainz, Mainz; Germany
- ¹⁰¹ School of Physics and Astronomy, University of Manchester, Manchester; U.K.
- ¹⁰² CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- ¹⁰³ Department of Physics, University of Massachusetts, Amherst MA; U.S.A.
- ¹⁰⁴ Department of Physics, McGill University, Montreal QC; Canada

- ¹⁰⁵ School of Physics, University of Melbourne, Victoria; Australia
- ¹⁰⁶ Department of Physics, University of Michigan, Ann Arbor MI; U.S.A.
- ¹⁰⁷ Department of Physics and Astronomy, Michigan State University, East Lansing MI; U.S.A.
- ¹⁰⁸ Group of Particle Physics, University of Montreal, Montreal QC; Canada
- ¹⁰⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- ¹¹⁰ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- ¹¹¹ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- ¹¹² Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; U.S.A.
- ¹¹³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- ¹¹⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- ¹¹⁵ Department of Physics, Northern Illinois University, DeKalb IL; U.S.A.
- ¹¹⁶ ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) University of Sharjah, Sharjah; United Arab Emirates
- ¹¹⁷ Department of Physics, New York University, New York NY; U.S.A.
- ¹¹⁸ Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- ¹¹⁹ Ohio State University, Columbus OH; U.S.A.
- ¹²⁰ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; U.S.A.
- ¹²¹ Department of Physics, Oklahoma State University, Stillwater OK; U.S.A.
- ¹²² Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- ¹²³ Institute for Fundamental Science, University of Oregon, Eugene, OR; U.S.A.
- ¹²⁴ Graduate School of Science, Osaka University, Osaka; Japan
- ¹²⁵ Department of Physics, University of Oslo, Oslo; Norway
- ¹²⁶ Department of Physics, Oxford University, Oxford; U.K.
- ¹²⁷ LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- ¹²⁸ Department of Physics, University of Pennsylvania, Philadelphia PA; U.S.A.
- ¹²⁹ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; U.S.A.
- ¹³⁰ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- ¹³¹ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- ¹³² Czech Technical University in Prague, Prague; Czech Republic
- ¹³³ Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- ¹³⁴ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; U.K.
- ¹³⁵ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- ¹³⁶ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; U.S.A.
- ¹³⁷ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d) Universidad Andres Bello, Department of Physics, Santiago; ^(e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- ¹³⁸ Department of Physics, University of Washington, Seattle WA; U.S.A.
- ¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield; U.K.
- ¹⁴⁰ Department of Physics, Shinshu University, Nagano; Japan
- ¹⁴¹ Department Physik, Universität Siegen, Siegen; Germany
- ¹⁴² Department of Physics, Simon Fraser University, Burnaby BC; Canada
- ¹⁴³ SLAC National Accelerator Laboratory, Stanford CA; U.S.A.
- ¹⁴⁴ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
- ¹⁴⁵ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; U.S.A.
- ¹⁴⁶ Department of Physics and Astronomy, University of Sussex, Brighton; U.K.

- ¹⁴⁷ School of Physics, University of Sydney, Sydney; Australia
- ¹⁴⁸ Institute of Physics, Academia Sinica, Taipei; Taiwan
- ¹⁴⁹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
- ¹⁵⁰ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
- ¹⁵¹ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
- ¹⁵² Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
- ¹⁵³ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
- ¹⁵⁴ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
- ¹⁵⁵ Department of Physics, University of Toronto, Toronto ON; Canada
- ¹⁵⁶ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
- ¹⁵⁷ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
- ¹⁵⁸ Department of Physics and Astronomy, Tufts University, Medford MA; U.S.A.
- ¹⁵⁹ United Arab Emirates University, Al Ain; United Arab Emirates
- ¹⁶⁰ Department of Physics and Astronomy, University of California Irvine, Irvine CA; U.S.A.
- ¹⁶¹ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
- ¹⁶² Department of Physics, University of Illinois, Urbana IL; U.S.A.
- ¹⁶³ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain
- ¹⁶⁴ Department of Physics, University of British Columbia, Vancouver BC; Canada
- ¹⁶⁵ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
- ¹⁶⁶ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
- ¹⁶⁷ Department of Physics, University of Warwick, Coventry; U.K.
- ¹⁶⁸ Waseda University, Tokyo; Japan
- ¹⁶⁹ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
- ¹⁷⁰ Department of Physics, University of Wisconsin, Madison WI; U.S.A.
- ¹⁷¹ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
- ¹⁷² Department of Physics, Yale University, New Haven CT; U.S.A.

^a Also Affiliated with an institute covered by a cooperation agreement with CERN

^b Also at An-Najah National University, Nablus; Palestine

^c Also at Borough of Manhattan Community College, City University of New York, New York NY; U.S.A.

^d Also at Center for High Energy Physics, Peking University; China

^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece

^f Also at Centro Studi e Ricerche Enrico Fermi; Italy

^g Also at CERN, Geneva; Switzerland

^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland

ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain

^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece

^k Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel

^l Also at Department of Physics, California State University, Sacramento; U.S.A.

^m Also at Department of Physics, King's College London, London; U.K.

ⁿ Also at Department of Physics, Stanford University, Stanford CA; U.S.A.

^o Also at Department of Physics, University of Fribourg, Fribourg; Switzerland

^p Also at Department of Physics, University of Thessaly; Greece

^q Also at Department of Physics, Westmont College, Santa Barbara; U.S.A.

^r Also at Hellenic Open University, Patras; Greece

^s Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain

^t Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany

^u Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria

^v Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco

^w Also at Institute of Particle Physics (IPP); Canada

^x Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia

^y Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan

^z Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia

^{aa} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France

^{ab} Also at Lawrence Livermore National Laboratory, Livermore; U.S.A.

^{ac} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines

^{ad} Also at Technical University of Munich, Munich; Germany

^{ae} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China

^{af} Also at TRIUMF, Vancouver BC; Canada

^{ag} Also at Università di Napoli Parthenope, Napoli; Italy

^{ah} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China

^{ai} Also at University of Colorado Boulder, Department of Physics, Colorado; U.S.A.

^{aj} Also at Washington College, Chestertown, MD; U.S.A.

^{ak} Also at Yeditepe University, Physics Department, Istanbul; Türkiye

* Deceased