

This is a repository copy of *Reconstructing the history of ocean wildlife around Ascension Island*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/159154/>

Version: Accepted Version

---

**Article:**

Burns, Polly, Hawkins, Julie Patricia and Roberts, Callum Michael [orcid.org/0000-0003-2276-4258](https://orcid.org/0000-0003-2276-4258) (2020) Reconstructing the history of ocean wildlife around Ascension Island. *Aquatic Conservation: Marine and Freshwater Ecosystems*. ISSN 1052-7613

<https://doi.org/10.1002/aqc.3304>

---

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.

1 Title: Reconstructing the history of ocean wildlife around Ascension Island

2 List of authors: Polly Burns<sup>1\*</sup> ([pollyb.91@gmail.com](mailto:pollyb.91@gmail.com), +44 (0) 7952184217), Julie Hawkins<sup>1</sup>,

3 Callum Roberts<sup>1</sup>

4 <sup>1</sup>Department of Environment and Geography, Wentworth Way, University of York

5 Declarations of interest: none.

6 Paper type: Research article

7

<sup>1</sup> Present address: 31/11 Easter Road, Edinburgh, EH7 5PJ

## 8 Abstract

- 9 1. In 2016, the UK government announced plans for a large-scale Marine Protected Area  
10 (MPA) around Ascension Island, a UK Overseas Territory in the South Atlantic.
- 11 2. To improve baselines for marine life to support ambitious conservation and assess change  
12 over time, archives were searched for historical accounts of wildlife from Ascension's  
13 discovery in 1501 to the present. For more recent changes, 139 interviews with past and  
14 present inhabitants were conducted.
- 15 3. Ascension's marine life has, from first discovery to the present, been consistently remarked  
16 upon for its exceptional abundance. Historical sources indicate declines in seabird and  
17 turtle populations from human exploitation and introduction of rats and cats. They are  
18 recovering with good management although still below pre-settlement abundance.
- 19 4. Interviews with residents indicate more recent changes, notably declines in catch per unit  
20 of fishing effort at popular shore angling sites, a decline in yellowfin tuna (*Thunnus*  
21 *albacares*) and increase in Galapagos sharks (*Carcharhinus galapagensis*).
- 22 5. What is very notable, however, based on the interviews, was that there was no temporal  
23 signal suggestive of recent systemic decline, in marked contrast to many parts of the world  
24 where recent wildlife declines have been pervasive and steep. Ascension represents a  
25 remarkable and immensely important centre of abundance in a sea of depletion and change,  
26 warranting full protection for all the island's waters.

27 **Keywords:** Ocean, island, conservation evaluation, Marine Protected Area, fishing

## 28        **1. Introduction**

29        Throughout history, marine environments have been exploited for living resources (Lotze, 2004;  
30        Lotze & Worm, 2009), progressively altering them, often over centuries (Jackson et al., 2001;  
31        Roberts, 2007). Where changes occur slowly, it can be hard to establish the extent of habitat  
32        modification through human activity (Lotze & Milewski, 2004), often resulting in confusion  
33        between altered and natural systems (Jackson *et al.* 2001). The concept of “shifting baselines” was  
34        introduced to describe intergenerational changes in perception of an ecosystem’s natural state  
35        (Pauly, 1995). The phenomenon accounts for how ecosystems can progressively decline in  
36        condition unnoticed (Pinnegar & Engelhard, 2008), or conservation goals be set to maintain  
37        degraded conditions rather than recover more abundant, diverse wildlife (Plumeridge and Roberts,  
38        2017).

39        To help counteract shifting baselines, historical data and perspectives can be used to develop  
40        understanding of long-term anthropogenic change (Lotze & Worm, 2009), that can be integrated  
41        into marine science and management (Engelhard et al., 2015). Historical data can be used, for  
42        example, to make stronger cases for marine protected areas (Bunce, Rodwell, Gibb & Mee, 2008;  
43        Zapelini, Giglio, Carvalho, Bender & Gerhardinger, 2017) or to select sites or targets for  
44        restoration (Braje, Rick, Erlandson, Rogers-Bennett & Catton, 2015). In a similar vein, Local  
45        Ecological Knowledge (LEK - hereby defined as information based on observations and  
46        experiences of the local environment, to provide largely qualitative measures of its condition,  
47        Turvey *et al.*, 2014) is increasingly used to inform marine ecosystem management (Lima, Oliveira,  
48        de Nóbrega & Lopes, 2017; Ruddle & Hickey, 2008; Wilson, Raakjær & Degnbol, 2006). Data  
49        provided by local people acquired via questionnaires and interviews (e.g. Beaudreau and Levin,  
50        2014; Sáenz-Arroyo & Revollo-Fernández, 2016) have been used to generate information and  
51        detailed testimonies about fisheries and target species (Johannes, 1998; Neis *et al.*, 1999; Thurstan,  
52        Buckley, Ortiz & Pandolfi, 2016; Zapelini et al., 2017). For locations where scientific information

53 about marine ecosystems is sparse, a combination of approaches including LEK and historical  
54 literature can be particularly important (Ainsworth, Pitcher & Rotinsulu, 2008; Lima *et al.*, 2017;  
55 Neis & Felt, 2000; Zapelini *et al.*, 2017).

56 In this study, a long-term historical perspective on the marine wildlife (focussed on megafauna) of  
57 Ascension Island, is provided to inform current efforts to establish an MPA there (The  
58 Conservatives, 2015). The aim is to understand how the present abundance of wildlife compares  
59 to past states in order to inform appropriate and ambitious conservation goals and protections for  
60 the MPA. The study timeframe starts in 1501 when the Portuguese discovered Ascension and  
61 charts its settlement from 1815 onwards by the British (Irving, 2015). The human population has  
62 always been sparse because of the island's isolation and aridity, which has kept its wildlife  
63 relatively undisturbed. Biologically, Ascension's great isolation and young geological age (~1  
64 million years) have resulted in relatively low species diversity but high endemism (Barnes *et al.*,  
65 2015; Floeter *et al.*, 2008). This combination of anthropogenic and biological features is likely to  
66 make Ascension a place of high conservation priority (Kier *et al.*, 2009), which warrants effective  
67 protection informed by thoroughly researched baselines. There has never been a commercial  
68 fishery based from Ascension, although recreational fishing is common, and foreign commercial  
69 vessels have fished the Exclusive Economic Zone (EEZ). The limited exploitation contrasts with  
70 many other parts of the world ocean where fishing intensity is high, and begs the question: has that  
71 made a difference to the status of the Island's waters? Recently one of very few scientific studies  
72 (O'Leary *et al.* 2018) on the present status of Ascension's marine life concluded the island's  
73 marine biodiversity to be of outstanding biological interest (Brickle, Brown, Küpper & Brewin,  
74 2017). Without extensive quantitative data from studies or fisheries statistics, a more complete  
75 reckoning requires a deeper historical perspective (Plumeridge & Roberts, 2017) to inform modern  
76 management. This study combines archival and LEK methods to produce a long-term historical  
77 timeline of wildlife abundance and change in Ascension's waters.

## 78        **2. Methods**

### 79        **2.1 Study Site**

80        Ascension Island is a UK Overseas Territory, governed jointly with Tristan da Cunha and St  
81        Helena (Irving, 2015). It lies south of the equator in the tropics at 7 56'S, 14 22'W and covers 88  
82        km<sup>2</sup> (Figure 1). The nearest land is St Helena island 1300 km southeast. Today, around 800 people  
83        inhabit Ascension (McLeod, 2016). There is no commercial fishery operating from the island; only  
84        recreational and previously sport fishing operations.

### 85        **2.2 Literature and Archival Research**

86        To develop a historical picture of marine life associated with Ascension, literature and archival  
87        sources were searched for accounts dating from the island's discovery in 1501 to the present. The  
88        study was not comprehensive, given time limitations, but archives were explored to find as many  
89        sources of historical observations as possible. Sources were obtained online and via visits to the  
90        National Archives of the United Kingdom, National Scottish Archives, Bodleian Library Archives,  
91        Caird Library, the British Library Archives and Manuscripts, Museum of St Helena, Ascension  
92        Island Heritage Society Museum, Cable & Wireless Archive, Ascension Island Heritage Archive,  
93        'The Islander' newspaper archives and St Helena Government Archive.

94        When all quotes about the marine environment were collated, those that did not make specific  
95        reference to abundance were removed. The remaining quotes were grouped into distinct time  
96        periods, to reflect the social background to what was witnessed and summarise the results of the  
97        quote analysis. Timeframes were delineated to match key phases in the island's history; 1501 –  
98        1814, 1815 – 1922, 1923 – 1983 and 1984 – 2017. All references to sharks were retained because  
99        of recent interest following two shark attacks in Ascension in 2017 (BBC News, 2017; Telegraph,  
100        2017).

### 101 **2.3 Local Ecological Knowledge (LEK) from Interviews**

102 Between July and September 2017, a consented, semi-structured questionnaire (Supporting  
103 Information 1) was conducted on 139 past and present residents of Ascension to probe their  
104 knowledge and perceptions of the island's marine life. Ninety-two were with current Ascension  
105 residents (equating to around 10% of the population); and 44 with ex-residents now retired or re-  
106 located to St Helena. Interviews were conducted face to face in the interviewee's homes,  
107 workplaces, in public spaces or aboard the 'Royal Mail Ship St Helena' during its passage to or  
108 from Ascension. In November 2017, three additional interviews were conducted via Skype with  
109 people who no longer lived on Ascension or St Helena.

110 Interviewees were identified via purposive sampling (Babbie, 2012), under the proviso that  
111 respondents had to have experience of the marine environment as either an amateur or professional  
112 fisher, or conservationist/naturalist, or as a recreational user, determined through informal  
113 discussions and then opening questions in the interview and to ensure appropriate information was  
114 gathered from each user group. "Snowballing" then ensued, whereby people interviewed  
115 recommended others to approach (Babbie, 2012). These methods are appropriate here due to the  
116 small population size and the knowledge of other suitable candidates. All interviews were  
117 recorded, and later transcribed, unless permission to record was declined in which case the  
118 questionnaire was completed during the interview and used in the analyses in the same way as  
119 recorded interviews. Interviews varied in length from 10 minutes to an hour and all but four were  
120 conducted individually; in the latter everyone in the group was questioned separately. As two  
121 recent shark attacks prompted interviewees to share their experiences, a specific question was  
122 asked on sharks, so that recollections were captured constructively and to free up other memories  
123 of interest in non-shark specific questions. To help interviewees relate their memories to dates, a  
124 timeline of key events in Ascension's history acted as a prompt (Supporting Information 2) (Fisher

125 & Geiselman, 1992). Similarly, to aid memory recall about marine life and to standardise  
126 responses, participants were asked to work from a photographic ID sheet, and fishers were asked  
127 to identify fishing grounds using a map provided.

## 128 **Analyses**

129 Transcribed interviews were coded using NVivo ([http://www.qsrinternational.com/nvivo/what-is-](http://www.qsrinternational.com/nvivo/what-is-nvivo)  
130 [nvivo](http://www.qsrinternational.com/nvivo/what-is-nvivo)) and coded data summary tables were produced to link respondent characteristics to  
131 responses. The results presented here represent a subset of a broader analyses (see Supporting  
132 Information 4) chosen for the value of the insights they provide into historical changes.  
133 Interviewees were grouped into categories based on length of time spent on the island and year of  
134 first arrival, with the splits selected to produce an even split in the number of people for each  
135 group. An equal divide was not possible for length of time on the island given the transient nature  
136 of residents, with 65% spending less than 20 years on the island. Data were analysed via SPSS  
137 Statistics 24 or Excel, whereby non-parametric binomial tests were used on interview questions,  
138 and Pearson Chi-squared to examine respondent characteristics and their answers. Results were  
139 classed as significant if probability values (P) were <0.05. It is a reported stereotype that people  
140 who fish have a tendency to exaggerate their catches (e.g. Sullivan, 2003). Hence, for semi-  
141 quantitative data, outlying points for particularly exceptional or unusual fishing events were  
142 removed prior to analyses. One outlier for tuna and two for 'fish' and grouper each were removed  
143 in this way, identified as observations a minimum of five times higher than typical values reported  
144 by other respondents.



## 145 **3. Results**

### 146 **3.1 Historical Timeline**

147 In total, 627 historic observations were found referencing Ascension's marine environment in 230  
148 document sources, reduced to 272 quotes after discarding all that did not specifically mention  
149 abundance of marine life. These observations are sorted by historical period, below. The full table  
150 of quotes is provided in Supporting Information 3.

#### 151 **3.1.1 The Forgotten Island: Post-discovery 1501-1814**

152 The earliest illustrations of Ascension (Figures 2 and 3) supported by the accounts throughout this  
153 period (Table 1; Supporting Information 3) give an impression of great abundance of marine life.  
154 Most commonly referred to was the abundance of birds of which large numbers were killed  
155 (Mundy, 1936, Osbeck, 1765). Turtles and fish attracted fewer comments but were evidently  
156 plentiful (Avis, 2000; Cowell & Read, 1765; Mundy, 1936; Mundy, Temple & Anstey, 1907;  
157 Pyke, 1705; Welch, 1950 in Teale, 1978). Fishing on the island is first referred to in 1656 and was  
158 clearly easy with plenty of fish caught (Mundy, 1656). Many people noted the value of turtles as  
159 food (Cowell & Avis, 2000; Dampier & Masfield, 1906a; Osbeck, 1765; Ovington, 1696; Cowell  
160 & Read, 1765) and in the 1600s Ascension's reputation as a prime place to catch turtles grew  
161 (Ashmole and Ashmole 2000, Cawley, 2015).

### 162 3.1.2 The H.M.S. Ascension: 1815 – 1922

163 After Ascension was settled, from 1815 onwards, references to marine life increasingly comment  
164 on the quantities taken (AIG, no date) (Table 2). From this time, turtle hunts became intensive and  
165 well-organised. Turtle meat provided food for residents and live animals were traded with passing  
166 ships (Ashmole & Ashmole, 2000). Turtles were caught by hand on shore after laying their eggs  
167 then stored alive on their backs. Between 1815 and 1829, turtle storage ponds were built on  
168 Ascension to increase the survival time of captured animals (Ashmole & Ashmole, 2000). From  
169 1868 onwards, accounts increasingly refer to decreasing turtle numbers, with ‘great scarcity’  
170 described in 1892 (Anon., 1892). In 1901, the annual catch was down to 250 (Aiton, 1901) after  
171 much higher previous catches (Figure 4). In 1922, despite an average turtle catch of only 38 for  
172 the three previous years, calls to protect these animals were opposed, due to the importance of  
173 turtle meat for islanders (Anon., 1922c).

174 By 1870, a decline in seabird numbers was noted (Kerby, 1871), likely due to their predation by  
175 introduced rats and cats (Ratcliffe *et al.*, 2009; Stonehouse, 1962). Further evidence of seabird  
176 decline is evident on a map from 1838 (Bedford, 1838) which shows that previous booby (three  
177 species of booby reside on Ascension - Masked booby (*Sula dactylatra*), Brown booby (*Sula*  
178 *leucogaster*), Red-footed Booby (*Sula Sula*)) nesting grounds were no longer in use (Hughes,  
179 Martin & Reynolds, 2008).

180 The quantity and variety of fish from Ascension was regularly noted (Brandreth & Power, 1835;  
181 Burnett, 1858b; Campbell, 1816; Gill, 1878; Haggard, 1878; Martin, 1843; Porter, 1843; Studley,  
182 1898; Thomson, 1878; Twigg, 1919; Webster, 1834). For example, in 1815, H.M.S Peruvian  
183 logged 110 fish caught averaging 3lbs, with enough hauled via a seine from the shore to feed two  
184 crews (i.e. around 240 people) (Stonehouse, 1960). By 1880, fishing was noted as a regular  
185 occurrence on Ascension (Roe & Parsons, 1885).

186 **3.1.3 Ascension, the Island of Communication: 1923 – 1983**

187 Quotes from this period mainly referred to the exceptional fishing around Ascension (Table 3),  
188 whereby a variety of species were said to be caught in remarkable numbers with little effort. In the  
189 1920s, the number of turtles captured fell to practically zero (Figure 4) and no references to the  
190 numbers of turtle on Ascension between 1923 and 1983 were found. In 1926, a report stated,  
191 “turtles seemingly no longer land in the vicinity of the town. The more remote beaches at NE and  
192 SW, formerly resorted to by the turtles in hundreds now only land in tens” (Lander, 1927a).  
193 Regardless, hunting for turtles continued unabated until 1934 in efforts to supply turtle meat to  
194 residents and markets in the UK where it featured at Royal banquets (Ashmole & Ashmole, 2000;  
195 Simmons, 1927). In 1935, the license to hunt turtles at Ascension was revoked for economic  
196 reasons (Bartlett, 1935a), but the animals continued to be caught for local consumption (Bartlett,  
197 1935b) until they became protected under the Wildlife (Protection) (Ascension) Ordinance  
198 (Chapter 129) in 1944 (Huxley, 1997). In 1927, 1929 and 1936 seabirds were noted to “darken  
199 Ascension’s sky” (Keilor, 1997, Simmons, 1927, Watts, 1936), but accounts from 1945 onwards  
200 indicate they became significantly less abundant, with the heavy use of Ascension’s runway during  
201 WW2 blamed for ‘decimation’ (Anon., 1948). When the British Ornithologist’s Union surveyed  
202 seabirds on Ascension in 1957-59, they reported the Sooty tern population at 750,000 (Hart-Davis,  
203 1972), down by a third compared to an estimate 15 years earlier (Chapin, 1954).

204

### 205 **3.1.4 Modern Ascension: 1984 – 2017**

206 More quantitative data on marine life became available in the modern period as scientific studies  
207 and observations developed (Table 4). Comments on the quality and quantity of fishing continue  
208 to feature, despite repeated failed attempts to establish a commercial fishery operation on  
209 Ascension (Wills, 1955). There was, however, evidence of foreign commercial fishing; during the  
210 second half of the 20th century, commercial fishing pressure further offshore within Ascension's  
211 EEZ increased as Japanese and Taiwanese fleets mainly used longlines to target tuna (*Thunnus*  
212 *albacares*, *Thunnus obsesus* and *Katsuwonus pelamis*) (RSPB, 2017). A licensing system was  
213 introduced in 1988 in response to growing fishing pressure; the number of licensed fishing vessels  
214 peaked at 80 in the 1990s (RSPB, 2017) and fishing days around the island peaked in 2011 at 4,231  
215 (Figure 5).

216 Offshore commercial fishing in Ascension's waters was prohibited between 2005 and 2009 and  
217 again in 2014/15 whilst options for future fisheries management were considered (Armstrong &  
218 Reeves, 2015; Reeves & Laptivosky, 2014). When the fishery re-opened in 2015, an area of 50  
219 nm around the island and the whole of the southern half of Ascension's EEZ was closed to  
220 commercial fishing with just two licenses sold for the remainder of waters where fishing was  
221 allowed (Pers. Comm. J. Brown, 2017; RSPB, 2017).

222 Although Ascension has no domestic commercial fishery today, residents commonly fish inshore  
223 for recreation and personal consumption (Armstrong & Reeves, 2015). In 2002, the first sport-  
224 fishing company was established, but in 2016 the then three sport-fishing companies ceased work  
225 after the island's airport closed for long-term repairs (Pers. Comm. B. Chester; E. Cuylaerts; M.  
226 Hennigsen, 2017). Shore fishing was unaffected (Armstrong & Reeves, 2015) with grouper  
227 (*Epinephelus adscensionis*) and moray eel ('Congers' *Gymnothorax moringa*) the main target  
228 species. Large game fish, including sharks, are frequently caught (Figure 6), with tuna catchable

229 from the shore at certain times. From photographic evidence and interviews with residents, marlin,  
230 yellowfin tuna and other game fish are regularly caught using spearfishing and trolling amongst  
231 other methods (Armstrong & Reeves, 2015). Presently, there are no government limits on  
232 recreational or sport fishing catches, apart from a 10 kg per person limit on exports (Armstrong &  
233 Reeves, 2015).

234 Today both seabirds and their eggs are fully protected on Ascension under the Ascension Island  
235 Wildlife Ordinance implemented in 2013 (AIG, 2013), though the rat population is still present  
236 despite an eradication programme (AIG, 2015a), seabird populations show signs of recovery.

237

238 **3.1.5 History of sharks, shark attacks and details of other ‘problematic’ fish**

239 Twelve species of sharks have been recorded around Ascension and in 2017, two shark attacks  
240 occurred there, potentially for the first time, although in the course of this study the description of  
241 a possible shark attack in 1858 was found in a letter from John Haggard held in the Caird Library.  
242 One of the authors (PB) also witnessed sharks in the inshore environment in high abundance during  
243 fieldwork in 2017 (Figure 7). Table 5 compiles all historic shark related accounts identified to put  
244 modern observations of sharks into context.

245 References to the danger sharks pose are common (Anon., 1923; Anon., 1964; Bartlett, 1972b;  
246 Burnett, 1858a; Cant, 1973; Chapman, 1985; Cross, 1980; Edgar & Morris, 1997; Faulkner, 1954;  
247 Hart-Davis, 1967; Keilor, 1997). Sharks have long been reported to take fish from fishing lines  
248 (Beeckman, 1718; Gill, 1878) such that at certain times it was rare for fishers to land fish unscathed  
249 by sharks (Clarke 1942; Stonehouse, 1960), something that PB witnessed whilst on Ascension in  
250 2017 (Figure 7).

## 251 **3.2 Local Ecological Knowledge: Questionnaire Results**

### 252 **3.2.1 Respondent characteristics**

253 Amongst respondents, 114 (82%) were male and 25 (18%) female, with the majority aged between  
254 41-50. Time on Ascension ranged from 1 to 55 years and the earliest date of arrival was 1952. See  
255 Supporting Information 5 for more details on respondent characteristics.

### 256 **3.2.2 Fishing**

257 To the question, “Would you say the amount of effort you have to use to catch fish has changed  
258 during your stay on Ascension?”, 40% (n = 35 out of the 87 who completed this part of the  
259 questionnaire) said ‘no’, and 43% (n = 37) said ‘yes’, with all the latter stating that there was a  
260 *reduced* catch per unit of fishing effort. The remaining 17% (n = 15) all noted that catch per unit  
261 effort had reduced because of shark predation on their catches. The difference between the  
262 respondent answer groups was non-significant (two-tailed binomial test,  $p = 0.09$ ). One respondent  
263 commented:

264 *“All I can say is that it’s not as easy to catch them like it used to be, it’s not uncommon to*  
265 *go fishing one afternoon and not catch anything. I remember before days you could never*  
266 *say you’d go fishing and not come back with a fish.”* (Interview AI 008 – Arrived in 1987  
267 and been on Ascension almost 30 years)

268 Figure 8 splits respondents by length of time on Ascension, defined by arrival pre- or post- 1990,  
269 and shows that a person’s length of time on island did not affect how they perceived change in  
270 their catch per unit of fishing effort over time. (Figure  
271 8a; *CPUE trend vs year of first arrival*  $\chi^2 > 2.156$ ,  $P = 0.340$ , Figure 8b; *CPUE trend vs*  
272 *time spent on island*  $\chi^2 > 0.484$ ,  $P = 0.785$ ).

273 **3.2.3 Attitudes to Sharks**

274 All 139 respondents answered the question “What is your view on sharks in Ascension waters?”  
275 (Figure 9) (N = 299, multiple answers per respondent) with results giving little suggestion that  
276 people had feared sharks in the past; for example one interviewee remarked:

277 *“...when we come [in] from fishing and if you're bloody you could actually dive over*  
278 *the side by the pier to wash off, wash your clothes; there's no way right now you*  
279 *would do that.”* Interview SH 003, arrived 1983 and on Ascension for 18 years.

280 Although sharks were always recognised as having been common before, their behaviour appears  
281 to have changed, exemplified by not only the attacks but also observations such as:

282 *“I see one shark grab the propeller on a little boat and shake it. Stuff I see in these*  
283 *two years I've never seen or heard of before”* Interview AI 066, been on Ascension  
284 since 1999.

285 *“I've been in the water, not only me, with 12 sharks around. I've even tried to feed*  
286 *them, I had a short hand spear, shoot a blackfish and tried to give it to him, and*  
287 *watch him get excited when they fight one another and never had any experience of*  
288 *having to fight them off.”* AI 036, been on Ascension since 1962.

289 Eight interviewees felt the present situation, wherein large sharks are being seen in abundance  
290 inshore, wasn't completely new, for example:

291 *“Sometimes there were, twice a year, there were massive huge ones, they changed*  
292 *the colour of the water they were so close together you'd think you could get out the*  
293 *boat and walk.”* SH 044, on Ascension 1998 – 2008.



294 Six out of eight respondents who said sharks had previously been frequently seen in high numbers,  
295 arrived between 1960 and 1969. For the forty-seven respondents who felt the present abundance  
296 of sharks was completely new, 28 came to Ascension for the first time between 1990 and 2017,  
297 with 19 arriving before then.

298 Of those who felt shark numbers had increased ( $N = 71$ ), 25 arrived between 1950 and 1989 and  
299 46 after 1990. Of these 22 had been on the island 21-55 years and 49 between 1-20 years. Those  
300 who first experienced Ascension earlier (binomial,  $P = 0.02$ ), and who had been on Ascension  
301 longer (binomial,  $P = 0.002$ ), were less likely to perceive shark numbers as having increased.

### 302 **3.2.4 Perceived changes in fishing locations**

303 Figure 10 displays respondents' answers to "Are there any places you used to fish that are no  
304 longer productive or vice versa?" and shows widespread perceptions of site-specific declines in  
305 productivity, given the large number of fishing sites named, with only a select few noted to have  
306 conversely increased. English Bay was the location most frequently mentioned to have declined  
307 in productivity. Overall, fishing productivity was said to have decreased in 171 sites but improved  
308 in only 11 (Figure 11). In sites where it had decreased, four were named by more than ten people.  
309 Thirty-four respondents felt no fishing sites had changed in respect to productivity.

### 310 **3.2.5 Perceptions of fishing productivity**

311 Answers to the questions "What is/was a typical day's catch?" (for your most recent fishing year  
312 on Ascension) and "Can you remember what a typical day's catch was then? (for your first fishing  
313 year on Ascension)" are shown on Figure 12 where (a) all fish and (d) tuna (*Thunnus albacares*)  
314 show significant changes in perceived productivity of their fishing over the timespan of  
315 interviewees' experience.

### 316 3.2.6 Perceptions of species decline or increase

317 When asked “Are there any species you know of that have decreased in numbers during your stay  
318 on Ascension?”, 50 respondents believed nothing had declined but 146 named instances of  
319 decrease (Figure 13). Of these, Grouper (*Epinephelus adscensionis*) was most commonly named  
320 (N = 21), closely followed by tuna (*Thunnus albacares*) (N = 20) (consistent with Figure 12), ‘fry’  
321 (N=20) and blackfish (N=18). (‘Fry’ can refer to juveniles of a variety of fish species. In general,  
322 interviewees mentioning fry runs meant species such as Kingston (Mackerel Scad, *Decapterus*  
323 *macarellus* and other members of the Decapterus genus), Mackerel (Chub mackerel, *Scomber*  
324 *japonicus*) and Steenbrass (Bigeye Scad, *Selar crumenophthalmus*) which come inshore in large  
325 numbers, chased in by larger fish such as tuna species and Yellowtail (also known as Rainbow  
326 runner, *Elegatis bipinnulata*) (Pers. Comm. Andy Richardson, 2018; Edwards, 1990). Fry events  
327 can also include juvenile grouper (*Epinephelus adscensionis*) and squirrelfish (*Holocentrus*  
328 *adscensionis*) accumulating inshore, depending on oceanographic conditions (Pers. Comm. Andy  
329 Richardson, 2018). There was no statistically significant difference between categories for first  
330 year of arrival (chi-squared  $\chi^2 < 0.007$ ,  $p=0.93$ ) or length of time on Ascension (chi-squared  
331  $\chi^2 < 1.57$ ,  $p=0.21$ ).

332 Of the 123 responses to, “Are there any species you know of that have increased in numbers during  
333 your stay on Ascension?”, almost the same number said no as named at least one species (N = 62  
334 and 61 respectively). Though frequently cited by interviewees as in decline, Grouper (*Epinephelus*  
335 *adscensionis*), was the species most commonly perceived by respondents to have increased (N =  
336 11) followed by turtle (*Chelonia mydas*) (N = 9).

#### 337 4. Discussion

338 The findings of this study reveal that Ascension's marine life has been consistently remarked upon  
339 for its abundance by generations of explorers, travellers, fishers, residents and scientists from the  
340 first observations to the present day, particularly for seabirds, turtles and fish life. Many historical  
341 studies show that fishing and anthropogenic pressures have seriously damaged ecosystems  
342 (Jackson *et al.*, 2001; Roberts, 2007) and though changes are evident (Figure 14), Ascension Island  
343 seems to have escaped the level of harm seen elsewhere. However, when comparing seabird and  
344 turtle populations to the present day, they appear considerably smaller than in the past. Although  
345 high abundance of fish life appears to have been a constant, recent significant declines in tuna  
346 (*Thunnus albacares*) were perceived by interviewees. Many interviewees also noted nearshore  
347 fishing grounds have declined and said they had experienced a decreased catch per unit effort.

348 One of the most striking consistencies among the historical accounts examined were comments on  
349 the great abundance of fish. From Linschoten's "great store of Fish" in 1589 (Linschoten, 1596)  
350 through to the 20<sup>th</sup> century, the ease of fishing and its productivity are apparent. Also striking were  
351 the depictions of abundant fish and seabirds in early images of the islands. These are unusual  
352 features of early engravings, leading one to infer that Ascension marine life was considered  
353 abundant centuries ago.

354 Historic accounts have, however, revealed changes particularly in seabirds and turtles, which have  
355 both declined in abundance due to direct exploitation, and for birds from habitat modification and  
356 introduced predators (Sections 3.1.2 & 3.1.3). Both groups show signs of recent recovery but are  
357 still well short of historic numbers. Since the 1970s, numbers of turtle nests have increased from  
358 3,752 to 23,724 (Weber *et al.*, 2014) and in 2006 Broderick *et al.* estimated a 285% increase in the  
359 Ascension population. This contrasts with many other places, for example the Caribbean, where  
360 Green turtle numbers are estimated at just 0.3% of what they once were (McClenachan, Jackson

361 & Newman, 2006). There are also indications of recolonization by four species of seabirds and  
362 reduction in sooty tern mortalities, though their recovery is limited by the continued presence of  
363 rats (Ratcliffe *et al.*, 2009).

364 The interview data provided contrasting perspectives on recent change (post 1950). For example,  
365 45% of respondents could not think of an example of a species that had increased, whereas 55%  
366 named at least one species they thought had increased. Similarly, 35% of respondents could not  
367 list any species that had decreased but the remainder considered at least one species to have done  
368 so. The significant perceived declines in tuna and ‘fish’ catches noted by interviewees supports the  
369 perception that some key species have declined. Many interviewees also reported that some fishing  
370 grounds had declined, especially the most accessible coastal sites, and experienced a decreased  
371 catch per unit effort in their fishing trips. These results present a worrying picture of modern  
372 decline, that highlight the need for precautionary and effective management to be developed for  
373 Ascension Island’s marine environment. Protecting the area now will limit further change and help  
374 maintain an upward trajectory for recovering species.

375 One consistent feature of the interviews is the absence of any clear temporal signature in  
376 perceptions of changes in abundance for most marine species. Notably, people who had been on  
377 island for longer or first saw it in the more distant past were not more likely to report changes than  
378 those more recently acquainted with Ascension. In comparison, other studies using interview  
379 techniques have picked up significant, consistent changes, for example Ainsworth *et al.* (2008)  
380 and Sáenz-Arroyo, Roberts, Torre, Cariño-Olvera & Enriquez-Andrade *et al.* (2005a). There were  
381 few consistent observations of changes with a variety of species noted as fluctuating by  
382 interviewees with different experiences of the Island. This suggests that, with a few exceptions,  
383 like for sharks where there was broad agreement on recent increase, interviewee testimonies  
384 simply reflect experience of a rich marine environment experiencing cycles of change.

385 The apparent maintenance of high fish abundance over the course of centuries through to the  
386 present day makes Ascension highly unusual in a fast-changing world in which overexploitation  
387 and species declines are commonplace (Jackson *et al.*, 2001; Roberts 2007). For example, a recent  
388 survey found three times more groupers around Ascension than St Helena; along with population  
389 structure differences, suggesting the impact of higher fishing pressure in St. Helena (Choat &  
390 Robertson, 2008). In the Gulf of California, Mexico, exploitation of Gulf Grouper (*Mycteroperca*  
391 *jordani*) led to population declines of up to 99%, as shown by historical records (Sáenz-Arroyo,  
392 Roberts, Torres & Cariño-Olvera, 2005b) and fishers reported catching 25 times more grouper in  
393 the past (Sáenz-Arroyo *et al.*, 2005a). Other historical studies across the world also contrast with  
394 this study's results. Jackson (1997) concluded coral reefs experienced widespread deterioration  
395 before modern studies began, a view supported by Pandolfi *et al.* (2003). Lotze & Milewski (2004)  
396 described major historical alterations to the Quoddy Region in the Bay of Fundy, while Lotze *et*  
397 *al.*, (2005) revealed ecosystem transformation of the Wadden Sea dating back over 2,500 years.  
398 Around the UK, Thurstan, Brockington & Roberts (2010) used fishery statistics from 1889 to 2010  
399 to reveal that trawl fisheries productivity fell by 94% over 118 years. Historical accounts unearthed  
400 by Sáenz-Arroyo, Roberts, Torre, Cariño-Olvera & Hawkins (2006) indicated major losses of key  
401 exploited species in the Gulf of California, like turtles, pearl oysters and fish. When Baum & Myers  
402 (2004) compared catch data from the Gulf of Mexico from the 1950s to 1990s, they revealed  
403 declines of up to 99% for sharks. Similarly, Rosenberg *et al.* (2005) found cod biomass on the  
404 Scotian shelf was 1.26 million MT in 1852 compared with a modern 'peak' biomass in the 1980s  
405 of 300,000 MT. Surveys of local ecological knowledge have also uncovered widespread fisheries  
406 declines in Raja Ampat, Indonesia, (Ainsworth *et al.*, 2008), the Yangtze River (Turvey *et al.*,  
407 2010) and the Southwestern Atlantic (Zapelini *et al.*, 2017). Unlike Ascension, most of these  
408 places have been exposed to intense anthropogenic pressures. Strong protection from similar  
409 pressures in an MPA should safeguard Ascension's marine life into the future.

410 Globally, shark exploitation has caused widespread declines (Davidson, Krawchuk & Dulvy,  
411 2016; Ward-Paige & Worm, 2017). For example, in the Northwest Atlantic, certain species  
412 declined by 75% over 15 years at the end of the 20<sup>th</sup> century (Baum et al., 2003). The archival  
413 research indicates sharks have been consistently noted around the island, and the more recent  
414 interview results demonstrate a perceived increase in numbers. The abundance of sharks around  
415 Ascension represents a rare counterpoint to general overexploitation, strengthening the case for  
416 strong protection from fishing there to avoid declines seen elsewhere. At St Paul's Rocks for  
417 example, 940km away from Ascension off the coast of Brazil, historical records indicate  
418 commercial fishing caused extinction of the once abundant Galapagos Shark population (Luiz &  
419 Edwards, 2011).

420 Historical accounts are easy to criticise as anecdotal, non-quantitative, and with limited relevance  
421 to contemporary management (Pinnegar & Engelhard, 2008). Hence it is important to bear in mind  
422 the possibility that explorers might have embellished their accounts when caught up in the  
423 excitement of new places (Sáenz-Arroyo *et al.*, 2006). That said, historical perspectives have  
424 improved understanding of the ecology of a growing number of places (e.g. Dalzell, 1998; Jackson  
425 *et al.*, 2001; McClenachan *et al.*, 2006; McClenachan, Ferreti & Baum, 2012; Roberts, 2007;  
426 Sáenz-Arroyo *et al.*, 2006). The inferences in this study, due to the nature of personal observations,  
427 are mainly limited to megafauna and species that were caught or seen easily. It cannot be said that  
428 this study is reflective of the entire marine ecosystem, but it does provide evidence of populations  
429 of larger species of marine life over time from which much can be learnt. Historical accounts are  
430 also of particular use when combined with one or other measures of change (Jackson *et al.*, 2001).  
431 This study presents an extensive but not exhaustive collection of references to Ascension Island's  
432 marine life. There are gaps in the accounts, and the earliest account is around 90 years on from  
433 when the island was discovered, which could result in important elements being missed from this  
434 analysis. Data collected, for example in Figure 4, could be inaccurate or incomplete. Another

435 interpretation could be that people's perceptions of abundance changed over time. Despite this  
436 risk, other studies using similar methods have shown clear indications of decline (e.g. Jackson,  
437 1997; Sáenz-Arroyo et al., 2006). Our results use similar methods to find no consistent trend in  
438 decline, supporting inferences of abundance from our analysis of historical records. The  
439 information collected has enabled us to generate an extended historical timeline. The detail and  
440 increasing frequency of observations as time goes on, together with the consistency in descriptions  
441 from the earliest accounts to the present, suggest that substantial confidence can be placed in our  
442 conclusions.

443 Surveys of local ecological knowledge also have drawbacks, primarily that respondents may not  
444 notice change, especially if gradual. For example, in this study only nine respondents felt turtles  
445 had increased, and one felt the opposite, whereas quantitative data shows the Ascension Green  
446 turtle (*Chelonia mydas*) population has increased by 285% since 1970 (Broderick *et al.*, 2006).  
447 This misperception could be due to conservation regulations implemented in 2014 limiting access  
448 to turtle nesting beaches and so also, opportunities for observation (AIG, 2015b). Other studies  
449 looking to judge the effectiveness of LEK by comparison with quantitative data have also had  
450 mixed results (O'Donnell, Pajaro & Vincent, 2010). For example, Anadón, Giménez, Ballestar &  
451 Pérez (2009) found that LEK produced large-scale, cost effective and reliable data on terrestrial  
452 tortoise abundance in South-eastern Spain. In his study from the Seychelles and Western Indian  
453 Ocean, Daw (2008) found such discrepancies between official data and local knowledge that it  
454 called into question the veracity of both. On balance, however, for Ascension, the many  
455 consistencies among accounts that have been compiled, from multiple different perspectives over  
456 a period of centuries, have allowed a reliable narrative of temporal change in its marine wildlife to  
457 be pieced together.

458 The world today is very different in many ways to the past, with species extinctions and climate  
459 change making complete recovery of marine ecosystems to past states impossible (Harris, Hobbs,  
460 Higgs & Aronson, 2006; Pitcher, 2001). For example, Weber *et al.* (2014) concluded that due to  
461 large-scale ecosystem changes, Ascension turtles may not be recoverable to pre-exploitation  
462 levels. However, these findings suggest that such an abundance of marine life persists that, unlike  
463 many other areas which have been seriously degraded, Ascension can be protected permanently  
464 on a proactive rather than reactive basis. This will be increasingly important as climate change  
465 effects intensify and to which remoteness offers no protection; the creation of an MPA may also  
466 foster adaptation and alleviate impacts (Roberts et al., 2017). The continued high abundance of  
467 marine life around Ascension represents a rare survival in the Anthropocene, making the island of  
468 extreme conservation importance. The recent closure of the airport there, which shut sport fishing  
469 operations, and the great reduction in commercial longline fishing within Ascension's EEZ in the  
470 last few years, presents an extraordinary opportunity to create a highly protected refuge of global  
471 significance in the heart of the Atlantic Ocean. In 2019, the UK Government committed to highly  
472 protect all of Ascension's waters in an MPA.



473 **Acknowledgements**

474 Thank you to all those who took part in the interviews to share their knowledge and views. We are  
475 grateful for the support of BLUE Marine Foundation.

476 **References**

477 AIG. 2013. *Wildlife Protection Ordinance*. Available at: [http://www.ascension-island.gov.ac/wp-](http://www.ascension-island.gov.ac/wp-content/uploads/2013/04/ORD-6-2013-Wildlife-Protection-Ordinance-Asc.pdf)  
478 [content/uploads/2013/04/ORD-6-2013-Wildlife-Protection-Ordinance-Asc.pdf](http://www.ascension-island.gov.ac/wp-content/uploads/2013/04/ORD-6-2013-Wildlife-Protection-Ordinance-Asc.pdf) [1 February  
479 2018].

480 AIG. 2015a. *Black rat species action plan*. In: *The Ascension Island Biodiversity Action Plan*.  
481 Georgetown, Ascension Island. Available at: [http://www.ascension-island.gov.ac/wp-](http://www.ascension-island.gov.ac/wp-content/uploads/2012/12/BLACK-RAT-SAP.pdf)  
482 [content/uploads/2012/12/BLACK-RAT-SAP.pdf](http://www.ascension-island.gov.ac/wp-content/uploads/2012/12/BLACK-RAT-SAP.pdf) [15 February 2018].

483 AIG. 2015b. *Green turtle species action plan*. In: *The Ascension Island Biodiversity Action Plan*.  
484 Georgetown, Ascension Island. Available at: [http://www.ascension-island.gov.ac/wp-](http://www.ascension-island.gov.ac/wp-content/uploads/2012/12/GREEN-TURTLE-SAP.pdf)  
485 [content/uploads/2012/12/GREEN-TURTLE-SAP.pdf](http://www.ascension-island.gov.ac/wp-content/uploads/2012/12/GREEN-TURTLE-SAP.pdf) [19 June 2018]

486 Ainsworth, C. H., Pitcher, T. J. and Rotinsulu, C. (2008). Evidence of fishery depletions and  
487 shifting cognitive baselines in Eastern Indonesia. *Biological Conservation*, 141, 848–859.

488 Aiton, A. (1901). A Government Turtle Farm. *The Royal Magazine*, Ascension Island Archives -  
489 ED31.001, pp.438–441.

490 Anadón, J. D., Giménez, A., Ballestar, R. and Pérez, I. (2009). Evaluation of Local Ecological  
491 Knowledge as a Method for Collecting Extensive Data on Animal Abundance. *Conservation*  
492 *Biology*, 23, 617–625.

493 Anon. (1864). Turtles Turned 1845-1863. Ascension Island Archives - ED31.004 .

494 Anon. (1892). No Title. 29 December. Ascension Island Archives - ED31.019. Morning Post.

495 Anon. (1906). Ascension Island. Report as to increasing the output of Turtle and disposal of  
496 additional number caught. National Archives - MT 23/191/11.

497 Anon. (1922a). Ascension Island - Turtles. Admiralty Report. June 15 1922. National Archives -  
498 ADM 1/8626/97.

499 Anon. (1922b). Ascension Island. Number of Turtle caught since May 1918. National Archives -  
500 ADM 1/8626/97.

501 Anon. (1922c). *Letter dated 11th September 1922*. National Archives - ADM 1/8626/97.

502 Anon. (1923). The Isle of Ascension. Vol. XVI. No. 185. The Zodiac, Cable & Wireless Archive.

503 Anon. (1928). Colonial Report. Ascension Island Archives - ED19.023.

504 Anon. (1931). Blue Book Returns 1930. Ascension Island Archives.

505 Anon. (1933). Colonial Report. Ascension Island Archives - ED19.025.

506 Anon. (1948). Report on Ascension Island - 1948. Ascension Island Archives .

507 Anon. (1964). Notes on Ascension Island. National Archives - CO 1024/414.

508 Anon. (1985a). Fishing. 4 October. *The Islander*.

509 Anon. (1985b). Fishing. 11 October. *The Islander*.

510 Armstrong, M. J. and Reeves, S. A. (2015). A review of fisheries management options for  
511 Ascension Island waters 2: Inshore fisheries.

512 Ashmole, P. and Ashmole, M. (2000). St Helena and Ascension Island: a natural history. Oswestry:  
513 Anthony Nelson Ltd.

514 Avis, G. 2000. A South Atlantic Tale. <http://heritage.org.ac/avis1.htm> [22 April 2017].

515 Babbie, E. (2012). *The Practice of Social Research*. 13th, Int. ed. Cengage Learning.

516 Barnes, D. K. A., Brown, J., Brickle, P., Downes, K., Enderlein, P., Gowland, E., Hogg, O.,  
517 Laptikhovsky V, Morley, S., Nolan, E., et al. (2015). Marine biodiversity of Ascension Island's  
518 shelf; scientific support for a Marine Protected Area. JR864 Cruise Report. British Antarctic  
519 Survey.

520 Bartlett, L. (1934). Blue Book Returns Ascension Island 1934. Ascension Island Archives.

521 Bartlett, L. S. (1935a). The Eastern Telegraph Company Limited. General Information Relating to  
522 Companies' Stations. Ascension Station. Letter dated 12th March 1835. Turtle Concession.  
523 Ascension Island Archives .

524 Bartlett, L. S. (1935b). Letter 'Turtle Concession' 12th March 1935. Ascension Island Archives.

525 Bartlett, L. S. (1972a). A History of Ascension - Part XXV. 6 October. The Islander.

526 Bartlett, L. S. (1972b). A History of Ascension - Part XXVI. 13 October. The Islander.

527 Baum, J. K. and Myers, R. A. (2004). Shifting baselines and the decline of pelagic sharks in the  
528 Gulf of Mexico. *Ecology Letters*, 7, 135–145.

529 Baum, J. K., Myers, R. A., Kehler, D. G., Worm, B., Harley, S. J. and Doherty, P. A. (2003).  
530 Atlantic Collapse and Conservation of Shark Populations in the Northwest Atlantic. *Science*, 299,  
531 389–392.

532 BBC. 2017. Shark attacks British woman off Ascension Island. [http://www.bbc.co.uk/news/uk-](http://www.bbc.co.uk/news/uk-39690179)  
533 39690179 [November 19 2017].

534 Beaudreau, A. H. and Levin, P. S. (2014). Advancing the use of local ecological knowledge for  
535 assessing data-poor species in coastal ecosystems. *Ecological applications: a publication of the*  
536 *Ecological Society of America*, 24, 244–256.

537 Beeckman, D. (1718). *A voyage to and from the island of Borneo, in the East-Indies. With a*  
538 *description of the said island: Giving an account of the Inhabitants, their Manners, Customs,*

539 *Religion, Product, chief Ports, and Trade. Together with the re-establishment of the English.*  
540 London: Eighteenth Century Collections Online. Gale.

541 Bedford, G. A. (1838). Ascension Island, surveyed by G.A. Bedford, Lt RN, HMS Raven, 1838.  
542 Admiralty Chart 691. 0.5 sea miles to an inch. Admiralty. National Archives - FO 925/868.

543 Braje, T. J., Rick, T. C., Erlandson, J. M., Rogers-Bennett, L. and Catton, C. A. (2015). Historical  
544 ecology can inform restoration site selection: the case of black abalone (*Haliotis cracherodii*)  
545 along California's Channel Islands. *Aquatic Conservation: Marine and Freshwater Ecosystems*,  
546 26, 470–481.

547 Brandreth, H. R. and Power, C. (1835). Communications on the Island of Ascension. *Journal of*  
548 *the Royal Geographical Society of London*, 5, 243.

549 Brickle, P., Brown, J., Küpper, F. C. and Brewin, P. E. (2017). Biodiversity of the marine  
550 environment around Ascension Island, South Atlantic. *Journal of the Marine Biological*  
551 *Association of the United Kingdom*, 97, 643–646.

552 Broderick, C., A., Frauenstein, R., Glen, F., Hays, G. C., Andrew L. J., Pelembe, T., Ruxton, G.  
553 D. and Godley, B. J. (2006). Are green turtles globally endangered? *Global Ecology and*  
554 *Biogeography*, 15, 21–26.

555 Bunce, M., Rodwell, L. D., Gibb, R. and Mee, L. (2008). Shifting baselines in fishers' perceptions  
556 of island reef fishery degradation. *Ocean and Coastal Management*, 51, 285–302.

557 Burnett, W. (1858a). Letter from Burnett to his mother. Dated July 19th 1858. Ascension Island  
558 Archives.

559 Burnett, W. (1858b). Letter from Burnett to his mother. Dated March 22nd 1858. Ascension Island  
560 Archives.

561 Campbell, C. (1816). Personal journal kept by Captain Colin Campbell, as a passenger on board  
562 the GENERAL HEWITT, for a voyage from China to England. Caird Library - Log/C/19.

563 Cant, J. (1973). Wideawake Airfield - the story of Ascension Island's Airstrip in World War II.  
564 Ascension Island Archives - F110/98.

565 Cawley, C. (2015). *Colonies in conflict: The history of the British Overseas Territories*. Cambridge  
566 Scholars Publishing.

567 Chapin, J. P. (1954). The Calendar of Wideawake Fair. *The Auk: A Quarterly Journal of*  
568 *Ornithology*, 71, 1-15.

569 Chapman, W. A. (1985). Wideawake Field, Ascension Island. Ascension Island Archives -  
570 ED3.041., p.11.

571 Choat, J. H. and Robertson, D. R. (2008). *An ecological survey of the St Helena and Ascension*  
572 *Island populations of the Jack (Epinephelus ascensionis) with a review of management options*.  
573 James Cook University, Smithsonian Tropical Research Institute.

574 Clarke. (1942). My experiences with the 38th Engineer Co. Feb-Aug 1942. Ascension Island  
575 Archives - Ref. ED3.032.

576 Collingwood, C. (1868). *Rambles of a naturalist on the shores and waters of the China Sea: being*  
577 *observations in natural history during a voyage to China, Formosa, Borneo, Singapore, etc., made*  
578 *in Her Majesty's vessels in 1866 and 1867*. London: J. Murray.

579 The Conservatives. 2015. *The Conservative Party Manifesto 2015*.  
580 <https://www.bond.org.uk/data/files/Blog/ConservativeManifesto2015.pdf> [19 November 2017].

581 Cowell, H. and Read, T. (1765). HMS York: assigned 'Captain Henry Cowell' and 'Thomas Read,  
582 Master'; May 1761 to 28 August 1765; Indian Ocean returning to England, via South Africa, St  
583 Helena and Ascension Islands. The National Archives - ADM 346/14/42.

584 Cross, T. (1980). *St. Helena: Including Ascension Island and Tristan da Cunha*. 1st ed. London:  
585 David Charles.

586 D'Urville, J.-S.-C. D. and Rosenman, H. (1987). *Two Voyages of the South Seas by Captain (later*  
587 *Rear-Admiral) Jules S-C Dumont D'Urville of the French Navy to Australia, New Zealand,*  
588 *Oceania, 1826-1829 in the Corvette Astrolabe and to the Straits of Magellan, Chile, Oceania. Vol.*  
589 *I Astrolabe*. Melbourne University Press.

590 Dalzell, P. (1998). The role of archaeological and cultural-historical records in long-range coastal  
591 fisheries resources management strategies and policies in the Pacific Islands. *Ocean & Coastal*  
592 *Management*, 40, 237–252.

593 Dampier, W. and Masefield, J. (1906a). *Dampier's Voyages by Captain William Dampier. Edited*  
594 *by John Masefield. In two volumes - II*. Ascension Island Archives. Masefield, J. (Ed). London :  
595 E. Grant Richards.

596 Dampier, W. and Masefield, J. (1906b). *Dampier's Voyages by Captain William Dampier. Edited*  
597 *by John Masefield. In two volumes - I*. London: E. Grant Richards.

598 Davidson, L. N. K., Krawchuk, M. A. and Dulvy, N. K. (2016). Why have global shark and ray  
599 landings declined: improved management or overfishing? *Fish and Fisheries*, 17, 438–458.

600 Daw, T. M. (2008). How Fishers Count Engaging with fishers' knowledge in fisheries science and  
601 management (PhD thesis). Newcastle University, GB.

602 De Bry, J. T. and Becker, M. (1601). *India Orientalis.-Part IV.-Latin*. Francofurti: British Library.

603 Diels, L., Spiess, F., Defant, A. and Schmidt-Ott, F. (1927). *Die Deutsche Atlantische Expedition*  
604 *Auf dem Vermessungs und Forschungsschiff 'Meteor'*. Berlin .

605 Dumas, P. W. (1910). Report of Inspection of H.M Island of Ascension. National Archives - ADM  
606 116/1369.

607 Edgar, S. and Morris, D. (1997). *Ascension Today: An Islander Souvenir Guide*. Cable & Wireless  
608 Archive - DOC 247.

609 Edwards, A. J. (1990). *Fish and Fisheries of Saint Helena Island*. Washington, Tyne & Wear: NB  
610 Print & Printsetting.

611 Engelhard, G. H., Thurstan, R. H., Mackenzie, B. R., Alleway, H. K., Bannister, R. C. A.,  
612 Cardinale, M., ... Lescrauwaet, A. (2015). ICES meets marine historical ecology: placing the  
613 history of fish and fisheries in current policy context. *ICES Journal of Marine Science*, 73, 1386–  
614 1403.

615 Faulkner. (1954). Letter dated 4 April 1954; writer posted to Ascension for Cable & Wireless.  
616 Ascension Island Archives - Ref. ED18.8.

617 Fisher, R. P. and Geiselman, R. E. (1992). *Memory-enhancing techniques for investigative*  
618 *interviewing: the cognitive interview*. Thomas.

619 Floeter, S. R., Rocha, L. A., Robertson, D. R., Joyeux, J. C., Smith-Vaniz, W. F., Wirtz, P., ...  
620 Bernardi, G. (2008). Atlantic reef fish biogeography and evolution. *Journal of Biogeography*, 35,  
621 22–47.

622 GB Hydrographic Department. (1963). *Africa pilot: part 2 including the west coast of Africa, from*  
623 *Rio del Rey to Cape Hangklip; the islands of Ascension and St Helena; the Tristan da Cunha group*  
624 *and Gough Island*. 11th ed. London: Caird Library - PBB8081.

625 Ghione, S. (2002). *Turtle Island: A Journey to Britain's Oddest Colony*. Translated. London:  
626 Penguin Group.

627 Gill, I. (1878). *Six months in Ascension: an unscientific account of a Scientific Expedition*.  
628 London: John Murray.

629 Gunther, E. R. (1925). *Diary of ER Gunther, Discovery 1925-27*. Caird Library - MSS/87/096.

630 Haggard, J. (1878). Letter from John Haggard to his father, Aug. 25th 1878. Caird Library -  
631 MSS/86/081.

632 Haggard, J. (1879). Letter from John Haggard to his mother Sept. 5 1879. Caird Library -  
633 MSS/86/081.

634 Harris, J. A., Hobbs, R. J., Higgs, E. and Aronson, J. (2006). Ecological Restoration and Global  
635 Climate Change. *Restoration Ecology*, 14, 170–176.

636 Hart-Davis, D. (1967). Space-Age Island. 26 February. p.5. The Sunday Telegraph

637 Hart-Davis, D. (1972). A Most Sedulous Turtle-Coper. Daily Telegraph Weekend Supplement,  
638 Ascension Island Archives - ED31.002 .

639 Hughes, B. J. (2013). Breeding and Population Ecology of Sooty Terns on Ascension Island (PhD  
640 thesis). The University of Birmingham.

641 Hughes, B. J., Martin, G. R. and Reynolds, S. J. (2008). Cats and seabirds: Effects of feral  
642 Domestic Cat *Felis silvestris catus* eradication on the population of Sooty Terns *Onychoprion*  
643 *fuscata* on Ascension Island, South Atlantic. *Ibis*, 150 (SUPPL.1), 122–131.

644 Huxley, R. C. (1997). *Ascension Island and turtles. A Monograph*. Ascension Island Archives.

645 Irving, R. A. (2015). The Offshore Marine Environment of Ascension Island, South Atlantic:  
646 Scientific Review and Conservation Status Assessment. Report to the Royal Society for the  
647 Protection of Birds (RSPB) by Sea-Scope Marine Environmental Consultants.

648 Jackson, J. B. C. (1997). Reefs since Columbus. *Coral Reefs*, (January), S23--S32.

649 Jackson, J. B. C., Kirby, M. X., Berger, W. H., Bjorndal, K. A., Botsford, L. W., Bourque, B. J.,  
650 ... Warner, R.R. (2001). Historical overfishing and the recent collapse of coastal ecosystems.  
651 *Science*, 293, 629–637.



652 Johannes, R. E. (1998). The case for data-less marine resource management: examples from  
653 tropical nearshore finfisheries. *Trends in Ecology & Evolution*, 13, 243–246.

654 Keilor, J. (1997). *Memories of Ascension, 1929-31*. Newmarket: Miles Apart.

655 Kerby, E. (1871). Ascension. Cape of Good Hope & West Coast of Africa Station. Commodore  
656 W. Dowell. C.B. 186. 1st Dec. 1867 to 15 Feb. 1871. National Archives - ADM 123/75.

657 Kier, G., Kreft, H., Lee, T. M., Jetz, W., Ibsch, P. L., Nowicki, C., Mutke, J. and Barthlott, W.  
658 (2009). A global assessment of endemism and species richness across island and mainland regions.  
659 *Proceedings of the National Academy of Sciences*, 106, 9322–9327.

660 Lander, L. (1925). Turtle Concession. No. 8. Ascension Island Archives - ED31.006.

661 Lander, L. (1927a). Ascension the Two Year Station. Vol. XIX. No. 224. The Zodiac, Cable &  
662 Wireless Archive.

663 Lander, L. (1927b). Blue Book Returns 1926. Ascension Island Archives.

664 Lima, M. S. P., Oliveira, J. E. L., de Nóbrega, M. F. and Lopes, P. F. M. (2017). The use of Local  
665 Ecological Knowledge as a complementary approach to understand the temporal and spatial  
666 patterns of fishery resources distribution. *Journal of Ethnobiology and Ethnomedicine*, 13, 1–12.

667 Linschoten, J. H. van. (1596). *John Huygen Van Linschoten, His Discours of Voyages Into Ye*  
668 *Easte [and] West Indies: Devided [Sic] Into Foure Bookes*. London: John Wolfe.

669 Lotze, H. and Milewski, I. (2004). Two centuries of multiple human impacts and successive  
670 changes in a North Atlantic food web. *Journal of Ecological Society of America*, 14, 1428–1447.

671 Lotze, H. K. (2004). Repetitive history of resource depletion and mismanagement: the need for a  
672 shift in perspective. *Marine Ecology Progress Series*, 274, 282–285.

673 Lotze, H. K. and Worm, B. (2009). Historical baselines for large marine animals. *Trends in*  
674 *Ecology and Evolution*, 24, 254–262.

675 Lotze, H. K., Reise, K., Worm, B., van Beusekom, J., Busch, M., Ehlers, A., ... Wolff, J. (2005).  
676 Human transformations of the Wadden Sea ecosystem through time: A synthesis. *Helgoland*  
677 *Marine Research*, 59, 84–95.

678 Luiz, O. J. and Edwards, A. J. (2011). Extinction of a shark population in the Archipelago of Saint  
679 Paul's Rocks (equatorial Atlantic) inferred from the historical record. *Biological Conservation*,  
680 144, 2873–2881.

681 Martin, R. M. (1843). *History of the Colonies of the British Empire ...: From the Official Records*  
682 *of the Colonial Office*. London: Wm H. Allen and Co., & George Routledge.

683 McClenachan, L., Ferretti, F. and Baum, J. K. (2012). From archives to conservation: Why  
684 historical data are needed to set baselines for marine animals and ecosystems. *Conservation*  
685 *Letters*, 5, 349–359.

686 McClenachan, L., Jackson, J. B. C. and Newman, M. J. H. (2006). Conservation implications of  
687 historic sea turtle nesting beach loss. *Frontiers in Ecology and the Environment*, 4, 290–296.

688 McLeod, P. (2016). St Helena Population & Housing Census. St Helena Statistics Office.

689 Mundy, P. (1936). *The Travels of Peter Mundy*. Vol. V. Temple, R. C. and Anstey, L. M. (Eds).  
690 London: The Hakluyt Society.

691 Mundy, P., Temple, R. C. and Anstey, L. M. (1907). *The Travels of Peter Mundy in Europe and*  
692 *Asia, 1608-1667*. Volume 2. Cambridge: The Hakluyt Society.

693 Neis, B. and Felt, L. (2000). Introduction. In: Neis, B. and Felt, L. (Eds). *Finding Our Sea Legs*.  
694 St John's, Newfoundland: ISER Books - Faculty of Arts Publication.

695 Neis, B., Schneider, D. C., Felt, L., Haedrich, R. L., Fischer, J. and Hutchings, J. A. (1999).  
696 Fisheries assessment: what can be learned from interviewing resource users? *Canadian Journal of*  
697 *Fisheries and Aquatic Sciences*, 56, 1949–1963.

698 O'Donnell, K. P., Pajaro, M. G. and Vincent, A. C. J. (2010). How does the accuracy of fisher  
699 knowledge affect seahorse conservation status? *Animal Conservation*, 13, 526–533.

700 O'Leary, B. C., Fieldhouse, P., McClean, C. J., Ford, A. E. S., Burns, P., Hawkins, J. P. and  
701 Roberts, C. M. (2018). Evidence gaps and biodiversity threats facing the marine environment of  
702 the United Kingdom's Overseas Territories. *Biodiversity and Conservation*. 28, 363-383.

703 Osbeck, P. (1765). *Reise nach Ostindien und China / Peter Osbeck ... aus dem schwedischen*  
704 *übersetzt von J.G. Georgi. Nebst O. Toreens Reise nach Suratte und C.G. Ekebergs Nachricht von*  
705 *der landwirthschaft der chineser. Aus dem schwedischen übersetzt von J.G. Georgi.* Rostock:  
706 Johann Christian Koppe.

707 Osbeck, P. and Forster, J. (1771). *A Voyage to China and the East Indies*. London: Benjamin  
708 White.

709 Ovington, J. (1696). *A Voyage To Suratt In The Year 1689*. London: Jacob Tonsson.

710 Pandolfi, J. M., Bradbury, R. H., Sala, E., Hughes, T. P., Bjorndal, K. A., Cooke, R. G., ... Jackson,  
711 J.B.C. (2003). Global Trajectories of the Long-Term of Coral Reef Ecosystems. *Science*, 301, 955–  
712 958.

713 Pauly, D. (1995). Anecdotes and the shifting baseline syndrome of fisheries. *Trends in Ecology*  
714 *and Evolution*, 10, 430.

715 Pinnegar, J. K. and Engelhard, G. H. (2008). The 'shifting baseline' phenomenon: a global  
716 perspective. *Reviews in Fish Biology and Fisheries*, 18, 1–16.

717 Pitcher, T. J. (2001). Fisheries Managed to Rebuild Ecosystems? Reconstructing the Past to  
718 Salvage the Future. *Ecological Applications*, 11, 601–617.

719 Plumeridge, A. A. and Roberts, C. M. (2017). Conservation targets in marine protected area  
720 management suffer from shifting baseline syndrome: A case study on the Dogger Bank. *Marine*  
721 *Pollution Bulletin*, 116, 395–404.

722 Porter, G. R. (1843). *The Process of the Nation in its various social and economical relations from*  
723 *the beginning of the nineteenth century to the present time*. London: Charles Knight & Co.

724 Pyke, J. (1705). *Journal of a voyage in the ship 'Rochester' from Deptford to Muscat and the East*  
725 *Indies and back, with topographical, ethnological, and other observations, ink-sketches, etc.*  
726 Archive Item - British Library Add MS 24931.

727 Ratcliffe, N., Bell, M., Pelembe, T., Boyle, D., Benjamin, R., White, R., ... Sanders, S. (2009). The  
728 eradication of feral cats from Ascension Island and its subsequent recolonization by seabirds. *Oryx*,  
729 44, 20–29.

730 Reeves, S. A. and Laptikhovsky, V. (2014). A review of fisheries management options for  
731 Ascension Island waters 1: Offshore fisheries.

732 Roberts, C. M. (2007). *The Unnatural History of the Sea* (1st ed.) London, GB: Island Press.

733 Roberts, C. M., O'Leary, B. C., McCauley, D. J., Cury, P. M., Duarte, C. M., Lubchenco, J., Pauly,  
734 D., Sáenz-Arroyo, A., Sumaila, U. R., Wilson, R. W., et al. (2017). Marine reserves can mitigate  
735 and promote adaptation to climate change. *Proceedings of the National Academy of Sciences*, 114,  
736 6167–6175.

737 Roe, A. G. and Parsons, G. (1885). Captains A. G. R. Roe and G. Parson. National Archives -  
738 ADM 50/323.

739 Rosenberg, A. A., Bolster, W. J., Alexander, K. E., Leavenworth, W. B., Cooper, A. B. and  
740 McKenzie, M. G. (2005). The history of ocean resources: modelling cod biomass using historical  
741 records. *Frontiers in Ecology*, 3, 84–90.

742 RSPB. (2017). Ascension Fisheries Detailed Report 2017.

743 Ruddle, K. and Hickey, F. R. (2008). Accounting for the mismanagement of tropical nearshore  
744 fisheries. *Environment, Development and Sustainability*, 10, 565–589.

745 Sáenz-Arroyo, A. and Revollo-Fernández, D. (2016). Local ecological knowledge concurs with  
746 fishing statistics: An example from the abalone fishery in Baja California, Mexico. *Marine Policy*,  
747 71, 217–221.

748 Sáenz-Arroyo, A., Roberts, C. M., Torre, J., Carino-Olvera, M. and Enriquez-Andrade, R. (2005a).  
749 Rapidly shifting environmental baselines among fishers of the Gulf of California. *Proceedings of*  
750 *the Royal Society B: Biological Sciences*, 272, 1957–1962.

751 Sáenz-Arroyo, A., Roberts, C. M., Torre, J., Carino-Olvera, M. and Hawkins, J. P. (2006). The  
752 value of evidence about past abundance: marine fauna of the Gulf of California through the eyes  
753 of 16th to 19th century travellers. *Fish and Fisheries*, 7, 128–146.

754 Sáenz-Arroyo, A., Roberts, C. M., Torres, J. and Cariño-Olvera, M. (2005b). Using fishers’  
755 anecdotes, naturalists’ observations and grey literature to reassess marine species at risk: the case  
756 of the Gulf grouper in the Gulf of California, Mexico. *Fish and Fisheries*, 6, 121–133.

757 Simmons, G. F. (1927). ‘Sinbads of Science’ - Narrative of a Windjammer’s Specimen-Collecting  
758 Voyage to the Sargasso Sea, to Senegambian Africa and Among Islands of High Adventure in the  
759 South Atlantic. *National Geographic*. LII, 44–58.

760 Stonehouse, B. (1960). *Wideawake Island: The story of the B.O.U. centenary expedition to*  
761 *Ascension* (1st ed.). London, GB: Hutchinson.

762 Stonehouse, B. (1962). Ascension Island and the British Ornithologists’ Union Centenary  
763 Expedition 1957-59. *Ibis*, 103B, 107–123.

764 Studley, J. T. (1898). Turtle Catching and Fishing at Ascension. *The Badminton Magazine of*  
765 *Sports and Pastimes*, 664–672.

766 Sullivan, M.G. (2003). Exaggeration of Walleye Catches by Alberta Anglers. *North American*  
767 *Journal of Fisheries Management*, 23, 573–580.

768 Teale, P. L. (1978). *St Helena 1502 - 1659* (2nd ed.). St Helena: W.A. Thorpe & Sons.

769 Telegraph. 2017. [http://www.telegraph.co.uk/news/2017/07/27/second-shark-attack-three-](http://www.telegraph.co.uk/news/2017/07/27/second-shark-attack-three-months-ascension-island/)  
770 [months-ascension-island/](http://www.telegraph.co.uk/news/2017/07/27/second-shark-attack-three-months-ascension-island/) [November 17 2017].

771 Thomson, C. W. (1878). *The voyage of the Challenger: the Atlantic: a preliminary account of the*  
772 *general results of the exploring voyage of H.M.S. Challenger; during the year 1873 and the early*  
773 *part of the year 1876: Vol. 1* (2nd ed.). New York: Harper & Brothers.

774 Thurstan, R. H., Brockington, S. and Roberts, C. M. (2010). The effects of 118 years of industrial  
775 fishing on UK bottom trawl fisheries. *Nature Communications*. 1, 1-6.

776 Thurstan, R. H., Buckley, S. M., Ortiz, J. C. and Pandolfi, J. M. (2016). Setting the Record Straight:  
777 Assessing the Reliability of Retrospective Accounts of Change. *Conservation Letters*. 9, 98–105.

778 Turvey, S. T., Barrett, L. A., Yujiang, H., Lei, Z., Xinqiao, Z., Xianyan, W., ... Ding, W. (2010).  
779 Rapidly Shifting Baselines in Yangtze Fishing Communities and Local Memory of Extinct  
780 Species. *Conservation Biology*, 24, 778–787.

781 Turvey, S. T., Fernández-Secades, C., Nuñez-Miño, J. M., Hart, T., Martinez, P., Brocca, J. L. and  
782 Young, R. P. (2014). Is local ecological knowledge a useful conservation tool for small mammals  
783 in a Caribbean multicultural landscape? *Biological Conservation*, 169, 189–197.

784 Twigg, F. (1919). Medical Officers Journal. H.M. Island Ascension. 1st Jan - 7th Oct. 1919.  
785 National Archives - ADM 101/470.

786 Ward-Paige, C. A. and Worm, B. (2017). Global evaluation of shark sanctuaries. *Global*  
787 *Environmental Change*, 47, 174–189.

788 Watts, C. C. (1936). *In Mid Atlantic: St Helena, Ascension Tristan da Cunha*. London: S.P.G.

789 Weber, S. B., Weber, N., Ellick, J., Avery, A., Frauenstein, R., Godley, B. J., ... Broderick, A. C.  
790 (2014). Recovery of the South Atlantic's largest green turtle nesting population. *Biodiversity and*  
791 *Conservation*, 23, 3005–3018.

792 Webster, W. H. B. (1834). *Narrative of a Voyage to the Southern Atlantic Ocean, in the Years*  
793 *1828, 29, 30, Performed in H.M. Sloop Chanticleer Under the Command of the Late Captain*  
794 *Henry Foster ...: Vol. 1*. London: Richard Bently.

795 Welch, S. R. (1950). *Portuguese Rule and Spanish Crown in S.A. 1581-1640* (1st ed.). Cape Town  
796 & Johannesburg: Juta & Co.

797 Willmott, E. A. (1930). Blue Book Returns 1929. Ascension Island Archives.

798 Willmott, E. A. (1932). Blue Book Returns - 1931. Ascension Island Archives.

799 Willmott, E. A. (1933). Blue Book Returns. Ascension Island 1933. Ascension Island Archives.

800 Wills, F. (1955). Request for fishing concession at St Helena and Ascension Islands. National  
801 Archives - CO 1024/62.

802 Wilson, D. C., Raakjær, J. and Degnbol, P. (2006). Local ecological knowledge and practical  
803 fisheries management in the tropics: A policy brief. *Marine Policy*, 30, 794–801.

804 Wood, F. (1928). Blue Book Returns 1927. Ascension Island Archives.

805 Wood, F. (1929). Blue Book Returns 1928. Ascension Island Archives.

806 Zapelini, C., Giglio, V. J., Carvalho, R. C., Bender, M. G. and Gerhardinger, L. C. (2017).  
807 Assessing Fishing Experts' Knowledge to Improve Conservation Strategies for an Endangered  
808 Grouper in the Southwestern Atlantic. *Source: Journal of Ethnobiology*, 37, 478–493.

809 **Tables**

810 *Table 1: Timeline of key quotes from Ascension's history and observations of the marine environment from 1501-1814 (references from*

811 *Osbeck, 1765, translated from German). Material in square brackets added for clarity.*

Quote
<p><b>"It hath certain faire and white Sandes about it, and great store of Fish, wherein it surpasseth S. Helena, but in it there are no beastes at all, onely by reason of the great quantitie of Fishes ther are so many birds in it yt. it is strange, and they are of the bignesse of young Geese, &amp; came by thousands flying about our ships, crying and making great noyse, and ranue up and downe in the shippe, some leaping and sitting on our shoulders and armes, not once fearing us, so that we tooke many of them, and wrung of their neckes, but they are not good to eate, because they taste morish [<i>strong-tasted or fishy</i>]." (1589, Jan Huygen van Linschoten, reported in Linschoten, 1596, pp. 261).</b></p>
<p><b>"...there is not soe much as fresh water upon it, verie bare and nothings to bee had there but Sea Fowle and fish, of which there is abundance." 1634, Peter Mundy, reported in Mundy, Temple &amp; Anstey, 1907, pp. 333</b></p>
<p><b>"Here are a vast plenty of fish so every man without any means of learning may catch as many as he pleases with a line and hook. We sent our long boat to fish with 5 hands and they brought more on board in a very little time that...from the</b></p>



**whole ships company and going again that night they brought aboard 700 large fish..." 1705, James Pyke, reported in Pyke, 1705**

**"When our men landed, they were surpriz'd to see the vast number of large Sea-fowl on the Rocks; such as Boobees, nodees, Men of War, Tropick Birds, &c. that suffr'd themselves to be taken off from their eggs..." 1715, Daniel Beeckman, reported in Beeckman, 1718, pp 201.**

**"The largest turtles, or sea-tortoises, have their residence on it, and are sometimes caught by hundreds in one night." 1752, Pehr Osbeck, reported in Osbeck & Forster, 1771, pp. 78**

**"The bay abounds with fish, particularly a small cod, but they have a black appearance..." 1793, George Maxwell, reported in Avis 2000**

813 *Table 2: Timeline of key quotes from Ascension's history and observations of the marine environment from 1815 - 1922. Material in square*  
 814 *brackets added for clarity.*

Quote
"They have plenty of fine turtle and fish of various kinds." 1816, Captain Colin Campbell, reported in Campbell, 1816.
"At Ascension the crew spent most of their time fishing and made huge catches." 1829, Jules-Sébastien-César Dumont D'Urville, reported in D'Urville & Rosenman, 1987, pp. 269.
" I have already stated, that in one year upwards of 2500 [turtle] were turned on the beaches, among which were several that weighed from six hundred to eight hundred pounds each." 1829, Captain H.R. Brandreth, Brandreth & Power, 1835, pp. 249.
"Considerable numbers of poultry are reared, and turtle and various kinds of fish abound on the coast." 1843, G.R. Porter, reported in Porter, 1843, pp. 390.
"The sandy shore adjoining George Town, I was informed, is no longer so rich and profitable a beach as it once was, the reason probably being that turtle, like birds of passage, return again and again to the same spot to deposit their eggs; and on this beach, as being the most accessible, the greatest number have been turned, so that but few visit it at present." 1868, Cuthbert Collingwood, Collingwood, 1868, pp. 426

**"Very many years ago, sea fowl must have covered the island, and deposited plenty of guano, as is evident from the marks upon the clinker, but for many years they (with the exception of the "wide-awake") have been confined to Botswain Bird Island, the Gillar rocks, and other small islet[s] round the coast, and to the parts of the island which are almost and quite inaccessible." 1870, Edward Kerby, reported in Kerby, 1871.**

**"There is a good quantity of edible fish to be caught from the rocks, or in the open sea from a boat and this sport affords good food for anybody." 1919, Francis Twigg, reported in Twigg, 1919.**

816 *Table 3: Timeline of key quotes or events from Ascension's history and observations of the marine environment from 1923 - 1983 (References*  
 817 *from Diels et al., 1927 translated from German). Material in square brackets added for clarity.*

<b>Quote or key event</b>
<b>"...in the pure blue waters we saw scores of black fish gloriously striped with azure on each side of the dorsal fin; several of these were caught on lines for they will eat anything." 1925, ER Gunther, reported in Gunther, 1925.</b>
<b>"There is such an abundance of fish on the anchorage that the unfortunate, black and blue striped fish can be grasped by hand from the boat." 1927, Diels et al., reported in Diels et al., 1927, pp. 103.</b>
<b>"To realise the vast numbers of the Wideawakes it was a good scheme to take a shot-gun out to the Plain, and fire a blank cartridge in the air, when the thousands of startled birds would almost darken the sky." 1929, John Keilor, reported in Keilor, 1997, pp. 33.</b>
<b>"In the clear waters, the sandy bottom can be seen teeming with fish; from the shark, the albacore and the tiger conger to the dainty five finger, the waters abound with their natural inhabitants." 1934, L.S. Bartlett, reported in Bartlett, 1972a.</b>

**"There were plenty of fish in the sea around Ascension...The principal catch included tuna, albacore and wahoo, weighing from sixty to eighty pounds each. There would be a few jacks weighing about twenty pounds each. On a good day a boat would bring in six or seven hundred pounds of fish." 1942, Clarke, reported in Clarke, 1942.**

**"Now only the Wideawake Terns breed in any force on the main island; the remaining species can nest only on inaccessible cliffs or isolated stacks like the one we were watching." 1960, Bernard Stonehouse, reported in Stonehouse, 1960, pp. 45-46.**

819 *Table 4: Timeline of key quotes or events from Ascension's history and observations of the marine environment from 1984 - 2017.*

Quote
<p>"...that they went out on Saturday morning with a group of fishermen and came home 'loaded'. When asked 'what with', this very same co-owner reported 'oh yes, well there were 6 sail, 24 wahoo, 60 tuna..." 1985, <i>The Islander</i>, reported in Anon., 1985a.</p>
<p>"A week past Saturday Buffalo caught 18 tuna, in his own words "no big ones". On Sunday 9 tuna were caught. Then last Saturday they caught 21 and a quarter! The other 3/4s went to a hungry shark" 1985, <i>The Islander</i>, Anon., 1985b.</p>
<p>"Fishing goes on all around the island - grouper, silver fish, soldier fish and Moray eels (!) being the most common catches though small sharks are also frequently landed." 1997, Sue Edgar &amp; Debbie Morris, reported in Edgar &amp; Morris, 1997, pp. 12.</p>
<p>"Although the fish diversity is low, one species is extraordinarily abundant. This is the Blackfish <i>Melichthys niger</i>..." 2000, Philip &amp; Myrtle Ashmole, reported in Ashmole and Ashmole, 2000, pp. 241.</p>
<p>"Two are standing at the prow, the others are sitting on the sides of the fishing smack, whose bottom is full of fish. I managed to make out sixteen big fish, either tuna fish or others which I don't recognise." 2000, Sergio Ghione, reported in Ghione, 2002, pp. 53.</p>

**"A second boat arrives with another twenty or so tuna fish and then a third with an enormous tuna: it has to be tied with a rope and it needs six men to haul it up the pier." 2002, Sergio Ghione, reported in Ghione, 2002, pp. 54.**

**"The tuna remains are thrown back into the sea, which immediately just swarms with blackfish, which are absolutely voracious but inedible." 2002, Sergio Ghione, reported in Ghione, 2002, pp. 54.**

**"A precipitous decline of 2 million birds occurred between 1965 and 1985." 2013, B. John Hughes, Hughes, 2013, pp. 70.**

**"The Galapagos shark is the most common shark species seen in the nearshore waters around Ascension. Anecdotal evidence suggests their numbers are thought to be increasing again." Robert Irving, reported in Irving, 2015, pp. 58**

821 *Table 5: Historical references to the presence, behaviour and abundance of sharks around Ascension Island. Additions added to quotes for*  
822 *clarity are included in square brackets.*

Quote
<b>"And at the time when the turtle resort to these places to lay their eggs, they are accompanied with abundance of Fish, especially sharks..." 1684, William Dampier, reported in Dampier &amp; Masefield, 1906b, pp.133.</b>
<b>"But we were often plagu'd with young Sharks, that wou'd run away with our Hooks and Lines. The water was so clear that we cou'd see the Fish take the Bait; and when we saw a Shark coming towards it, we made what haste we cou'd to pull up our Lines; yet they were so quick that they wou'd catch the Bait sometimes on the very Surface of the Water." 1715, Daniel Beeckman, reported in Beeckman, 1718, pp. 201.</b>
<b>"Sharks are so numerous in these latitudes that it is only when very smooth (a rare occurrence) that one can venture with safety to plunge in to the sea under shade of a rock." 1858, Captain William Burnett, reported in Burnett, 1858a, pp. 4.</b>
<b>"Both [men] were probably pulled off by the sharks of which there were several near." Referring to Goring &amp; Cook, men involved in boat wreck off Ascension. 1878, John Haggard, reported in Haggard, 1879, pp. 2.</b>



**"Sharks were plentiful all around the coast, and rendered bathing very dangerous except in the shallow coves like Comfortless and South West Bay." 1929, John Keilor, reported in Keilor, 1997, pp. 35.**

**"Sharks were plentiful also. It was not unusual to be hauling in a fighting tuna and have the line go slack as a shark hit a bleeding tuna. We would then haul in the remainder consisting of a head or a tuna with a large chunk removed" 1942, Clarke, reported in Clarke, 1942.**

**"A shark guard with M-1 rifles was posted on a motor launch to protect the swimmers from the feared predators. Being an expert marksman, my job that memorable day was with the shark guard." 1942, W.A. Chapman, reported in Chapman, 1985, pp. 7.**

**"The beaches here are really beautiful...but the undertow is dangerous and there is also the danger of sharks. One beach is safe-Comfortless Cove...but we are supposed to post a watcher for sharks." 1954, Faulkner, reported in Faulkner, 1954.**

**"3. Bathing. It is, at present, an offence to swim in the sea without a permit, due to the dangerous sea conditions and the presence of sharks. The law is not, however, enforced but everyone is warned that, other than at Comfortless Cove, it is**

**dangerous to swim except for strong swimmers and anyone doing so swims at his own risk." 1964, Anon., reported in Anon., 1964.**

823

824 **Figure Legends**

825 **Figure 1:** Location of Ascension Island with EEZ shown by dashed line and zoomed in view  
826 to identify key locations on the island.

827 **Figure 2:** Engraving of Ascension Island found in Linschoten's Itinerario (1605) by Theodore  
828 de Bry (1601) (Bry & Becker, 1601). Image provided by Library Regionaal Archief Alkmaar,  
829 Netherlands (though earlier versions in English exist by William Rogers, as seen in Linschoten  
830 (1596)).

831 **Figure 3:** Illustration from Linschoten's (1596) accounts of his travels. Although attributed to  
832 Ascension Island (sourced as for sale through Amazon (<https://www.amazon.com/Antique-10Print-ASCENSION-ISLAND-WHALE-FLYING-FISH-De-Bry-1601/dp/B01MY78S72>))  
833 the edition seen could not be traced to check the location of the scene. It is likely from the  
834 German version of the edition of the text with new engravings made by Johann Theodor and  
835 Johann Israel de Bry.  
836

837 **Figure 4:** Annual Turtle catches on Ascension Island from 1834 to 1934 when concessions for  
838 their capture ended ( $R^2 = 0.48$ ,  $t = -6.47$ ,  $P < 0.0001$ ). Data sources: Anon., 1864; Anon., 1906;  
839 Anon. 1922a; Anon., 1922b; Anon., 1928; Anon., 1931; Anon., 1933; Bartlett, 1934; Dumas,  
840 1910; GB Hydrographic Office, 1963; Huxley, 1997; Kerby, 1871; Lander, 1925; Lander,  
841 1927b; Willmott, 1930; Willmott, 1932; Willmott, 1933; Wood, 1928; Wood, 1929.

842 **Figure 5:** Licensed commercial fishing days within Ascension Island's Exclusive Economic  
843 Zone (source: Pers. Comm. Ascension Island Government Conservation department, 2017  
844 (unpublished data)).

845 **Figure 6:** Selection of fish caught around Ascension Island: a) 1337 lb marlin caught 2002; b)  
846 102 lb wahoo caught 1992; c) Hooked shark, no exact date but known to have been sometime  
847 between 1988-2002).

848 **Figure 7:** Galapagos sharks (*Carcharhinus galapagensis*) around Ascension Island, July –  
849 September 2017 a) attacking hooked tuna, b) surrounding boat following fishing activity c), d)  
850 from the pier head in Georgetown in shallow water. Photos by Polly Burns.

851 **Figure 8:** Answers given as percentages on whether respondents felt their catch per unit effort  
852 had changed around Ascension, in relation to their first year on island (a)  $\chi^2 > 2.156$ ,  $P = 0.340$   
853 and overall length of time there (b)  $\chi^2 > 0.484$ ,  $P = 0.785$ .

854 **Figure 9:** Responses to “What is your view on sharks in Ascension waters?” around Ascension  
855 (N = 299). BBI – Botswain Bird Island; NEB = North East Bay; SE Bay = South-east Bay.  
856 ‘Completely new’ refers to the present state of shark abundance and proximity to the island as  
857 not seen previously by the respondent and ‘not completely new’ means the opposite.

858 **Figure 10:** Locations named as having decreased in productivity for fishing around Ascension  
859 (N = 171), with locations mentioned as decreased for the same locations reflected in negative  
860 numbers (N = 11).

861 **Figure 11:** Summary of answers given to the question “Are there any places that you used to  
862 fish that are no longer productive or vice versa?” around Ascension (N = 235). The categories  
863 of ‘Somewhere has decreased’ and ‘Somewhere has increased’ are grouped responses which  
864 named a specific location.

865 **Figure 12:** Responses for the number of fish caught in a ‘typical day’s fishing’ around  
866 Ascension for the most commonly named species mentioned by respondents. Linear regression  
867 lines are displayed with equation and R2 values. a) ‘Fish’ – where non-specific species were  
868 referred to, N = 40,  $R^2 = 0.3145$ ,  $P < 0.0001$ ,  $t = -4.15$ ; b) ‘Grouper’ *Epinephelus adscensionis*,  
869 N = 44,  $R^2 = 0.06$ ,  $P = 0.1$ ,  $t = -1.68$ ; c) ‘Eel’ *Gymnothorax moringa* N = 30,  $R^2 = < 0.0001$ ,  $P$   
870  $= 0.96$ ,  $t = -0.06$ ; d) ‘Tuna’ *Thunnus albacares* N = 47,  $R^2 = 0.39$ ,  $P < 0.0001$ ,  $t = -5.37$ .

871 **Figure 13:** Answers given to “Are there any species you know of that have decreased in  
872 numbers during your stay on Ascension?” (N = 196 responses).

873 **Figure 14:** Summary figure of changes through the delineated periods on Ascension – larger  
874 arrows represent greater trends.