UNIVERSITY OF LEEDS

This is a repository copy of *Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience*.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/100858/

Version: Accepted Version

Article:

Eftychiou, C, Barmby, DS, Wilson, SJ et al. (7 more authors) (2016) Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience. Catheterization and Cardiovascular Interventions, 88 (4). pp. 546-553. ISSN 1522-1946

https://doi.org/10.1002/ccd.26587

© 2016 Wiley Periodicals, Inc. This is the peer reviewed version of the following article: Eftychiou, C., Barmby, D. S., Wilson, S. J., Ubaid, S., Markwick, A. J., Makri, L., Blaxill, J. M., Spratt, J. C., Gunning, M. and Greenwood, J. P. (2016), Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience. Cathet. Cardiovasc. Intervent., 88: 546–553. doi: 10.1002/ccd.26587, which has been published in final form at https://doi.org/10.1002/ccd.26587. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/ Table 2. Technical and procedural characteristics

ACCESS	
Trans-Radial	159 (30.7%)
Trans-Femoral	359 (69.3%)
SEVERITY OF DISEASE	
SYNTAX 1 (Target vessel score)	12.8±8.0
SYNTAX 2 (All vessel score)	19.5±11.6
ATTEMPTED VESSELS (N=644)	
LMS	81 (12.6%)
LAD	268 (41.6%)
LCX	85 (13.2%)
RCA	210 (32.6%)
MEDICATIONS-PACING	
Heparin	512 (98.8%)
Bivalirudin	6 (1.2%)
GPI	169 (32.7%)
Aspirin and Clopidogrel	518 (100%)
Temporary Pacing	97 (18.7%)
STENTS	
Number of vessels treated	644
Total number of stents implanted	974
Number of stents per patient	1.9±1
Patients with DES	362 (70.3%)
Patients with BMS	110 (21.4%)
Patients with both DES and BMS implanted	29 (5.6%)
Patients with no stent implanted	14 (2.7%)

Data shown as N (%) or mean±SD.

BMS= Bare Metal Stents, DES= Drug Eluting Stents, GPI= Glycoprotein IIb/IIIa receptor

inhibitors, LAD=Left Anterior Descending, LCX= Left Circumflex, LMS=Left Main Stem,

RCA= Right Coronary Artery.