



UNIVERSITY OF LEEDS

This is a repository copy of *Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/100858/>

Version: Accepted Version

Article:

Eftychiou, C, Barmby, DS, Wilson, SJ et al. (7 more authors) (2016) Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience. *Catheterization and Cardiovascular Interventions*, 88 (4). pp. 546-553. ISSN 1522-1946

<https://doi.org/10.1002/ccd.26587>

© 2016 Wiley Periodicals, Inc. This is the peer reviewed version of the following article: Eftychiou, C., Barmby, D. S., Wilson, S. J., Ubaid, S., Markwick, A. J., Makri, L., Blaxill, J. M., Spratt, J. C., Gunning, M. and Greenwood, J. P. (2016), Cardiovascular Outcomes Following Rotational Atherectomy: A UK Multicentre Experience. *Cathet. Cardiovasc. Intervent.*, 88: 546–553. doi: 10.1002/ccd.26587, which has been published in final form at <https://doi.org/10.1002/ccd.26587>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Table 3: Outcomes in follow up period and peri-procedural and vascular access complications

OUTCOMES	
MACE	92 (17.8%)
• Cardiac Death	37 (7.1%)
• MI	60 (11.7%)
• TVR	39 (7.5%)
Death (all-cause mortality)	71 (13.7%)
Definite Stent Thrombosis	7 (1.4%)
Stroke	15 (2.9%)
PERI-PROCEDURAL COMPLICATIONS	33 (6.4%)
Coronary perforation	7 (1.4%)
Heart block requiring pacing	4 (0.8%)
Tamponade	4 (0.8%)
Side branch Occlusion	4 (0.8%)
Death prior to discharge	3 (0.6%)
Slow Flow/No reflow	3 (0.6%)
Burr Stalled/jammed	2 (0.4%)
Shock/Pulmonary Oedema	2 (0.4%)
Aortic Dissection	1 (0.2%)
Emergency CABG	1 (0.2%)
VT/VF arrest	1 (0.2%)
Wire fracture	1 (0.2%)
VASCULAR ACCESS COMPLICATIONS	10 (1.9%)
Femoral haematoma (major)	7 (1.4%)
Femoral pseudoaneurysm	2 (0.4%)
Radial pseudoaneurysm	1 (0.2%)

Data shown as N (%),

MACE=Major Adverse Cardiac Events, MI= Myocardial Infarction, TVR= Target Vessel Revascularization, VT/VF=ventricular tachycardia/ventricular fibrillation.