



This is a repository copy of *Group cognitive analytic therapy for female survivors of childhood sexual abuse*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/102719/>

Version: Supplemental Material

Article:

Calvert, R., Kellett, S. and Hagan, T. (2015) Group cognitive analytic therapy for female survivors of childhood sexual abuse. *British Journal of Clinical Psychology*, 54 (4). pp. 391-413. ISSN 0144-6657

<https://doi.org/10.1111/bjc.12085>

This is the peer reviewed version of the following article: Calvert, R., Kellett, S. and Hagan, T. (2015), Group cognitive analytic therapy for female survivors of childhood sexual abuse. *Br J Clin Psychol*, 54: 391–413, which has been published in final form at doi:10.1111/bjc.12085. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Running head: Effectiveness of group CAT for female survivors of CSA

Group Cognitive Analytic Therapy for Female Survivors of
Childhood Sexual Abuse

Rachel Calvert

Sheffield Children's NHS Foundation Trust, UK

Stephen Kellett

Centre for Psychological Therapies Research, University of Sheffield, UK

Sheffield Social and Healthcare NHS Foundation NHSD Trust, UK

&

Theresa Hagan

Sheffield Social and Healthcare NHS Foundation NHSD Trust, UK

Correspondence:

Correspondence concerning this article should be addressed to Stephen Kellett, Clinical Psychology Unit, University of Sheffield, S10 2TN, UK.

stephen.Kellett@sheffield.ac.uk